



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
AIR QUALITY PROGRAM**

TITLE V/STATE OPERATING PERMIT

Issue Date:	February 26, 2020	Effective Date:	November 30, 2022
Revision Date:	November 30, 2022	Expiration Date:	February 26, 2025
Revision Type:	Modification, Significant		

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable applicable requirements unless otherwise designated as "State-Only" or "non-applicable" requirements.

TITLE V Permit No: 65-00016

Federal Tax Id - Plant Code: 25-0610595-1

Owner Information

Name: LATROBE SPECIALTY METALS A CARPENTER CO
Mailing Address: 2626 LIGONIER ST
LATROBE, PA 15650-3246

Plant Information

Plant: LATROBE SPECIALTY METALS/ A CARPENTER CO
Location: 65 Westmoreland County 65004 Latrobe Borough
SIC Code: 3312 Manufacturing - Blast Furnaces And Steel Mills

Responsible Official

Name: AMY HUGUS
Title: GEN MANAGER LATROBE OPR.
Phone: (484) 507 - 2152 Email: AHugus@cartech.com

Permit Contact Person

Name: KEVIN LYSELL
Title: ENV. ENGINEER
Phone: (724) 532 - 4899 Email: KLyell@cartech.com

[Signature] _____

MARK R. GOROG, P.E., ENVIRONMENTAL PROGRAM MANAGER, SOUTHWEST REGION



SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents
Site Inventory List

Section B. General Title V Requirements

- #001 Definitions
- #002 Prohibition of Air Pollution
- #003 Property Rights
- #004 Permit Expiration
- #005 Permit Renewal
- #006 Transfer of Ownership or Operational Control
- #007 Inspection and Entry
- #008 Compliance Requirements
- #009 Need to Halt or Reduce Activity Not a Defense
- #010 Duty to Provide Information
- #011 Reopening and Revising the Title V Permit for Cause
- #012 Reopening a Title V Permit for Cause by EPA
- #013 Operating Permit Application Review by the EPA
- #014 Significant Operating Permit Modifications
- #015 Minor Operating Permit Modifications
- #016 Administrative Operating Permit Amendments
- #017 Severability Clause
- #018 Fee Payment
- #019 Authorization for De Minimis Emission Increases
- #020 Reactivation of Sources
- #021 Circumvention
- #022 Submissions
- #023 Sampling, Testing and Monitoring Procedures
- #024 Recordkeeping Requirements
- #025 Reporting Requirements
- #026 Compliance Certification
- #027 Operational Flexibility
- #028 Risk Management
- #029 Approved Economic Incentives and Emission Trading Programs
- #030 Permit Shield
- #031 Reporting
- #032 Report Format

Section C. Site Level Title V Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level Title V Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements



SECTION A. Table of Contents

D-VI: Work Practice Standards
D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

E-I: Restrictions
E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)

F-I: Restrictions
F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

Section G. Emission Restriction Summary

Section H. Miscellaneous

**SECTION A. Site Inventory List**

Source ID	Source Name	Capacity/Throughput		Fuel/Material
043	MISCELLANEOUS COMFORT HEAT, HOT WATER HT	10.000	MMBTU/HR	
		10.000	MCF/HR	Natural Gas
061	NEW TIV BOILER	25.106	MMBTU/HR	
		25.106	MCF/HR	Natural Gas
101	ELECTRIC ARC FURNACE (FURNACE B)	15.000	Tons/HR	STEEL
102	AOD VESSEL REFINING	30.000	Tons/HR	STEEL
103	TEEMING - INGOT POURING	15.000	Tons/HR	STEEL
104	NO 10 ELECTRO-SLAG REMELT	20.000	Tons/HR	STEEL SLAG
105	VACARC WELDING & SCARFING	15.000	Each/HR	STEEL ELECTRODS
106	MESTA PRESS	25.000	Tons/HR	STEEL
107	#8 MIDWEST GRINDER	10.000	Tons/HR	STEEL
108	PRECISION FORGING MACHINE	8.000	Tons/HR	STEEL
109	PFF ABRASIVE HOT SAW	8.000	Tons/HR	STEEL
110	1-MIDWEST GRINDER - #7	15.000	Tons/HR	STEEL
110A	#10 MIDWEST GRINDER	15.000	Tons/HR	STEEL
111	#2 G&B GRINDER	10.000	Tons/HR	STEEL
111A	CMI GRINDER	10.000	Tons/HR	
111B	TWO SURFACE GRINDERS IN SPD BLDG	10.000	Tons/HR	
112	SAW CUTTING/HOT SAW	20.000	Tons/HR	STEEL
113	HOT ROLLING - CRM	8.000	Tons/HR	STEEL
114	HCL ACID ETCH		N/A	HCL
115	MELT SHOP FURNACES	1.000	Tons/HR	STEEL
		32.700	MCF/HR	Natural Gas
116	MELT SHOP-#1 CARBOTTOM FURNACE	29.600	MMBTU/HR	
		1.000	Tons/HR	STEEL
		29.600	MCF/HR	NATURAL GAS
117	MELT SHOP-#2 CARBOTTOM FURNACE	29.600	MMBTU/HR	
		1.000	Tons/HR	STEEL
		29.600	MCF/HR	Natural Gas
118	HEATING/COOLING FURNACES MESTA PRESS	5.000	Tons/HR	STEEL
		171.400	MCF/HR	Natural Gas
120	#55 MESTA PRESS CARBOTTOM FURNACE	0.410	Tons/HR	STEEL
		8.400	MCF/HR	Natural Gas
121	#50 & #56 MESTA PRESS HOMOGENIZING FCES	2.500	Tons/HR	STEEL (EACH)
		15.600	MCF/HR	GAS (EACH)
122	HEATING & ANNEALING FCES (FORMER SACK PRESS)	3.000	Tons/HR	STEEL
		101.200	MCF/HR	Natural Gas
126	ANNEALING/HEAT TREAT FURNACES	90.300	MMBTU/HR	
		3.000	Tons/HR	STEEL
		90.300	MCF/HR	Natural Gas
127	COLD ROLL FINISHING FURNACES (COILS)	1.000	Tons/HR	STEEL

**SECTION A. Site Inventory List**





Source ID	Source Name	Capacity/Throughput	Fuel/Material
		25.500 MCF/HR	Natural Gas
130	(2) STRESS RELIEF FURNACES - 40E & 40W	0.500 Tons/HR	STEEL (EACH)
		3.750 MCF/HR	GAS (EACH)
131	PRECISION FORGING FACILITY FURNACES	3.000 Tons/HR	STEEL
		74.400 MCF/HR	Natural Gas
132	#0 BOX FCE - PRECISION FORGING FACILITY	2.200 Tons/HR	STEEL
		14.000 MCF/HR	Natural Gas
133	VACUUM ARC RE-MELT FURNACES (13)	5.000 Tons/HR	STEEL
134	CRUCIBLE CLEANER SHOT BLASTER	40.000 Tons/HR	STEEL
136	BILLET DESCALING (ROTOBLAST) MACHINE	1.000 Tons/HR	STEEL
137	WET ABRASIVE CUTOFF SAWS (HOT MILL)	2.300 Tons/HR	STEEL
140	SLAG HANDLING ACTIVITIES	1.250 Tons/HR	STEEL SLAG
141	VEHICLE TRAVEL	3.400 Each/HR	VEHICLE MILES TRAVELE
142	TIP FURNACE, HOOD FURNACES #1 & #2	13.000 MMBTU/HR	
		13.000 MCF/HR	Natural Gas
143	CUMMINS EMERGENCY ENGINE	1.000 MCF/HR	Natural Gas
1701	SHOT BLAST AND GRINDER - CRM	5.000 Tons/HR	
1702	CRM EMERGENCY GENERATOR	1.000 MCF/HR	Natural Gas
201	VIM FURNACE		
202	VAR FURNACES / VIM-VAR (6)		
203	CARBOTTOM FURNACES #3, #4, & #5 - VIM2	25.800 MMBTU/HR	
		8.000 MCF/HR	Natural Gas
204	CRUCIBLE & TWO (2) TUNDISH PRE-HEATERS - VIMVAR	4.300 MMBTU/HR	
205	NO. 9 MIDWEST GRINDER	10.000 Tons/HR	
206	CRUCIBLE CLEANING STATION - VIMVAR	2,000.000 Tons/HR	
207	WELDING STATION - VIMVAR	20,000.000 Tons/HR	
210	VAC/ARC EMERGENCY GENERATOR	1.000 MCF/HR	Natural Gas
501	COLD MILL EMERGENCY GENERATOR	1.000 MCF/HR	Natural Gas
701	48" SAW	10.000 Tons/HR	
702	54" SAW	10.000 Tons/HR	
703	38" SAW	10.000 Tons/HR	
801	ANNEALING DEPT EMERGENCY GENERATOR	1.000 MCF/HR	Natural Gas
C03	PECOR BAGHOUSE AOD FURN		
C04	NO. 10 ELECTRO SLAG REMELT BAGHOUSE		
C05	#1 VACARC WELDING & SCARFING BAGHOUSE		
C05A	#2 VACARC WELDING & SCARFING BAGHOUSE		
C07A	#8 MIDWEST GRINDER BAGHOUSE (NEW)		
C08	PRECISION FORGING MACHINE BAGHOUSE		
C09	PFF ABRASIVE HOT SAW (BRAUN) BAGHOUSE		
C10	1-MIDWEST GRINDER BAGHOUSE (STANDARD HAVENS)		

**SECTION A. Site Inventory List**

Source ID	Source Name	Capacity/Throughput	Fuel/Material
C11	#2 G&B GRINDER BAGHOUSE		
C111A	CMI GRINDER BAGHOUSE		
C12	CRUCIBLE CLEANER SHOT BLAST WET SCRUBBER		
C13	BILLET DESCALING MACHINE BAGHOUSE		
C14	WET ABRASIVE CUTOFF SAW SCRUBBER		
C15A	NEW ACID ETCH LINE SCRUBBER		
C16	EAF VOEST ALPINE BAGHOUSE		
C1701	SHOT BLAST AND GRINDER BAGHOUSE - CRM		
C205	NO. 9 MIDWEST GRINDER BAGHOUSE		
C206	CRUCIBLE CLEANING STATION BAGHOUSE		
C207A	WELDING STATION BAGHOUSE A		
C701	48" SAW SCRUBBER		
C702	54" SAW SCRUBBER		
C703	38" SAW SCRUBBER		
S03	PECOR STACK		
S04	ESR FURN STACK		
S05	VACARC WELDING & SCARFING WHEELABRATOR BAGHOUSE STACK		
S05A	VACARC WELDING & SCARFING FULLER BAGHOUSE STACK		
S061	NEW TIV BOILER STACK		
S07A	#8 MIDWEST GRINDER BAGHOUSE (NEW) STACK		
S08	PFF STACK		
S09	PFF HOT SAW STACK		
S10	BAGHOUSE STACK (STANDARD HAVENS)		
S11	#2 G&B GRINDER STACK		
S111A	CMI GRINDER BAGHOUSE STACK		
S142	ANNEALING FURNACES - STACK		
S143	CUMMINS EMERGENCY ENGINE STACK		
S1701	SHOT BLAST AND GRINDER BAGHOUSE - CRM STACK		
S1702	CRM EMERGENCY GENERATOR STACK		
S203	TWO (2) VIM/VAR ANNEALING FURNACES STACKS		
S204	VIM/VAR CRUCIBLE & TWO (2) TUNDISH PRE-HEATERS STACKS		
S205	NO. 9 MIDWEST GRINDER BAGHOUSE STACK		
S206	CRUCIBLE CLEANING BAGHOUSE STACK		
S207A	WELDING AREA BAGHOUSE A STACK		
S210	VAC/ARC EMERGENCY GENERATOR STACK		
S38	ANNEALING/HEAT TREAT		
S39	COLD ROLL FINISH FURN		
S42	PFF FURNACES		











**SECTION A. Site Inventory List**

Source ID	Source Name	Capacity/Throughput	Fuel/Material
S43	MISCELLANEOUS HEATERS		
S47	MESTA PRS #55CB FCE STACK		
S48	#50/#56 HOMOGENEOUS FCES STACK		
S50	2 STRESS RELIEF FCE STACK		
S501	COLD MILL EMERGENCY GENERATOR STACK		
S51	#0 (PFF) FURNACE STACK		
S52	CRUCIBLE SCRUBBER STACK		
S53	BILLET DESCALING STACK		
S55	ACID ETCH LINE STACK		
S56	EAF BAGHOUSE STACK		
S701	48" SAW SCRUBBER STACK		
S702	54" SAW SCRUBBER STACK		
S703	38" SAW SCRUBBER STACK		
S801	ANNEAL DEPT EMERGENCY GENERATOR STACK		
Z06	MESTA PRESS FUG VOC		
Z111B	TWO SURFACE GRINDERS SPD BLDG STACK		
Z12	HOT SAW - CRM		
Z13	HOT ROLLING - FUGITIVE		
Z133	VACUUM ARC REMELT FUGIT.		
Z140	SLAG HANDLING FUGITIVES		
Z141	VEHICULAR TRAFFIC FUGITIVES		
Z33	HEATING/COOLING FURNACES MESTA PRESS FUGITIVES		
Z34	HEAT & ANNEAL FCES(FORMER SACK PRESS) STACK		
Z54	WET ABRASIVE CUTOFF FUGITIVES		

PERMIT MAPS

















PERMIT MAPS




















PERMIT MAPS





PERMIT MAPS



**PERMIT MAPS**

PROC
501 → STAC
S501

PROC
701 → CNTL
C701 → STAC
S701

PROC
702 → CNTL
C702 → STAC
S702

PROC
703 → CNTL
C703 → STAC
S703

PROC
801 → STAC
S801

**SECTION B. General Title V Requirements****#001 [25 Pa. Code § 121.1]****Definitions**

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and 25 Pa. Code § 121.1.....

#002 [25 Pa. Code § 121.7]**Prohibition of Air Pollution**

No person may permit air pollution as that term is defined in the act.

#003 [25 Pa. Code § 127.512(c)(4)]**Property Rights**

This permit does not convey property rights of any sort, or any exclusive privileges.

#004 [25 Pa. Code § 127.446(a) and (c)]**Permit Expiration**

This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit. The terms and conditions of the expired permit shall automatically continue pending issuance of a new Title V permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.

#005 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446(e), 127.503 & 127.704(b)]**Permit Renewal**

(a) An application for the renewal of the Title V permit shall be submitted to the Department at least six (6) months, and not more than 18 months, before the expiration date of this permit. The renewal application is timely if a complete application is submitted to the Department's Regional Air Manager within the timeframe specified in this permit condition.

(b) The application for permit renewal shall include the current permit number, the appropriate permit renewal fee, a description of any permit revisions and off-permit changes that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.

(c) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413. The application for renewal of the Title V permit shall also include submission of compliance review forms which have been used by the permittee to update information submitted in accordance with either 25 Pa. Code § 127.412(b) or § 127.412(j).

(d) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information during the permit renewal process. The permittee shall also promptly provide additional information as necessary to address any requirements that become applicable to the source after the date a complete renewal application was submitted but prior to release of a draft permit.

#006 [25 Pa. Code §§ 127.450(a)(4) & 127.464(a)]**Transfer of Ownership or Operational Control**

(a) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership or operational control of the source shall be treated as an administrative amendment if:

(1) The Department determines that no other change in the permit is necessary;

(2) A written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee; and,

(3) A compliance review form has been submitted to the Department and the permit transfer has been approved by

**SECTION B. General Title V Requirements**

the Department.

(b) In accordance with 25 Pa. Code § 127.464(a), this permit may not be transferred to another person except in cases of transfer-of-ownership which are documented and approved to the satisfaction of the Department.

#007 [25 Pa. Code § 127.513, 35 P.S. § 4008 and § 114 of the CAA]**Inspection and Entry**

(a) Upon presentation of credentials and other documents as may be required by law for inspection and entry purposes, the permittee shall allow the Department of Environmental Protection or authorized representatives of the Department to perform the following:

- (1) Enter at reasonable times upon the permittee's premises where a Title V source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
- (2) Have access to and copy or remove, at reasonable times, records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.

(b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act.

(c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#008 [25 Pa. Code §§ 127.25, 127.444, & 127.512(c)(1)]**Compliance Requirements**

(a) The permittee shall comply with the conditions of this permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one (1) or more of the following:

- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application

(b) A person may not cause or permit the operation of a source, which is subject to 25 Pa. Code Article III, unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued to the source are operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.

(c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this Title V permit.

#009 [25 Pa. Code § 127.512(c)(2)]**Need to Halt or Reduce Activity Not a Defense**

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

**SECTION B. General Title V Requirements****#010 [25 Pa. Code §§ 127.411(d) & 127.512(c)(5)]****Duty to Provide Information**

(a) The permittee shall furnish to the Department, within a reasonable time, information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit, or to determine compliance with the permit.

(b) Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to keep by this permit, or for information claimed to be confidential, the permittee may furnish such records directly to the Administrator of EPA along with a claim of confidentiality.

#011 [25 Pa. Code §§ 127.463, 127.512(c)(3) & 127.542]**Reopening and Revising the Title V Permit for Cause**

(a) This Title V permit may be modified, revoked, reopened and reissued or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay a permit condition.

(b) This permit may be reopened, revised and reissued prior to expiration of the permit under one or more of the following circumstances:

(1) Additional applicable requirements under the Clean Air Act or the Air Pollution Control Act become applicable to a Title V facility with a remaining permit term of three (3) or more years prior to the expiration date of this permit. The Department will revise the permit as expeditiously as practicable but not later than 18 months after promulgation of the applicable standards or regulations. No such revision is required if the effective date of the requirement is later than the expiration date of this permit, unless the original permit or its terms and conditions has been extended.

(2) Additional requirements, including excess emissions requirements, become applicable to an affected source under the acid rain program. Upon approval by the Administrator of EPA, excess emissions offset plans for an affected source shall be incorporated into the permit.

(3) The Department or the EPA determines that this permit contains a material mistake or inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.

(4) The Department or the Administrator of EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements.

(c) Proceedings to revise this permit shall follow the same procedures which apply to initial permit issuance and shall affect only those parts of this permit for which cause to revise exists. The revision shall be made as expeditiously as practicable.

(d) Regardless of whether a revision is made in accordance with (b)(1) above, the permittee shall meet the applicable standards or regulations promulgated under the Clean Air Act within the time frame required by standards or regulations.

#012 [25 Pa. Code § 127.543]**Reopening a Title V Permit for Cause by EPA**

As required by the Clean Air Act and regulations adopted thereunder, this permit may be modified, reopened and reissued, revoked or terminated for cause by EPA in accordance with procedures specified in 25 Pa. Code § 127.543.

#013 [25 Pa. Code § 127.522(a)]**Operating Permit Application Review by the EPA**

The applicant may be required by the Department to provide a copy of the permit application, including the compliance plan, directly to the Administrator of the EPA. Copies of title V permit applications to EPA, pursuant to 25 PA Code §127.522(a), shall be submitted, if required, to the following EPA e-mail box:

R3_Air_Apps_and_Notices@epa.gov

Please place the following in the subject line: TV [permit number], [Facility Name].

**SECTION B. General Title V Requirements****#014 [25 Pa. Code § 127.541]****Significant Operating Permit Modifications**

When permit modifications during the term of this permit do not qualify as minor permit modifications or administrative amendments, the permittee shall submit an application for significant Title V permit modifications in accordance with 25 Pa. Code § 127.541. Notifications to EPA, pursuant to 25 PA Code §127.522(a), if required, shall be submitted, to the following EPA e-mail box:

R3_Air_Apps_and_Notices@epa.gov

Please place the following in the subject line: TV [permit number], [Facility Name].

#015 [25 Pa. Code §§ 121.1 & 127.462]**Minor Operating Permit Modifications**

The permittee may make minor operating permit modifications (as defined in 25 Pa. Code §121.1), on an expedited basis, in accordance with 25 Pa. Code §127.462 (relating to minor operating permit modifications). Notifications to EPA, pursuant to 25 PA Code §127.462(c), if required, shall be submitted, to the following EPA e-mail box:

R3_Air_Apps_and_Notices@epa.gov

Please place the following in the subject line: TV [permit number], [Facility Name].

#016 [25 Pa. Code § 127.450]**Administrative Operating Permit Amendments**

(a) The permittee may request administrative operating permit amendments, as defined in 25 Pa. Code §127.450(a). Copies of request for administrative permit amendment to EPA, pursuant to 25 PA Code §127.450(c)(1), if required, shall be submitted to the following EPA e-mail box:

R3_Air_Apps_and_Notices@epa.gov

Please place the following in the subject line: TV [permit number], [Facility Name].

(b) Upon final action by the Department granting a request for an administrative operating permit amendment covered under §127.450(a)(5), the permit shield provisions in 25 Pa. Code § 127.516 (relating to permit shield) shall apply to administrative permit amendments incorporated in this Title V Permit in accordance with §127.450(c), unless precluded by the Clean Air Act or the regulations thereunder.

#017 [25 Pa. Code § 127.512(b)]**Severability Clause**

The provisions of this permit are severable, and if any provision of this permit is determined by the Environmental Hearing Board or a court of competent jurisdiction, or US EPA to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#018 [25 Pa. Code §§ 127.704, 127.705 & 127.707]**Fee Payment**

(a) The permittee shall pay fees to the Department in accordance with the applicable fee schedules in 25 Pa. Code Chapter 127, Subchapter I (relating to plan approval and operating permit fees). The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

(b) Emission Fees. The permittee shall, on or before September 1st of each year, pay applicable annual Title V emission fees for emissions occurring in the previous calendar year as specified in 25 Pa. Code § 127.705. The permittee is not required to pay an emission fee for emissions of more than 4,000 tons of each regulated pollutant emitted from the facility.

(c) As used in this permit condition, the term "regulated pollutant" is defined as a VOC, each pollutant regulated under Sections 111 and 112 of the Clean Air Act and each pollutant for which a National Ambient Air Quality Standard has been promulgated, except that carbon monoxide is excluded.

**SECTION B. General Title V Requirements**

(d) Late Payment. Late payment of emission fees will subject the permittee to the penalties prescribed in 25 Pa. Code § 127.707 and may result in the suspension or termination of the Title V permit. The permittee shall pay a penalty of fifty percent (50%) of the fee amount, plus interest on the fee amount computed in accordance with 26 U.S.C.A. § 6621(a)(2) from the date the emission fee should have been paid in accordance with the time frame specified in 25 Pa. Code § 127.705(c).

(e) The permittee shall pay an annual operating permit maintenance fee according to the following fee schedule established in 25 Pa. Code § 127.704(d) on or before December 31 of each year for the next calendar year.

(1) Eight thousand dollars (\$8,000) for calendar years 2021—2025.

(2) Ten thousand dollars (\$10,000) for calendar years 2026—2030.

(3) Twelve thousand five hundred dollars (\$12,500) for the calendar years beginning with 2031.

#019 [25 Pa. Code §§ 127.14(b) & 127.449]**Authorization for De Minimis Emission Increases**

(a) This permit authorizes de minimis emission increases from a new or existing source in accordance with 25 Pa. Code §§ 127.14 and 127.449 without the need for a plan approval or prior issuance of a permit modification. The permittee shall provide the Department with seven (7) days prior written notice before commencing any de minimis emissions increase that would result from either: (1) a physical change of minor significance under § 127.14(c)(1); or (2) the construction, installation, modification or reactivation of an air contamination source. The written notice shall:

(1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.

(2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.

The Department may disapprove or condition de minimis emission increases at any time.

(b) Except as provided below in (c) and (d) of this permit condition, the permittee is authorized during the term of this permit to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:

(1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.

(2) One ton of NO_x from a single source during the term of the permit and 5 tons of NO_x at the facility during the term of the permit.

(3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.

(4) Six-tenths of a ton of PM₁₀ from a single source during the term of the permit and 3.0 tons of PM₁₀ at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act or 25 Pa. Code Article III.

(5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act or 25 Pa. Code Article III.

(c) In accordance with § 127.14, the permittee may install the following minor sources without the need for a plan approval:

(1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.

(2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.

**SECTION B. General Title V Requirements**

(3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility, liquefied petroleum gas or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code § 123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.

(4) Space heaters which heat by direct heat transfer.

(5) Laboratory equipment used exclusively for chemical or physical analysis.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(d) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:

(1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (b)(4) and (5) of this permit condition.

(2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.

(3) Violate any applicable requirement of the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.

(4) Changes which are modifications under any provision of Title I of the Clean Air Act and emission increases which would exceed the allowable emissions level (expressed as a rate of emissions or in terms of total emissions) under the Title V permit.

(e) Unless precluded by the Clean Air Act or the regulations thereunder, the permit shield described in 25 Pa. Code § 127.516 (relating to permit shield) shall extend to the changes made under 25 Pa. Code § 127.449 (relating to de minimis emission increases).

(f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.

(g) Except for de minimis emission increases allowed under this permit, 25 Pa. Code § 127.449, or sources and physical changes meeting the requirements of 25 Pa. Code § 127.14, the permittee is prohibited from making physical changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.

(h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#020 [25 Pa. Code §§ 127.11a & 127.215]**Reactivation of Sources**

(a) The permittee may reactivate a source at the facility that has been out of operation or production for at least one year, but less than or equal to five (5) years, if the source is reactivated in accordance with the requirements of 25 Pa. Code §§ 127.11a and 127.215. The reactivated source will not be considered a new source.

(b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#021 [25 Pa. Code §§ 121.9 & 127.216]**Circumvention**

(a) The owner of this Title V facility, or any other person, may not circumvent the new source review requirements of 25 Pa. Code Chapter 127, Subchapter E by causing or allowing a pattern of ownership or development, including the

**SECTION B. General Title V Requirements**

phasing, staging, delaying or engaging in incremental construction, over a geographic area of a facility which, except for the pattern of ownership or development, would otherwise require a permit or submission of a plan approval application.

(b) No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of this permit, the Air Pollution Control Act or the regulations promulgated thereunder, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#022 [25 Pa. Code §§ 127.402(d) & 127.513(1)]**Submissions**

(a) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given on the permit transmittal letter, or otherwise notified)

(b) Any report or notification for the EPA Administrator or EPA Region III should be addressed to:

Enforcement & Compliance Assurance Division
Air, RCRA and Toxics Branch (3ED21)
Four Penn Center
1600 John F. Kennedy Boulevard
Philadelphia, PA 19103-2852

The Title V compliance certification shall be emailed to EPA at R3_APD_Permits@epa.gov.

(c) An application, form, report or compliance certification submitted pursuant to this permit condition shall contain certification by a responsible official as to truth, accuracy, and completeness as required under 25 Pa. Code § 127.402(d). Unless otherwise required by the Clean Air Act or regulations adopted thereunder, this certification and any other certification required pursuant to this permit shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

#023 [25 Pa. Code §§ 127.441(c) & 127.463(e); Chapter 139; & 114(a)(3), 504(b) of the CAA]**Sampling, Testing and Monitoring Procedures**

(a) The permittee shall perform the emissions monitoring and analysis procedures or test methods for applicable requirements of this Title V permit. In addition to the sampling, testing and monitoring procedures specified in this permit, the Permittee shall comply with any additional applicable requirements promulgated under the Clean Air Act after permit issuance regardless of whether the permit is revised.

(b) The sampling, testing and monitoring required under the applicable requirements of this permit, shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139 unless alternative methodology is required by the Clean Air Act (including §§ 114(a)(3) and 504(b)) and regulations adopted thereunder.

#024 [25 Pa. Code §§ 127.511 & Chapter 135]**Recordkeeping Requirements**

(a) The permittee shall maintain and make available, upon request by the Department, records of required monitoring information that include the following:

- (1) The date, place (as defined in the permit) and time of sampling or measurements.
- (2) The dates the analyses were performed.
- (3) The company or entity that performed the analyses.
- (4) The analytical techniques or methods used.

**SECTION B. General Title V Requirements**

(5) The results of the analyses.

(6) The operating conditions as existing at the time of sampling or measurement.

(b) The permittee shall retain records of the required monitoring data and supporting information for at least five (5) years from the date of the monitoring sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.

(c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions. If direct recordkeeping is not possible or practical, sufficient records shall be kept to provide the needed information by indirect means.

#025 [25 Pa. Code §§ 127.411(d), 127.442, 127.463(e) & 127.511(c)]**Reporting Requirements**

(a) The permittee shall comply with the reporting requirements for the applicable requirements specified in this Title V permit. In addition to the reporting requirements specified herein, the permittee shall comply with any additional applicable reporting requirements promulgated under the Clean Air Act after permit issuance regardless of whether the permit is revised.

(b) Pursuant to 25 Pa. Code § 127.511(c), the permittee shall submit reports of required monitoring at least every six (6) months unless otherwise specified in this permit. Instances of deviations (as defined in 25 Pa. Code § 121.1) from permit requirements shall be clearly identified in the reports. The reporting of deviations shall include the probable cause of the deviations and corrective actions or preventative measures taken, except that sources with continuous emission monitoring systems shall report according to the protocol established and approved by the Department for the source. The required reports shall be certified by a responsible official.

(c) Every report submitted to the Department under this permit condition shall comply with the submission procedures specified in Section B, Condition #022(c) of this permit.

(d) Any records, reports or information obtained by the Department or referred to in a public hearing shall be made available to the public by the Department except for such records, reports or information for which the permittee has shown cause that the documents should be considered confidential and protected from disclosure to the public under Section 4013.2 of the Air Pollution Control Act and consistent with Sections 112(d) and 114(c) of the Clean Air Act and 25 Pa. Code § 127.411(d). The permittee may not request a claim of confidentiality for any emissions data generated for the Title V facility.

#026 [25 Pa. Code § 127.513]**Compliance Certification**

(a) One year after the date of issuance of the Title V permit, and each year thereafter, unless specified elsewhere in the permit, the permittee shall submit to the Department and EPA Region III a certificate of compliance with the terms and conditions in this permit, for the previous year, including the emission limitations, standards or work practices. This certification shall include:

- (1) The identification of each term or condition of the permit that is the basis of the certification.
- (2) The compliance status.
- (3) The methods used for determining the compliance status of the source, currently and over the reporting period.
- (4) Whether compliance was continuous or intermittent.

(b) The compliance certification shall be postmarked or hand-delivered no later than thirty days after each anniversary of the date of issuance of this Title V Operating Permit, or on the submittal date specified elsewhere in the permit, to the Department in accordance with the submission requirements specified in Section B, Condition #022 of this permit. The Title V compliance certification shall be emailed to EPA at R3_APD_Permits@epa.gov.

**SECTION B. General Title V Requirements****#027 [25 Pa. Code § 127.3]****Operational Flexibility**

The permittee is authorized to make changes within the Title V facility in accordance with the following provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements of Section 502(b)(10) of the Clean Air Act and Section 6.1(i) of the Air Pollution Control Act:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)
- (6) Section 127.462 (relating to minor operating permit amendments)
- (7) Subchapter H (relating to general plan approvals and operating permits)

#028 [25 Pa. Code §§ 127.441(d), 127.512(i) and 40 CFR Part 68]**Risk Management**

(a) If required by Section 112(r) of the Clean Air Act, the permittee shall develop and implement an accidental release program consistent with requirements of the Clean Air Act, 40 CFR Part 68 (relating to chemical accident prevention provisions) and the Federal Chemical Safety Information, Site Security and Fuels Regulatory Relief Act (P.L. 106-40).

(b) The permittee shall prepare and implement a Risk Management Plan (RMP) which meets the requirements of Section 112(r) of the Clean Air Act, 40 CFR Part 68 and the Federal Chemical Safety Information, Site Security and Fuels Regulatory Relief Act when a regulated substance listed in 40 CFR § 68.130 is present in a process in more than the listed threshold quantity at the Title V facility. The permittee shall submit the RMP to the federal Environmental Protection Agency according to the following schedule and requirements:

- (1) The permittee shall submit the first RMP to a central point specified by EPA no later than the latest of the following:
 - (i) Three years after the date on which a regulated substance is first listed under § 68.130; or,
 - (ii) The date on which a regulated substance is first present above a threshold quantity in a process.

(2) The permittee shall submit any additional relevant information requested by the Department or EPA concerning the RMP and shall make subsequent submissions of RMPs in accordance with 40 CFR § 68.190.

(3) The permittee shall certify that the RMP is accurate and complete in accordance with the requirements of 40 CFR Part 68, including a checklist addressing the required elements of a complete RMP.

(c) As used in this permit condition, the term "process" shall be as defined in 40 CFR § 68.3. The term "process" means any activity involving a regulated substance including any use, storage, manufacturing, handling, or on-site movement of such substances or any combination of these activities. For purposes of this definition, any group of vessels that are interconnected, or separate vessels that are located such that a regulated substance could be involved in a potential release, shall be considered a single process.

(d) If the Title V facility is subject to 40 CFR Part 68, as part of the certification required under this permit, the permittee shall:

- (1) Submit a compliance schedule for satisfying the requirements of 40 CFR Part 68 by the date specified in 40 CFR § 68.10(a); or,
- (2) Certify that the Title V facility is in compliance with all requirements of 40 CFR Part 68 including the registration and submission of the RMP.

**SECTION B. General Title V Requirements**

(e) If the Title V facility is subject to 40 CFR Part 68, the permittee shall maintain records supporting the implementation of an accidental release program for five (5) years in accordance with 40 CFR § 68.200.

(f) When the Title V facility is subject to the accidental release program requirements of Section 112(r) of the Clean Air Act and 40 CFR Part 68, appropriate enforcement action will be taken by the Department if:

(1) The permittee fails to register and submit the RMP or a revised plan pursuant to 40 CFR Part 68.

(2) The permittee fails to submit a compliance schedule or include a statement in the compliance certification required under Section B, Condition #026 of this permit that the Title V facility is in compliance with the requirements of Section 112(r) of the Clean Air Act, 40 CFR Part 68, and 25 Pa. Code § 127.512(i).

#029 [25 Pa. Code § 127.512(e)]**Approved Economic Incentives and Emission Trading Programs**

No permit revision shall be required under approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this Title V permit.

#030 [25 Pa. Code §§ 127.516, 127.450(d), 127.449(f) & 127.462(g)]**Permit Shield**

(a) The permittee's compliance with the conditions of this permit shall be deemed in compliance with applicable requirements (as defined in 25 Pa. Code § 121.1) as of the date of permit issuance if either of the following applies:

(1) The applicable requirements are included and are specifically identified in this permit.

(2) The Department specifically identifies in the permit other requirements that are not applicable to the permitted facility or source.

(b) Nothing in 25 Pa. Code § 127.516 or the Title V permit shall alter or affect the following:

(1) The provisions of Section 303 of the Clean Air Act, including the authority of the Administrator of the EPA provided thereunder.

(2) The liability of the permittee for a violation of an applicable requirement prior to the time of permit issuance.

(3) The applicable requirements of the acid rain program, consistent with Section 408(a) of the Clean Air Act.

(4) The ability of the EPA to obtain information from the permittee under Section 114 of the Clean Air Act.

(c) Unless precluded by the Clean Air Act or regulations thereunder, final action by the Department incorporating a significant permit modification in this Title V Permit shall be covered by the permit shield at the time that the permit containing the significant modification is issued.

#031 [25 Pa. Code §135.3]**Reporting**

(a) The permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.

(b) A source owner or operator may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#032 [25 Pa. Code §135.4]**Report Format**

Emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.

**SECTION C. Site Level Requirements****I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §121.7]****Prohibition of air pollution.**

No person may permit air pollution as that term is defined in the act.

002 [25 Pa. Code §123.1]**Prohibition of certain fugitive emissions**

There shall be no fugitive emissions from the facility contrary to Title 25 PA Code §123.1 and §123.2.

003 [25 Pa. Code §123.2]**Fugitive particulate matter**

The permittee may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified herein if the emissions are visible at the point the emissions pass outside the person's property.

[Compliance with this condition ensures compliance with Plan Approval #PA-65-016E, Condition #6.]

004 [25 Pa. Code §123.31]**Limitations**

The Owner/Operator shall not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source, in such a manner that the malodors are detectable outside the property of the facility.

005 [25 Pa. Code §123.42]**Exceptions**

The emission limitations of 25 Pa. Code Section 123.41 shall not apply when:

- (1) The presence of uncombined water is the only reason for failure of the emission to meet the limitations;
- (2) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions;
- (3) The emission results from sources specified in 25 Pa. Code Section 123.1(a)(1)-(9).

006 [25 Pa. Code §129.14]**Open burning operations**

(a) No person may permit the open burning of material in a manner that:

- (1) The emissions are visible, at any time, at the point such emissions pass outside the property of the owner/operator.
- (2) Malodorous air contaminants from the open burning are detectable outside the property of the owner/operator.
- (3) The emissions interfere with the reasonable enjoyment of life or property.
- (4) The emissions cause damage to vegetation or property.
- (5) The emissions are or may be deleterious to human or animal health.

(b)EXCEPTIONS: The requirements stated in 1-5 do not apply where the open burning operations result from:

- (1) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
- (2) A fire set for the prevention and control of disease or pests, when approved by the Department.
- (3) A fire set solely for recreational or ceremonial purposes.
- (4) A fire set solely for cooking food.

**SECTION C. Site Level Requirements**

(5) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.

(c) Clearing and grubbing wastes. The following is applicable to clearing and grubbing wastes:

(1) As used in this applicable requirement the following terms shall have the following meanings:

Air curtain destructor -- A mechanical device which forcefully projects a curtain of air across a pit in which open burning is being conducted so that combustion efficiency is increased and smoke and other particulate matter are contained.

Clearing and grubbing wastes -- Trees, shrubs, and other native vegetation which are cleared from land during or prior to the process of construction. The term does not include demolition wastes and dirt laden roots.

(2) notwithstanding clearing and grubbing wastes may be burned subject to the following limitations:

(i) Upon receipt of a complaint or determination by the Department that an air pollution problem exists, the Department may order that the open burning cease.

(ii) Authorization for open burning under this paragraph does not apply to clearing and grubbing wastes that have been transported.

II. TESTING REQUIREMENTS.**# 007 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) If the results of a stack test, performed as required by this authorization, exceed the level specified in any condition of this authorization, the permittee shall take appropriate corrective actions. Within 30 days of the permittee receiving the stack test results, a written description of the corrective actions shall be submitted to the Department. The permittee shall take appropriate action to minimize emissions from the affected facility while the corrective actions are being implemented. The Department shall notify the permittee in writing if the corrective actions taken are deficient. Within 30 days of receipt of the notice of deficiency, the permittee shall submit a description of additional corrective actions to the Department. The Department reserves the authority to use enforcement activities to resolve noncompliant stack tests.

(b) If the results of the required stack test exceed any limit defined in this permit, the test was not performed in accordance with the stack test protocol, or the source and/or air cleaning device was not operated in accordance with the permit, then another stack test shall be performed to determine compliance. Within 120 days of the permittee receiving the original stack test results, a retest shall be performed at a production rate which shall not exceed the production rate achieved in the previous stack test. The Department may extend the retesting deadline if the permittee demonstrates, to the Department's satisfaction, that retesting within 120 days is not practicable. Failure of the second test to demonstrate compliance with the limits in the permit, not performing the test in accordance with the stack test protocol or not operating the source and/or air cleaning device in accordance with the permit may be grounds for immediate revocation of the permit to operate the affected source.

(c) The results of emission testing may also be used by the Department to update the netting analysis and to revise emission limits, if appropriate.

008 [25 Pa. Code §139.11]**General requirements.**

All stack testing required by this authorization shall be done in accordance with the following provisions:

(a) Pursuant to 25 Pa. Code § 139.3 at least 60 calendar days prior to commencing an emissions testing program, a test protocol shall be submitted to the Department for review and approval. The test protocol shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.



SECTION C. Site Level Requirements

- (b) Pursuant to 25 Pa. Code § 139.3 at least 15 calendar days prior to commencing an emission testing program, notification as to the date and time of testing shall be given to the appropriate Regional Office. Notification shall also be sent to the Division of Source Testing and Monitoring. Notification shall not be made without prior receipt of a protocol acceptance letter from the Department.
- (c) Pursuant to 25 Pa. Code Section 139.53(a)(3) within 15 calendar days after completion of the on-site testing portion of an emission test program, if a complete test report has not yet been submitted, an electronic mail notification shall be sent to the Department's Division of Source Testing and Monitoring indicating the completion date of the on-site testing.
- (d) Pursuant to 40 CFR Part 60.8(a), 40 CFR Part 61.13(f) and 40 CFR Part 63.7(g) a complete test report shall be submitted to the Department no later than 60 calendar days after completion of the on-site testing portion of an emission test program. For those tests being conducted pursuant to 40 CFR Part 61, a complete test report shall be submitted within 31 days after completion of the test.
- (e) Pursuant to 25 Pa. Code Section 139.53(b) a complete test report shall include a summary of the emission results on the first page of the report indicating if each pollutant measured is within permitted limits and a statement of compliance or non-compliance with all applicable permit conditions. The summary results will include, at a minimum, the following information:
1. A statement that the owner or operator has reviewed the report from the emissions testing body and agrees with the findings.
 2. Permit number(s) and condition(s) which are the basis for the evaluation.
 3. Summary of results with respect to each applicable permit condition.
 4. Statement of compliance or non-compliance with each applicable permit condition.
- (f) Pursuant to 25 Pa. Code § 139.3 to all submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.
- (g) All testing shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection.
- (h) Pursuant to 25 Pa. Code Section 139.53(a)(1) and 139.53(a)(3) all submittals, besides notifications, shall be accomplished through PSIMS*Online available through <https://www.depgreenport.state.pa.us/ecommm/Login.jsp> when it becomes available. If internet submittal can not be accomplished, three copies of the submittal shall be sent to the Pennsylvania Department of Environmental Protection, Bureau of Air Quality, Division of Source Testing and Monitoring, 400 Market Street, 12th Floor Rachael Carson State Office Building, Harrisburg, PA 17105-8468 with deadlines verified through document postmarks.
- (i) The permittee shall insure all federal reporting requirements contained in the applicable subpart of 40 CFR are followed, including timelines more stringent than those contained herein. In the event of an inconsistency or any conflicting requirements between state and the federal, the most stringent provision, term, condition, method or rule shall be used by default.

III. MONITORING REQUIREMENTS.

009 [25 Pa. Code §123.43]

Measuring techniques

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and qualified, to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

**SECTION C. Site Level Requirements****# 010 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

A facility-wide inspection shall be conducted at a minimum of once each day that facility is in operation. The facility-wide inspection shall be conducted for the presence of the following:

- (a) Visible stack emissions;
- (b) Fugitive emissions; and
- (c) Potentially objectionable odors at the property line.

These observations are to ensure continued compliance with source-specific visible emission limitations, fugitive emissions prohibited under 25 Pa.Code Sections 123.1 or 123.2, and malodors prohibited under 25 Pa. Code Section 123.31. Observations for visible stack emissions shall be conducted during daylight hours and all observations shall be conducted while sources are in operation. If visible stack emissions, fugitive emissions, or potentially objective odors are apparent, the Owner/Operator shall take corrective action.

011 [25 Pa. Code §127.511]**Monitoring and related recordkeeping and reporting requirements.**

Visible observations required herein for any opacity greater than 0% must be performed by a qualified visible emissions evaluator certified in EPA Reference Method 9, found in 40 CFR Part 60, Appendix A.

012 [25 Pa. Code §127.511]**Monitoring and related recordkeeping and reporting requirements.**

The Owner/Operator shall perform visual observations of stack opacity from sources with an applicable opacity standard on a daily basis to ensure compliance with Ch.123.41 or any other alternative applicable opacity standard in accordance with the following procedures:

- 1) US EPA Reference Method 9 readings shall be taken for no less than 15 minutes for any observed opacity greater than 0% from any natural gas fired combustion source (i.e., furnaces, boilers, etc.) which exhausts to the outdoor atmosphere. No Method 9 readings are required if no opacity is noticed during the initial visual observation.
- 2) Method 9 readings shall be taken for no less than 15 minutes for any observed opacity greater than 0% from any scrubber or baghouse which exhausts to the outdoor atmosphere. A minimum of one (1) 6-minute average of Method 9 readings is required if no opacity is noticed during the initial observation.
- 3) For those sources which exhaust indoors, Method 9 readings shall be taken for no less than 15 minutes for any observed opacity greater than 0% from the building exhaust outlet(s). No Method 9 readings are required if no opacity is noticed during the initial visual observation.

IV. RECORDKEEPING REQUIREMENTS.**# 013 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Records of daily inspections for visible stack emissions, fugitive emissions, and potentially objectionable odors at the property line shall be maintained for a minimum of five (5) years and include the date, time, name and title of the observer, whether or not any stack emissions, fugitive emissions, or potentially objectionable odors at the property line were observed, and any corrective action taken. Records shall be made available to the Department upon request.

014 [25 Pa. Code §127.511]**Monitoring and related recordkeeping and reporting requirements.**

The Owner/Operator shall maintain records of: operating hours, annual coal consumption (if any), annual fuel oil consumption, and annual natural gas consumption. These records shall be maintained on file for not less than five years and shall be made available to the Department upon request.

**SECTION C. Site Level Requirements****# 015 [25 Pa. Code §129.100]****Compliance demonstration and recordkeeping requirements.**

(a) Except as provided in subsection (c), the owner and operator of an air contamination source subject to a NO_x requirement or RACT emission limitation listed in § 129.97 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation by performing the following monitoring or testing procedures:

- (1) Not applicable
- (2) Not applicable
- (3) Not applicable

(4) For an air contamination source without a CEMS, monitoring and testing in accordance with a Department-approved emissions source test that meets the requirements of Chapter 139, Subchapter A (relating to sampling and testing methods and procedures). The source test shall be conducted one time in each 5-year calendar period.

(b) Except as provided in § 129.97(k) and § 129.99(i) (relating to alternative RACT proposal and petition for alternative compliance schedule), the owner and operator of an air contamination source subject to subsection (a) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation in accordance with the procedures in subsection (a) not later than:

- (1) January 1, 2017, for a source subject to § 129.96(a) (relating to applicability).
- (2) January 1, 2017, or 1 year after the date that the source meets the definition of a major NO_x emitting facility, whichever is later, for a source subject to § 129.96(b).

(c) An owner or operator of an air contamination source subject to this section, §§ 129.96 and 129.97 and § 129.98 (relating to facility-wide or system-wide NO_x emissions averaging plan general requirements) may request a waiver from the requirement to demonstrate compliance with the applicable emission limitation listed in § 129.97 if the following requirements are met:

- (1) The request for a waiver is submitted, in writing, to the Department not later than:
 - (i) October 24, 2016, for a source subject to § 129.96(a).
 - (ii) October 24, 2016, or 6 months after the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).
- (2) The request for a waiver demonstrates that a Department-approved emissions source test was performed in accordance with the requirements of Chapter 139, Subchapter A, on or after:
 - (i) April 23, 2015, for a source subject to § 129.96(a).
 - (ii) April 23, 2015, or within 12 months prior to the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).
- (3) The request for a waiver demonstrates to the satisfaction of the Department that the test results show that the source's rate of emissions is in compliance with the source's applicable NO_x emission limitation or VOC emission limitation.
- (4) The Department approves, in writing, the request for a waiver.

(d) The owner and operator of an air contamination source subject to this section and §§ 129.96—129.99 shall keep records to demonstrate compliance with §§ 129.96—129.99 in the following manner:

- (1) The records must include sufficient data and calculations to demonstrate that the requirements of §§ 129.96—129.99 are met.
- (2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

**SECTION C. Site Level Requirements**

(e) Beginning with the compliance date specified in § 129.97(a), the owner or operator of an air contamination source claiming that the air contamination source is exempt from the applicable NO_x emission rate threshold specified in § 129.99(b) and the requirements of § 129.97 based on the air contamination source's potential to emit shall maintain records that demonstrate to the Department or appropriate approved local air pollution control agency that the air contamination source is not subject to the specified emission rate threshold.

(f) Not applicable

(g) The owner or operator of a combustion unit subject to § 129.97(b) shall record each adjustment conducted under the procedures in § 129.97(b). This record must contain, at a minimum:

- (1) The date of the tuning procedure.
- (2) The name of the service company and the technician performing the procedure.
- (3) The final operating rate or load.
- (4) The final NO_x and CO emission rates.
- (5) The final excess oxygen rate.
- (6) Other information required by the applicable operating permit.

(h) Not applicable

(i) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

016 [25 Pa. Code §135.5]**Recordkeeping**

Source owners or operators shall maintain and make available upon request by the Department records including computerized records that may be necessary to comply with 135.21 (relating to reporting; and emission statements). These may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions. If direct recordkeeping is not possible or practical, sufficient records shall be kept to provide the needed information by indirect means.

V. REPORTING REQUIREMENTS.**# 017 [25 Pa. Code §127.442]****Reporting requirements.**

Malfunction reporting shall be conducted as follows:

(a) For the purpose of this condition, a malfunction is defined as any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment or source to operate in a normal or usual manner that may result in an increase in the emissions of air contaminants. Examples of malfunctions may include, but are not limited to: large dust plumes, heavy smoke, a spill or release that results in a malodor that is detectable outside the property on whose land the source is being operated.

(b) Any malfunction that poses an imminent danger to the public health, safety, or welfare to the environment shall be reported by telephone to the County Emergency Management Agency (911 Center), and to the 24-hour Emergency Hotline of the appropriate Department Regional Office (412-442-4000) no later than one hour after the discovery of an incident. Following the telephone notification, a written notice shall be submitted to the Department no later than the next business day.

(c) All other malfunctions shall be reported to the Department no later than the next business day.

(d) Initial reporting of the malfunction shall identify the following items to the extent known:

**SECTION C. Site Level Requirements**

- (i) The name and location of the facility;
 - (ii) The nature and cause of the malfunction;
 - (iii) The time when the malfunction or breakdown was first observed;
 - (iv) The expected duration of increased emissions; and
 - (v) The estimated rate of emissions.
- (e) The Owner or Operator shall also notify the Department immediately, by telephone, when corrective measures for malfunctions meeting the criteria in (b) have been accomplished.
- (f) All malfunctions shall be reported to the Department by email (addresses will be provided by the Department), or by regular mail at the address below:

PADEP
Office of Air Quality
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4000

(g) If requested by the Department, the Owner/Operator shall submit a full written report to the Department, including final determinations of the items identified in (d), and the corrective measures taken on the malfunction. The report shall be submitted within 15 days of the Department's request or accomplishing corrective measures, whichever is later.

018 [25 Pa. Code §135.21]**Emission statements**

(a) The owner or operator shall provide the Department with a statement, in a form as the Department may prescribe, for classes or categories of sources, showing the actual emissions of oxides of nitrogen and VOCs from that source for each reporting period, a description of the method used to calculate the emissions and the time period over which the calculation is based. The statement shall contain a certification by a company officer or the plant manager that the information contained in the statement is accurate.

(b) Annual emission statements are due by March 1 for the preceeding calendar year beginning with March 1, 1993 for calendar year 1992. Statements shall provide data consistent with requirements and guidance developed by the EPA. The guidance is available from:

United States Environmental Protection Agency
401 M. Street, S.W.
Washington, D.C. 20460

(c) The Department may require more frequent submittals upon determination that one or more of the following applies:

- (1) A more frequent submission is required by the EPA.
- (2) Analysis of the data on a more frequent basis is necessary to implement the requirements of the Act.

019 [25 Pa. Code §135.3]**Reporting**

The Owner/Operator shall submit an annual facility-wide emissions report (AIMS Report) to the Department by March 1 of each year for the previous calendar year.

VI. WORK PRACTICE REQUIREMENTS.**# 020 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

All in-plant roadways shall be paved and maintained as such. The Owner/Operator shall take all reasonable actions to prevent particulate matter from becoming airborne.

**SECTION C. Site Level Requirements****# 021 [25 Pa. Code §127.511]****Monitoring and related recordkeeping and reporting requirements.**

The permittee shall post the acceptable range for the pressure drop as per the manufacturer's recommended operating range within sight of the measuring device of all baghouses and scrubbers.

VII. ADDITIONAL REQUIREMENTS.**# 022 [25 Pa. Code §137.4]****Standby plans**

(a) This section applies to the following classes of sources located in the counties identified in subsection (b):

(1) Coal or oil-fired electric generating facilities.

(2) Coal or oil-fired steam generating facilities rated at more than 100 million Btu per hour of heat input.

(3) Manufacturing industries of the following classifications which employ more than 20 employees at any one location:

(i) Primary and secondary metals industries.

(c) A person responsible for the operation of a source shall prepare standby plans for reducing the emission of air contaminants from that source during alert, warning and emergency levels. The plans shall be designed to reduce or eliminate the emissions of air contaminants in accordance with the objectives in 137.11-137.14 (relating to level actions). The plans shall be in writing on forms published and distributed by the Department and shall identify the approximate amount of reduction of various air contaminants and a description of the manner in which the reductions will be achieved.

(d) If the Department determines that a standby plan does not provide for effectively achieving the objectives in 137.11-137.14, the Department may disapprove the plan, state its reasons for the disapproval and either order the preparation of an amended plan within a time period specified in the order or issue, by order, a plan to replace the disapproved plan.

(e) The Department may amend or otherwise change a standby plan if it determines that good cause exists for the action. An amendment or change will be in writing and will be accompanied by a notice of sufficient cause for the action.

(f) During a forecast, alert, warning or emergency level, the standby plan shall be made available by the person responsible for the source to employees of the Department on the premises of the source.

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to Title V General Requirements).

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.

***** Permit Shield In Effect *****


**SECTION D. Source Level Requirements**

Source ID: 043

Source Name: MISCELLANEOUS COMFORT HEAT, HOT WATER HT

Source Capacity/Throughput: 10.000 MMBTU/HR
10.000 MCF/HR Natural Gas

Conditions for this source occur in the following groups: G03

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.**# 001 [25 Pa. Code §127.511]****Monitoring and related recordkeeping and reporting requirements.**

The Owner/Operator shall maintain records of the amount of fuel used on a monthly basis. The fuel usage records shall be retained for at least five years from the date of permit issuance.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 061

Source Name: NEW TIV BOILER

Source Capacity/Throughput: 25.106 MMBTU/HR

25.106 MCF/HR Natural Gas

Conditions for this source occur in the following groups: G03

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

In accordance with General Plan Approval And/Or General Operating Permit BAQ-GPA/GP-1, Small Gas and No. 2 Oil Fired Combustion Units, Condition 17:

Combustion Units Constructed after December 2, 1995, with Rated Capacity Equal to or Greater than 10 Million Btu per Hour

As a condition of this Small Combustion Unit General Permit, the permittee shall construct qualifying small gas and No. 2 virgin oil fired combustion units capable of reducing nitrogen oxides (NOx) and carbon monoxide (CO) emissions to or below:

- i. 30 ppm_{dv} NO_x at 3% O₂ when firing gas;
- ii. 90 ppm_{dv} NO_x at 3% O₂ when firing No. 2 fuel oil; and
- iii. 300 ppm_{dv} CO at 3% O₂.

The combustion unit(s) shall be fired only on gas (natural or liquefied petroleum) or No. 2 commercial fuel oil to which there has been no reclaimed or waste oil or other waste materials added.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.**# 002 [25 Pa. Code §129.100]****Compliance demonstration and recordkeeping requirements.**

(g) The owner or operator of a combustion unit subject to § 129.97(b) shall record each adjustment conducted under the procedures in § 129.97(b). This record must contain, at a minimum:

- (1) The date of the tuning procedure.
- (2) The name of the service company and the technician performing the procedure.
- (3) The final operating rate or load.
- (4) The final NO_x and CO emission rates.
- (5) The final excess oxygen rate.

**SECTION D. Source Level Requirements**

(6) Other information required by the applicable operating permit.

(h) Not applicable

(i) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.**# 003 [25 Pa. Code §127.444]****Compliance requirements.**

In accordance with General Plan Approval And/Or General Operating Permit BAQ-GPA/GP-1, Small Gas and No. 2 Oil Fired Combustion Units, Condition 4:

Any combustion unit operating under this Small Combustion Unit General Permit shall comply with the terms and conditions of the general permit. The combustion unit and any associated air cleaning devices shall be:

- a. Operated in such a manner as not to cause air pollution.
- b. Operated and maintained in a manner consistent with good operating and maintenance practices.
- c. Operated and maintained in accordance with the manufacturer's specifications and the applicable terms and conditions of this Small Combustion Unit General Permit.

004 [25 Pa. Code §129.97]**Presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule.**

(a) The owner and operator of a source listed in subsection (b) located at a major NO_x emitting facility subject to § 129.96 (relating to applicability) shall comply with the applicable presumptive RACT requirement or RACT emission limitation, or both, beginning with the specified compliance date as follows, unless an alternative compliance schedule is submitted and approved under subsections (k)—(m) or § 129.99 (relating to alternative RACT proposal and petition for alternative compliance schedule):

- (1) January 1, 2017, for a source subject to § 129.96(a).
- (2) January 1, 2017, or 1 year after the date the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(b) The owner and operator of a source specified in this subsection, which is located at a major NO_x emitting facility subject to § 129.96 shall comply with the following:

(1) The presumptive RACT requirement for a combustion unit with a rated heat input equal to or greater than 20 million Btu/hour and less than 50 million Btu/hour, which is the performance of a biennial tune-up conducted in accordance with the procedures in 40 CFR 63.11223 (relating to how do I demonstrate continuous compliance with the work practice and management practice standards). The biennial tune-up must include, at a minimum, the following:

- (i) Inspection and cleaning or replacement of fuel-burning equipment, including the burners and components, as necessary, for proper operation as specified by the manufacturer.
- (ii) Inspection of the flame pattern and adjustment of the burner, as necessary, to optimize the flame pattern to minimize total emissions of NO_x and, to the extent possible, emissions of CO.
- (iii) Inspection and adjustment, as necessary, of the air-to-fuel ratio control system to ensure proper calibration and operation as specified by the manufacturer.

**SECTION D. Source Level Requirements**

(2) The owner or operator of a combustion unit with an oxygen trim system that maintains an optimum air-to-fuel ratio that would otherwise be subject to a biennial tune-up shall conduct a tune-up of the boiler one time in each 5-year calendar period. The tune-up must include, at a minimum, the following:

- (i) Inspection and cleaning or replacement of fuel-burning equipment, including the burners and components, as necessary, for proper operation as specified by the manufacturer.
- (ii) Inspection of the flame pattern and adjustment of the burner, as necessary, to optimize the flame pattern to minimize total emissions of NO_x and, to the extent possible, emissions of CO.
- (iii) Inspection and adjustment, as necessary, of the air-to-fuel ratio control system to ensure proper calibration and operation as specified by the manufacturer.

(3) The applicable recordkeeping requirements of § 129.100(d), (e) or (f) (relating to compliance demonstration and recordkeeping requirements).

VII. ADDITIONAL REQUIREMENTS.

**# 005 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.40c]
Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units
Applicability and delegation of authority.**


(a) Except as provided in paragraph (d) of this section, the affected facility to which this subpart applies is each steam generating unit for which construction, modification, or reconstruction is commenced after June 9, 1989 and that has a maximum design heat input capacity of 29 megawatts (MW) (100 million British thermal units per hour (MMBtu/hr)) or less, but greater than or equal to 2.9 MW (10 MMBtu/hr).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 101 Source Name: ELECTRIC ARC FURNACE (FURNACE B)
 Source Capacity/Throughput: 15.000 Tons/HR STEEL

Conditions for this source occur in the following groups: G05
 G06
 G13

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.12b]****Plan approval terms and conditions.**

In accordance with Plan Approval #PA-65-016E, Condition #5.a., particulate matter emissions from the EAF baghouse stack shall not exceed 0.0032 gr/dscf.

[Compliance with this condition ensures meeting the applicable SIP standard of 0.03 gr/dscf imposed by 25 Pa. Code Section 123.13(c)(1)(ii) and the applicable federal standard of 0.0052 gr/dscf imposed by 40 CFR 60.272a(a)(1).]

002 [25 Pa. Code §129.99]**Alternative RACT proposal and petition for alternative compliance schedule.**

Short-term emissions from Control Device C16, VOEST ALPINE BAGHOUSE, shall not exceed the following rates:

NO_x = 19.5 lbs/hr
 CO = 44.1 lbs/hr
 VOC = 5.4 lbs/hr

Although emissions from additional sources housed inside the Melt Shop may exhaust through the VOEST ALPINE BAGHOUSE, the limits in this permit condition apply exclusively to Source 101, EAF B.

003 [25 Pa. Code §129.99]**Alternative RACT proposal and petition for alternative compliance schedule.**

Emissions from Control Device C16, VOEST ALPINE BAGHOUSE, are based upon a maximum annual steel production capacity of 87,600 tons and 8,760 operating hours per year and shall not exceed the following in any consecutive 12-month rolling period:

NO_x = 60.4 tons/yr
 CO = 162.6 tons/yr
 VOC = 23.4 tons/yr

Although emissions from additional sources housed inside the Melt Shop may exhaust through the VOEST ALPINE BAGHOUSE, the limits in this permit condition apply exclusively to Source 101, EAF B.

004 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.272a]**Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983
 Standard for particulate matter.**

In accordance with Plan Approval #PA-65-016E, Condition #5.b., visible emissions from the EAF baghouse stack shall not

**SECTION D. Source Level Requirements**

equal or exceed 3 percent opacity.

[Compliance with this condition ensures meeting the visible emissions standard of 25 Pa. Code Section 123.41 which limits visible emissions to less than 20% opacity for a period or periods aggregating more than 3 minutes in any 1 hour and less than 60% opacity at any time.]

005 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10686]

Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities

What are the requirements for electric arc furnaces and argon-oxygen decarburization vessels?

(a) You must install, operate, and maintain a capture system that collects the emissions from each EAF (including charging, melting, and tapping operations) and argon-oxygen decarburization (AOD) vessel and conveys the collected emissions to a control device for the removal of particulate matter (PM).

(b) Except as provided in paragraph (c) of this section, you must not discharge or cause the discharge into the atmosphere from an EAF or AOD vessel any gases which:

(1) Exit from a control device and contain in excess of 0.0052 grains of PM per dry standard cubic foot (gr/dscf); and

(2) Exit from a melt shop and, due solely to the operations of any affected EAF(s) or AOD vessel(s), exhibit 6 percent opacity or greater.

(c) If you own or operate a new or existing affected source that has a production capacity of less than 150,000 tons per year (tpy) of stainless or specialty steel (as determined by the maximum production if specified in the source's operating permit or EAF capacity and maximum number of operating hours per year), you must not discharge or cause the discharge into the atmosphere from an EAF or AOD vessel any gases which:

(1) Exit from a control device and contain particulate matter (PM) in excess of 0.8 pounds per ton (lb/ton) of steel. Alternatively, the owner or operator may elect to comply with a PM limit of 0.0052 grains per dry standard cubic foot (gr/dscf); and

(2) Exit from a melt shop and, due solely to the operations of any affected EAF(s) or AOD vessel(s), exhibit 6 percent opacity or greater.

II. TESTING REQUIREMENTS.

006 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

In accordance with Plan Approval #PA-65-016E, Condition #23 and 40 CFR 60.276a(f), the Owner/Operator shall submit two (2) copies of stack test results to the Department within 60 days of completion of testing. The report shall include items (1) through (22) required by Section 60.276a(f).

007 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

In accordance with Plan Approval #PA-65-016E, Condition #20, the Owner/Operator shall perform a minimum of one (1) stack test for NO_x (as NO₂), CO, VOCs (as propane) and PM-10 in accordance with 25 Pa. Code Chapter 139, 40 CFR 60.8, 40 CFR 60.275a and the latest version of the Department's Source Testing Manual no less often than once every five (5) years to determine compliance with the respective emission limits for EAF B. Testing shall be performed while EAF B is operating at maximum normal operating conditions as stated in the Department's Source Testing Manual. The EPA and/or the Department may require testing for additional pollutants at its discretion.

**SECTION D. Source Level Requirements****# 008 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10686]****Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities****What are the requirements for electric arc furnaces and argon-oxygen decarburization vessels?**

(d) Except as provided in paragraph (d)(6) of this section, you must conduct performance tests to demonstrate initial compliance with the applicable emissions limit for each emissions source subject to an emissions limit in paragraph (b) or (c) of this section.

(1) You must conduct each PM performance test for an EAF or AOD vessel according to the procedures in §63.7 and 40 CFR 60.275a using the following test methods in 40 CFR part 60, appendices A-1, A-2, A-3, and A-4:

(i) Method 1 or 1A of appendix A-1 of 40 CFR part 60 to select sampling port locations and the number of traverse points in each stack or duct. Sampling sites must be located at the outlet of the control device (or at the outlet of the emissions source if no control device is present) prior to any releases to the atmosphere.

(ii) Method 2, 2A, 2C, 2D, 2F, or 2G of appendix A-1 of 40 CFR part 60 to determine the volumetric flow rate of the stack gas.

(iii) Method 3, 3A, or 3B of appendix A-3 of 40 CFR part 60 to determine the dry molecular weight of the stack gas. You may use ANSI/ASME PTC 19.10-1981, "Flue and Exhaust Gas Analyses" (incorporated by reference—see §63.14) as an alternative to EPA Method 3B.

(iv) Method 4 of appendix A-3 of 40 CFR part 60 to determine the moisture content of the stack gas.

(v) Method 5 or 5D of appendix A-3 of 40 CFR part 60 to determine the PM concentration. Three valid test runs are needed to comprise a PM performance test. For EAF, sample only when metal is being melted and refined. For AOD vessels, sample only when the operation(s) are being conducted.

(2) You must conduct each opacity test for a melt shop according to the procedures in §63.6(h) and Method 9 of appendix A-4 of 40 CFR part 60. When emissions from any EAF or AOD vessel are combined with emissions from emission sources not subject to this subpart, you must demonstrate compliance with the melt shop opacity limit based on emissions from only the emission sources subject to this subpart.

(3) During any performance test, you must monitor and record the information specified in 40 CFR 60.274a(h) for all heats covered by the test.

(4) You must notify and receive approval from the Administrator for procedures that will be used to determine compliance for an EAF or AOD vessel when emissions are combined with those from facilities not subject to this subpart.

(5) To determine compliance with the PM emissions limit in paragraph (c) of this section for an EAF or AOD vessel in a lb/ton of steel format, compute the process-weighted mass emissions (E_p) for each test run using Equation 1 of this section:

Where:

E_p = Process-weighted mass emissions of PM, lb/ton;

C = Concentration of PM or total metal HAP, gr/dscf;

Q = Volumetric flow rate of stack gas, dscf/hr;

T = Total time during a test run that a sample is withdrawn from the stack during steel production cycle, hr;

P = Total amount of metal produced during the test run, tons; and

K = Conversion factor, 7,000 grains per pound.

**SECTION D. Source Level Requirements**

(6) If you own or operate an existing affected source that is subject to the emissions limits in paragraph (b) or (c) of this section, you may certify initial compliance with the applicable emission limit for one or more emissions sources based on the results of a previous performance test for that emissions source in lieu of the requirement for an initial performance test provided that the test(s) were conducted within 5 years of the compliance date using the methods and procedures specified in paragraph (d)(1) or (2) of this section; the test(s) were for the affected facility; and the test(s) were representative of current or anticipated operating processes and conditions. Should the permitting authority deem the prior test data unacceptable to demonstrate compliance with an applicable emissions limit, the owner or operator must conduct an initial performance test within 180 days of the compliance date or within 90 days of receipt of the notification of disapproval of the prior test, whichever is later.

III. MONITORING REQUIREMENTS.**# 009 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.273a]****Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983****Emission monitoring.**

In accordance with Plan Approval #PA-65-016E, Condition #7 and 40 CFR 60.273a(c), the Owner/Operator shall perform visible emissions observations from the control device by a certified visible emission observer as follows: Visible emissions observations shall be conducted at least once per day when the furnace is operating in the melting and refining period. These observations shall be taken in accordance with Method 9, and, for at least three 6-minute periods, the opacity shall be recorded for any point(s) where visible emissions are observed. Where it is possible to determine that a number of visible emissions sites relate to only one incident of the visible emissions, only one set of three 6-minute observations will be required. In this case, Method 9 observations must be made for the site of highest opacity that directly relates to the cause (or location) of visible emissions observed during a single incident.

010 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.274a]**Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983****Monitoring of operations.**

In accordance with Plan Approval #PA-65-016E, Condition #11 and 40 CFR 60.274a(d), the Owner/Operator shall perform monthly operational status inspections of the equipment that is important to the performance of the total capture system (i.e., pressure sensors, dampers and damper switches). This inspection shall include observations of the physical appearance of the equipment (e.g., presence of holes in ductwork or hoods, flow constrictions caused by dents or accumulated dust in ductwork and fan erosion). Any deficiencies shall be noted and proper maintenance performed.

011 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.274a]**Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983****Monitoring of operations.**

In accordance with Plan Approval #PA-65-016E, Condition #9 and 40 CFR 60.274a(b), the Owner/Operator shall either, (1) check and record the control system fan motor amperes and damper position on a once-per-shift basis; or (2) install, calibrate and maintain a monitoring device that continuously records the volumetric flow rate through each separately ducted hood; or (3) install, calibrate and maintain a monitoring device that continuously records the volumetric flow rate at the control device inlet and check and record damper positions on a once-per-shift basis. The monitoring device(s) may be installed in any appropriate location in the exhaust duct such that reproducible flow rate monitoring will result. The flow rate monitoring device(s) shall have an accuracy of +/- 10 percent over its normal operating range and shall be calibrated according to manufacturer's instructions.

012 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.274a]**Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983****Monitoring of operations.**

**SECTION D. Source Level Requirements**

In accordance with Plan Approval #PA-65-016E, Condition #10 and 40 CFR 60.274a(c), when the Owner/Operator is required to demonstrate compliance with the standards under Section D, Condition #001, above, and at any other time the EPA or the Department may require that either, (1) the control system fan motor amperes and all damper positions; or (2) the volumetric flow rate through each separately ducted hood; or (3) the volumetric flow rate at the control device inlet and all damper positions shall be determined during all periods in which a hood is operated for the purpose of capturing emissions from the EAFs. The Owner/Operator may petition the Department for reestablishment of these parameters whenever the Owner/Operator can demonstrate that the EAF operating conditions upon which the parameters were previously established are no longer applicable. The values of these parameters as determined during the most recent demonstration of compliance shall be maintained at the appropriate level for each applicable period. Operation at other than baseline values may be subject to the requirements of Section D, Condition #024 (40 CFR Section 60.276a(c)), below.

013 [40 CFR Part 64 Compliance Assurance Monitoring for Major Stationary Sources §40 CFR 64.2]**Sections of PART 64****Applicability**

I. Indicator	Indicator No. 1	Indicator No. 2
	Pressure Drop across fabric	Visible emissions
Measurement Approach	Manometer of each compartment	Visual Observations

II. Indicator Range

Normal operating conditions:	2.0 - 7.0" w.c.	0 - 3% opacity
*Non-normal operating conditions:	0.5 - 7.0" w.c.	0 - 3% opacity

*Non-normal operating conditions covers the following periods:

1. A 48-hour period following start-up immediately following Melt Shop shutdowns.
2. A 30-day period of filter bag conditioning immediately following a baghouse filter bag change.

QIP Threshold	6 deviations in 6 months	6 deviations in 6 months
---------------	--------------------------	--------------------------

III. Performance Criteria

A. Data Representativeness	Differential pressure monitoring on the inlet and outlet sides of this fabric filter would serve to confirm that the unit is operating correctly and that the fabric filter has no holes, blown bags, blinding bags, clogged bags or is otherwise not operating correctly.	Visual opacity is a good indicator of particulate emissions from the fabric filter. By NSPS requirements visual opacity is limited to less than 3%. This corresponds nicely to the system being able to meet the grain loading requirements.
B. Verification of operational status	Equipment currently installed; calibrated/operational on installation.	Visual observations on a daily basis when melting is occurring.
C. QA/QC Practices and Criteria	Quarterly calibration using an oil type manometer to confirm that the gauge is reading the same as the magnehelic gauge.	Semi-annual confirmation observations by an independent certified reader.
D. Monitoring Frequency	Continuous	Daily visible emission readings. These observations shall be for at least 3 six-minute periods

**SECTION D. Source Level Requirements**

		as required by the Title V Permit.
Data Collection Procedures	Data collected daily	Manual log entry on opacity log sheets.
Averaging Period	Daily instantaneous reading	Readings will be 3 six-minute averages per day.

IV. RECORDKEEPING REQUIREMENTS.**# 014 [25 Pa. Code §127.511]****Monitoring and related recordkeeping and reporting requirements.**

In accordance with Plan Approval #PA-65-016E, Condition #15 and 127.511(b)(2), records of the measurements required in Section D, Condition #021 (40 CFR 60.274a), below must be retained for at least five (5) years following the date of the measurement.

[Compliance with this streamlined condition ensures compliance with 40 CFR 60.276a(a).]

015 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.273a]**Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983****Emission monitoring.**

In accordance with Plan Approval #PA-65-016E, Condition #13 and 40 CFR 60.273a(c), opacity shall be recorded for at least three 6-minute periods for any point(s) where visible emissions are observed. Records shall be maintained of any 6-minute average that is equal to or exceeds the 3 percent opacity emission limit specified in Section D, Condition #007 (40 CFR 60.272a(a)), above.

016 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.274a]**Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983****Monitoring of operations.**

In accordance with Plan Approval #PA-65-016E, Condition #16 and 40 CFR 60.274a(a), the Owner/Operator shall maintain records of the following information:

- (1) All data obtained under Section D, Condition #015 (40 CFR 60.274a(b)); and
- (2) All monthly operational status inspections performed under Section D, Condition #017 (40 CFR 60.274a(d)).

017 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.274a]**Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983****Monitoring of operations.**

In accordance with Plan Approval #PA-65-016E, Condition #12 and 40 CFR 60.274a(h), the Owner/Operator shall monitor the following information during any performance test and for any report required by the EPA or the Department for all heats covered by the test:

- (1) Charge weights and materials, and tap weights and materials;
- (2) Heat times, including start and stop times, and a log of process operation, including periods of no operation during testing;

**SECTION D. Source Level Requirements**

- (3) Control device operation log; and
- (4) Continuous monitor or Reference Method 9 data.

V. REPORTING REQUIREMENTS.

018 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.276a]
Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983
Recordkeeping and reporting requirements.

In accordance with Plan Approval #PA-65-016E, Condition #18 and 40 CFR 60.276a(c), operation of control system fan motor amperes at values exceeding +/- 15 percent of the value established under Section D, Condition #016 (40 CFR 60.274a(c)), above or operation at flow rates lower than those established under Section D, Condition #016 may be considered by the EPA and/or the Department to be unacceptable operation and maintenance of the affected facility. Operation at such values shall be reported to the EPA and the Department semi-annually.

019 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.276a]
Subpart AAa - Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983
Recordkeeping and reporting requirements.

In accordance with Plan Approval #PA-65-016E, Condition #17 and 40 CFR 60.276a(b), the Owner/Operator shall submit a written report of exceedances of the control device opacity to the EPA and the Department semi-annually. For the purposes of these reports, exceedances are defined as all 6-minute periods during which the average opacity is 3 percent or greater.

020 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10685]
Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities
What are the requirements for the control of contaminants from scrap?

(c) Recordkeeping and reporting requirements. In addition to the records required by §63.10, you must keep records to demonstrate compliance with the requirements for your pollution prevention plan in paragraph (a)(1) of this section and/or for the use of only restricted scrap in paragraph (a)(2) of this section and for mercury in paragraphs (b)(1) through (3) of this section as applicable. You must keep records documenting compliance with paragraph (b)(4) of this section for scrap that does not contain motor vehicle scrap.

(1) If you are subject to the requirements for a site-specific plan for mercury under paragraph (b)(1) of this section, you must:

(i) Maintain records of the number of mercury switches removed or the weight of mercury recovered from the switches and properly managed, the estimated number of vehicles processed, and an estimate of the percent of mercury switches recovered; and

(ii) Submit semiannual reports of the number of mercury switches removed or the weight of mercury recovered from the switches and properly managed, the estimated number of vehicles processed, an estimate of the percent of mercury switches recovered, and a certification that the recovered mercury switches were recycled at RCRA-permitted facilities. The semiannual reports must include a certification that you have conducted inspections or taken other means of corroboration as required under paragraph (b)(1)(ii)(C) of this section. You may include this information in the semiannual compliance reports required under paragraph (c)(3) of this section.

(2) If you are subject to the option for approved mercury programs under paragraph (b)(2) of this section, you must maintain records identifying each scrap provider and documenting the scrap provider's participation in an approved mercury switch removal program. If you purchase motor vehicle scrap from a broker, you must maintain records identifying each broker and documentation that all scrap provided by the broker was obtained from other scrap providers who participate in an approved mercury switch removal program.

**SECTION D. Source Level Requirements**

(3) You must submit semiannual compliance reports to the Administrator for the control of contaminants from scrap according to the requirements in §63.10(e). The report must clearly identify any deviation from the requirements in paragraphs (a) and (b) of this section and the corrective action taken. You must identify which compliance option in paragraph (b) of this section applies to each scrap provider, contract, or shipment.

VI. WORK PRACTICE REQUIREMENTS.**# 021 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10685]****Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities****What are the requirements for the control of contaminants from scrap?**

(a) Chlorinated plastics, lead, and free organic liquids. For metallic scrap utilized in the EAF at your facility, you must comply with the requirements in either paragraph (a)(1) or (2) of this section. You may have certain scrap at your facility subject to paragraph (a)(1) of this section and other scrap subject to paragraph (a)(2) of this section provided the scrap remains segregated until charge make-up.

(1) Pollution prevention plan. For the production of steel other than leaded steel, you must prepare and implement a pollution prevention plan for metallic scrap selection and inspection to minimize the amount of chlorinated plastics, lead, and free organic liquids that is charged to the furnace. For the production of leaded steel, you must prepare and implement a pollution prevention plan for scrap selection and inspection to minimize the amount of chlorinated plastics and free organic liquids in the scrap that is charged to the furnace. You must submit the scrap pollution prevention plan to the permitting authority for approval. You must operate according to the plan as submitted during the review and approval process, operate according to the approved plan at all times after approval, and address any deficiency identified by the permitting authority within 60 days following disapproval of a plan. You may request approval to revise the plan and may operate according to the revised plan unless and until the revision is disapproved by the permitting authority. You must keep a copy of the plan onsite, and you must provide training on the plan's requirements to all plant personnel with materials acquisition or inspection duties. Each plan must include the information in paragraphs (a)(1)(i) through (iii) of this section:

(i) Specifications that scrap materials must be depleted (to the extent practicable) of undrained used oil filters, chlorinated plastics, and free organic liquids at the time of charging to the furnace.

(ii) A requirement in your scrap specifications for removal (to the extent practicable) of lead-containing components (such as batteries, battery cables, and wheel weights) from the scrap, except for scrap used to produce leaded steel.

(iii) Procedures for determining if the requirements and specifications in paragraph (a)(1) of this section are met (such as visual inspection or periodic audits of scrap providers) and procedures for taking corrective actions with vendors whose shipments are not within specifications.

(iv) The requirements of paragraph (a)(1) of this section do not apply to the routine recycling of baghouse bags or other internal process or maintenance materials in the furnace. These exempted materials must be identified in the pollution prevention plan.

(2) Restricted metallic scrap. For the production of steel other than leaded steel, you must not charge to a furnace metallic scrap that contains scrap from motor vehicle bodies, engine blocks, oil filters, oily turnings, machine shop borings, transformers or capacitors containing polychlorinated biphenyls, lead-containing components, chlorinated plastics, or free organic liquids. For the production of leaded steel, you must not charge to the furnace metallic scrap that contains scrap from motor vehicle bodies, engine blocks, oil filters, oily turnings, machine shop borings, transformers or capacitors containing polychlorinated biphenyls, chlorinated plastics, or free organic liquids. This restriction does not apply to any post-consumer engine blocks, post-consumer oil filters, or oily turnings that are processed or cleaned to the extent practicable such that the materials do not include lead components, chlorinated plastics, or free organic liquids. This restriction does not apply to motor vehicle scrap that is charged to recover the chromium or nickel content if you meet the requirements in paragraph (b)(3) of this section.

**SECTION D. Source Level Requirements**

(b) Mercury requirements. For scrap containing motor vehicle scrap, you must procure the scrap pursuant to one of the compliance options in paragraphs (b)(1), (2), or (3) of this section for each scrap provider, contract, or shipment. For scrap that does not contain motor vehicle scrap, you must procure the scrap pursuant to the requirements in paragraph (b)(4) of this section for each scrap provider, contract, or shipment. You may have one scrap provider, contract, or shipment subject to one compliance provision and others subject to another compliance provision.

(1) Site-specific plan for mercury switches. You must comply with the requirements in paragraphs (b)(1)(i) through (v) of this section.

(i) You must include a requirement in your scrap specifications for removal of mercury switches from vehicle bodies used to make the scrap.

(ii) You must prepare and operate according to a plan demonstrating how your facility will implement the scrap specification in paragraph (b)(1)(i) of this section for removal of mercury switches. You must submit the plan to the permitting authority for approval. You must operate according to this plan as submitted during the review and approval process, operate according to the approved plan at all times after approval, and address any deficiency identified by the permitting authority within 60 days following disapproval of a plan. You may request approval to revise the plan and may operate according to the revised plan unless and until the revision is disapproved by the permitting authority. The permitting authority may change the approval status of the plan upon 90 days written notice based upon the semiannual compliance report or other information. The plan must include:

(A) A means of communicating to scrap purchasers and scrap providers the need to obtain or provide motor vehicle scrap from which mercury switches have been removed and the need to ensure the proper management of the mercury switches removed from that scrap as required under the rules implementing subtitle C of the Resource Conservation and Recovery Act (RCRA) (40 CFR parts 261 through 265 and 268). The plan must include documentation of direction to appropriate staff to communicate to suppliers throughout the scrap supply chain the need to promote the removal of mercury switches from end-of-life vehicles. Upon the request of the permitting authority, you must provide examples of materials that are used for outreach to suppliers, such as letters, contract language, policies for purchasing agents, and scrap inspection protocols;

(B) Provisions for obtaining assurance from scrap providers that motor vehicle scrap provided to the facility meet the scrap specification;

(C) Provisions for periodic inspections or other means of corroboration to ensure that scrap providers and dismantlers are implementing appropriate steps to minimize the presence of mercury switches in motor vehicle scrap and that the mercury switches removed are being properly managed, including the minimum frequency such means of corroboration will be implemented; and

(D) Provisions for taking corrective actions (i.e., actions resulting in scrap providers removing a higher percentage of mercury switches or other mercury-containing components) if needed, based on the results of procedures implemented in paragraph (b)(1)(ii)(C) of this section).

(iii) You must require each motor vehicle scrap provider to provide an estimate of the number of mercury switches removed from motor vehicle scrap sent to your facility during the previous year and the basis for the estimate. The permitting authority may request documentation or additional information at any time.

(iv) You must establish a goal for each scrap provider to remove at least 80 percent of the mercury switches. Although a site-specific plan approved under paragraph (b)(1) of this section may require only the removal of convenience light switch mechanisms, the permitting authority will credit all documented and verifiable mercury-containing components removed from motor vehicle scrap (such as sensors in anti-locking brake systems, security systems, active ride control, and other applications) when evaluating progress towards the 80 percent goal.

(v) For each scrap provider, you must submit semiannual progress reports to the permitting authority that provide the number of mercury switches removed or the weight of mercury recovered from the switches, the estimated number of vehicles processed, an estimate of the percent of mercury switches removed, and certification that the removed mercury switches were recycled at RCRA-permitted facilities or otherwise properly managed pursuant to RCRA subtitle C regulations referenced in paragraph (b)(1)(ii)(A) of this section. This information can be submitted in aggregated form and

**SECTION D. Source Level Requirements**

does not have to be submitted for each scrap provider, contract, or shipment. The permitting authority may change the approval status of a site-specific plan following 90 days notice based on the progress reports or other information.

(2) Option for approved mercury programs. You must certify in your notification of compliance status that you participate in and purchase motor vehicle scrap only from scrap providers who participate in a program for removal of mercury switches that has been approved by the Administrator based on the criteria in paragraphs (b)(2)(i) through (iii) of this section. If you purchase motor vehicle scrap from a broker, you must certify that all scrap received from that broker was obtained from other scrap providers who participate in a program for the removal of mercury switches that has been approved by the Administrator based on the criteria in paragraphs (b)(2)(i) through (iii) of this section. The National Vehicle Mercury Switch Recovery Program and the Vehicle Switch Recovery Program mandated by Maine State law are EPA-approved programs under paragraph (b)(2) of this section unless and until the Administrator disapproves the program (in part or in whole) under paragraph (b)(2)(iii) of this section.

(i) The program includes outreach that informs the dismantlers of the need for removal of mercury switches and provides training and guidance for removing mercury switches;

(ii) The program has a goal to remove at least 80 percent of mercury switches from the motor vehicle scrap the scrap provider processes. Although a program approved under paragraph (b)(2) of this section may require only the removal of convenience light switch mechanisms, the Administrator will credit all documented and verifiable mercury-containing components removed from motor vehicle scrap (such as sensors in anti-locking brake systems, security systems, active ride control, and other applications) when evaluating progress towards the 80 percent goal; and

(iii) The program sponsor agrees to submit progress reports to the Administrator no less frequently than once every year that provide the number of mercury switches removed or the weight of mercury recovered from the switches, the estimated number of vehicles processed, an estimate of the percent of mercury switches recovered, and certification that the recovered mercury switches were recycled at facilities with permits as required under the rules implementing subtitle C of RCRA (40 CFR parts 261 through 265 and 268). The progress reports must be based on a database that includes data for each program participant; however, data may be aggregated at the State level for progress reports that will be publicly available. The Administrator may change the approval status of a program or portion of a program (e.g., at the State level) following 90 days notice based on the progress reports or on other information.

(iv) You must develop and maintain onsite a plan demonstrating the manner through which your facility is participating in the EPA-approved program.

(A) The plan must include facility-specific implementation elements, corporate-wide policies, and/or efforts coordinated by a trade association as appropriate for each facility.

(B) You must provide in the plan documentation of direction to appropriate staff to communicate to suppliers throughout the scrap supply chain the need to promote the removal of mercury switches from end-of-life vehicles. Upon the request of the permitting authority, you must provide examples of materials that are used for outreach to suppliers, such as letters, contract language, policies for purchasing agents, and scrap inspection protocols.

(C) You must conduct periodic inspections or provide other means of corroboration to ensure that scrap providers are aware of the need for and are implementing appropriate steps to minimize the presence of mercury in scrap from end-of-life vehicles.

(3) Option for specialty metal scrap. You must certify in your notification of compliance status that the only materials from motor vehicles in the scrap are materials recovered for their specialty alloy (including, but not limited to, chromium, nickel, molybdenum, or other alloys) content (such as certain exhaust systems) and, based on the nature of the scrap and purchase specifications, that the type of scrap is not reasonably expected to contain mercury switches.

(4) Scrap that does not contain motor vehicle scrap. For scrap not subject to the requirements in paragraphs (b)(1) through (3) of this section, you must certify in your notification of compliance status and maintain records of documentation that this scrap does not contain motor vehicle scrap.

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 022 [25 Pa. Code §127.12b]****Plan approval terms and conditions.**

In accordance with Plan Approval #PA-65-016E, Condition #5.h. and 25 Pa. Code Section 127.206(m), the emissions reductions listed in Table II of the plan approval review memo for this plan approval application cannot be used to generate emission reduction credits (ERCs).

023 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10680]**Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities****Am I subject to this subpart?**

- (a) You are subject to this subpart if you own or operate an electric arc furnace (EAF) steelmaking facility that is an area source of hazardous air pollutant (HAP) emissions.
- (b) This subpart applies to each new or existing affected source. The affected source is each EAF steelmaking facility.
- (1) An affected source is existing if you commenced construction or reconstruction of the affected source on or before September 20, 2007.
- (2) An affected source is new if you commenced construction or reconstruction of the affected source after September 20, 2007.
- (c) This subpart does not apply to research and development facilities, as defined in section 112(c)(7) of the Clean Air Act (CAA).
- (d) If you own or operate an area source subject to this subpart, you must have or obtain a permit under 40 CFR part 70 or 40 CFR part 71.

024 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10681]**Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities****What are my compliance dates?**

- (a) Except as provided in paragraph (b) of this section, if you own or operate an existing affected source, you must achieve compliance with the applicable provisions of this subpart by no later than June 30, 2008.
- (b) If you own or operate an existing affected source, you must achieve compliance with opacity limit in §63.10686(b)(2) or (c)(2) by no later than December 28, 2010 if you demonstrate to the satisfaction of the permitting authority that additional time is needed to install or modify emission control equipment.
- (c) If you start up a new affected source on or before December 28, 2007, you must achieve compliance with the applicable provisions of this subpart by no later than December 28, 2007.
- (d) If you start up a new affected source after December 28, 2007, you must achieve compliance with the applicable provisions of this subpart upon startup of your affected source.

025 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10690]**Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities****What parts of the General Provisions apply to this subpart?**

- (a) You must comply with the requirements of the NESHAP General Provisions (40 CFR part 63, subpart A) as provided in Table 1 of this subpart.
- (b) The notification of compliance status required by §63.9(h) must include each applicable certification of compliance,



SECTION D. Source Level Requirements

signed by a responsible official, in paragraphs (b)(1) through (6) of this section.

(1) For the pollution prevention plan requirements in §63.10685(a)(1): "This facility has submitted a pollution prevention plan for metallic scrap selection and inspection in accordance with §63.10685(a)(1)";

(2) For the restrictions on metallic scrap in §63.10685(a)(2): This facility complies with the requirements for restricted metallic scrap in accordance with §63.10685(a)(2)";

(3) For the mercury requirements in §63.10685(b):

(i) "This facility has prepared a site- specific plan for mercury switches in accordance with §63.10685(b)(1)";

(ii) "This facility participates in and purchases motor vehicle scrap only from scrap providers who participate in a program for removal of mercury switches that has been approved by the EPA Administrator in accordance with §63.10685(b)(2)" and has prepared a plan demonstrating how the facility participates in the EPA-approved program in accordance with §63.10685(b)(2)(iv);

(iii) "The only materials from motor vehicles in the scrap charged to an electric arc furnace at this facility are materials recovered for their specialty alloy content in accordance with §63.10685(b)(3) which are not reasonably expected to contain mercury switches"; or

(iv) "This facility complies with the requirements for scrap that does not contain motor vehicle scrap in accordance with §63.10685(b)(4)."

(4) This certification of compliance for the capture system requirements in §63.10686(a) , signed by a responsible official: This facility operates a capture system for each electric arc furnace and argon- oxygen decarburization vessel that conveys the collected emissions to a PM control device in accordance with §63.10686(a)".

(5) If applicable, this certification of compliance for the performance test requirements in §63.10686(d)(6): "This facility certifies initial compliance with the applicable emissions limit in §63.10686(a) or (b) based on the results of a previous performance test in accordance with §63.10686(d)(6)".

(6) This certification of compliance for the monitoring requirements in §63.10686(e) , signed by a responsible official: This facility has developed and submitted proposed monitoring information in accordance with 40 CFR part 64".

**# 026 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR Part 63 to Subpart YYYYY Table 1]
Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities
Applicability of General Provisions to Subpart YYYYY**

As required in §63.10691(a), you must comply with the requirements of the NESHAP General Provisions (40 CFR part 63, subpart A) shown in the following table.

Citation	Subject	Applies to subpart YYYYY?	Explanation
§63.1(a)(1), (a)(2), (a)(3), (a)(4), (a)(6), (a)(10)-(a)(12), (b)(1), (b)(3), (c)(1), (c)(2), (c)(5), (e).	Applicability.....	Yes.	
§63.1(a)(5), (a)(7)- (a)(9), (b)(2),	Reserved.....	No.	

**SECTION D. Source Level Requirements**

(c)(3), (c)(4),					
(d).					
§63.2.....	Definitions.....	Yes.			
§63.3.....	Units and	Yes.			
	Abbreviations.....				
§63.4.....	Prohibited	Yes.			
	Activities and				
	Circumvention.....				
§63.5.....	Preconstruction	Yes.			
	Review and				
	Notification Re-				
	quirements.				
§63.6(a),	Compliance with	Yes.			
(b)(1)-(b)(5),	Standards and				
(b)(7), (c)(1),	Maintenance				
(c)(2), (c)(5),	Requirements.				
(e)(1), (e)(3)(i),					
(e)(3)(iii)-					
(e)(3)(ix), (f),					
(g), (h)(1),					
(h)(2), (h)(5)-					
(h)(9), (i), (j).					
§63.6(b)(6), (c)(3),	Reserved.....	No.			
(c)(4), (d),					
(e)(2),					
(e)(3)(ii),					
(h)(3),					
(h)(5)(iv).					
§63.7.....	Applicability and	Yes.			
	Performance Test				
	Dates.				
§63.8(a)(1), (a)(2),	Monitoring Require-	Yes.....	Requirements apply		
(b), (c), (d),	ments.....		if a COMS or CEMS is		
(e), (f)(1)-(5),		used.			
(g).					
§63.8(a)(3).....	[Reserved].....	No.			
§63.8(a)(4).....	Additional	No.			
	Monitoring				
	Requirements for				
	Control Devices in				
	§63.11.				
§63.8(c)(4).....	Continuous	Yes.....	Requirements apply		
	Monitoring System		if a COMS or CEMS is		
	Requirements.		used.		
§63.8(f)(6).....	RATA Alternative....	Yes.....	Requirements apply		
	if a CEMS is used.				
§63.9(a), (b)(1),	Notification	Yes.			
(b)(2), (b)(5),	Requirements.....				
(c), (d), (f),					
(g),					
(h)(1)-(h)(3),					
(h)(5), (h)(6),					
(i), (j).					
§63.9(b)(3),	Reserved.....	No.			
(h)(4).....					
§63.9(b)(4).....	No.			



SECTION D. Source Level Requirements

§63.10(a), (b)(1),	Recordkeeping and	Yes.....	Additional records
(b)(2)(i)-(v),	Reporting Require-		for CMS in §63.10(c)
(b)(2)(xiv),	ments.	(1) -(6),	
(b)(3), (c)(1),		(9)-(15), and re-	
(c)(5)-(c)(8),		ports in	
(c)(10)-(c)(15),		§63.10(d)(1)- (2)	
(d),		apply if a COMS or	
(e)(1)-(e)(4),		CEMS is used.	
(f).			
§63.10(b)(2)(xiii)...	CMS Records for RATA	Yes.....	Requirements apply
	Alternative.....		if a CEMS is used.
§63.10(c)(2)-(c)(4),	Reserved.....	No.	
(c)(9).....			
§63.11.....	Control Device Re-	No.	
	quirements.....		
§63.12.....	State Authority and	Yes.	
	Delegations.....		
§§63.13-63.16.....	Addresses,	Yes.	
	Incorporations by		
	Reference,		
	Availability of		
	Information,		
	Performance Track		
	Provisions.		


*** Permit Shield in Effect. ***

**SECTION D. Source Level Requirements**

Source ID: 102

Source Name: AOD VESSEL REFINING

Source Capacity/Throughput: 30.000 Tons/HR STEEL

Conditions for this source occur in the following groups: G05
G13**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10686]****Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities****What are the requirements for electric arc furnaces and argon-oxygen decarburization vessels?**

(a) You must install, operate, and maintain a capture system that collects the emissions from each EAF (including charging, melting, and tapping operations) and argon-oxygen decarburization (AOD) vessel and conveys the collected emissions to a control device for the removal of particulate matter (PM).

(b) Except as provided in paragraph (c) of this section, you must not discharge or cause the discharge into the atmosphere from an EAF or AOD vessel any gases which:

- (1) Exit from a control device and contain in excess of 0.0052 grains of PM per dry standard cubic foot (gr/dscf); and
- (2) Exit from a melt shop and, due solely to the operations of any affected EAF(s) or AOD vessel(s), exhibit 6 percent opacity or greater.

(c) If you own or operate a new or existing affected source that has a production capacity of less than 150,000 tons per year (tpy) of stainless or specialty steel (as determined by the maximum production if specified in the source's operating permit or EAF capacity and maximum number of operating hours per year), you must not discharge or cause the discharge into the atmosphere from an EAF or AOD vessel any gases which:

- (1) Exit from a control device and contain particulate matter (PM) in excess of 0.8 pounds per ton (lb/ton) of steel. Alternatively, the owner or operator may elect to comply with a PM limit of 0.0052 grains per dry standard cubic foot (gr/dscf); and
- (2) Exit from a melt shop and, due solely to the operations of any affected EAF(s) or AOD vessel(s), exhibit 6 percent opacity or greater.

II. TESTING REQUIREMENTS.**# 002 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10686]****Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities****What are the requirements for electric arc furnaces and argon-oxygen decarburization vessels?**

(d) Except as provided in paragraph (d)(6) of this section, you must conduct performance tests to demonstrate initial compliance with the applicable emissions limit for each emissions source subject to an emissions limit in paragraph (b) or (c) of this section.

- (1) You must conduct each PM performance test for an EAF or AOD vessel according to the procedures in §63.7 and 40 CFR

**SECTION D. Source Level Requirements**

60.275a using the following test methods in 40 CFR part 60, appendices A-1, A-2, A-3, and A-4:

- (i) Method 1 or 1A of appendix A-1 of 40 CFR part 60 to select sampling port locations and the number of traverse points in each stack or duct. Sampling sites must be located at the outlet of the control device (or at the outlet of the emissions source if no control device is present) prior to any releases to the atmosphere.
 - (ii) Method 2, 2A, 2C, 2D, 2F, or 2G of appendix A-1 of 40 CFR part 60 to determine the volumetric flow rate of the stack gas.
 - (iii) Method 3, 3A, or 3B of appendix A-3 of 40 CFR part 60 to determine the dry molecular weight of the stack gas. You may use ANSI/ASME PTC 19.10-1981, "Flue and Exhaust Gas Analyses" (incorporated by reference—see §63.14) as an alternative to EPA Method 3B.
 - (iv) Method 4 of appendix A-3 of 40 CFR part 60 to determine the moisture content of the stack gas.
 - (v) Method 5 or 5D of appendix A-3 of 40 CFR part 60 to determine the PM concentration. Three valid test runs are needed to comprise a PM performance test. For EAF, sample only when metal is being melted and refined. For AOD vessels, sample only when the operation(s) are being conducted.
- (2) You must conduct each opacity test for a melt shop according to the procedures in §63.6(h) and Method 9 of appendix A-4 of 40 CFR part 60. When emissions from any EAF or AOD vessel are combined with emissions from emission sources not subject to this subpart, you must demonstrate compliance with the melt shop opacity limit based on emissions from only the emission sources subject to this subpart.
- (3) During any performance test, you must monitor and record the information specified in 40 CFR 60.274a(h) for all heats covered by the test.
- (4) You must notify and receive approval from the Administrator for procedures that will be used to determine compliance for an EAF or AOD vessel when emissions are combined with those from facilities not subject to this subpart.
- (5) To determine compliance with the PM emissions limit in paragraph (c) of this section for an EAF or AOD vessel in a lb/ton of steel format, compute the process-weighted mass emissions (E_p) for each test run using Equation 1 of this section:

Where:

E_p = Process-weighted mass emissions of PM, lb/ton;

C = Concentration of PM or total metal HAP, gr/dscf;

Q = Volumetric flow rate of stack gas, dscf/hr;

T = Total time during a test run that a sample is withdrawn from the stack during steel production cycle, hr;

P = Total amount of metal produced during the test run, tons; and

K = Conversion factor, 7,000 grains per pound.

- (6) If you own or operate an existing affected source that is subject to the emissions limits in paragraph (b) or (c) of this section, you may certify initial compliance with the applicable emission limit for one or more emissions sources based on the results of a previous performance test for that emissions source in lieu of the requirement for an initial performance test provided that the test(s) were conducted within 5 years of the compliance date using the methods and procedures specified in paragraph (d)(1) or (2) of this section; the test(s) were for the affected facility; and the test(s) were representative of current or anticipated operating processes and conditions. Should the permitting authority deem the prior test data unacceptable to

**SECTION D. Source Level Requirements**

demonstrate compliance with an applicable emissions limit, the owner or operator must conduct an initial performance test within 180 days of the compliance date or within 90 days of receipt of the notification of disapproval of the prior test, whichever is later.

III. MONITORING REQUIREMENTS.**# 003 [40 CFR Part 64 Compliance Assurance Monitoring for Major Stationary Sources §40 CFR 64.2]****Sections of PART 64****Applicability**

I. Indicator	Indicator No. 1	Indicator No. 2
	Pressure Drop across fabric	Visible emissions
Measurement Approach	Manometer of each compartment	Visual Observations
II. Indicator Range		
Normal operating conditions:	2.0 - 7.0" w.c.	0 - 3% opacity
*Non-normal operating conditions:	0.5 - 7.0" w.c.	0 - 3% opacity
*Non-normal operating conditions covers the following periods:		
1. A 48-hour period following start-up immediately following Melt Shop shutdowns.		
2. A 30-day period of filter bag conditioning immediately following a baghouse filter bag change.		
QIP Threshold	6 deviations in 6 months	6 deviations in 6 months
III. Performance Criteria		
A. Data Representativeness	Differential pressure monitoring on the inlet and outlet sides of this fabric filter would serve to confirm that the unit is operating correctly and that the fabric filter has no holes, blown bags, blinding bags, clogged bags or is otherwise not operating correctly.	Visual opacity is a good indicator of particulate emissions from the fabric filter. By NSPS requirements visual opacity is limited to less than 3%. This corresponds nicely to the system being able to meet the grain loading requirements.
B. Verification of operational status	Equipment currently installed; calibrated/operational on installation.	Visual observations on a daily basis when melting is occurring.
C. QA/QC Practices and Criteria	Quarterly calibration using an oil type manometer to confirm that the gauge is reading the same as the magnehelic gauge.	Semi-annual confirmation observations by an independent certified reader.
D. Monitoring Frequency	Continuous	Daily visible emission readings. These observations shall be for at least 3 six-minute periods as required by the Title V Permit.
Data Collection Procedures	Data collected daily	Manual log entry on opacity log sheets.

**SECTION D. Source Level Requirements**

Averaging Period	Daily instantaneous reading	Readings will be 3 six-minute averages per day.
------------------	-----------------------------	---

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

004 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.10680]

Subpart YYYYY - National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities

Am I subject to this subpart?

(a) You are subject to this subpart if you own or operate an electric arc furnace (EAF) steelmaking facility that is an area source of hazardous air pollutant (HAP) emissions.

(b) This subpart applies to each new or existing affected source. The affected source is each EAF steelmaking facility.

(1) An affected source is existing if you commenced construction or reconstruction of the affected source on or before September 20, 2007.

(2) An affected source is new if you commenced construction or reconstruction of the affected source after September 20, 2007.

(c) This subpart does not apply to research and development facilities, as defined in section 112(c)(7) of the Clean Air Act (CAA).

(d) If you own or operate an area source subject to this subpart, you must have or obtain a permit under 40 CFR part 70 or 40 CFR part 71.

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 103


Source Name: TEEMING - INGOT POURING

Source Capacity/Throughput:

15.000 Tons/HR

STEEL

Conditions for this source occur in the following groups: G06

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 104


Source Name: NO 10 ELECTRO-SLAG REMELT

Source Capacity/Throughput:

20.000 Tons/HR

STEEL SLAG

Conditions for this source occur in the following groups: G08
G10

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 105


Source Name: VACARC WELDING & SCARFING

Source Capacity/Throughput:

15.000 Each/HR

STEEL ELECTRODS

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 106

Source Name: MESTA PRESS

Source Capacity/Throughput:

25.000 Tons/HR

STEEL

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 107

Source Name: #8 MIDWEST GRINDER

Source Capacity/Throughput: 10.000 Tons/HR STEEL

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Total particulate matter emissions from the control device for this source shall not at any time exceed 0.005 gr/dscf.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Visible emissions from the control device for this source shall not exceed 10% opacity for a period or periods aggregating more than 3 minutes in any one hour or equal or exceed 30% opacity at any time.

II. TESTING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Filterable PM and PM10 testing shall be performed by EPA Method 5, 5B, 201, or 201A. Testing shall be conducted within one (1) year of initial operation and no less frequently than once every five (5) years. Stack testing shall be conducted in accordance with the provisions of Title 25 Pa Code Chapter 139 and the Department's Source Testing Manual.

III. MONITORING REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The control device for this emission source shall be equipped with gauges to monitor pressure drop across the unit.

IV. RECORDKEEPING REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Pressure drop readings shall be taken on a daily basis and kept using either electronic recording devices or recorded manually while the control device is operating.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall maintain the control device for this emission source in accordance with the manufacturer's

**SECTION D. Source Level Requirements**

recommendations. The maintenance schedule for the unit and records of all maintenance activities performed on it shall be maintained in a log and be made available to the Department upon request.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 108

Source Name: PRECISION FORGING MACHINE

Source Capacity/Throughput: 8.000 Tons/HR STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 109


Source Name: PFF ABRASIVE HOT SAW

Source Capacity/Throughput:

8.000 Tons/HR

STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 110

Source Name: 1-MIDWEST GRINDER - #7

Source Capacity/Throughput: 15.000 Tons/HR STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 110A

Source Name: #10 MIDWEST GRINDER

Source Capacity/Throughput: 15.000 Tons/HR STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 111


Source Name: #2 G&B GRINDER

Source Capacity/Throughput:

10.000 Tons/HR

STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 111A

Source Name: CMI GRINDER

Source Capacity/Throughput:

10.000 Tons/HR

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 111B

Source Name: TWO SURFACE GRINDERS IN SPD BLDG

Source Capacity/Throughput:

10.000 Tons/HR

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 112

Source Name: SAW CUTTING/HOT SAW

Source Capacity/Throughput:

20.000 Tons/HR

STEEL

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 113

Source Name: HOT ROLLING - CRM

Source Capacity/Throughput:

8.000 Tons/HR

STEEL

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 114


Source Name: HCL ACID ETCH

Source Capacity/Throughput:

N/A

HCL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 115

Source Name: MELT SHOP FURNACES

Source Capacity/Throughput:	1.000 Tons/HR	STEEL
	32.700 MCF/HR	Natural Gas

Conditions for this source occur in the following groups: G07
G11

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 116

Source Name: MELT SHOP-#1 CARBOTTOM FURNACE

Source Capacity/Throughput:	29.600 MMBTU/HR	
	1.000 Tons/HR	STEEL
	29.600 MCF/HR	NATURAL GAS

Conditions for this source occur in the following groups: G05
G07
G10

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

NOx emissions for this source shall not exceed the following:

0.12 lbs/MMBtu heat input
4.9 tons per consecutive 12-month period

Operation Hours Restriction(s).**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

This source shall not operate more than 2,760 hours per consecutive 12-month period when operated at the full rated capacity of 29.6 MMBtu/hr. When operating at less than full rated capacity, the owner/operator shall limit monthly operating hours such that NOx emissions do not exceed 4.9 tons in any consecutive 12-month period based on the permitted NOx emission rate of 0.12 lbs/MMBtu heat input.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.**# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The owner/operator shall maintain records of monthly operating hours and the corresponding heat input rating during operation for this source in order to demonstrate compliance with the annual NOx emission limit of 4.9 tons in any consecutive 12-month period based. Records shall be maintained on site for a minimum of five (5) years and be made available to the Department upon request.



SECTION D. Source Level Requirements

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 117

Source Name: MELT SHOP-#2 CARBOTTOM FURNACE

Source Capacity/Throughput: 29.600 MMBTU/HR
 1.000 Tons/HR STEEL
 29.600 MCF/HR Natural Gas

Conditions for this source occur in the following groups: G05
 G07
 G10

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

NOx emissions from this source shall not exceed the following:

0.12 lbs/MMBtu heat input
 4.9 tons/consecutive 12-month period

Operation Hours Restriction(s).

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

This source shall not operate more than 2,760 hours per consecutive 12-month period when operated at the full rated capacity of 29.6 MMBtu/hr. When operating at less than full rated capacity, the owner/operator shall limit monthly operating hours such that NOx emissions do not exceed 4.9 tons in any consecutive 12-month period based on the permitted NOx emission rate of 0.12 lbs/MMBtu heat input.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The owner/operator shall maintain records of monthly operating hours and the corresponding heat input rating during operation for this source in order to demonstrate compliance with the annual NOx emission limit of 4.9 tons in any consecutive 12-month period based. Records shall be maintained on site for a minimum of five (5) years and be made available to the Department upon request.

**SECTION D. Source Level Requirements****V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 118

Source Name: HEATING/COOLING FURNACES MESTA PRESS

Source Capacity/Throughput:	5.000 Tons/HR	STEEL
	171.400 MCF/HR	Natural Gas

Conditions for this source occur in the following groups: G05
G07
G11

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 120

Source Name: #55 MESTA PRESS CARBOTTOM FURNACE

Source Capacity/Throughput:	0.410 Tons/HR	STEEL
	8.400 MCF/HR	Natural Gas

Conditions for this source occur in the following groups: G05
G07

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

In accordance with Operating Permit #65-307-078, Condition #4, this furnace shall be equipped and operated with low NOx burners.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 126

Source Name: ANNEALING/HEAT TREAT FURNACES

Source Capacity/Throughput:	90.300	MMBTU/HR	
	3.000	Tons/HR	STEEL
	90.300	MCF/HR	Natural Gas

Conditions for this source occur in the following groups: G05
G07
G11

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 127

Source Name: COLD ROLL FINISHING FURNACES (COILS)

Source Capacity/Throughput:	1.000 Tons/HR	STEEL
	25.500 MCF/HR	Natural Gas

Conditions for this source occur in the following groups: G05
G07
G11

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 130

Source Name: (2) STRESS RELIEF FURNACES - 40E & 40W

Source Capacity/Throughput:	0.500 Tons/HR	STEEL (EACH)
	3.750 MCF/HR	GAS (EACH)

Conditions for this source occur in the following groups: G05
G07

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

In accordance with Operating Permit #65-307-080, Condition #4, this furnace shall be equipped and operated with low NOx burners.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 131

Source Name: PRECISION FORGING FACILITY FURNACES

Source Capacity/Throughput:	3.000 Tons/HR	STEEL
	74.400 MCF/HR	Natural Gas

Conditions for this source occur in the following groups: G05
G08
G11

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 132

Source Name: #0 BOX FCE - PRECISION FORGING FACILITY

Source Capacity/Throughput:	2.200 Tons/HR	STEEL
	14.000 MCF/HR	Natural Gas

Conditions for this source occur in the following groups: G05
G08
G10

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Allowable emissions for this furnace shall not exceed the following in any consecutive 12 month period:

4.9 tons NO_x/yr

4.8 tons CO/yr

002 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

In accordance with Operating Permit #65-307-065A, Condition #5, this furnace shall be equipped and operated with low NO_x burners.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).


***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 133

Source Name: VACUUM ARC RE-MELT FURNACES (13)

Source Capacity/Throughput: 5.000 Tons/HR STEEL

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 134

Source Name: CRUCIBLE CLEANER SHOT BLASTER

Source Capacity/Throughput: 40.000 Tons/HR STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 136

Source Name: BILLET DESCALING (ROTOBLAST) MACHINE

Source Capacity/Throughput: 1.000 Tons/HR STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 137

Source Name: WET ABRASIVE CUTOFF SAWS (HOT MILL)

Source Capacity/Throughput: 2.300 Tons/HR STEEL

Conditions for this source occur in the following groups: G08

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 140

Source Name: SLAG HANDLING ACTIVITIES

Source Capacity/Throughput:

1.250 Tons/HR

STEEL SLAG

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

All loaded trucks hauling slag shall be tarped before leaving plant property.

002 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

Slag material shall be sufficiently wet so that there are no visible emissions from slag handling operations.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 141

Source Name: VEHICLE TRAVEL

Source Capacity/Throughput:

3.400 Each/HR

VEHICLE MILES TRAVELED

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 142

Source Name: TIP FURNACE, HOOD FURNACES #1 & #2

Source Capacity/Throughput: 13.000 MMBTU/HR
13.000 MCF/HR Natural Gas

Conditions for this source occur in the following groups: G05
G07
G11

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 143

Source Name: CUMMINS EMERGENCY ENGINE

Source Capacity/Throughput:

1.000 MCF/HR


Natural Gas

Conditions for this source occur in the following groups: G05

G07

G12

G14

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

NOx emissions from this unit shall not exceed 0.02 g/bhp-hr or 1.0 tons per year in any consecutive 12 month period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 1701

Source Name: SHOT BLAST AND GRINDER - CRM

Source Capacity/Throughput: 5.000 Tons/HR

Conditions for this source occur in the following groups: G07

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 1702

Source Name: CRM EMERGENCY GENERATOR

Source Capacity/Throughput:

1.000 MCF/HR


Natural Gas

Conditions for this source occur in the following groups: G05

G07

G12

G14

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 201

Source Name: VIM FURNACE

Source Capacity/Throughput:

I. RESTRICTIONS.**Throughput Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Steel production from this unit shall not exceed 26,250 tons in any consecutive 12-month period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

At a minimum, the Owner/Operator shall maintain records of the following:

* Monthly VIM Furnace steel production rates.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 202

Source Name: VAR FURNACES / VIM-VAR (6)

Source Capacity/Throughput:

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

At a minimum, the Owner/Operator shall maintain records of the following:

* Monthly and rolling 12-month totals of VAR Furnaces steel production rates.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 204

Source Name: CRUCIBLE & TWO (2) TUNDISH PRE-HEATERS - VIM/VAR

Source Capacity/Throughput: 4.300 MMBTU/HR

Conditions for this source occur in the following groups: G05
G09

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 205

Source Name: NO. 9 MIDWEST GRINDER

Source Capacity/Throughput:

10.000 Tons/HR

Conditions for this source occur in the following groups: G09

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

PM/PM10 emission rates shall not exceed 0.01 gr/dscf from this emission source.

Operation Hours Restriction(s).

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Operation of this emission source shall not exceed 12 hours per day or 4,380 hours in any consecutive 12-month period.

II. TESTING REQUIREMENTS.

003 [25 Pa. Code §139.11]

General requirements.

Stack testing shall be conducted as follows [Title 25 PA Code §127.12b and §139.11]:

Filterable PM and PM10 testing shall be by EPA Method 5, 5B, 201 or 201A. Testing shall be conducted no less frequently than once every five (5) years. Stack testing shall be conducted in accordance with the provisions of Title 25 PA Code Chapter 139 and the Department's Source Testing Manual.

III. MONITORING REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The control device for this emission source shall be equipped with gauges to monitor pressure drop across the unit. Pressure drop readings shall be kept using either electronic recording devices or recorded manually on a daily basis while the control device is operating.

IV. RECORDKEEPING REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

At a minimum, the Owner/Operator shall maintain records of the following:

- * Daily and monthly operating hours for the Grinding Area.
- * The maintenance schedule for, and records of, all maintenance activities performed on each fabric filter and scrubber.

**SECTION D. Source Level Requirements****V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall maintain the control device for this emission source in accordance with the manufacturers recommendations. The maintenance schedule for the unit and records of all maintenance activities performed on it shall be maintained in a log and be made available to the Department upon request.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 206

Source Name: CRUCIBLE CLEANING STATION - VIM/VAR

Source Capacity/Throughput: 2,000.000 Tons/HR

Conditions for this source occur in the following groups: G09

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

PM/PM10 emission rates shall not exceed 0.01 gr/dscf from this emission source.

Operation Hours Restriction(s).

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Operation of this emission source shall not exceed 6 hours per day or 2,190 hours in any consecutive 12-month period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

At a minimum, the Owner/Operator shall maintain records of the following:

- * Daily and monthly operating hours for the Crucible Cleaning Station.
- * The maintenance schedule for, and records of, all maintenance activities performed on each fabric filter and scrubber.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

**SECTION D. Source Level Requirements****VI. WORK PRACTICE REQUIREMENTS.****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The Owner/Operator shall maintain the control device for this emission source in accordance with the manufacturers recommendations. The maintenance schedule for this unit and records of all maintenance activities performed on each unit shall be maintained in a log and be made available to the Department upon request.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 207

Source Name: WELDING STATION - VIMVAR

Source Capacity/Throughput: 20,000.000 Tons/HR

Conditions for this source occur in the following groups: G09

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

PM/PM10 emission rates shall not exceed 0.01 gr/dscf from this emission source.

Operation Hours Restriction(s).

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Operation of this emission source shall not exceed 10.5 hours per day or 3,833 hours in any consecutive 12-month period.

II. TESTING REQUIREMENTS.

003 [25 Pa. Code §139.11]

General requirements.

Stack testing shall be conducted as follows [Title 25 PA Code §127.12b and §139.11]:

Filterable PM and PM10 testing shall be by EPA Method 5, 5B, 201 or 201A. Testing shall be conducted no less frequently than once every five (5) years. Stack testing shall be conducted in accordance with the provisions of Title 25 PA Code Chapter 139 and the Department's Source Testing Manual.

III. MONITORING REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The control device for this emission source shall be equipped with gauges to monitor pressure drop across the unit. Pressure drop readings shall be kept using either electronic recording devices or recorded manually on a daily basis while the control device is operating.

IV. RECORDKEEPING REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

At a minimum, the Owner/Operator shall maintain records of the following:

- * Daily and monthly operating hours for the Welding Station.
- * The maintenance schedule for, and records of, all maintenance activities performed on each fabric filter and scrubber.

**SECTION D. Source Level Requirements****V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall maintain the control device for this emission source in accordance with manufacturers recommendations. The maintenance schedule for this unit and records of all maintenance activities performed on it shall be maintained in a log and be made available to the Department upon request.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 210

Source Name: VAC/ARC EMERGENCY GENERATOR

Source Capacity/Throughput:

1.000 MCF/HR


Natural Gas

Conditions for this source occur in the following groups: G05

G07

G12

G14

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**

Source ID: 501

Source Name: COLD MILL EMERGENCY GENERATOR

Source Capacity/Throughput:

1.000 MCF/HR


Natural Gas

Conditions for this source occur in the following groups: G05

G07

G12

G14

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 701

Source Name: 48" SAW

Source Capacity/Throughput:

10.000 Tons/HR

Conditions for this source occur in the following groups: G07

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 702

Source Name: 54" SAW

Source Capacity/Throughput: 10.000 Tons/HR

Conditions for this source occur in the following groups: G07

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION D. Source Level Requirements**


Source ID: 703

Source Name: 38" SAW

Source Capacity/Throughput:

10.000 Tons/HR

Conditions for this source occur in the following groups: G07

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****


**SECTION D. Source Level Requirements**

Source ID: 801

Source Name: ANNEALING DEPT EMERGENCY GENERATOR

Source Capacity/Throughput: 1.000 MCF/HR Natural Gas

Conditions for this source occur in the following groups: G05
G07
G12
G14

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements) and/or Section E (Source Group Restrictions).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G03

Group Description: Combustion Units

Sources included in this group

ID	Name
043	MISCELLANEOUS COMFORT HEAT, HOT WATER HT
061	NEW TIV BOILER

I. RESTRICTIONS.**Emission Restriction(s).****# 001 [25 Pa. Code §123.11]****Combustion units**

No person may permit the emission into the outdoor atmosphere of particulate matter from this combustion unit in excess of the rate of 0.4 pounds per million Btu of heat input.

002 [25 Pa. Code §123.22]**Combustion units**

No person may permit the emission into the outdoor atmosphere of sulfur oxides, expressed as SO₂, from a combustion unit in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period in accordance with 25 Pa. Code Section 123.22(a)(1).

[Compliance with this requirement specified in this streamlined permit condition assures compliance with the provisions specified in the S.I.P. approved SO₂ limits found in 52.202(c)(1).]

003 [25 Pa. Code §123.41]**Limitations**

A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

**SECTION E. Source Group Restrictions.****VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G05

Group Description: Processes with SO2 requirements

Sources included in this group

ID	Name
101	ELECTRIC ARC FURNACE (FURNACE B)
102	AOD VESSEL REFINING
116	MELT SHOP-#1 CARBOTTOM FURNACE
117	MELT SHOP-#2 CARBOTTOM FURNACE
118	HEATING/COOLING FURNACES MESTA PRESS
120	#55 MESTA PRESS CARBOTTOM FURNACE
121	#50 & #56 MESTA PRESS HOMOGENIZING FCES
122	HEATING & ANNEALING FCES (FORMER SACK PRESS)
126	ANNEALING/HEAT TREAT FURNACES
127	COLD ROLL FINISHING FURNACES (COILS)
130	(2) STRESS RELIEF FURNACES - 40E & 40W
131	PRECISION FORGING FACILITY FURNACES
132	#0 BOX FCE - PRECISION FORGING FACILITY
142	TIP FURNACE, HOOD FURNACES #1 & #2
143	CUMMINS EMERGENCY ENGINE
1702	CRM EMERGENCY GENERATOR
203	CARBOTTOM FURNACES #3, #4, & #5 - VIM2
204	CRUCIBLE & TWO (2) TUNDISH PRE-HEATERS - VIM/VAR
210	VAC/ARC EMERGENCY GENERATOR
501	COLD MILL EMERGENCY GENERATOR
801	ANNEALING DEPT EMERGENCY GENERATOR

I. RESTRICTIONS.**Emission Restriction(s).**

001 [25 Pa. Code §123.21]

General

The Owner/Operator shall not permit the emission into the outdoor atmosphere of sulfur oxides from this source in a manner that the concentration of the sulfur oxides, expressed as SO₂, in the effluent gas exceeds 500 parts per million, by volume, dry basis.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

**SECTION E. Source Group Restrictions.****V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G06

Group Description: Melt Shop

Sources included in this group

ID	Name
101	ELECTRIC ARC FURNACE (FURNACE B)
103	TEEMING - INGOT POURING

I. RESTRICTIONS.**Emission Restriction(s).****# 001 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

In accordance with Plan Approval #PA-65-016E, Condition #5.c., there shall be no fugitive emissions from the Melt Shop or dust-handling system.

[Compliance with this condition ensures meeting the applicable federal standards of 40 CFR 60.272a(a)(3) and 60.272a(b), respectively.]

002 [25 Pa. Code §127.12b]**Plan approval terms and conditions.**

In accordance with Plan Approval #PA-65-016E, Condition #5.d., as determined by the Department, no objectionable odors from the operation of the Melt Shop, the baghouse or the dust-handling system shall be detectable beyond the property line.

[Compliance with this condition ensures meeting the requirements of 25 Pa. Code Section 123.31.]

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G07

Group Description: Processes with PM requirements

Sources included in this group

ID	Name
115	MELT SHOP FURNACES
116	MELT SHOP-#1 CARBOTTOM FURNACE
117	MELT SHOP-#2 CARBOTTOM FURNACE
118	HEATING/COOLING FURNACES MESTA PRESS
120	#55 MESTA PRESS CARBOTTOM FURNACE
121	#50 & #56 MESTA PRESS HOMOGENIZING FCES
122	HEATING & ANNEALING FCES (FORMER SACK PRESS)
126	ANNEALING/HEAT TREAT FURNACES
127	COLD ROLL FINISHING FURNACES (COILS)
130	(2) STRESS RELIEF FURNACES - 40E & 40W
142	TIP FURNACE, HOOD FURNACES #1 & #2
143	CUMMINS EMERGENCY ENGINE
1701	SHOT BLAST AND GRINDER - CRM
1702	CRM EMERGENCY GENERATOR
210	VAC/ARC EMERGENCY GENERATOR
501	COLD MILL EMERGENCY GENERATOR
701	48" SAW
702	54" SAW
703	38" SAW
801	ANNEALING DEPT EMERGENCY GENERATOR

I. RESTRICTIONS.**Emission Restriction(s).**

001 [25 Pa. Code §123.13]

Processes

Particulate matter emissions into the outdoor atmosphere from this source shall not exceed 0.04 gr/dscf as specified in 25 Pa. Code Section 123.13(c)(1)(i).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

**SECTION E. Source Group Restrictions.****VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G08

Group Description: Processes with Opacity and PM requirements

Sources included in this group

ID	Name
104	NO 10 ELECTRO-SLAG REMELT
105	VACARC WELDING & SCARFING
108	PRECISION FORGING MACHINE
109	PFF ABRASIVE HOT SAW
110	1-MIDWEST GRINDER - #7
110A	#10 MIDWEST GRINDER
111	#2 G&B GRINDER
111A	CMI GRINDER
114	HCL ACID ETCH
131	PRECISION FORGING FACILITY FURNACES
132	#0 BOX FCE - PRECISION FORGING FACILITY
134	CRUCIBLE CLEANER SHOT BLASTER
136	BILLET DESCALING (ROTOBLAST) MACHINE
137	WET ABRASIVE CUTOFF SAWS (HOT MILL)

I. RESTRICTIONS.**Emission Restriction(s).****# 001 [25 Pa. Code §123.13]****Processes**

No person may permit the emission into the outdoor atmosphere of particulate matter from any process in a manner that the concentration of particulate matter in the effluent gas exceeds 0.04 grain per dry standard cubic foot, when the effluent gas volume is less than 150,000 dry standard cubic feet per minute.

002 [25 Pa. Code §123.41]**Limitations**

The Owner/Operator shall not permit the emission into the outdoor atmosphere of visible air contaminants from this source in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

**SECTION E. Source Group Restrictions.****V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G09

Group Description: VIM/VAR Sources

Sources included in this group

ID	Name
203	CARBOTTOM FURNACES #3, #4, & #5 - VIM2
204	CRUCIBLE & TWO (2) TUNDISH PRE-HEATERS - VIM/VAR
205	NO. 9 MIDWEST GRINDER
206	CRUCIBLE CLEANING STATION - VIM/VAR
207	WELDING STATION - VIM/VAR

I. RESTRICTIONS.**Emission Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Visible emissions from this source(s) shall not exceed 10% opacity for a period or periods aggregating more than 3 minutes in any one hour or equal or exceed 30% opacity at any time.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G10

Group Description: RACT II Presumptive 129.97(c)(1)

Sources included in this group

ID	Name
104	NO 10 ELECTRO-SLAG REMELT
116	MELT SHOP-#1 CARBOTTOM FURNACE
117	MELT SHOP-#2 CARBOTTOM FURNACE
121	#50 & #56 MESTA PRESS HOMOGENIZING FCES
132	#0 BOX FCE - PRECISION FORGING FACILITY
203	CARBOTTOM FURNACES #3, #4, & #5 - VIM2

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 001 [25 Pa. Code §129.100]****Compliance demonstration and recordkeeping requirements.**

(a) Except as provided in subsection (c), the owner and operator of an air contamination source subject to a NO_x requirement or RACT emission limitation listed in § 129.97 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation by performing the following monitoring or testing procedures:

- (1) Not applicable
- (2) Not applicable
- (3) Not applicable
- (4) For an air contamination source without a CEMS, monitoring and testing in accordance with a Department-approved emissions source test that meets the requirements of Chapter 139, Subchapter A (relating to sampling and testing methods and procedures). The source test shall be conducted one time in each 5-year calendar period.

(b) Except as provided in § 129.97(k) and § 129.99(i) (relating to alternative RACT proposal and petition for alternative compliance schedule), the owner and operator of an air contamination source subject to subsection (a) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation in accordance with the procedures in subsection (a) not later than:

- (1) January 1, 2017, for a source subject to § 129.96(a) (relating to applicability).
- (2) January 1, 2017, or 1 year after the date that the source meets the definition of a major NO_x emitting facility, whichever is later, for a source subject to § 129.96(b).

(c) An owner or operator of an air contamination source subject to this section, § § 129.96 and 129.97 and § 129.98 (relating to facility-wide or system-wide NO_x emissions averaging plan general requirements) may request a waiver from the requirement to demonstrate compliance with the applicable emission limitation listed in § 129.97 if the following requirements are met:

- (1) The request for a waiver is submitted, in writing, to the Department not later than:

- (i) October 24, 2016, for a source subject to § 129.96(a).

**SECTION E. Source Group Restrictions.**

(ii) October 24, 2016, or 6 months after the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(2) The request for a waiver demonstrates that a Department-approved emissions source test was performed in accordance with the requirements of Chapter 139, Subchapter A, on or after:

(i) April 23, 2015, for a source subject to § 129.96(a).

(ii) April 23, 2015, or within 12 months prior to the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(3) The request for a waiver demonstrates to the satisfaction of the Department that the test results show that the source's rate of emissions is in compliance with the source's applicable NO_x emission limitation or VOC emission limitation.

(4) The Department approves, in writing, the request for a waiver.

(d) The owner and operator of an air contamination source subject to this section and §§ 129.96—129.99 shall keep records to demonstrate compliance with §§ 129.96—129.99 in the following manner:

(1) The records must include sufficient data and calculations to demonstrate that the requirements of §§ 129.96—129.99 are met.

(2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

(e) Beginning with the compliance date specified in § 129.97(a), the owner or operator of an air contamination source claiming that the air contamination source is exempt from the applicable NO_x emission rate threshold specified in § 129.99(b) and the requirements of § 129.97 based on the air contamination source's potential to emit shall maintain records that demonstrate to the Department or appropriate approved local air pollution control agency that the air contamination source is not subject to the specified emission rate threshold.

(f) Not applicable

(g) The owner or operator of a combustion unit subject to § 129.97(b) shall record each adjustment conducted under the procedures in § 129.97(b). This record must contain, at a minimum:

(1) The date of the tuning procedure.

(2) The name of the service company and the technician performing the procedure.

(3) The final operating rate or load.

(4) The final NO_x and CO emission rates.

(5) The final excess oxygen rate.

(6) Other information required by the applicable operating permit.

(h) Not applicable

(i) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

**SECTION E. Source Group Restrictions.****VI. WORK PRACTICE REQUIREMENTS.****# 002 [25 Pa. Code §129.97]****Presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule.**

(a) The owner and operator of a source listed in one or more of subsections (b)—(h) located at a major NO_x emitting facility subject to § 129.96 (relating to applicability) shall comply with the applicable presumptive RACT requirement or RACT emission limitation, or both, beginning with the specified compliance date as follows, unless an alternative compliance schedule is submitted and approved under subsections (k)—(m) or § 129.99 (relating to alternative RACT proposal and petition for alternative compliance schedule):

(1) January 1, 2017, for a source subject to § 129.96(a).

(2) January 1, 2017, or 1 year after the date the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(b) Not applicable

(c) The owner and operator of a source specified in this subsection, which is located at a major NO_x emitting facility or major VOC emitting facility subject to § 129.96 shall install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices:

(1) A NO_x air contamination source that has the potential to emit less than 5 TPY of NO_x.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G11

Group Description: RACT II Presumptive 129.97(c)(3)

Sources included in this group

ID	Name
115	MELT SHOP FURNACES
118	HEATING/COOLING FURNACES MESTA PRESS
122	HEATING & ANNEALING FCES (FORMER SACK PRESS)
126	ANNEALING/HEAT TREAT FURNACES
127	COLD ROLL FINISHING FURNACES (COILS)
131	PRECISION FORGING FACILITY FURNACES
142	TIP FURNACE, HOOD FURNACES #1 & #2

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 001 [25 Pa. Code §129.100]****Compliance demonstration and recordkeeping requirements.**

(a) Except as provided in subsection (c), the owner and operator of an air contamination source subject to a NOx requirement or RACT emission limitation listed in § 129.97 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation by performing the following monitoring or testing procedures:

- (1) Not applicable
- (2) Not applicable
- (3) Not applicable
- (4) For an air contamination source without a CEMS, monitoring and testing in accordance with a Department-approved emissions source test that meets the requirements of Chapter 139, Subchapter A (relating to sampling and testing methods and procedures). The source test shall be conducted one time in each 5-year calendar period.

(b) Except as provided in § 129.97(k) and § 129.99(i) (relating to alternative RACT proposal and petition for alternative compliance schedule), the owner and operator of an air contamination source subject to subsection (a) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation in accordance with the procedures in subsection (a) not later than:

- (1) January 1, 2017, for a source subject to § 129.96(a) (relating to applicability).
- (2) January 1, 2017, or 1 year after the date that the source meets the definition of a major NOx emitting facility, whichever is later, for a source subject to § 129.96(b).

(c) An owner or operator of an air contamination source subject to this section, § § 129.96 and 129.97 and § 129.98 (relating to facility-wide or system-wide NOx emissions averaging plan general requirements) may request a waiver from the requirement to demonstrate compliance with the applicable emission limitation listed in § 129.97 if the following requirements are met:

- (1) The request for a waiver is submitted, in writing, to the Department not later than:

**SECTION E. Source Group Restrictions.**

- (i) October 24, 2016, for a source subject to § 129.96(a).
 - (ii) October 24, 2016, or 6 months after the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).
- (2) The request for a waiver demonstrates that a Department-approved emissions source test was performed in accordance with the requirements of Chapter 139, Subchapter A, on or after:
- (i) April 23, 2015, for a source subject to § 129.96(a).
 - (ii) April 23, 2015, or within 12 months prior to the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).
- (3) The request for a waiver demonstrates to the satisfaction of the Department that the test results show that the source's rate of emissions is in compliance with the source's applicable NO_x emission limitation or VOC emission limitation.
- (4) The Department approves, in writing, the request for a waiver.
- (d) The owner and operator of an air contamination source subject to this section and §§ 129.96—129.99 shall keep records to demonstrate compliance with §§ 129.96—129.99 in the following manner:
- (1) The records must include sufficient data and calculations to demonstrate that the requirements of §§ 129.96—129.99 are met.
 - (2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.
- (e) Beginning with the compliance date specified in § 129.97(a), the owner or operator of an air contamination source claiming that the air contamination source is exempt from the applicable NO_x emission rate threshold specified in § 129.99(b) and the requirements of § 129.97 based on the air contamination source's potential to emit shall maintain records that demonstrate to the Department or appropriate approved local air pollution control agency that the air contamination source is not subject to the specified emission rate threshold.
- (f) Not applicable
- (g) The owner or operator of a combustion unit subject to § 129.97(b) shall record each adjustment conducted under the procedures in § 129.97(b). This record must contain, at a minimum:
- (1) The date of the tuning procedure.
 - (2) The name of the service company and the technician performing the procedure.
 - (3) The final operating rate or load.
 - (4) The final NO_x and CO emission rates.
 - (5) The final excess oxygen rate.
 - (6) Other information required by the applicable operating permit.
- (h) Not applicable
- (i) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

**SECTION E. Source Group Restrictions.****VI. WORK PRACTICE REQUIREMENTS.****# 002 [25 Pa. Code §129.97]****Presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule.**

(a) The owner and operator of a source listed in one or more of subsections (b)—(h) located at a major NO_x emitting facility subject to § 129.96 (relating to applicability) shall comply with the applicable presumptive RACT requirement or RACT emission limitation, or both, beginning with the specified compliance date as follows, unless an alternative compliance schedule is submitted and approved under subsections (k)—(m) or § 129.99 (relating to alternative RACT proposal and petition for alternative compliance schedule):

(1) January 1, 2017, for a source subject to § 129.96(a).

(2) January 1, 2017, or 1 year after the date the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(b) Not applicable

(c) The owner and operator of a source specified in this subsection, which is located at a major NO_x emitting facility or major VOC emitting facility subject to § 129.96 shall install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices:

(3) A boiler or other combustion source with an individual rated gross heat input less than 20 million Btu/hour.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G12

Group Description: RACT II Presumptive 129.97(c)(5)

Sources included in this group

ID	Name
143	CUMMINS EMERGENCY ENGINE
1702	CRM EMERGENCY GENERATOR
210	VAC/ARC EMERGENCY GENERATOR
501	COLD MILL EMERGENCY GENERATOR
801	ANNEALING DEPT EMERGENCY GENERATOR

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 001 [25 Pa. Code §129.100]****Compliance demonstration and recordkeeping requirements.**

(a) Except as provided in subsection (c), the owner and operator of an air contamination source subject to a NO_x requirement or RACT emission limitation listed in § 129.97 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation by performing the following monitoring or testing procedures:

- (1) Not applicable
- (2) Not applicable
- (3) Not applicable
- (4) For an air contamination source without a CEMS, monitoring and testing in accordance with a Department-approved emissions source test that meets the requirements of Chapter 139, Subchapter A (relating to sampling and testing methods and procedures). The source test shall be conducted one time in each 5-year calendar period.

(b) Except as provided in § 129.97(k) and § 129.99(i) (relating to alternative RACT proposal and petition for alternative compliance schedule), the owner and operator of an air contamination source subject to subsection (a) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation in accordance with the procedures in subsection (a) not later than:

- (1) January 1, 2017, for a source subject to § 129.96(a) (relating to applicability).
- (2) January 1, 2017, or 1 year after the date that the source meets the definition of a major NO_x emitting facility, whichever is later, for a source subject to § 129.96(b).

(c) An owner or operator of an air contamination source subject to this section, § 129.96 and 129.97 and § 129.98 (relating to facility-wide or system-wide NO_x emissions averaging plan general requirements) may request a waiver from the requirement to demonstrate compliance with the applicable emission limitation listed in § 129.97 if the following requirements are met:

- (1) The request for a waiver is submitted, in writing, to the Department not later than:

- (i) October 24, 2016, for a source subject to § 129.96(a).
- (ii) October 24, 2016, or 6 months after the date that the source meets the definition of a major NO_x emitting facility or

**SECTION E. Source Group Restrictions.**

major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(2) The request for a waiver demonstrates that a Department-approved emissions source test was performed in accordance with the requirements of Chapter 139, Subchapter A, on or after:

- (i) April 23, 2015, for a source subject to § 129.96(a).
- (ii) April 23, 2015, or within 12 months prior to the date that the source meets the definition of a major NOx emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(3) The request for a waiver demonstrates to the satisfaction of the Department that the test results show that the source's rate of emissions is in compliance with the source's applicable NOx emission limitation or VOC emission limitation.

(4) The Department approves, in writing, the request for a waiver.

(d) The owner and operator of an air contamination source subject to this section and §§ 129.96—129.99 shall keep records to demonstrate compliance with §§ 129.96—129.99 in the following manner:

(1) The records must include sufficient data and calculations to demonstrate that the requirements of §§ 129.96—129.99 are met.

(2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

(e) Beginning with the compliance date specified in § 129.97(a), the owner or operator of an air contamination source claiming that the air contamination source is exempt from the applicable NOx emission rate threshold specified in § 129.99(b) and the requirements of § 129.97 based on the air contamination source's potential to emit shall maintain records that demonstrate to the Department or appropriate approved local air pollution control agency that the air contamination source is not subject to the specified emission rate threshold.

(f) Not applicable

(g) The owner or operator of a combustion unit subject to § 129.97(b) shall record each adjustment conducted under the procedures in § 129.97(b). This record must contain, at a minimum:

- (1) The date of the tuning procedure.
- (2) The name of the service company and the technician performing the procedure.
- (3) The final operating rate or load.
- (4) The final NOx and CO emission rates.
- (5) The final excess oxygen rate.
- (6) Other information required by the applicable operating permit.

(h) Not applicable

(i) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

002 [25 Pa. Code §129.97]

Presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule.

**SECTION E. Source Group Restrictions.**

(a) The owner and operator of a source listed in one or more of subsections (b)—(h) located at a major NO_x emitting facility subject to § 129.96 (relating to applicability) shall comply with the applicable presumptive RACT requirement or RACT emission limitation, or both, beginning with the specified compliance date as follows, unless an alternative compliance schedule is submitted and approved under subsections (k)—(m) or § 129.99 (relating to alternative RACT proposal and petition for alternative compliance schedule):

(1) January 1, 2017, for a source subject to § 129.96(a).

(2) January 1, 2017, or 1 year after the date the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(b) Not applicable

(c) The owner and operator of a source specified in this subsection, which is located at a major NO_x emitting facility or major VOC emitting facility subject to § 129.96 shall install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices:

(5) A stationary internal combustion engine rated at less than 500 bhp (gross).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G13

Group Description: RACT II Alternative RACT Proposal 129.99

Sources included in this group

ID	Name
101	ELECTRIC ARC FURNACE (FURNACE B)
102	AOD VESSEL REFINING

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.**# 001 [25 Pa. Code §129.99]****Alternative RACT proposal and petition for alternative compliance schedule.**

The permittee shall perform a daily inspection to ensure that all good operating practice techniques are being followed in order to limit the availability of free nitrogen in the electric arc furnace (EAF) atmosphere including, but not limited to, controlling exhaust flows to limit air ingress into the EAF, achieving maximum air-tightness of the EAF by closing the slag door, and making sure the oxygen supply to the lance is free of nitrogen.

IV. RECORDKEEPING REQUIREMENTS.**# 002 [25 Pa. Code §129.100]****Compliance demonstration and recordkeeping requirements.**

(a) Except as provided in subsection (c), the owner and operator of an air contamination source subject to a NO_x requirement or RACT emission limitation listed in § 129.97 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation by performing the following monitoring or testing procedures:

- (1) Not applicable
- (2) Not applicable
- (3) Not applicable
- (4) For an air contamination source without a CEMS, monitoring and testing in accordance with a Department-approved emissions source test that meets the requirements of Chapter 139, Subchapter A (relating to sampling and testing methods and procedures). The source test shall be conducted one time in each 5-year calendar period.

(b) Except as provided in § 129.97(k) and § 129.99(i) (relating to alternative RACT proposal and petition for alternative compliance schedule), the owner and operator of an air contamination source subject to subsection (a) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation in accordance with the procedures in subsection (a) not later than:

- (1) January 1, 2017, for a source subject to § 129.96(a) (relating to applicability).
- (2) January 1, 2017, or 1 year after the date that the source meets the definition of a major NO_x emitting facility, whichever is later, for a source subject to § 129.96(b).

(c) An owner or operator of an air contamination source subject to this section, § 129.96 and 129.97 and § 129.98 (relating to facility-wide or system-wide NO_x emissions averaging plan general requirements) may request a waiver from the requirement to demonstrate compliance with the applicable emission limitation listed in § 129.97 if the following requirements are met:

- (1) The request for a waiver is submitted, in writing, to the Department not later than:
 - (i) October 24, 2016, for a source subject to § 129.96(a).

**SECTION E. Source Group Restrictions.**

(ii) October 24, 2016, or 6 months after the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(2) The request for a waiver demonstrates that a Department-approved emissions source test was performed in accordance with the requirements of Chapter 139, Subchapter A, on or after:

(i) April 23, 2015, for a source subject to § 129.96(a).

(ii) April 23, 2015, or within 12 months prior to the date that the source meets the definition of a major NO_x emitting facility or major VOC emitting facility, whichever is later, for a source subject to § 129.96(b).

(3) The request for a waiver demonstrates to the satisfaction of the Department that the test results show that the source's rate of emissions is in compliance with the source's applicable NO_x emission limitation or VOC emission limitation.

(4) The Department approves, in writing, the request for a waiver.

(d) The owner and operator of an air contamination source subject to this section and §§ 129.96—129.99 shall keep records to demonstrate compliance with §§ 129.96—129.99 in the following manner:

(1) The records must include sufficient data and calculations to demonstrate that the requirements of §§ 129.96—129.99 are met.

(2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

(e) Beginning with the compliance date specified in § 129.97(a), the owner or operator of an air contamination source claiming that the air contamination source is exempt from the applicable NO_x emission rate threshold specified in § 129.99(b) and the requirements of § 129.97 based on the air contamination source's potential to emit shall maintain records that demonstrate to the Department or appropriate approved local air pollution control agency that the air contamination source is not subject to the specified emission rate threshold.

(f) Not applicable

(g) The owner or operator of a combustion unit subject to § 129.97(b) shall record each adjustment conducted under the procedures in § 129.97(b). This record must contain, at a minimum:

(1) The date of the tuning procedure.

(2) The name of the service company and the technician performing the procedure.

(3) The final operating rate or load.

(4) The final NO_x and CO emission rates.

(5) The final excess oxygen rate.

(6) Other information required by the applicable operating permit.

(h) Not applicable

(i) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

003 [25 Pa. Code §129.99]**Alternative RACT proposal and petition for alternative compliance schedule.**

The permittee shall maintain records of the daily inspections being performed to ensure that all good operating practice techniques are being followed in order to limit the availability of free nitrogen in the electric arc furnace (EAF) atmosphere including, but not limited to, controlling exhaust flows to limit air ingress into the EAF, achieving maximum air-tightness of the EAF by closing the slag door, and making sure the oxygen supply to the lance is free of nitrogen. These records shall be maintained on site for a minimum of five (5) years and be made available to the Department upon request.

**SECTION E. Source Group Restrictions.****V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

VI. WORK PRACTICE REQUIREMENTS.**# 004 [25 Pa. Code §129.99]****Alternative RACT proposal and petition for alternative compliance schedule.**

(a) The owner or operator of an air contamination source subject to § 129.97 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) located at a major NOx emitting facility or major VOC emitting facility subject to § 129.96 (relating to applicability) that cannot meet the applicable presumptive RACT requirement or RACT emission limitation of § 129.97 may propose an alternative RACT requirement or RACT emission limitation in accordance with subsection (d).

(b) The owner or operator of a NOx air contamination source with a potential emission rate equal to or greater than 5.0 tons of NOx per year that is not subject to § 129.97 or §§ 129.201—129.205 (relating to additional NOx requirements) located at a major NOx emitting facility subject to § 129.96 shall propose a NOx RACT requirement or RACT emission limitation in accordance with subsection (d).

In accordance with the case-by-case RACT determination procedures of 129.99, RACT for Sources 101 and 102 is the maintenance and operation of this source in accordance with manufacturer's specifications and the continued use of good operating practices and techniques to limit the availability of free nitrogen to limit NOx formation.

005 [25 Pa. Code §129.99]**Alternative RACT proposal and petition for alternative compliance schedule.**

The permittee shall utilize all good operating practice techniques according to the Department to limit the availability of free nitrogen in the electric arc furnace (EAF) atmosphere including, but not limited to, controlling exhaust flows to limit air ingress into the EAF, achieving maximum air-tightness of the EAF by closing the slag door, and making sure the oxygen supply to the lance is free of nitrogen.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

***** Permit Shield in Effect. *****

**SECTION E. Source Group Restrictions.**

Group Name: G14

Group Description: Emergency Engines Subpart ZZZZ

Sources included in this group

ID	Name
143	CUMMINS EMERGENCY ENGINE
1702	CRM EMERGENCY GENERATOR
210	VAC/ARC EMERGENCY GENERATOR
501	COLD MILL EMERGENCY GENERATOR
801	ANNEALING DEPT EMERGENCY GENERATOR

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (Title V General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 001 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6655]****Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****What records must I keep?**

(a) N/A

(b) N/A

(c) N/A

(d) N/A

(e) You must keep records of the maintenance conducted on the stationary RICE in order to demonstrate that you operated and maintained the stationary RICE and after-treatment control device (if any) according to your own maintenance plan if you own or operate any of the following stationary RICE;

(1) N/A

(2) An existing stationary emergency RICE.

(3) An existing stationary RICE located at an area source of HAP emissions subject to management practices as shown in Table 2d to this subpart.

002 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6660]**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****In what form and how long must I keep my records?**

(a) Your records must be in a form suitable and readily available for expeditious review according to §63.10(b)(1).

(b) As specified in §63.10(b)(1), you must keep each record for 5 years following the date of each occurrence, measurement, maintenance, corrective action, report, or record.

(c) You must keep each record readily accessible in hard copy or electronic form for at least 5 years after the date of each occurrence, measurement, maintenance, corrective action, report, or record, according to §63.10(b)(1).

**SECTION E. Source Group Restrictions.****V. REPORTING REQUIREMENTS.****# 003 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6640]****Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?**

(a) You must demonstrate continuous compliance with each emission limitation, operating limitation, and other requirements in Tables 1a and 1b, Tables 2a and 2b, Table 2c, and Table 2d to this subpart that apply to you according to methods specified in Table 6 to this subpart.

(b) You must report each instance in which you did not meet each emission limitation or operating limitation in Tables 1a and 1b, Tables 2a and 2b, Table 2c, and Table 2d to this subpart that apply to you. These instances are deviations from the emission and operating limitations in this subpart. These deviations must be reported according to the requirements in § 63.6650. If you change your catalyst, you must reestablish the values of the operating parameters measured during the initial performance test. When you reestablish the values of your operating parameters, you must also conduct a performance test to demonstrate that you are meeting the required emission limitation applicable to your stationary RICE.

(c)-(e) Not applicable.

VI. WORK PRACTICE REQUIREMENTS.**# 004 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63 Subpart ZZZZ Table 2d]****Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****Requirements for Existing Stationary RICE Located at Area Sources of HAP Emissions**

As stated in §§63.6603 and 63.6640, you must comply with the following requirements for existing stationary RICE located at area sources of HAP emissions:

For each . . .

5. Emergency stationary SI RICE

You must meet the following requirement, except during periods of startup . . .

- a. Change oil and filter every 500 hours of operation or annually, whichever comes first;1;
- b. Inspect spark plugs every 1,000 hours of operation or annually, whichever comes first, and replace as necessary; and
- c. Inspect all hoses and belts every 500 hours of operation or annually, whichever comes first, and replace as necessary.

1 Sources have the option to utilize an oil analysis program as described in §63.6625(i) or (j) in order to extend the specified oil change requirement in Table 2d of this subpart.

005 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6603]**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****What emission limitations, operating limitations, and other requirements must I meet if I own or operate an existing stationary RICE located at an area source of HAP emissions?**

(a) If you own or operate an existing stationary RICE located at an area source of HAP emissions, you must comply with the requirements in Table 2d to this subpart and the operating limitations in Table 2b to this subpart that apply to you.

(b)-(f) Not applicable.

006 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6605]**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****What are my general requirements for complying with this subpart?**

(a) You must be in compliance with the emission limitations, operating limitations, and other requirements in this subpart

**SECTION E. Source Group Restrictions.**

that apply to you at all times.

(b) At all times you must operate and maintain any affected source, including associated air pollution control equipment and monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions. The general duty to minimize emissions does not require you to make any further efforts to reduce emissions if levels required by this standard have been achieved. Determination of whether such operation and maintenance procedures are being used will be based on information available to the Administrator which may include, but is not limited to, monitoring results, review of operation and maintenance procedures, review of operation and maintenance records, and inspection of the source.

[75 FR 9675, Mar. 3, 2010, as amended at 78 FR 6702, Jan. 30, 2013]

007 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6625]**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****What are my monitoring, installation, operation, and maintenance requirements?**

(a) N/A

(b) N/A

(c) N/A

(d) N/A

(e) If you own or operate any of the following stationary RICE, you must operate and maintain the stationary RICE and after-treatment control device (if any) according to the manufacturer's emission-related written instructions or develop your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions:

(3) An existing emergency or black start stationary RICE located at an area source of HAP emissions.

(f) If you own or operate an existing emergency stationary RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions or an existing emergency stationary RICE located at an area source of HAP emissions, you must install a non-resettable hour meter if one is not already installed.

(g) N/A

(h) If you operate a new, reconstructed, or existing stationary engine, you must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes, after which time the emission standards applicable to all times other than startup in Tables 1a, 2a, 2c, and 2d to this subpart apply.

(i) N/A

(j) If you own or operate a stationary SI engine that is subject to the work, operation or management practices in items 6, 7, or 8 of Table 2c to this subpart or in items 5, 6, 7, 9, or 11 of Table 2d to this subpart, you have the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Acid Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Acid Number increases by more than 3.0 milligrams of potassium hydroxide (KOH) per gram from Total Acid Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine.

**SECTION E. Source Group Restrictions.****# 008 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6640]****Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?**

If you own or operate an emergency stationary RICE, you must operate the emergency stationary RICE according to the requirements in paragraphs (f)(1) through (4) of this section. In order for the engine to be considered an emergency stationary RICE under this subpart, any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (f)(1) through (4), is prohibited. If you do not operate the engine according to the requirements in paragraphs (f)(1) through (4), the engine will not be considered an emergency engine under this subpart and must meet all requirements for non-emergency engines.

(1) There is no time limit on the use of emergency stationary RICE in emergency situations.

(2) You may operate your emergency stationary RICE for the purpose specified in paragraph (f)(2)(i) of this section for a maximum of 100 hours per calendar year. Any operation for non-emergency situations as allowed by paragraphs (f)(3) and (4) of this section counts as part of the 100 hours per calendar year allowed by this paragraph (f)(2).

(i) Emergency stationary RICE may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that federal, state, or local standards require maintenance and testing of emergency RICE beyond 100 hours per calendar year.

(ii)-(iii) [Reserved]

(3) Not applicable.

(4) Emergency stationary RICE located at area sources of HAP may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing provided in paragraph (f)(2) of this section. Except as provided in paragraphs (f)(4)(i) and (ii) of this section, the 50 hours per year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to an electric grid or otherwise supply power as part of a financial arrangement with another entity.

(i) Prior to May 3, 2014, the 50 hours per year for non-emergency situations can be used for peak shaving or non-emergency demand response to generate income for a facility, or to otherwise supply power as part of a financial arrangement with another entity if the engine is operated as part of a peak shaving (load management program) with the local distribution system operator and the power is provided only to the facility itself or to support the local distribution system.

(ii) The 50 hours per year for non-emergency situations can be used to supply power as part of a financial arrangement with another entity if all of the following conditions are met:

(A) The engine is dispatched by the local balancing authority or local transmission and distribution system operator.

(B) The dispatch is intended to mitigate local transmission and/or distribution limitations so as to avert potential voltage collapse or line overloads that could lead to the interruption of power supply in a local area or region.

(C) The dispatch follows reliability, emergency operation or similar protocols that follow specific NERC, regional, state, public utility commission or local standards or guidelines.

(D) The power is provided only to the facility itself or to support the local transmission and distribution system.

(E) The owner or operator identifies and records the entity that dispatches the engine and the specific NERC, regional, state, public utility commission or local standards or guidelines that are being followed for dispatching the engine. The local balancing authority or local transmission and distribution system operator may keep these records on behalf of the engine

**SECTION E. Source Group Restrictions.**

owner or operator.

VII. ADDITIONAL REQUIREMENTS.**# 009 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6585]****Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****Am I subject to this subpart?**

You are subject to this subpart if you own or operate a stationary RICE at a major or area source of HAP emissions, except if the stationary RICE is being tested at a stationary RICE test cell/stand.

(a) A stationary RICE is any internal combustion engine which uses reciprocating motion to convert heat energy into mechanical work and which is not mobile. Stationary RICE differ from mobile RICE in that a stationary RICE is not a non-road engine as defined at 40 CFR 1068.30, and is not used to propel a motor vehicle or a vehicle used solely for competition.

(b) A major source of HAP emissions is a plant site that emits or has the potential to emit any single HAP at a rate of 10 tons (9.07 megagrams) or more per year or any combination of HAP at a rate of 25 tons (22.68 megagrams) or more per year, except that for oil and gas production facilities, a major source of HAP emissions is determined for each surface site.

(c) An area source of HAP emissions is a source that is not a major source.

(d) If you are an owner or operator of an area source subject to this subpart, your status as an entity subject to a standard or other requirements under this subpart does not subject you to the obligation to obtain a permit under 40 CFR part 70 or 71, provided you are not required to obtain a permit under 40 CFR 70.3(a) or 40 CFR 71.3(a) for a reason other than your status as an area source under this subpart. Notwithstanding the previous sentence, you must continue to comply with the provisions of this subpart as applicable.

(e) N/A

(f) N/A

010 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6590]**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****What parts of my plant does this subpart cover?**

This subpart applies to each affected source.

(a) Affected source. An affected source is any existing, new, or reconstructed stationary RICE located at a major or area source of HAP emissions, excluding stationary RICE being tested at a stationary RICE test cell/stand.

(1) Existing stationary RICE.

(i) N/A

(ii) N/A

(iii) For stationary RICE located at an area source of HAP emissions, a stationary RICE is existing if you commenced construction or reconstruction of the stationary RICE before June 12, 2006.

(iv) A change in ownership of an existing stationary RICE does not make that stationary RICE a new or reconstructed stationary RICE.

*** Permit Shield in Effect. ***



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this Title V facility.

**SECTION G. Emission Restriction Summary.**

Source Id	Source Description
101	ELECTRIC ARC FURNACE (FURNACE B)
Emission Limit	
0.003	gr/DRY FT3 (dry standard cubic ft)
500.000	PPMV dry basis
Pollutant	
PM10	
SO2	
102	AOD VESSEL REFINING
Emission Limit	
500.000	PPMV dry basis
Pollutant	
SO2	
104	NO 10 ELECTRO-SLAG REMELT
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	
105	VACARC WELDING & SCARFING
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	
108	PRECISION FORGING MACHINE
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	
109	PFF ABRASIVE HOT SAW
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	
110	1-MIDWEST GRINDER - #7
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	
110A	#10 MIDWEST GRINDER
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	
111	#2 G&B GRINDER
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	
111A	CMI GRINDER
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
TSP	

**SECTION G. Emission Restriction Summary.**

Source Id	Source Descriptor			
114	HCL ACID ETCH			
Emission Limit				Pollutant
0.040	gr/DRY FT3			TSP
115	MELT SHOP FURNACES			
Emission Limit				Pollutant
0.040	gr/DRY FT3			PM10
116	MELT SHOP-#1 CARBOTTOM FURNACE			
Emission Limit				Pollutant
0.120	Lbs/MMBTU	heat input		NOX
4.900	Tons/Yr	consecutive 12 month period		NOX
0.040	gr/DRY FT3			PM10
500.000	PPMV	dry basis		SO2
117	MELT SHOP-#2 CARBOTTOM FURNACE			
Emission Limit				Pollutant
0.120	Lbs/MMBTU	heat input		NOX
4.900	Tons/Yr	consecutive 12 month period		NOX
0.040	gr/DRY FT3			PM10
500.000	PPMV	dry basis		SO2
118	HEATING/COOLING FURNACES MESTA PRESS			
Emission Limit				Pollutant
0.040	gr/DRY FT3			PM10
500.000	PPMV	dry basis		SO2
120	#55 MESTA PRESS CARBOTTOM FURNACE			
Emission Limit				Pollutant
0.040	gr/DRY FT3			PM10
500.000	PPMV	dry basis		SO2
121	#50 & #56 MESTA PRESS HOMOGENIZING FCES			
Emission Limit				Pollutant
2.700	Tons/Yr	each, any consecutive 12 month period		CO
4.700	Tons/Yr	each, any consecutive 12 month period		NOX
0.040	gr/DRY FT3			PM10
500.000	PPMV	dry basis		SO2
122	HEATING & ANNEALING FCES (FORMER SACK PRESS)			
Emission Limit				Pollutant
0.040	gr/DRY FT3			PM10
500.000	PPMV	dry basis		SO2

**SECTION G. Emission Restriction Summary.**

Source Id	Source Descriptor		
126	ANNEALING/HEAT TREAT FURNACES		
Emission Limit		Pollutant	
0.040	gr/DRY FT3		PM10
500.000	PPMV	dry basis	SO2
127	COLD ROLL FINISHING FURNACES (COILS)		
Emission Limit		Pollutant	
0.040	gr/DRY FT3		PM10
500.000	PPMV	dry basis	SO2
130	(2) STRESS RELIEF FURNACES - 40E & 40W		
Emission Limit		Pollutant	
0.040	gr/DRY FT3		PM10
500.000	PPMV	dry basis	SO2
131	PRECISION FORGING FACILITY FURNACES		
Emission Limit		Pollutant	
500.000	PPMV	dry basis	SO2
0.040	gr/DRY FT3		TSP
132	#0 BOX FCE - PRECISION FORGING FACILITY		
Emission Limit		Pollutant	
4.800	Tons/Yr	any consecutive 12 month period	CO
4.900	Tons/Yr	any consecutive 12 month period	NOX
500.000	PPMV	dry basis	SO2
0.040	gr/DRY FT3		TSP
134	CRUCIBLE CLEANER SHOT BLASTER		
Emission Limit		Pollutant	
0.040	gr/DRY FT3		TSP
136	BILLET DESCALING (ROTOBLAST) MACHINE		
Emission Limit		Pollutant	
0.040	gr/DRY FT3		TSP
137	WET ABRASIVE CUTOFF SAWS (HOT MILL)		
Emission Limit		Pollutant	
0.040	gr/DRY FT3		TSP
142	TIP FURNACE, HOOD FURNACES #1 & #2		
Emission Limit		Pollutant	
0.040	gr/DRY FT3		PM10
500.000	PPMV	dry basis	SO2

**SECTION G. Emission Restriction Summary.**

Source Id	Source Descriptor
143	CUMMINS EMERGENCY ENGINE
Emission Limit	
0.040	gr/DRY FT3
500.000	PPMV dry basis
Pollutant	
PM10	
SO2	
1701	SHOT BLAST AND GRINDER - CRM
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
PM10	
1702	CRM EMERGENCY GENERATOR
Emission Limit	
0.040	gr/DRY FT3
500.000	PPMV dry basis
Pollutant	
PM10	
SO2	
203	CARBOTTOM FURNACES #3, #4, & #5 - VIM2
Emission Limit	
500.000	PPMV dry basis
Pollutant	
SO2	
204	CRUCIBLE & TWO (2) TUNDISH PRE-HEATERS - VIMVAR
Emission Limit	
500.000	PPMV dry basis
Pollutant	
SO2	
210	VAC/ARC EMERGENCY GENERATOR
Emission Limit	
0.040	gr/DRY FT3
500.000	PPMV dry basis
Pollutant	
PM10	
SO2	
501	COLD MILL EMERGENCY GENERATOR
Emission Limit	
0.040	gr/DRY FT3
500.000	PPMV dry basis
Pollutant	
PM10	
SO2	
701	48" SAW
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
PM10	
702	54" SAW
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
PM10	
703	38" SAW
Emission Limit	
0.040	gr/DRY FT3
Pollutant	
PM10	



SECTION G. Emission Restriction Summary.

Source Id	Source Description
801	ANNEALING DEPT EMERGENCY GENERATOR

Emission Limit	Pollutant
0.040 gr/DRY FT3	PM10
500.000 PPMV dry basis	SO2

Site Emission Restriction Summary

Emission Limit	Pollutant
----------------	-----------

**SECTION H. Miscellaneous.**

1) Source #061 - New TIV Boiler: This source includes the following:

Therm-I-Vac Furnace Boiler (25.106 MMBtu/hr)
Therm-I-Vac Furnace (electric)

2) Source #107 - #8 Midwest Grinder: This source was formerly #5 Midwest (Billet) Grinder under OP #65-307-019. In 8/98, #5 Midwest Grinder was to be moved to the Billet Conditioning Dept. to replace #1 and #2 Billet Grinders (OP# 65-307-025) but that plan has yet to be implemented. #5 Midwest Grinder is presently in storage.

3) Source #110 - Midwest Grinders #7: This source previously had 3 Midwest Grinders & 1 Tysaman Grinder under OP #65-307-025. The Tysaman Grinder has since been removed. In 8/98, LSC submitted an RFD to scrap and replace #1 and #2 Midwest Grinders with #5 Midwest Grinder from OP #65-307-019 but that plan has yet to be implemented. #5 Midwest Grinder is presently in storage.

4) Source #111 - Grinding Operations: This source has been separated into individual sources because of different control devices and exhaust points. Source #111 is now the #2 G&B Grinder controlled by a Wheelabrator M108 baghouse. Source #111A is the CMI Billet Grinder controlled by a Wheelabrator 90 MOD 108 baghouse. Source #111B is the 150 Mattison Surface Grinder located in SPD Building (Special Products Division, Area 1000) is uncontrolled and vents indoors and the 250 Mattison Surface Grinder located in SPD Building which is also uncontrolled and vents indoors.

5) Source #115 - Melt Shop Furnaces: This source includes the following:

Vessel Heater #1 and #2
AOD Equipment Preheaters
Ladle Heaters
Two new Ladle Preheaters (4.2 mmbtu/hr each, installed thru RFD 6/98)

6) Source #118 - Heating/Cooling Furnaces Mesta Press: This source includes the following:

Box Furnaces Nos. 2P* (9.2 mmbtu/hr),3P,8P,9P,10P (heating)
Carbottom Furnaces Nos. 4P,5P,6P,13P,14P,48H,49H,51H (heating or cooling)
Erbrecht Consulting preheat furnace 8.6 mmbtu/hr installed thru RFD, 9/97
* 2P installed in 11/01 under RFD and replaces an 18.2 mmbtu/hr furnace

7) Source #121 - #50 & #56 Mesta Press Homogenizing Furnaces: These furnaces replace #50 carbottom furnace and were installed under #OP-65-016B.

8) Source #122 - Heating & Annealing Furnaces (Former Sack Press): This source includes the following:

Box Furnaces Nos. 5H,6H,16H, 54H (heating/preheating)
Carbottom Furnaces Nos. 4A,5A*,6A,7A,8A,9A,10A (Annealing)
*5A installed in 9/00 under RFD and replaces a 4 mmbtu/hr furnace

9) Source #126 - Annealing/Heat Treat Furnaces: This source includes the following:

Carbottom Furnaces 2A,3A,14A,15A,16A,25A,26A,27A,30A,31A,32A
SCA Bar Continuous Annealing Furnace- SCA Bar
RX Generator
DX Generator
Thermolene Generator
Exolene Generator
Erbrecht Annealing Furnace, 6.0 mmbtu/hr, installed thru RFD, 9/1997
New natural gas-fired annealing furnace, 5.0 mmbtu/hr, installed thru RFD, 7/2007

10) Source #127 - Cold Roll Finishing Furnaces (Coils): This source includes the following:

Cold Mill Finishing Furnaces - 2 Box Furnaces (heating)
Continuous Annealing Furnaces - Continuous Annealing Furnace
RX Generator
DX Generator
Pickle House (Boiler, Heating and Misc Equip)

**SECTION H. Miscellaneous.**

11) Source #131 - Precision Forging Facility Furnaces: This source was installed under OP #65-307-065 (see file #65-307-065A) and includes the following:

Precision Forging Facility Furnaces - Box Furnaces Nos. 1,2,3 (low Nox preheating)
Carbottom Furnace Nos. 1,2 (annealing)
Walking Beam Furnace (annealing)
Rotary Hearth Furnace (heating)

12) Source #133 is comprised of 13 total VAR furnaces: Furnace IDs 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 14, and 16.

13) Source #202 is comprised of 6 total VAR furnaces: Furnace IDs 20, 21, 22, 23, 24, and 25.

14) The following de minimis activities were approved by the Department:

Slag Handling & Torch Cutting Operations, 0.6 tpy PM10, RFD #65-00016D
Construction of Cummins Model #DSFAE, diesel-fired emergency generator, 0.03 tpy NOx, RFD #65-00016E
Construction of spray-on rust inhibitor process, 1.0 tpy VOC, RFD #65-00016F

15) Insignificant activities at this facility include the following sources:

Scrap Metal Handling
Scrap Flame Cutting
Grinding - Hot Mill A
Abrasive Cutting - Hot Mill B
Abrasive Cutting - Cold Mill
Small Grinding Operations
Warehouse Cutting
Grinding - I-Lab Department
Abrasive Cutting - I-Lab Department
Grinding - Special Products Department
Machine Shop Activities
Five (5) Cold Band Saws - Billet Prep area
Inspection Lab Activities:
• Four (4) Barium Salt Furnaces
• Six (6) Centerless Grinders
• Hand Held Shot Blast
• Misc. Saws
• Various Electric Furnaces
Hot Mill A activities
• Two (2) saws
• A Hetran Peeler wet grinder
• Four (4) Wet Contact Grinders
Warehouse saws

16) Since the issuance of the draft TVOP in July 2012, the following RFDs have been reviewed and exempted from plan approval requirements by DEP AQ. The RFDs have been incorporated into the renewal TVOP issued on Jan. 4, 2013.

* 65-00016L: Replacement of #8 Midwest Grinder Baghouse, new Control Device #C07A, controlling emissions from existing #8 Midwest Grinder, Source #107. Additional conditions from the RFD have been added to the TVOP.

* 65-00016M: Installation and Operation of 3 Additional VAR furnaces, Source #133.

* 65-00016N: Installaiton and Operation of #10 Midwest Grinder, new Source #110A, being controlled by existing Control Device, #C10.

17) Since the issuance of renewal TVOP on January 4, 2013, the following RFDs have been reviewed and exempted from plan approval requirements by DEP AQ.

65-00016P 07/16/14 One (1) additional 1.0 MMBtu/hr natural gas-fired tundish preheater

65-00016Q 07/16/14 One (1) 2.0 MMBtu/hr natural gas-fired Clayton Steam Gernerator to replace an existing larger boiler.

65-00016R 03/14/14 Replacement of existing 12,000 cfm acid scrubber on Source 114 with new 13,000 cfm Heil 736 packed bed

**SECTION H. Miscellaneous.**

scrubber.

65-00016S 07/16/14 One (1) 9.0 MMBtu/hr natural gas-fired carbottom annealing furnace.

65-00016T*

*Replaced by RFD-65-00016W

65-00016U 07/16/14 One (1) 5.0 MMBtu/hr natural gas-fired annealing hood furnace.

65-00016V 07/16/14 Two (2) 12.0 MMBtu/hr natural gas-fired homogenizing furnaces and concurrent withdrawal of PA-65-00016I.

65-00016W 08/08/14 One (1) 48" wet abrasive saw and 5,600 cfm wet dust collector (scrubber)

65-0016X 10/01/14 Request to remove hours of operation restriction from Source 206, Crucible Cleaning Station.

65-00016Y 10/01/14 Request to remove hours of operation restriction from Source 205, No. 9 Midwest Grinder.

65-00016Z 10/01/14 Request to remove hours of operation restriction from Source 207, Welding Station.

GP1-65-00016B 11/01/18 One (1) Superior Seminole 3-Pass natural gas-fired boiler rated at 25.0 MMBtu/hr (600 hp) to replace existing Source 031, TIV boiler.

RFD-65-00016A 06/01/17 Melt Shop Rerouting of Baghouse Ductwork

RFD-65-00016B 11/01/18 Installation of RotoClone scrubber on Source 201, VIM Furnace. This includes the shutdown of Source 051, Boilers #6 & #7 VIMVAR.

RFD-65-00016C 09/01/19 Installation of Statiflex 6000MS, 9250 cfm Fume Filtration System on Source 207, Welding Station – VIMVAR.



***** End of Report *****
