



March 13, 2024

Texas Eastern Transmission, LP
c/o Joe McGaver
11 East Superior Street, Suite 125
Duluth, MN 55802

Re: Water Obstruction and Encroachment Permit (WOEP) Issuance
Schuylkill River Horizontal Directional Drilling Project
DEP Permit No. E1583223-013
APS ID No. 1091837; AUTH ID No. 1445595
Spring City Borough, Chester County
Upper Providence Township, Montgomery County

Dear Mr. McGaver:

Enclosed is your copy of your State Water Obstruction and Encroachment Permit (WOEP). Please review this permit so that you are aware of the extent of authorization and the conditions that apply to that authorization.

Please be advised that you do not have Federal authorizations for this project and such authorization is required prior to starting your project. In accordance with procedures established with the U.S. Army Corps of Engineers, you will be contacted directly by the Corps regarding Federal Authorization.

In addition to the above-referenced permit authorizations, the permittee has additional responsibilities:

1. **This WOEP is not effective until a copy of the Acknowledgment of Appraisal of Permit Conditions, signed by you, is received by the Department. Any work conducted prior to the Department's receipt of the signed Acknowledgment of Appraisal of Permit Conditions is a violation of the Dam Safety and Encroachments Act and the Clean Streams Law, and you may be subject to fines and penalties.** The Department will provide you with an acknowledgement letter upon receipt of your fully signed Acknowledgment of Appraisal of Permit Conditions.
2. A copy of the Permit, Acknowledgment of Appraisal of Permit Conditions, the Erosion and Sediment Control plan, this Issuance Letter, and any other applicable State and Federal authorizations, must be maintained on site during construction and available at the work site for inspection upon request by any officer or agent of the Department or any other Federal, State, County or Municipal agency.

3. A Completion Report must be submitted to this office within 30 days of completion of the approved project. The Completion Report form must be signed by you and the supervising engineer indicating that the work has been completed as approved.

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C. § 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), *cert. denied*, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests.

IMPORTANT LEGAL RIGHTS ARE AT STAKE. YOU SHOULD SHOW THIS DOCUMENT TO A LAWYER AT ONCE.

If you have additional questions, please contact Michael Luciani at 570-826-2597 or mluciani@pa.gov.

Sincerely,



Domenic Rocco, P.E.
Director
Regional Permit Coordination Office

Attachments: WOEP
Acknowledgement of Appraisal of Permit Conditions
Completion Form

cc: Sara Hayes, Jacobs Project Management Group (by email)
U.S. Army Corps of Engineers, Philadelphia District (by email)
PA Fish & Boat Commission, Division of Environmental Services (by email)
Chester County Conservation District (by email)
Montgomery County Conservation District (by email)
Spring City Borough (by email)
Upper Providence Township (by email)
Southeast Regional ARD (by email)
Southeast Regional Waterways and Wetlands (by email)

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
REGIONAL PERMIT COORDINATION OFFICE

WATER OBSTRUCTION AND ENCROACHMENT PERMIT

The Department of Environmental Protection "Department", established by the Act of December 3, 1970, P.L. 834 (71 P.S. §§ 510.1 *et seq.*) and empowered to exercise certain powers and perform certain duties under and by virtue of the Act of November 26, 1978, P.L. 1375, as amended by the Act of October 23, 1979, P.L. 204 (32 P.S. §§ 693.1 *et seq.*) known as the "Dam Safety and Encroachments Act"; Act of October 4, 1978, P.L. 851, (32 P.S. §§ 679.101 *et seq.*) known as the "Flood Plain Management Act"; Act of June 22, 1937, P.L. 1987, (35 P.S. §§ 691.1 *et seq.*), known as "The Clean Streams Law"; and the Administrative Code, Act of April 9, 1929, P.L. 177, as amended, which empowers the Department to exercise certain powers and perform certain duties by law vested in and imposed upon the Water Supply Commission of Pennsylvania and the Water and Power Resources Board, hereby issues this permit to:

**Texas Eastern Transmission, LP
11 East Superior Street
Suite 125
Duluth, MN 55802**

giving its consent to:

construct and maintain a 20-inch diameter natural gas pipeline across the Schuylkill River (WWF, MF) via Horizontal Directional Drill. The project also includes the removal of the existing 20-inch natural gas pipeline across the river. The project proposes temporary impacts to approximately 398 linear feet of the Schuylkill River, 3.52 acres of impacts to the floodway, 0.82 acre of impacts to PFO and PEM wetlands (EV), and 0.05 acre of a permanent conversion to a PFO wetland (EV).

The proposed project is located within the Schuylkill River, approximately 850 feet downstream of the Spring City Boat Launch (Phoenixville, PA Quadrangle, Latitude: 40.172553°; Longitude: -75.534734°). in Spring City Borough, Chester County & Upper Providence Township, Montgomery County.

If this work authorized by this permit is not completed on or before **December 31, 2029**, this permit, if not previously revoked or specifically extended by the Department in writing, shall become void without further notification.

This permit is issued in response to an application filed with the Department of Environmental Protection on **June 27, 2023**, and with the understanding that the work shall be performed in accordance with the maps, plans, profiles and specifications filed with and made a part of the application on **01/11/24, 01/25/24, 02/01/24, & 03/01/24**, subject to the provisions of the Dam Safety and Encroachments Act, the Flood Plain Management Act, the Clean Streams Law, the Administrative Code, the rules and regulations promulgated thereunder and the following conditions and restrictions:

1. The permittee shall sign the Acknowledgement of Appraisal of Permit Conditions thereby expressly certifying the permittee's acceptance of, and agreement to comply with, the terms and conditions of this permit. The permittee shall return a signed copy of the Acknowledgement of Appraisal of Permit Conditions to the Department. Unless the Acknowledgement of Appraisal of Permit Conditions form is completed and filed with the Department, this permit is void.
2. **Work may not commence until a signed copy of the Acknowledgement of Appraisal of Permit Conditions is received by the Department.** Any work authorized by this permit conducted prior to the Department's receipt of a signed copy of the Acknowledgement of Appraisal of Permit Conditions is a violation of the Dam Safety and Encroachments Act and the Clean Streams Law, and you may be subject to fines and penalties pursuant to those Acts.
3. The Department, in issuing this permit, has relied on the information and data which the permittee has provided in connection with this permit application. If, subsequent to the issuance of this permit, such information and data prove to be false, incomplete or inaccurate, this permit may be modified, suspended, or revoked, in whole or in part, and the Department may, in addition, institute appropriate legal proceedings.
4. This permit does not give any property rights, either in real estate or material, nor any exclusive privileges, nor shall it be construed to grant or confer any right, title, easement, or interest in, to, or over any land belonging to the Commonwealth of Pennsylvania; neither does it authorize any injury to private property or invasion of private rights, nor any infringement of Federal, State, or Local laws or regulations; nor does it obviate the necessity of obtaining Federal assent when necessary.
5. The work shall at all times be subject to supervision and inspection by representatives of the Department, and no changes in the maps, plans, profiles, and specifications as approved shall be made except with the written consent of the Department. The Department, however, reserves the right to require such changes or modifications in the maps, plans, profiles, and specifications as may be considered necessary. The Department further reserves the right to suspend or revoke this permit if in its opinion the best interest of the Commonwealth will be subserved thereby.
6. This permit authorizes the construction, operation, maintenance and normal repair of the permitted structures conducted within the original specifications for the water obstruction or encroachment, and in accordance with the regulations of the Department and terms and conditions of this permit. Any repairs or maintenance involving modifications of the water obstruction or encroachment from its original specifications, and any repairs or reconstruction involving a substantial portion of the structure as defined by regulations of the Department shall require the prior written approval and permit of the Department.
7. All construction debris, excavated material, brush, rocks, and refuse incidental to this work shall be removed entirely from the stream channel and placed either on shore above the influence of flood waters, or at such dumping ground as may be approved by the Department.

8. There shall be no unreasonable interference with the free discharge of the river or stream or navigation during construction.
9. If future operations by the Commonwealth of Pennsylvania require modification of the structure or work, or if, in the opinion of the Department, the structure or work shall cause unreasonable obstruction to the free passage of floodwaters or navigation, the permittee shall, upon due notice remove or alter the structures, work or obstructions caused thereby, without expense to the Commonwealth of Pennsylvania, so as to increase the flood carrying capacity of the channel or render navigation reasonably free, easy, and unobstructed, in such manner as the Department may require. No claim shall be made against the Commonwealth of Pennsylvania on account of any such removal or alteration.
10. The permittee shall notify the Department, in writing, of the proposed time for commencement of work at least 15 days prior to the commencement of construction.
11. If construction work has not been completed within the time specified in this permit and the time limit specified in this permit has not been extended in writing by the Department or if this permit has been revoked for any reason, the permittee shall, at his own expense and in a manner that the Department may prescribe, remove all or any portion of the work as the Department requires and restore the watercourse and floodplain to their former condition.
12. The permittee shall fully inform the engineer or contractor, responsible for the supervision and conduct of the work, of the terms, conditions, restrictions and covenants of this permit. Prior to the commencement of construction, the permittee shall file with the Department in writing, on a form provided by the Department, a statement signed by the permittee and an individual responsible for the supervision or conduct of the work acknowledging and accepting the general and special conditions contained in this permit. Unless the acknowledgment and acceptance have been filed, this permit is void. A copy of this permit and the acknowledgment shall be available at the work site for inspection upon request by an officer or agent of the Department or another Federal, State, County or Municipal Agency.
13. The permittee shall operate and maintain the structure or work authorized herein in a safe condition in accordance with the permit terms and conditions and the approved maps, plans, profiles and specifications.
14. This permit may not be transferred without prior written approval from the Department, such approval being considered upon receipt of the properly executed "Application for Transfer of Permit" form.
15. If and when the permittee desires to discontinue use or abandon the activity authorized herein, the permittee must remove all or part of the structure or work authorized and take other actions as are necessary to protect safety and the environment in accordance with a permit issued by the Department.
16. If the use of explosives in any waterways is required, the permittee shall secure the prior written permit from the Pennsylvania Fish and Boat Commission, pursuant to the Pennsylvania Fish and Boat Code, Act 1980-175 Title 30 Pennsylvania Consolidated Statutes, Section 2906. Requests should be directed to the Pennsylvania Fish and Boat

Commission, Division of Environmental Services, 595 East Rolling Ridge Drive, Bellefonte, PA 16823-9685, telephone 814.359.5250.

17. Permittee shall implement and monitor an Erosion and Sedimentation Control Plan prepared in accordance with 25 Pa. Code Chapter 102 so as to minimize erosion and prevent excessive sedimentation into the receiving watercourse or body of water.
18. The project site shall at all times be available for inspection by authorized officers and employees of the Pennsylvania Fish and Boat Commission. Prior to commencement and upon completion of the work authorized by this permit, the permittee shall notify the Pennsylvania Fish and Boat Commission's Southeast Regional Office, 255 West Brubaker Valley Road, Lititz, PA 17543, Telephone: (717) 626-0228
19. The project site shall at all times be available for inspection by authorized officers and employees of the County Conservation District. Prior to commencement and upon completion of the work authorized by this permit, the permittee shall notify the, Chester Conservation District, 674 Unionville Rd #105, Kennett Square, PA 19348 & Montgomery County Conservation District, 143 Level Rd, Colledgeville, PA 19426
20. **SPECIAL CONDITIONS:** Permittee shall be responsible for compliance with each of the following special conditions.

Water Supplies:

- A. If the project results in a pollution event or other adverse impact to any public or private water supplies, the permittee shall immediately notify the Department and the potentially affected public or private water supplies of the pollution event.
- B. In the event that the permittee's work related to this authorization causes adverse impacts to a public or private water supply source, the permittee shall address the restoration or replacement of the impacted water supply and mitigate and/or remediate any pollution resulting from the project in accordance with applicable legal requirements.
- C. At least 72 hours in advance of beginning construction activities, the permittee shall notify all water users with downstream surface water intakes within one mile downstream, including but not limited to, drinking water users, industrial, and commercial users that may be impacted by turbidity or water quality changes.
- D. The permittee shall notify such downstream water users immediately of any pollution event or incident at its site that may endanger downstream users. The permittee shall also immediately implement its approved contingency plan to prevent further adverse impacts and remediate all adverse impacts as a result of the pollution event or incident.
- E. If a public or private drinking water source not previously identified by the permittee is discovered by the permittee during construction, the permittee shall immediately notify the Department of the identified water source and shall notify that source of the permittee's construction activities.

Historic, Cultural, or Archaeological Resources:

- F. The permittee and its agents shall visually inspect for historic, cultural, and archaeological resources that may be encountered during construction of the project and shall immediately cease earth disturbance activities in the vicinity of the archaeological artifacts upon encountering such potential artifacts.
- G. If potential historic, cultural, or archaeological resources are discovered, the permittee shall immediately notify the Pennsylvania Historical and Museum Commission (PHMC) at P.O. Box 1026, Harrisburg, PA 17120-1026, telephone 717.783.8947, and shall concurrently notify the Department.

Submerged Lands License Agreements:

- H. The permittee shall comply with all terms and conditions of the Submerged Lands License Agreement entered into between the Department and the permittee for the natural gas pipeline crossing of Schuylkill River.

Temporary Road Crossings:

- I. All temporary road crossings of streams and wetlands must meet all of the following conditions:
 - i. The permittee shall restore and stabilize all temporary crossing sites immediately after termination of its permitted use.
 - ii. Road and causeway embankments shall only consist of clean rock material to prevent stream channel sedimentation during placement, removal, and periods of overtopping.
 - iii. Causeways shall not extend streamward a distance greater than one-half the width of the stream channel, unless approved in writing by the Department.
 - iv. The waterway opening of the temporary road crossings shall be kept open and functioning at all times by maintaining the crossings free of debris and other obstructions.
 - v. The permittee shall promptly repair any damage resulting from increased backwater caused by a temporary road crossing. When warranted, in advance of major storms, the permittee shall remove temporary road crossings in the event of high waters to prevent increased backwater.
 - vi. All wetland crossing sites shall be stabilized by appropriate means, including, but not limited to, using removable, temporary mats, pads, or other similar devices to ensure minimization of impact on the ecology of the wetland.

- vii. Temporary embankments for roads across wetlands shall be installed with piping or other conveyance measures to maintain the hydrology of the wetland.
- viii. Access roads should not approach the stream channel directly downslope but should traverse the slope obliquely to prevent high velocity road drainage flows from directly entering the stream channel. Road drainage shall include proper erosion and sediment control Best Management Practices.
- ix. The permittee shall remove all or any portion of a temporary road crossing upon written notification to the permittee from the Department in the event the project is causing an adverse impact on public health, safety, or the environment or in any other manner violates the requirements of the Pennsylvania Clean Streams Law, 25 Pa. Code Chapter 105, or both.

Site Field Verification, Restoration, and Monitoring:

- J. All wetlands within the project area shall be accurately field-delineated and appropriately flagged prior to the start of construction activities and shall remain field-delineated until earth disturbance activities are completed, and the site has been stabilized. An acceptable means of field-identification of wetlands includes, but not limited to, the use of an orange construction safety fence and/or flags.
- K. The permittee shall prepare and maintain a detailed record of pre-construction and post-construction conditions of each stream and wetland crossing, which shall include sufficient photographs. The permittee shall submit this documentation to the Department within ninety (90) days after completion of work under the respective permit.
- L. Excess fill from disturbed areas and construction activities shall be located outside of the floodway, floodplain, or other bodies of water. The permittee is responsible for stabilizing any excess materials spoiled onsite or offsite, whether the permittee owns the site or others own the site.
- M. Wetland excavation shall include the segregation of the soil horizons, unless written approval is received from the Department. Soil horizons shall be replaced to match pre-construction conditions. In areas where bore pits are proposed in or adjacent to wetlands, or if a restrictive layer, including but not limited to clay or fragipans, is encountered during the trench excavation, the permittee shall have knowledgeable personnel with appropriate technical expertise on-site to oversee backfilling of the trench and installation of trench plugs, to ensure that wetland hydrology is maintained.
- N. Backfilled trenches shall not create the formation of a permanent ridge in a streambed or wetland.
- O. Rock riprap shall only be used in the stream bed when written approval is received from the Department.

- P. The permittee shall restore all disturbed wetland areas to original contours and replant with indigenous wetland vegetation in accordance with the restoration plans as presented in the permit application upon completion of final earthmoving activities.
- Q. Wetland disturbances shall be minimized and stabilized within four (4) calendar days of final earthmoving activities.
- R. Streambank disturbance shall be minimized and stabilized with indigenous vegetation immediately upon completion of final earthmoving activities.
- S. Stream pipeline crossings shall be restored and properly stabilized upon completion of work. Restored streams shall use a minimum of six (6) inches of native stream bed material. For streams where riprap is necessary to prevent scour, the riprap shall be depressed sufficiently to allow six (6) inches of native stream bed material over the riprap. The restored streambed elevation shall not exceed the pre-existing streambed elevation.
- T. The Permittee shall implement their approved Mitigation Plan.

Trenchless Technology (TT) Aquatic Resource Crossings:

- U. This Permit does not authorize the removal of woody vegetation for the purposes of operation and maintenance of the pipeline in wetland and riparian areas that are proposed to be crossed using trenchless methodology.
- V. The permittee shall construct and operate the HDD crossings at wetlands, streams, and floodways in a manner to prevent a release of drilling fluid to “waters of the Commonwealth,” as that term is defined in the Clean Streams Law, 35 P.S. § 691.1. The permittee shall immediately notify the Department in the event of an Inadvertent Return and immediately activate and implement the Best Practices Plan for Horizontal Direction Drill Operations, Drill Procedures and Monitoring; Inadvertent Return Monitoring, Response and Cleanup; and Contingency Plan Implementation to prevent any impacts to waters of the Commonwealth and other natural resources.
- W. The permittee shall take measures to avoid drilling activities in the vicinity of mine voids and utilities.
- X. The permittee shall visually monitor the ground surface and waters of the Commonwealth that are located within the vicinity of the HDD while drilling operations are occurring. This monitoring shall include walking, wading, and use of a boat, as necessary, to effectively observe and monitor for the return of materials associated with HDD activities to the surface or to Waters of the Commonwealth. If loss of circulation of drilling fluid occurs or drilling fluid pressure is lost, the permittee shall immediately investigate the drilling pathway and surrounding area for an inadvertent return. If an inadvertent return is discovered, drilling shall immediately cease.
- Y. If an inadvertent return occurs within regulated waters of the Commonwealth, the HDD shall only resume after:

- i. A Registered Professional Geologist or Registered Professional Engineer inspects and evaluates the site for the likelihood of another inadvertent return; and
 - ii. The permittee consults with and receives written approval from the Department.
- Z. For those HDD sites that experience an inadvertent return and do not have an approved contingency crossing method, the permittee shall submit a permit modification to the Department for review and approval prior to commencing an alternate crossing method.
- AA. Inadvertent returns that impact or discharge to streams, floodways, or wetlands during the HDD operations shall be remediated in compliance with the Best Practices Plan for Horizontal Direction Drill Operations, Drill Procedures and Monitoring; Inadvertent Return Monitoring, Response and Cleanup; and Contingency Plan Implementation. If clean-up operations differ from the submitted plans, prior approval from the Department will be necessary for any modifications to the Best Practices Plan for Horizontal Direction Drill Operations, Drill Procedures and Monitoring; Inadvertent Return Monitoring, Response and Cleanup; and Contingency Plan Implementation Plan for additional mitigation.
- BB. HDD additives which are certified for conformance with ANSI/NSF Standard 60 (Drinking Water Treatment Chemicals - Health Effects) are deemed acceptable to the Department, when used in the manner indicated in the certification of the additive. All conditions included as part of the additive's certification should be followed. A current listing of certified drilling fluids is maintained by NSF at <http://www.nsf.org/Certified/PwsChemicals/Listings.asp?ProductFunction=Drilling+Fluid&>. Use of drilling additives certified for conformance with ANSI/NSF Standard 60 does not relieve operators from the requirement to obtain the necessary permits to conduct HDD operations. Use of certified additives does not relieve the operator of liability should an inadvertent return or other pollution of the waters of the Commonwealth occur as a result of drilling operations.
- CC. Any products not currently listed on the NSF/ANSI Standard 60 (Drinking Water Treatment Chemicals - Health Effects) with a product function of drilling fluid may be submitted to DEP for review. To request a review of an unlisted product, please submit a Safety Data Sheet (SDS) for the product to RA-epOilandGas@pa.gov. The SDS must list the product's common name and Chemical Abstracts Service Registry Number for a review to occur. Additional information and a list of Safety Data Sheets – Approved HDD Additives is available on the DEP website, <https://www.dep.pa.gov/Business/Energy/OilandGasPrograms/OilandGasMgmt/IndustryResources/InformationResources/Pages/default.aspx>
- DD. To prevent impacts to water quality from drilling/boring operations, it is recommended that: 1) an environmental inspector be on site for the duration of the crossing operation, and 2) a vac truck be available within three (3) hours to respond to inadvertent returns/releases. In the event of an inadvertent return or release of sediment into a body of water, PFBC Bureau of Law Enforcement Regional Office must be notified within 24 hours.

Habitat Conservation Plans and Threatened and Endangered Species Protection:

- EE. Prior to conducting any future maintenance activities on the pipeline or right of way which involves disturbance, the permittee shall conduct a current Pennsylvania Natural Diversity Inventory search, shall obtain clearance(s) for any species or resource where a potential impact is identified, provide the avoidance and mitigation plan to the Department prior to initiating such maintenance work and shall implement, and adhere to all avoidance measures outlined in such clearance(s).
- FF. The permittee shall comply with and implement all Avoidance Measures, Conservation Measures, Adaptive Management Practices, and other recommendations identified by the jurisdictional resource agencies for the protection of any federal and state threatened or endangered species or species of special concern, including:
 - i. The permittee shall follow restrictions and measures set forth by the Pennsylvania Fish and Boat Commission (PFBC) for the protection of the Northern Red-bellied Cooter (*Pseudemys rubriventris*, PA threatened), including construction timing, physical barrier, and the presence of a qualified herpetologist.

Seasonal Restrictions:

- GG. To minimize the potential for impact to Northern Red-bellied Cooter (*Pseudemys rubriventris*, PA threatened), the permittee shall conduct instream construction between April 15 to October 15.

Miscellaneous:

- HH. Pollution of any waterway with harmful chemicals, fuels, oils, greases, bituminous material, acid, or other harmful or polluting materials, is prohibited.
- II. Herbicide spraying of wetlands is not authorized by this Permit. Additionally, with the exception of a 10-foot wide area centered over the pipeline, maintenance mowing of wetlands is not authorized by this Permit. The permittee shall place and maintain signs or other demarcation around the boundary of each wetland to clearly delineate the areas where this maintenance is not authorized. The permittee shall place the signs or other demarcations when all restoration work is completed and prior to permit termination.
- JJ. This Permit does not convey any real property rights or interests or authorization to trespass on privately-owned riparian land. By accepting this Permit, the permittee certifies that he/she holds title, easement, right, or other real interest in the riparian land. Any dispute over property ownership and/or right of legal access is solely a matter for private litigation.
- KK. Riprap and stone used throughout the project, including the construction of causeways and coffer dams, shall be free of fines and silts, or other non-erodible material.
- LL. All temporary water withdrawal intake structures and all appurtenant works shall be removed from the watercourse, body of water, floodway, and floodplains as prescribed within the permit application. Deviations from the approved permit application shall require prior written approval from the Department.

- MM. If the permittee encounters a groundwater seep during excavation, the permittee shall place a trench plug at ten (10) feet from each side of the seep.
- NN. Any french drains installed as part of temporary de-watering for construction activities shall be removed or otherwise rendered inoperable prior to final site restoration.
- OO. Water pumped from any construction area shall be directed through a sediment trap, basin, or a filter bag discharging into an appropriate vegetated filter area to prevent a discharge of sediment into any waters of the Commonwealth.
- PP. Open Trench Crossings: The permittee shall construct open trench pipeline crossings in dry conditions by constructing during periods of no water flow and/or by installing stream flow coffer dam systems through the affected area.
- i. Each crossing shall be conducted in an uninterrupted process in the shortest period of time possible. Impacts to waters of the Commonwealth shall be avoided, to the extent practicable, and if not practicable, then minimized in accordance with the permittee's approved plans.
 - ii. The permittee shall implement procedures that take into account the weather forecast and current conditions prior to commencing stream crossing installations to ensure that weather and stream conditions will not result in a pollution event. Such procedures could include a sign-off sheet documenting that the Environmental Inspector, Foreman, and any other responsible individual agree that the crossing can be constructed during that specific time.
- QQ. The permittee shall cross the Schuylkill River through the use of trenchless methods (HDD) or through the use of coffer dam systems. Cofferdam systems must stay in use until streambeds and banks are adequately stabilized. Downstream flow must be maintained during the construction.
- RR. The permittee shall implement the approved Aids to Navigation (ATON) Plan as received under the Fish and Boat Code, 30 Pa C.S. §§5121-5124, and 58 Pa. Code §113.1 *et seq.*
- SS. This Permit authorizes only those impacts to waters of the Commonwealth that were specifically described in the permit application(s) and revisions. Any additional impacts to waters of the Commonwealth from water obstruction or encroachment activities including, but not limited to, temporary access roads, lay-down areas, staging areas, or temporary work spaces, that have not been specifically identified in the permit application are not authorized. Any proposed changes regarding the specific impacts will require a permit amendment.
- TT. No deviation in the construction methodology or project design shown on the approved drawings is authorized unless approved through an amendment of this Permit by the Department in writing. If the specific resource crossing has pre-approved primary, secondary, or tertiary methods, the permittee shall send a written notification to the Department and the respective county conservation district prior to the change.

- UU. This Permit does not relieve the permittee of the obligation of complying with all Federal, interstate compact, State laws, regulations and standards, and local ordinances applicable to the construction, operation or maintenance of the water obstruction or encroachment.

- VV. The permittee shall follow the measures specified in the Preparedness, Prevention, and Contingency Plan during construction. The permittee shall maintain a copy of the Preparedness, Prevention, and Contingency Plan on-site at all times during construction, train all staff to use and implement this plan, and have this plan available to provide at the request of any Department inspector.

DEPARTMENT OF ENVIRONMENTAL PROTECTION



Domenic Rocco, P.E.
Director
Regional Permit Coordination Office

03/13/2024

Issue Date

ACKNOWLEDGMENT OF APPRISAL OF PERMIT CONDITIONS

I, _____
(Permittee name)

and _____
(Name address and telephone of individual responsible for supervision of work)

acknowledge and accept the general and special conditions of Permit No. E1583223-013, issued to

**Texas Eastern Transmission, LP
11 East Superior Street
Suite 125
Duluth, MN 55802**

which authorizes the permittee to:

construct and maintain a 20-inch diameter natural gas pipeline across the Schuylkill River (WWF, MF) via Horizontal Directional Drill. The project also includes the removal of the existing 20-inch natural gas pipeline across the river. The project proposes temporary impacts to approximately 398 linear feet of the Schuylkill River, 3.52 acres of impacts to the floodway, 0.82 acre of impacts to PFO and PEM wetlands (EV), and 0.05 acre of a permanent conversion to a PFO wetland (EV).

The proposed project is located within the Schuylkill River, approximately 850 feet downstream of the Spring City Boat Launch (Phoenixville, PA Quadrangle, Latitude: 40.172553°; Longitude: -75.534734°). in Spring City Borough, Chester County & Upper Providence Township, Montgomery County.

(Permittee signature)

(Date)

(Signature of individual responsible for supervision of work)

(Date)

Return To:

Department of Environmental Protection
Regional Permit Coordination Office
Rachel Carson State Office Building
P.O. Box 69206
Harrisburg, PA 17105
RA-EPREGIONALPERMIT@pa.gov

**WATER OBSTRUCTION AND ENCROACHMENT PERMIT
COMPLETION REPORT**

Project Location:

County _____

Municipality _____

I (We) hereby certify that the work authorized by the above referenced permit

was completed on _____ in accordance with the plans approved and that all
(Date)

unauthorized obstructions have been removed.

Name: _____
(Typed or printed)

Signature: _____

Title: _____

Firm: _____

Date: _____

Return To:

Department of Environmental Protection
Regional Permit Coordination Office
Rachel Carson State Office Building
P.O. Box 69206
Harrisburg, PA 17105
RA-EPREGIONALPERMIT@pa.gov