3800-PM-BCW0408c Rev. 4/2020
Application Checklist

pennsylvania

DEPARTMENT OF ENVIRONMENTAL
PROTECTION

## COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

## NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) INDIVIDUAL PERMIT FOR DISCHARGES OF STORMWATER ASSOCIATED WITH CONSTRUCTION ACTIVITIES APPLICATION CHECKLIST <sup>1</sup>

Applicant Name:		M&G Realty, Inc.			
Project Site Name:		Rutters #82			
Application Type:		☐ New ☐ Renewal <mark>Major Amendment</mark> ☐ Minor Amendment			dment
Check the box provided for all items completed and/or provided. Failure to provide all required information will delay the processing of the application. ENCLOSE THIS CHECKLIST WITH YOUR COMPLETED APPLICATION.					
	APPLICATION REQUIREMENTS		Check ✓ If Included	Check ✔ If Not Applicable	
1.	One original and one copy of the complete Application form (3800-PM-BCW0408b)			$\boxtimes$	
2.	One original and one copy of the complete General Information Form (GIF) (0210-PM-PIO0001) <sup>2</sup>			⊠	
3.	Administrative Filing Fee (\$1,500 plus any additional CCD-specific fees, if applicable)			$\boxtimes$	
4.	One copy of the completed Application form and one copy of the GIF to DEP (if CCD is the initial recipient) <sup>2</sup>			⊠	
5.	Disturbed Acreage Fee (\$100 x disturbed acres)			$\boxtimes$	
6.	Two copies of the County Notification Form (3800-FM-BCW0271b) <sup>3</sup>			$\boxtimes$	
7.	Two copies of the Municipal Notification Form (3800-FM-BCW0271c) <sup>3</sup>			⊠	
8.	Two copies of the proof of county and municipal receipt of Notification Forms (required if Notification Forms are not signed by county and/or municipality) <sup>3</sup>			⊠	
9.	One original and one copy of the PNDI Receipt <sup>4</sup>		⊠		
10.	Two copies of the PNDI clearance letter(s) from jurisdictional agencies <sup>4</sup>			$\boxtimes$	
11.	Two copies of the PHMC clearance letter(s) (projects involving > 10 acres of earth disturbance only)			$\boxtimes$	
12.	One original and two copies of E&S Module 1 (3800-PM-BCW0406a)		$\boxtimes$		
13.	Three copies of the E&S Plan Drawings <sup>5</sup>		$\boxtimes$		
14.	Three copies of the E&S Standard Worksheets (or equivalent) and supporting calculations		$\boxtimes$		
15.	One original and two copies of PCSM Module 2 (3800-PM-BCW0406b)			$\boxtimes$	
16.	Three copies of the PCSM Plan Drawings 5			$\boxtimes$	
17.	Three copies of the PCSM Supporting Calculations – BMP Design			$\boxtimes$	
18.		PCSM Supporting Calculations – Stormwa P PCSM Spreadsheet not used)	ater Analysis		$\boxtimes$
19.	Three copies of the DEP PCSM Spreadsheet – Volume Worksheet (optional)			$\boxtimes$	
20.	Three copies of the	DEP PCSM Spreadsheet – Rate Workshe	eet (optional)		$\boxtimes$
21.	Three copies of the DEP PCSM Spreadsheet – Quality Worksheet			$\boxtimes$	
22.	Two copies of the installed)	soil/geologic test results (where BMPs re	lying on infiltration will be		
23.		d two copies of Antidegradation 6c) (and required attachments)	Analysis Module 3		$\boxtimes$
24.	One original and trequired attachmen	o copies of Riparian Buffer Module 4 (38 is)	800-PM-BCW0406d) (and		
25	Other: Waste	Haul Road Wetland Report		Ø	