January 27, 2022



Ms. Sharon Svitek Pennsylvania Department of Environmental Protection Southwest Regional Office Waste Management Program 400 Waterfront Drive Pittsburgh, Pennsylvania 15222-4745

> Subject: Westmoreland Sanitary Landfill, LLC – Sanitary Landfill Consent Order and Agreement Executed February 13, 2020 Quarterly Progress Report – Q4 2021 Rostraver Township, Westmoreland County, Pennsylvania. PADEP Permit No. 100277 Design Solutions Project 2021-040

Civil Design Solutions, Inc. (Design Solutions) is pleased to provide this Quarterly Progress Report (Progress Report) on behalf of the Westmoreland Sanitary Landfill, LLC. – Sanitary Landfill facility located in Rostraver Township, Westmoreland County, Pennsylvania. This Progress Report is being provided in accordance with Corrective Action Paragraph 19 of the Consent Order and Agreement executed on February 13, 2020.

If you have any questions concerning this Progress Report, please do not hesitate to contact Mr. Rich Walton of Sanitary Landfill at (610) 698-9291 or our office at (412) 299-2700.

Sincerely, Civil Design Solutions, Inc.

Michael E. Zucatti, P.E. Senior Project Manager, Ext. 157

cc: Mr. Rich Walton, Westmoreland Sanitary Landfill – 1 Copy (electronic) Mr. Brian Stewart, Westmoreland Sanitary Landfill – 1 Copy (electronic) This Quarterly Progress Report (Progress Report) has been prepared for the Westmoreland Sanitary Landfill facility (Sanitary Landfill) as required by Corrective Action Paragraph 19 of the Consent Order and Agreement (COA) executed February 14, 2020. The following sections present a description of actions to achieve compliance with the COA, activities planned for the next calendar quarter, applicable material problems or delays, leachate disposal and a summary of any marketing correspondence with alternative appropriately permitted disposal facilities.

Compliance Actions

WSL continued to discuss delivery timelines for equipment and materials for the installation of the evaporator and leachate conveyance system upgrades. Upon receiving approval of Permit Modification #1, WSL will initiate ordering equipment and begin construction in accordance with the COA.

Next Quarter Planned Activities (Q1 2022)

During the next calendar quarter, WSL intends to continue to market appropriately permitted leachate disposal facilities. Additionally, WSL will be exploring the potential of offsite pretreatment facilities. Prior to initiating disposal at any new facility, WSL will request written approval from the PADEP in accordance with Correction Action Paragraph 5. WSL anticipates receiving approval from the PADEP for Permit Modification #1.

Material Problems or Delays

There were no material problems or delays related to performing Corrective Actions required by the Consent Order this quarter.

Leachate Disposal

The following table presents a summary of leachate hauled offsite for disposal during this quarter. All leachate was disposed of at an appropriately permitted facility as identified in the table below and a letter of acceptance from the facility was previously provided to the PADEP as part of Permit Modification #1 submitted to the PADEP on February 19, 2020.

Table 1 – Quarterly Summary of Leachate Disposal		
Month / Year	Leachate Disposal	Disposal Location
	Volume	*
	(gal)	
October 2021	1,239,247	Westerly (1)
November 2021	1,259,321	Westerly (1)
December 2021	933,675	Westerly (1)
Quarterly Total	3,432,243	-

Table 1 – Quarterly Summary of Leac	hate Disposal
-------------------------------------	---------------

(1) During this month, all leachate was disposed of at the Westerly Waste Water Treatment Plant in Duncansville, Pennsylvania.

Marketing

WSL continued discussing the potential of leachate acceptance with a representative of the Johnstown Redevelopment Authority (JRA) at their Dornick Point Sewage Treatment Plant in West Taylor Township, Cambria County. Additionally, WSL anticipates exploring other facilities to market WSL's leachate to other appropriately permitted disposal facilities during the next calendar quarter.