

Table of Contents

	pages
Chapter 109 Topics in Sequential Order (rev. 6/19/17)	2-14
Acronyms Used in Chapter 109 document	15
A - Z Selected Topics Within Chapter 109 (revised 6/19/17)	16-28

Selected Topics Within Chapter 109 (revised 6/19/17)

Topic Description	Ch 109 Citation	Page #
General Provisions of Chapter 109	109.1	109-1
Definitions within Chapter 109	109.1	109-2
Purpose of Chapter 109	109.2	109-15
Scope of Chapter 109	109.3	109-16
General requirements	109.4	109-16
Organization of Chapter 109	109.5	109-15
Inspection authorization	109.6	109-17
Authority	109.201	109-19
MCLs, MRDLs and treatment technique requirements	109.202	109-19
Primary MCLs	109.202(a)	109-19
Secondary MCLs	109.202(b)	109-20
Treatment technique requirements for pathogenic bacteria, viruses and protozoan cysts	109.202(c)	109-20
Fluoride	109.202(d)	109-25
Treatment technique requirements for acrylamide and epichlorohydrin	109.202(e)	109-25
MRDLs	109.202(f)	109-25
Treatment technique requirements for disinfection byproduct precursors	109.202(g)	109-25
Recycling of waste stream	109.202(h)	109-25
Unregulated contaminants	109.203	109-26
Disinfection profiling and benchmarking	109.204	109-27
Monitoring requirements	109.301	109-28
Performance monitoring for filtration and disinfection	109.301(1)	109-28
Performance monitoring for unfiltered surface water and GUDI	109.301(2)	109-30
Coliform monitoring	109.301(3)	109-32
Coliform compliance determinations	109.301(3)(iv)	109-34.2
Exception	109.301(4)	109-34.3
VOC monitoring	109.301(5)	109-34.3
VOC waivers	109.301(5)(viii)	109-35
VOC compliance determinations	109.301(5)(x)	109-35
SOC monitoring	109.301(6)	109-36
SOC waivers	109.301(6)(vii)	109-38
SOC Use waiver	109.301(6)(vii)(B)	109-38
SOC Susceptibility waiver	109.301(6)(vii)(C)	109-38

Dioxin and PCB waivers	109.301(6)(vii)(E)	109-39
SOC compliance determinations	109.301(6)(ix)	109-39
IOC monitoring	109.301(7)	109-39
Asbestos monitoring	109.301(7)(i)	109-40
Nitrate and nitrite monitoring	109.301(7)(ii)	109-40
Antimony, arsenic, barium, beryllium, cadmium, and 7 remaining IOCs monitoring	109.301(7)(iii)	109-42
IOC waivers (except cyanide)	109.301(7)(iii)(D)	109-43
Cyanide waiver	109.301(7)(iii)(E)	109-44
Fluoride daily operational monitoring	109.301(7)(iii)(F)	109-44
IOC compliance determinations	109.301(7)(v)	109-44
Consecutive system monitoring requirements	109.301(8)	109-45
POE Devices monitoring	109.301(9)	109-46
Additional monitoring	109.301(10)	109-46
Monitoring requirements for entry points that do not provide water continuously	109.301(11)	109-46
Disinfection byproducts and disinfection byproduct precursor monitoring	109.301(12)	109-46
TTHM and HAA5 Stage 1 DBP rule monitoring	109.301(12)(i)	109-46
TTHM and HAA5 Stage 2 DBP rule routine monitoring	109.301(12)(ii)(B)	109-49
TTHM and HAA5 Stage 2 DBP rule compliance determinations	109.301(12)(ii)(E)	109-55
Chlorite monitoring	109.301(12)(iii)	109-56
Bromate monitoring	109.301(12)(iv)	109-57
DBP precursor monitoring	109.301(12)(v)	109-58
Disinfectant residual monitoring	109.301(13)(v)	109-58
Radionuclide monitoring	109.301(14)	109-59
Radionuclide compliance requirements	109.301(14)(iii)	109-63
Special monitoring	109.302	109-64
Sampling locations	109.303	109-66
Sampling location for turbidity	109.303(a)(1)	109-66
Sampling location for <i>E. coli</i>	109.303(a)(2)	109-66
Sampling location for fluoride	109.303(a)(3)	109-66
Sampling location for organics and inorganics	109.303(a)(4)	109-66
Sampling location for asbestos	109.303(a)(5)	109-66
Sampling location for compliance with treatment technique and performance monitoring	109.303(b)	109-66
Samples are properly collected and preserved	109.303(c)	109-66
Compliance monitoring samples for VOCs shall be collected by a person properly trained	109.303(d)	109-67

Compliance monitoring samples that may be composited	109.303(e)	109-67
Compliance sample for a POE device	109.303(f)	109-67
Compliance monitoring samples for radionuclides that may be composited	109.303(g)	109-67
Compliance monitoring samples for beta particle and photon radioactivity that may be composited	109.303(h)	109-67
Analytical requirements	109.304	109-68
Fees	109.305	109-69
Fees for data management	109.305(a)	109-69
Fees for Waivers	109.305(b)	109-69
Public notification requirements (General)	109.407	109-72
Public notification violation and situation categories	109.407(a)	109-72
Public notice tier definitions	109.407(b)	109-72
Public notice recipients	109.407(c)	109-73
Public notice additional requirements (updates to O & M and ERP plans)	109.407(d)	109-74
Tier 1 public notice violation categories	109.408(a)	109-74
Tier 1 public notice milestones and time frames	109.408(b)	109-75
Tier 1 public notice delivery requirements before 5/10/2010	109.408(c)	109-76
Tier 1 public notice delivery requirements beginning 5/10/2010	109.408(d)	109-76
Tier 2 public notice violation categories	109.409(a)	109-77
Tier 2 public notice time frames	109.409(b)	109-78
Tier 2 public notice delivery requirements	109.409(c)	109-78
Tier 3 public notice violation categories	109.410(a)	109-79
Tier 3 public notice time frames	109.410(b)	109-80
Tier 3 public notice delivery requirements	109.410(c)	109-80
Tier 3 public notice delivery using CCR	109.410(d)	109-81
Public notice content elements	109.411(a)	109-82
Tier 1 abbreviated public notice content elements	109.411(b)	109-82
Public notice formatting, posting and Spanish translation requirements	109.411(d)	109-83
Public notice standard language requirements	109.411(e)	109-83
Unregulated Contaminant Monitoring (UCMR) special notice	109.412	109-85
Noncommunity alternate nitrate level exceedance Tier 1 PN requirements	109.413	109-85
Public notice to new billing customers or units	109.414	109-86
Public notice by DEP on behalf of the PWS	109.415	109-86
Consumer Confidence Report (CCR) requirements	109.416	109-87
Consumer Confidence Report delivery and recordkeeping requirements	109.416(4)	109-88

Chapter 109 Topics in Sequential Order (rev. 6/19/17)

Noncommunity water system significant deficiency special notice requirements	109.417	109-89
Special notice for failure to conduct source water <i>Cryptosporidium</i> monitoring	109.418	109-90
Special notice for failure to determine <i>Cryptosporidium</i> bin classification	109.418	109-90
Permit requirements	109.501	109-92
Permitting of currently operating systems; compliance deadlines	109.502	109-93
Construction permits	109.503	109-94
Permit application requirements	109.503(a)	109-94
Business plan requirements for new community water systems (permitted on or after 10/1/1996)	109.503(a)(3)	109-97
Amended construction permit requirements	109.503(b)	109-99
Permit fees	109.503(c)	109-99
Construction permit review by DEP	109.503(d)	109-100
Construction permit issuance and conditions	109.503(e)	109-100
Operation permit	109.504	109-101
Noncommunity water system construction permit	109.505(a)	109-102
Noncommunity water system providing 4-log treatment of groundwater source permit	109.505(b)	109-103
Emergency permits	109.506	109-104
Permits for Innovative technology	109.507	109-104
Design standards	109.602	109-106
New source quality and quantity	109.603	109-107
New well, spring, infiltration gallery Zone 1 wellhead protection requirements (effective 10/9/1995)	109.603(b)(1)	109-107
Water supplier shall develop additional sources if 2 or more outages occur in a consecutive 2-year period	109.603(d)	109-108
Facilities siting	109.604	109-108
Minimum treatment design standards	109.605	109-109
Minimum treatment design standards for filtration for surface water and GUDI sources	109.605(1)	109-109
Minimum treatment design standards for disinfection for surface water and GUDI sources	109.605(2)	109-109
Minimum treatment design standards for filtration and disinfection for bin 2 or higher sources	109.605(3)	109-109
Minimum treatment design standards for disinfection for ground water sources	109.605(4)	109-109
Minimum treatment design standards for disinfection for noncommunity ground water sources (E.C.+)	109.605(5)	109-110
Chemicals, materials and equipment	109.606	109-110
Chemicals used meet ANSI/NSF Standard 60	109.606(b)	109-110
Materials used meet ANSI/NSF Standard 61	109.606(c)	109-110
Distribution system design pressures	109.607	109-111
Cross-connections	109.608	109-112
Reserved capacity and finished water storage	109.609	109-112

Chapter 109 Topics in Sequential Order (rev. 6/19/17)

Disinfection facilities design	109.611	109-113
POE Devices	109.612	109-113
Reporting requirements for public water systems	109.701(a)	109-114
Turbidity performance monitoring reporting requirements	109.701(a)(2)(i)(A)	109-115
Residual disinfectant performance monitoring reporting requirements (Entry point)	109.701(a)(2)(i)(B)	109-115
Residual disinfectant performance monitoring reporting requirements (Distribution)	109.701(a)(2)(i)(C)	109-116
One-Hour Reporting requirements	109.701(a)(3)	109-117
One-Hour Reporting requirements (circumstances exist which may adversely impact quality/quantity...)	109.701(a)(3)(iii)	109-117
Public Notification certification form	109.701(a)(4)	109-117
Total coliform sample siting plan	109.701(a)(5)	109-117
Reporting requirements for disinfectant residuals (Chlorine dioxide, chlorine, chloramines)	109.701(a)(8)	109-118
Reporting requirements for Level 1 and Level 2 Assessments (RTCR)	109.701(a)(9)	109-118
Noncompliance report within 48 hrs to DEP (failure to comply with NPDWR or monitoring requirement)	109.701(a)(10)	109-119
Monthly operational report for CWSs	109.701(b)(1)	109-119
Complaint Record	109.701(b)(3)	109-119
Reporting requirements for NTNCWs	109.701(c)	109-119
Record Maintenance for public water suppliers	109.701(d)	109-119
Individual filter monitoring reporting requirements	109.701(e)	109-120
DBP monitoring plan (Stage 1 Rule)	109.701(g)(1)	109-121
DBP monitoring plan (Stage 2 Rule)	109.701(g)(2)(ii)	109-122
Operational evaluation levels (Stage 2 DBP rule)	109.701(g)(2)(iii)	109-123
Filter Backwash Rule reporting and record maintenance	109.701(h)	109-124
Electronic reporting	109.701(j)	109-125
Surface water and GUDI additional reporting and recordkeeping requirements (found under 109.1206)	109.701(l)	109-126
Groundwater system additional reporting and recordkeeping requirements (found under 109.1307)	109.701(m)	109-126
Operation and Maintenance plan	109.702	109-127
Facilities operation	109.703	109-128
Filter-to-waste requirements	109.703(b)	109-128
Operator Certification	109.704	109-129
Sanitary surveys (conducted by CWS)	109.705	109-130
Level 1 or Level 2 Assessment elements	109.705(b)	109-130
Level 1 Assessment shall be conducted by competent personnel	109.705(b)(3)	109-130
Level 2 Assessment shall be conducted by individuals meeting following criteria	109.705(b)(4)	109-131
DEP may conduct Level 1 or Lvel 2 assessments	109.705(b)(5)	109-131

Chapter 109 Topics in Sequential Order (rev. 6/19/17)

Assessment report includes sanitary defected, corrective actions, timetable	109.705(b)(6)	109-131
Insufficient assessments require consultation with DEP within 14 days	109.705(b)(7)	109-131
PWSs shall correct sanitary defects	109.705(b)(8)	109-131
PWS or DEP may request a consultaiton with the other party	109.705(b)(9)	109-131
PWS with surface water and GUDI with significant deficiency response timeframe	109.705(c)	109-131
PWS with GWR sources with significant deficiencies shall comply with 109.1302(c)	109.705(d)	109-131
System distribution map	109.706	109-132
Emergency response plan	109.707	109-132
Planned service interruptions	109.708	109-134
Cross-connection control program	109.709	109-134
Disinfectant residual in the distribution system	109.710	109-134
Disinfection of facilities prior to placing them into service	109.711	109-135
Control of POE devices	109.712	109-136
Wellhead protection program	109.713	109-136
Filter profile, filter self-assessment and CPE	109.714	109-137
Seasonal systems (start-up procedure requirements)	109.715	109-138
Laboratory certification	109.801	109-139
Laboratory electronic reporting requirement	109.810(a)	109-141
Laboratory notification to PWS	109.810(b)(1)	109-142
Variance requirements	109.901	109-144
Variance request	109.902	109-145
Exemption requirements	109.903	109-146
Exemption request	109.904	109-146
Public hearing on a variance or exemption	109.905	109-147
Consideration of a request for a variance or exemption	109.906	109-148
Disposition of a request for a variance or exemption	109.907	109-149
Compliance schedules for a variance or exemption	109.908	109-150
BVRB Scope	109.1001	109-150.1
BVRB MCLs, MRDLs or treatment techniques	109.1002(a)	109-150.1
BVRB General monitoring requirements	109.1003(a)	109-150.1
Bottled water, retail and bulk entry point monitoring requirements	109.1003(a)(1)	109-150.2
Vended water systems permit-by-rule monitoring requirements	109.1003(a)(2)	109-150.7
BVRB sampling locations and requirements	109.1003(b)	109-150.8
BVRB Repeat monitoring for microbiological contaminants	109.1003(c)	109-150.9

Bulk system serving at least 25 of the same persons year round complies with CWS monitoring	109.1003(d)	109-150.9
Bulk system or vended serving at least 25 of the same persons at least 6 months = NTCWS monitoring	109.1003(e)	109-150.9
BVRB additional monitoring requirements for systems using surface water and GUDI sources	109.1003(f)	109-150.9
BVRB additional monitoring requirements for systems using groundwater sources	109.1003(g)	109-150.9
BVRB Public notification (General)	109.1004(a)	109-150.10
BVRB PN Description and Content	109.1004(b)	109-150.11
BVRB PN by DEP	109.1004(c)	109-150.12
BVRB CCR requirements	109.1004(d)	109-150.12
BVRB Permit requirements (General)	109.1005(a)	109-150.12
Vended water systems permit-by-rule special permit	109.1005(b)	109-150.12
Bottled water systems permit-by-rule special permit	109.1005(c)	109-150.13
BVRB permit amendments	109.1005(d)	109-150.14
BVRB permit applications	109.1005(e)	109-150.14
BVRB permit amendment applications	109.1005(f)	109-150.16
BVRB emergency permits	109.1005(g)	109-150.18
BVRB permit application and amendment review by DEP	109.1005(h)	109-150.18
BVRB permit fees	109.1005(i)	109-150.19
BVRB design and construction standards	109.1006	109-150.19
BVRB labeling requirements	109.1007	109-150.20
BVRB reporting and recordkeeping requirements	109.1008(a)	109-150.21
BVRB operation and maintenance plan requirements	109.1008(b)	109-150.23
BVRB operator requirements	109.1008(c)	109-150.23
BVRB sanitary survey requirements	109.1008(d)	109-150.23
BVRB emergency response requirements	109.1008(e)	109-150.23
BVRB cross-connection control program requirements	109.1008(f)	109-150.24
BVRB Level 1 and Level 2 assessments	109.1008(g)	109-150.24
BVRB Seasonal systems	109.1008(h)	109-150.24
BVRB general facilities operation	109.1009(a)	109-150.25
Bottled water systems regulated by FDA	109.1009(b)	109-150.25
BVRB disinfectant residual requirements	109.1009(c)	109-150.25
BVRB disinfection of facilities following construction, modification or repair	109.1009(d)	109-150.25
BVRB dedicated equipment	109.1009(e)	109-150.25
Bottled water and retail facilities using ozone requirements operational requirements	109.1009(f)	109-150.26
Vending machine operational requirements	109.1009(g)	109-150.26

Bulk water hauling operational requirements	109.1009(h)	109-150.26
LCR applies to CWS and NTNCWS based on population sizes	109.1101(b)	109-150.27
LCR action levels	109.1102(a)	109-150.28
LCR treatment technique requirements for corrosion control	109.1102(b)	109-150.28
LCR optimal corrosion control treatment (CCT)	109.1102(b)(1)	109-150.28
LCR Corrosion Control Treatment (CCT) compliance schedule	109.1102(b)(2)	109-151
LCR CCT feasibility study	109.1102(b)(3)	109-152
LCR source water treatment	109.1102(b)(4)	109-153
LCR water quality parameter (WQP) performance requirements	109.1102(b)(5)	109-154
LCR initial lead and copper monitoring	109.1103(a)(1)	109-155
LCR initial water quality parameter (WQP) monitoring	109.1103(a)(2)	109-156
LCR source water monitoring	109.1103(a)(3)	109-157
LCR special lead and copper tap monitoring	109.1103(b)	109-157
LCR follow-up monitoring after construction or modification of CCT facilities	109.1103(c)	109-157
LCR follow-up monitoring (lead and copper)	109.1103(c)(1)	109-157
LCR follow-up monitoring (water quality parameters)	109.1103(c)(2)	109-158
LCR follow-up monitoring (source water)	109.1103(c)(3)	109-159
LCR monitoring after performance requirements are established	109.1103(d)	109-159
LCR monitoring after performance requirements are established (lead and copper)	109.1103(d)(1)	109-159
LCR monitoring after performance requirements are established (water quality parameters)	109.1103(d)(2)	109-159
LCR monitoring after performance requirements are established (source water)	109.1103(d)(3)	109-160
LCR reduced monitoring	109.1103(e)	109-160
LCR reduced monitoring (lead and copper)	109.1103(e)(1)	109-161
LCR reduced monitoring (water quality parameters)	109.1103(e)(2)	109-162
LCR reduced monitoring revocation	109.1103(e)(3)	109-163
LCR additional monitoring is used in 90th percentile or determining compliance with WQPs	109.1103(f)	109-164
LCR sample site location plan	109.1103(g)	109-164
LCR Materials evaluation	109.1103(g)(1)	109-165
LCR site selection for CWSs (lead and copper sample sites)	109.1103(g)(2)(i)	109-165
LCR site selection for NTNCWSs (lead and copper sample sites)	109.1103(g)(2)(ii)	109-165
LCR site selection for CWS and NTNCWSs with fewer than 5 taps (lead and copper sample sites)	109.1103(g)(2)(iii)	109-166
LCR site selection for CWSs and NTNCWS that operate continuously (lead and copper sample sites)	109.1103(g)(2)(iv)	109-166
LCR sample sites with lead service lines (LSLs)	109.1103(g)(2)(v)	109-166
LCR sample sites with point-of-use or point-of-entry devices	109.1103(g)(2)(vi)	109-166

LCR site selection (WQP distribution samples)	109.1103(g)(3)(i)	109-166
LCR site selection (WQP entry point samples)	109.1103(g)(3)(ii)	109-167
LCR sample procedure certification	109.1103(g)(4)	109-167
LCR sample collection methods	109.1103(h)	109-167
LCR sample collection methods (lead and copper)	109.1103(h)(1)	109-167
LCR sample collection methods (WQP distribution samples)	109.1103(h)(2)	109-168
LCR sample collection methods (WQP entry point samples)	109.1103(h)(3)	109-168
LCR sample collection methods (source water samples)	109.1103(h)(4)	109-168
LCR sample collection methods (lead service line samples)	109.1103(h)(5)	109-168
LCR analytical methods	109.1103(i)	109-169
LCR invalidation of lead or copper tap water samples	109.1103(j)	109-169
LCR monitoring waivers for small systems (once every 9 years)	109.1103(k)	109-169
LCR monitoring waivers for small systems (materials criteria)	109.1103(k)(1)	109-170
LCR monitoring waivers for small systems (monitoring criteria)	109.1103(k)(2)	109-170
LCR monitoring waivers for small systems (DEP approval of waiver application)	109.1103(k)(3)	109-170
LCR monitoring frequency for small systems with waivers	109.1103(k)(4)	109-170
LCR continued eligibility for small systems with waivers	109.1103(k)(5)	109-171
LCR requirements following waiver revocation	109.1103(k)(6)	109-171
LCR public education program	109.1104(a)	109-171
LCR public education program (Content)	109.1104(a)(1)	109-172
LCR public education program (CWS Delivery)	109.1104(a)(2)(i)	109-172
LCR public education program (NTNCWS Delivery)	109.1104(a)(2)(ii)	109-174
LCR public education program (Discontinuation of PE program)	109.1104(a)(3)	109-175
LCR public education program (certified lab list to customers who request it when lead AL is exceeded)	109.1104(a)(4)	109-175
LCR Consumer Tap Notice of Lead Results	109.1104(b)	109-175
LCR Consumer Tap Notice of Lead Results (Content)	109.1104(b)(1)	109-175
LCR Consumer Tap Notice of Lead Results (Timing)	109.1104(b)(2)	109-175
LCR Consumer Tap Notice of Lead Results (Delivery)	109.1104(b)(3)	109-175
LCR Public Notification requirements	109.1104(c)	109-175
LCR Permit requirements (General permit requirements)	109.1105(a)	109-176
LCR Permit requirements (Construction permits and permit amendments)	109.1105(b)	109-176
LCR Permit requirements (CWS minor permit amendments)	109.1105(b)(1)	109-176
LCR Permit requirements (NTNCWS permits)	109.1105(b)(2)	109-176
LCR Permit requirements (Operation permit requirements)	109.1105(c)	109-177

Chapter 109 Topics in Sequential Order (rev. 6/19/17)

LCR Design standards	109.1106	109-177
LCR System management responsibilities (Reporting/recordkeeping)	109.1107(a)	109-178
LCR System management responsibilities (Sample site location plan)	109.1107(a)(1)	109-178
LCR System management responsibilities (Reporting of monitoring results)	109.1107(a)(2)	109-178
LCR System management responsibilities (Reporting lead and copper tap results)	109.1107(a)(2)(i)	109-178
LCR System management responsibilities (Reporting WQP results)	109.1107(a)(2)(ii)	109-178
LCR System management responsibilities (Reporting source water monitoring results)	109.1107(a)(2)(iii)	109-179
LCR System management responsibilities (Corrosion Control Treatment reporting requirements)	109.1107(a)(3)	109-179
LCR System management responsibilities (Reporting lead PE program requirements)	109.1107(a)(4)	109-180
LCR System management responsibilities (Consumer Tap Notice certification form)	109.1107(a)(5)	109-180
LCR System management responsibilities (Lead Service Line replacement reporting)	109.1107(a)(6)	109-180
LCR System management responsibilities (Record maintenance)	109.1107(a)(7)	109-181
LCR System management responsibilities (Operation and maintenance plan)	109.1107(b)	109-181
LCR System management responsibilities (CWS Operation and maintenance plan)	109.1107(b)(1)	109-181
LCR System management responsibilities (NTNCWs Operation and maintenance plan)	109.1107(b)(2)	109-181
LCR System management responsibilities (Operation and maintenance plan requirements)	109.1107(b)(3)	109-181
LCR System management responsibilities (Operator certification)	109.1107(c)	109-182
LCR System management responsibilities (Lead service line replacement)	109.1107(d)	109-182
LCR System management responsibilities (Lead service line replacement initiation)	109.1107(d)(1)	109-182
LCR System management responsibilities (Lead service line replacement schedule)	109.1107(d)(2)	109-182
LCR System management responsibilities (Lead service line sampling)	109.1107(d)(3)	109-182
LCR System management responsibilities (Lead service line replacement conditions)	109.1107(d)(4)	109-182
LCR System management responsibilities (Lead service line replacement discontinuation)	109.1107(d)(5)	109-182.1
LCR System management responsibilities (Lead service line replacement resumption)	109.1107(d)(6)	109-182.1
LCR Fees (Construction permit or major amendment)	109.1108(1)	109-182.2
LCR Fees (when construction permit or major amendment is not required)	109.1108(2)	109-182.2
Long Term 2 Enhanced Surface Water Treatment Rule (LT2) Scope	109.1201(a)	109-182.3
LT2 applicability	109.1201(b)	109-182.3
LT2 initial source water monitoring	109.1202(a)	109-183
LT2 second round of source water monitoring	109.1202(b)	109-184
LT2 source water monitoring schedule	109.1202(c)	109-184
LT2 source water monitoring avoidance	109.1202(d)	109-185
LT2 Plants operating only part of the year	109.1202(e)	109-185
LT2 new sources	109.1202(f)	109-185

LT2 monitoring violations	109.1202(g)	109-186
LT2 source water sampling schedules	109.1202(h)	109-186
LT2 source water sample collection period	109.1202(i)	109-186
LT2 source water missed samples	109.1202(j)	109-187
LT2 source water sampling locations	109.1202(k)	109-187
LT2 source water sampling location prior to treatment	109.1202(l)	109-187
LT2 source water sampling location for plants that recycle	109.1202(m)	109-187
LT2 source water sampling location prior to bank filtration	109.1202(n)	109-187
LT2 source water sample location for multiple sources	109.1202(o)	109-188
LT2 source water additional requirements	109.1202(p)	109-188
LT2 bin classification and treatment technique requirements	109.1203(a)	109-189
LT2 bin classification (procedures for calculating)	109.1203(b)	109-189
LT2 <i>Cryptosporidium</i> bin concentration thresholds	109.1203(c)	109-189
LT2 <i>Cryptosporidium</i> bin concentration recalculation requirements	109.1203(d)	109-190
LT2 additional requirements (additional treatment based on bin classification)	109.1203(e)	109-190
LT2 treatment and management options (term=microbial toolbox under 109.1204)	109.1203(f)	109-191
LT2 failure to meet treatment credit is a treatment technique violation	109.1203(g)	109-191
LT2 watershed changes that lead to increased <i>Cryptosporidium</i> contamination	109.1203(h)	109-191
LT2 Unfiltered systems bin classification (initial round)	109.1203(i)	109-191
LT2 Unfiltered systems bin classification (second round)	109.1203(j)	109-191
LT2 schedule for compliance with <i>Cryptosporidium</i> treatment technique requirements (filtered systems)	109.1203(k)	109-192
LT2 schedule for compliance with <i>Cryptosporidium</i> treatment technique requirements (unfiltered systems)	109.1203(l)	109-192
LT2 <i>Cryptosporidium</i> treatment compliance dates (phased in by population size)	109.1203(m)	109-192
LT2 Change in bin classification due to second round of source water monitoring (filtered systems)	109.1203(n)	109-192
LT2 Change in bin classification due to second round of source water monitoring (unfiltered systems)	109.1203(o)	109-192
LT2 microbial toolbox components conditions	109.1204(a)	109-193
LT2 watershed control program (microbial toolbox component)	109.1204(b)	109-193
LT2 alternative source (microbial toolbox component)	109.1204(c)	109-195
LT2 presedimentation (microbial toolbox component)	109.1204(d)	109-195
LT2 2-stage lime softening (microbial toolbox component)	109.1204(e)	109-196
LT2 bank filtration (microbial toolbox component)	109.1204(f)	109-196
LT2 combined filter performance (microbial toolbox component)	109.1204(g)	109-197
LT2 individual filter performance (microbial toolbox component)	109.1204(h)	109-197
LT2 demonstration of performance study (microbial toolbox component)	109.1204(i)	109-197

LT2 bag and cartridge filter (microbial toolbox component)	109.1204(j)	109-198
LT2 membrane filtration (microbial toolbox component)	109.1204(k)	109-199
LT2 second stage filtration (microbial toolbox component)	109.1204(l)	109-203
LT2 slow sand filtration as a secondary filter (microbial toolbox component)	109.1204(m)	109-203
LT2 inactivation toolbox components (calculation of CT values)	109.1204(n)	109-204
LT2 inactivation toolbox components (chlorine dioxide)	109.1204(o)	109-204
LT2 inactivation toolbox components (ozone)	109.1204(p)	109-204
LT2 inactivation toolbox components (UV light)	109.1204(q)	109-204
LT2 initial source water monitoring requirements can be met with grandfathered data	109.1205	109-206
LT2 reporting and recordkeeping requirements (source water reporting time frame)	109.1206(a)	109-206
LT2 reporting and recordkeeping requirements (methods for reporting to EPA)	109.1206(b)	109-206
LT2 reporting and recordkeeping requirements (methods for reporting to DEP)	109.1206(c)	109-206
LT2 reporting and recordkeeping requirements (methods for reporting to DEP during 2nd round)	109.1206(d)	109-206
LT2 reporting and recordkeeping requirements (source water reporting data elements)	109.1206(e)	109-206
LT2 reporting and recordkeeping requirements (sampling schedule reporting)	109.1206(f)	109-207
LT2 reporting and recordkeeping requirements (bin classification reporting)	109.1206(g)	109-207
LT2 reporting and recordkeeping requirements (microbial toolbox reporting)	109.1206(h)	109-208
LT2 reporting and recordkeeping requirements (disinfection profiles/benchmarks)	109.1206(i)	109-208
LT2 reporting and recordkeeping requirements (source water monitoring record retention)	109.1206(j)	109-208
LT2 reporting and recordkeeping requirements (DEP notification retention)	109.1206(k)	109-208
LT2 reporting and recordkeeping requirements (microbial toolbox options record retention)	109.1206(l)	109-208
Groundwater Rule (GWR) scope	109.1301	109-209
GWR treatment technique requirements (Community water systems)	109.1302(a)	109-210
GWR treatment technique requirements (Noncommunity water systems including BVRBs)	109.1302(b)	109-210
GWR treatment technique requirements (Groundwater systems with significant deficiencies or <i>E. coli</i>)	109.1302(c)	109-211
GWR triggered monitoring (source water sample analyzed for <i>E. coli</i>)	109.1303(a)	109-212
GWR triggered monitoring (extend deadline for source water sample collection to 72 hours)	109.1303(b)	109-213
GWR triggered monitoring (written DEP approval to combine sources)	109.1303(c)	109-213
GWR triggered monitoring (source water sample location is prior to any treatment)	109.1303(d)	109-213
GWR triggered monitoring (purchased water TC+ notification to selling system)	109.1303(e)	109-213
GWR triggered monitoring (source water sample exemptions)	109.1303(f)	109-213
GWR triggered monitoring (invalidation of <i>E. coli</i> sample conditions)	109.1303(g)	109-213
GWR triggered monitoring (<i>E. coli</i> positive source requirements)	109.1303(h)	109-214
GWR triggered monitoring (selling systems source water sample requirements)	109.1303(i)	109-214

GWR assessment source water monitoring (NCWs monitoring for <i>E. coli</i>)	109.1304(a)	109-214
GWR assessment source water monitoring (invalidation of <i>E. coli</i> sample conditions)	109.1304(b)	109-215
GWR compliance monitoring for systems with 4-log treatment from chemical disinfection	109.1305(a)	109-216
GWR compliance monitoring for systems with 4-log treatment from alternative treatments	109.1305(b)	109-216
GWR 4-log treatment information submittal requirements	109.1306(a)	109-217
GWR system management responsibilities (reporting requirements)	109.1307(a)	109-218
GWR system management responsibilities (breakdown in treatment reporting requirements)	109.1307(a)(1)(ii)	109-218
GWR system management responsibilities (recordkeeping requirements)	109.1307(b)	109-219
LT 2 Appendix A (Table 1:CT Values by chlorine dioxide)	Appendix A (Sub L)	109-220
LT 2 Appendix A (Table 2:CT Values by ozone)	Appendix A (Sub L)	109-220
LT 2 Appendix A (Table 3:UV Dose table and virus inactivation credit)	Appendix A (Sub L)	109-221
LT 2 Appendix B (source protection and mgt toolbox options)	Appendix B (Sub L)	109-222
LT 2 Appendix B (prefiltration toolbox options)	Appendix B (Sub L)	109-222
LT 2 Appendix B (treatment performance toolbox options)	Appendix B (Sub L)	109-223
LT 2 Appendix B (additional filtration toolbox options)	Appendix B (Sub L)	109-223
LT 2 Appendix B (inactivation toolbox options)	Appendix B (Sub L)	109-224
LT 2 Appendix C (microbial toolbox reporting requirements)	Appendix C (Sub L)	109-225
LT 2 Appendix C (microbial toolbox reporting requirements: 1 watershed control program)	Appendix C (Sub L)	109-225
LT 2 Appendix C (microbial toolbox reporting requirements: 2 alternative source/intake management)	Appendix C (Sub L)	109-225
LT 2 Appendix C (microbial toolbox reporting requirements: 3 presedimentation)	Appendix C (Sub L)	109-226
LT 2 Appendix C (microbial toolbox reporting requirements: 4 two-stage lime softening)	Appendix C (Sub L)	109-226
LT 2 Appendix C (microbial toolbox reporting requirements: 5 bank filtration)	Appendix C (Sub L)	109-226
LT 2 Appendix C (microbial toolbox reporting requirements: 6 combined filter performance)	Appendix C (Sub L)	109-227
LT 2 Appendix C (microbial toolbox reporting requirements: 7 individual filter performance)	Appendix C (Sub L)	109-227
LT 2 Appendix C (microbial toolbox reporting requirements: 8 demonstration of performance)	Appendix C (Sub L)	109-227
LT 2 Appendix C (microbial toolbox reporting requirements: 9 bag filter and cartridge filters)	Appendix C (Sub L)	109-228
LT 2 Appendix C (microbial toolbox reporting requirements: 10 membrane filtration)	Appendix C (Sub L)	109-228
LT 2 Appendix C (microbial toolbox reporting requirements: 11 second stage filtration)	Appendix C (Sub L)	109-229
LT 2 Appendix C (microbial toolbox reporting requirements: 12 slow sand filtration as 2ndary filter)	Appendix C (Sub L)	109-229
LT 2 Appendix C (microbial toolbox reporting requirements: 13 chlorine dioxide)	Appendix C (Sub L)	109-229
LT 2 Appendix C (microbial toolbox reporting requirements: 14 ozone)	Appendix C (Sub L)	109-230
LT 2 Appendix C (microbial toolbox reporting requirements: 15 UV)	Appendix C (Sub L)	109-230

Acronyms

BVRB = bottled, vended, retail and bulk water hauling systems
CCR = consumer confidence rule or consumer confidence report
CCT = corrosion control treatment
CPE = comprehensive performance evaluation
CT = product of residual disinfectant concentration X disinfectant contact time
CWS = community water system
DBP = disinfectant byproduct
GWR = Groundwater Rule
HAA5 = haloacetic acids (5)
IOC = inorganic chemical
LCR = lead and copper rule
LSL = lead service line
LT2 = Long Term 2 Enhanced Surface Water Treatment Rule
MCL = maximum contaminant level
MRDL = maximum residual disinfectant level
NTNCWS = nontransient noncommunity water system
PE = public education
PN = public notification
POE = point-of-entry
PWS = public water system or public water supplier
SOC = synthetic organic chemical
Sub L = Subchapter L
TC+ = total coliform positive
TTHM = total trihalomethanes
UCMR = unregulated contaminant monitoring rule
UV = ultra violet
VOC = volatile organic chemical
WQP = water quality parameters

A - Z Selected Topics Within Chapter 109 (revised 6/19/17)

Topic Description	Ch 109 Citation	Page #
Additional monitoring	109.301(10)	109-46
Amended construction permit requirements	109.503(b)	109-99
Analytical requirements	109.304	109-68
Antimony, arsenic, barium, beryllium, cadmium, and 7 remaining IOCs monitoring	109.301(7)(iii)	109-42
Asbestos monitoring	109.301(7)(i)	109-40
Assessment report includes sanitary defected, corrective actions, timetable	109.705(b)(6)	109-131
Authority	109.201	109-19
Bottled water and retail facilities using ozone requirements operational requirements	109.1009(f)	109-150.26
Bottled water systems permit-by-rule special permit	109.1005(c)	109-150.13
Bottled water systems regulated by FDA	109.1009(b)	109-150.25
Bottled water, retail and bulk entry point monitoring requirements	109.1003(a)(1)	109-150.2
Bromate monitoring	109.301(12)(iv)	109-57
Bulk system or vended serving at least 25 of the same persons at least 6 months = NTNCWS monitoring	109.1003(e)	109-150.9
Bulk system serving at least 25 of the same persons year round complies with CWS monitoring	109.1003(d)	109-150.9
Bulk water hauling operational requirements	109.1009(h)	109-150.26
Business plan requirements for new community water systems (permitted on or after 10/1/1996)	109.503(a)(3)	109-97
BVRB additional monitoring requirements for systems using groundwater sources	109.1003(g)	109-150.9
BVRB additional monitoring requirements for systems using surface water and GUDI sources	109.1003(f)	109-150.9
BVRB CCR requirements	109.1004(d)	109-150.12
BVRB cross-connection control program requirements	109.1008(f)	109-150.24
BVRB dedicated equipment	109.1009(e)	109-150.25
BVRB design and construction standards	109.1006	109-150.19
BVRB disinfectant residual requirements	109.1009(c)	109-150.25
BVRB disinfection of facilities following construction, modification or repair	109.1009(d)	109-150.25
BVRB emergency permits	109.1005(g)	109-150.18
BVRB emergency response requirements	109.1008(e)	109-150.23
BVRB general facilities operation	109.1009(a)	109-150.25
BVRB General monitoring requirements	109.1003(a)	109-150.1
BVRB labeling requirements	109.1007	109-150.20
BVRB Level 1 and Level 2 assessments	109.1008(g)	109-150.24
BVRB MCLs, MRDLs or treatment techniques	109.1002(a)	109-150.1
BVRB operation and maintenance plan requirements	109.1008(b)	109-150.23

BVRB operator requirements	109.1008(c)	109-150.23
BVRB permit amendment applications	109.1005(f)	109-150.16
BVRB permit amendments	109.1005(d)	109-150.14
BVRB permit application and amendment review by DEP	109.1005(h)	109-150.18
BVRB permit applications	109.1005(e)	109-150.14
BVRB permit fees	109.1005(i)	109-150.19
BVRB Permit requirements (General)	109.1005(a)	109-150.12
BVRB PN by DEP	109.1004(c)	109-150.12
BVRB PN Description and Content	109.1004(b)	109-150.11
BVRB Public notification (General)	109.1004(a)	109-150.10
BVRB Repeat monitoring for microbiological contaminants	109.1003(c)	109-150.9
BVRB reporting and recordkeeping requirements	109.1008(a)	109-150.21
BVRB sampling locations and requirements	109.1003(b)	109-150.8
BVRB sanitary survey requirements	109.1008(d)	109-150.23
BVRB Scope	109.1001	109-150.1
BVRB Seasonal systems	109.1008(h)	109-150.24
Chemicals used meet ANSI/NSF Standard 60	109.606(b)	109-110
Chemicals, materials and equipment	109.606	109-110
Chlorite monitoring	109.301(12)(iii)	109-56
Coliform compliance determinations	109.301(3)(iv)	109-34.2
Coliform monitoring	109.301(3)	109-32
Complaint Record	109.701(b)(3)	109-119
Compliance monitoring samples for beta particle and photon radioactivity that may be composited	109.303(h)	109-67
Compliance monitoring samples for radionuclides that may be composited	109.303(g)	109-67
Compliance monitoring samples for VOCs shall be collected by a person properly trained	109.303(d)	109-67
Compliance monitoring samples that may be composited	109.303(e)	109-67
Compliance sample for a POE device	109.303(f)	109-67
Compliance schedules for a variance or exemption	109.908	109-150
Consecutive system monitoring requirements	109.301(8)	109-45
Consideration of a request for a variance or exemption	109.906	109-148
Construction permit issuance and conditions	109.503(e)	109-100
Construction permit review by DEP	109.503(d)	109-100
Construction permits	109.503	109-94
Consumer Confidence Report (CCR) requirements	109.416	109-87

Consumer Confidence Report delivery and recordkeeping requirements	109.416(4)	109-88
Control of POE devices	109.712	109-136
Cross-connection control program	109.709	109-134
Cross-connections	109.608	109-112
Cyanide waiver	109.301(7)(iii)(E)	109-44
DBP monitoring plan (Stage 1 Rule)	109.701(g)(1)	109-121
DBP monitoring plan (Stage 2 Rule)	109.701(g)(2)(ii)	109-122
DBP precursor monitoring	109.301(12)(v)	109-58
Definitions within Chapter 109	109.1	109-2
DEP may conduct Level 1 or Level 2 assessments	109.705(b)(5)	109-131
Design standards	109.602	109-106
Dioxin and PCB waivers	109.301(6)(vii)(E)	109-39
Disinfectant residual in the distribution system	109.710	109-134
Disinfectant residual monitoring	109.301(13)(v)	109-58
Disinfection byproducts and disinfection byproduct precursor monitoring	109.301(12)	109-46
Disinfection facilities design	109.611	109-113
Disinfection of facilities prior to placing them into service	109.711	109-135
Disinfection profiling and benchmarking	109.204	109-27
Disposition of a request for a variance or exemption	109.907	109-149
Distribution system design pressures	109.607	109-111
Electronic reporting	109.701(j)	109-125
Emergency permits	109.506	109-104
Emergency response plan	109.707	109-132
Exception	109.301(4)	109-34.3
Exemption request	109.904	109-146
Exemption requirements	109.903	109-146
Facilities operation	109.703	109-128
Facilities siting	109.604	109-108
Fees	109.305	109-69
Fees for data management	109.305(a)	109-69
Fees for Waivers	109.305(b)	109-69
Filter Backwash Rule reporting and record maintenance	109.701(h)	109-124
Filter profile, filter self-assessment and CPE	109.714	109-137
Filter-to-waste requirements	109.703(b)	109-128

A - Z Selected Topics within Chapter 109 (rev. 6/19/17)

Fluoride	109.202(d)	109-25
Fluoride daily operational monitoring	109.301(7)(iii)(F)	109-44
General Provisions of Chapter 109	109.1	109-1
General requirements	109.4	109-16
Groundwater Rule (GWR) scope	109.1301	109-209
Groundwater system additional reporting and recordkeeping requirements (found under 109.1307)	109.701(m)	109-126
GWR 4-log treatment information submittal requirements	109.1306(a)	109-217
GWR assessment source water monitoring (invalidation of <i>E. coli</i> sample conditions)	109.1304(b)	109-215
GWR assessment source water monitoring (NCWs monitoring for <i>E. coli</i>)	109.1304(a)	109-214
GWR compliance monitoring for systems with 4-log treatment from alternative treatments	109.1305(b)	109-216
GWR compliance monitoring for systems with 4-log treatment from chemical disinfection	109.1305(a)	109-216
GWR system management responsibilities (breakdown in treatment reporting requirements)	109.1307(a)(1)(ii)	109-218
GWR system management responsibilities (recordkeeping requirements)	109.1307(b)	109-219
GWR system management responsibilities (reporting requirements)	109.1307(a)	109-218
GWR treatment technique requirements (Community water systems)	109.1302(a)	109-210
GWR treatment technique requirements (Groundwater systems with significant deficiencies or <i>E. coli</i>)	109.1302(c)	109-211
GWR treatment technique requirements (Noncommunity water systems including BVRBs)	109.1302(b)	109-210
GWR triggered monitoring (<i>E. coli</i> positive source requirements)	109.1303(h)	109-214
GWR triggered monitoring (extend deadline for source water sample collection to 72 hours)	109.1303(b)	109-213
GWR triggered monitoring (invalidation of <i>E. coli</i> sample conditions)	109.1303(g)	109-213
GWR triggered monitoring (purchased water TC+ notification to selling system)	109.1303(e)	109-213
GWR triggered monitoring (selling systems source water sample requirements)	109.1303(i)	109-214
GWR triggered monitoring (source water sample analyzed for <i>E. coli</i>)	109.1303(a)	109-212
GWR triggered monitoring (source water sample exemptions)	109.1303(f)	109-213
GWR triggered monitoring (source water sample location is prior to any treatment)	109.1303(d)	109-213
GWR triggered monitoring (written DEP approval to combine sources)	109.1303(c)	109-213
Individual filter monitoring reporting requirements	109.701(e)	109-120
Inspection authorization	109.6	109-17
Insufficient assessments require consultation with DEP within 14 days	109.705(b)(7)	109-131
IOC compliance determinations	109.301(7)(v)	109-44
IOC monitoring	109.301(7)	109-39
IOC waivers (except cyanide)	109.301(7)(iii)(D)	109-43
Laboratory certification	109.801	109-139
Laboratory electronic reporting requirement	109.810(a)	109-141

Laboratory notification to PWS	109.810(b)(1)	109-142
LCR action levels	109.1102(a)	109-150.28
LCR additional monitoring is used in 90th percentile or determining compliance with WQPs	109.1103(f)	109-164
LCR analytical methods	109.1103(i)	109-169
LCR applies to CWS and NTNCWS based on population sizes	109.1101(b)	109-150.27
LCR CCT feasibility study	109.1102(b)(3)	109-152
LCR Consumer Tap Notice of Lead Results	109.1104(b)	109-175
LCR Consumer Tap Notice of Lead Results (Content)	109.1104(b)(1)	109-175
LCR Consumer Tap Notice of Lead Results (Delivery)	109.1104(b)(3)	109-175
LCR Consumer Tap Notice of Lead Results (Timing)	109.1104(b)(2)	109-175
LCR continued eligibility for small systems with waivers	109.1103(k)(5)	109-171
LCR Corrosion Control Treatment (CCT) compliance schedule	109.1102(b)(2)	109-151
LCR Design standards	109.1106	109-177
LCR Fees (Construction permit or major amendment)	109.1108(1)	109-182.2
LCR Fees (when construction permit or major amendment is not required)	109.1108(2)	109-182.2
LCR follow-up monitoring (lead and copper)	109.1103(c)(1)	109-157
LCR follow-up monitoring (source water)	109.1103(c)(3)	109-159
LCR follow-up monitoring (water quality parameters)	109.1103(c)(2)	109-158
LCR follow-up monitoring after construction or modification of CCT facilities	109.1103(c)	109-157
LCR initial lead and copper monitoring	109.1103(a)(1)	109-155
LCR initial water quality parameter (WQP) monitoring	109.1103(a)(2)	109-156
LCR invalidation of lead or copper tap water samples	109.1103(j)	109-169
LCR Materials evaluation	109.1103(g)(1)	109-165
LCR monitoring after performance requirements are established	109.1103(d)	109-159
LCR monitoring after performance requirements are established (lead and copper)	109.1103(d)(1)	109-159
LCR monitoring after performance requirements are established (source water)	109.1103(d)(3)	109-160
LCR monitoring after performance requirements are established (water quality parameters)	109.1103(d)(2)	109-159
LCR monitoring frequency for small systems with waivers	109.1103(k)(4)	109-170
LCR monitoring waivers for small systems (DEP approval of waiver application)	109.1103(k)(3)	109-170
LCR monitoring waivers for small systems (materials criteria)	109.1103(k)(1)	109-170
LCR monitoring waivers for small systems (monitoring criteria)	109.1103(k)(2)	109-170
LCR monitoring waivers for small systems (once every 9 years)	109.1103(k)	109-169
LCR optimal corrosion control treatment (CCT)	109.1102(b)(1)	109-150.28
LCR Permit requirements (Construction permits and permit amendments)	109.1105(b)	109-176

LCR Permit requirements (CWS minor permit amendments)	109.1105(b)(1)	109-176
LCR Permit requirements (General permit requirements)	109.1105(a)	109-176
LCR Permit requirements (NTNCWS permits)	109.1105(b)(2)	109-176
LCR Permit requirements (Operation permit requirements)	109.1105(c)	109-177
LCR public education program	109.1104(a)	109-171
LCR public education program (certified lab list to customers who request it when lead AL is exceeded)	109.1104(a)(4)	109-175
LCR public education program (Content)	109.1104(a)(1)	109-172
LCR public education program (CWS Delivery)	109.1104(a)(2)(i)	109-172
LCR public education program (Discontinuation of PE program)	109.1104(a)(3)	109-175
LCR public education program (NTNCWS Delivery)	109.1104(a)(2)(ii)	109-174
LCR Public Notification requirements	109.1104(c)	109-175
LCR reduced monitoring	109.1103(e)	109-160
LCR reduced monitoring (lead and copper)	109.1103(e)(1)	109-161
LCR reduced monitoring (water quality parameters)	109.1103(e)(2)	109-162
LCR reduced monitoring revocation	109.1103(e)(3)	109-163
LCR requirements following waiver revocation	109.1103(k)(6)	109-171
LCR sample collection methods	109.1103(h)	109-167
LCR sample collection methods (lead and copper)	109.1103(h)(1)	109-167
LCR sample collection methods (lead service line samples)	109.1103(h)(5)	109-168
LCR sample collection methods (source water samples)	109.1103(h)(4)	109-168
LCR sample collection methods (WQP distribution samples)	109.1103(h)(2)	109-168
LCR sample collection methods (WQP entry point samples)	109.1103(h)(3)	109-168
LCR sample procedure certification	109.1103(g)(4)	109-167
LCR sample site location plan	109.1103(g)	109-164
LCR sample sites with lead service lines (LSLs)	109.1103(g)(2)(v)	109-166
LCR sample sites with point-of-use or point-of-entry devices	109.1103(g)(2)(vi)	109-166
LCR site selection (WQP distribution samples)	109.1103(g)(3)(i)	109-166
LCR site selection (WQP entry point samples)	109.1103(g)(3)(ii)	109-167
LCR site selection for CWS and NTNCWSs with fewer than 5 taps (lead and copper sample sites)	109.1103(g)(2)(iii)	109-166
LCR site selection for CWSs and NTNCWS that operate continuously (lead and copper sample sites)	109.1103(g)(2)(iv)	109-166
LCR site selection for CWSs (lead and copper sample sites)	109.1103(g)(2)(i)	109-165
LCR site selection for NTNCWSs (lead and copper sample sites)	109.1103(g)(2)(ii)	109-165
LCR source water monitoring	109.1103(a)(3)	109-157
LCR source water treatment	109.1102(b)(4)	109-153

A - Z Selected Topics within Chapter 109 (rev. 6/19/17)

LCR special lead and copper tap monitoring	109.1103(b)	109-157
LCR System management responsibilities (Consumer Tap Notice certification form)	109.1107(a)(5)	109-180
LCR System management responsibilities (Corrosion Control Treatment reporting requirements)	109.1107(a)(3)	109-179
LCR System management responsibilities (CWS Operation and maintenance plan)	109.1107(b)(1)	109-181
LCR System management responsibilities (Lead service line replacement conditions)	109.1107(d)(4)	109-182
LCR System management responsibilities (Lead service line replacement discontinuation)	109.1107(d)(5)	109-182.1
LCR System management responsibilities (Lead service line replacement initiation)	109.1107(d)(1)	109-182
LCR System management responsibilities (Lead Service Line replacement reporting)	109.1107(a)(6)	109-180
LCR System management responsibilities (Lead service line replacement resumption)	109.1107(d)(6)	109-182.1
LCR System management responsibilities (Lead service line replacement schedule)	109.1107(d)(2)	109-182
LCR System management responsibilities (Lead service line replacement)	109.1107(d)	109-182
LCR System management responsibilities (Lead service line sampling)	109.1107(d)(3)	109-182
LCR System management responsibilities (NTNCWs Operation and maintenance plan)	109.1107(b)(2)	109-181
LCR System management responsibilities (Operation and maintenance plan requirements)	109.1107(b)(3)	109-181
LCR System management responsibilities (Operation and maintenance plan)	109.1107(b)	109-181
LCR System management responsibilities (Operator certification)	109.1107(c)	109-182
LCR System management responsibilities (Record maintenance)	109.1107(a)(7)	109-181
LCR System management responsibilities (Reporting lead and copper tap results)	109.1107(a)(2)(i)	109-178
LCR System management responsibilities (Reporting lead PE program requirements)	109.1107(a)(4)	109-180
LCR System management responsibilities (Reporting of monitoring results)	109.1107(a)(2)	109-178
LCR System management responsibilities (Reporting source water monitoring results)	109.1107(a)(2)(iii)	109-179
LCR System management responsibilities (Reporting WQP results)	109.1107(a)(2)(ii)	109-178
LCR System management responsibilities (Reporting/recordkeeping)	109.1107(a)	109-178
LCR System management responsibilities (Sample site location plan)	109.1107(a)(1)	109-178
LCR treatment technique requirements for corrosion control	109.1102(b)	109-150.28
LCR water quality parameter (WQP) performance requirements	109.1102(b)(5)	109-154
Level 1 Assessment shall be conducted by competent personnel	109.705(b)(3)	109-130
Level 1 or Level 2 Assessment elements	109.705(b)	109-130
Level 2 Assessment shall be conducted by individuals meeting following criteria	109.705(b)(4)	109-131
Long Term 2 Enhanced Surface Water Treatment Rule (LT2) Scope	109.1201(a)	109-182.3
LT 2 Appendix A (Table 1:CT Values by chlorine dioxide)	Appendix A (Sub L)	109-220
LT 2 Appendix A (Table 2:CT Values by ozone)	Appendix A (Sub L)	109-220
LT 2 Appendix A (Table 3:UV Dose table and virus inactivation credit)	Appendix A (Sub L)	109-221
LT 2 Appendix B (additional filtration toolbox options)	Appendix B (Sub L)	109-223

A - Z Selected Topics within Chapter 109 (rev. 6/19/17)

LT 2 Appendix B (inactivation toolbox options)	Appendix B (Sub L)	109-224
LT 2 Appendix B (prefiltration toolbox options)	Appendix B (Sub L)	109-222
LT 2 Appendix B (source protection and mgt toolbox options)	Appendix B (Sub L)	109-222
LT 2 Appendix B (treatment performance toolbox options)	Appendix B (Sub L)	109-223
LT 2 Appendix C (microbial toolbox reporting requirements)	Appendix C (Sub L)	109-225
LT 2 Appendix C (microbial toolbox reporting requirements: 1 watershed control program)	Appendix C (Sub L)	109-225
LT 2 Appendix C (microbial toolbox reporting requirements: 10 membrane filtration)	Appendix C (Sub L)	109-228
LT 2 Appendix C (microbial toolbox reporting requirements: 11 second stage filtration)	Appendix C (Sub L)	109-229
LT 2 Appendix C (microbial toolbox reporting requirements: 12 slow sand filtration as 2ndary filter)	Appendix C (Sub L)	109-229
LT 2 Appendix C (microbial toolbox reporting requirements: 13 chlorine dioxide)	Appendix C (Sub L)	109-229
LT 2 Appendix C (microbial toolbox reporting requirements: 14 ozone)	Appendix C (Sub L)	109-230
LT 2 Appendix C (microbial toolbox reporting requirements: 15 UV)	Appendix C (Sub L)	109-230
LT 2 Appendix C (microbial toolbox reporting requirements: 2 alternative source/intake management)	Appendix C (Sub L)	109-225
LT 2 Appendix C (microbial toolbox reporting requirements: 3 presedimentation)	Appendix C (Sub L)	109-226
LT 2 Appendix C (microbial toolbox reporting requirements: 4 two-stage lime softening)	Appendix C (Sub L)	109-226
LT 2 Appendix C (microbial toolbox reporting requirements: 5 bank filtration)	Appendix C (Sub L)	109-226
LT 2 Appendix C (microbial toolbox reporting requirements: 6 combined filter performance)	Appendix C (Sub L)	109-227
LT 2 Appendix C (microbial toolbox reporting requirements: 7 individual filter performance)	Appendix C (Sub L)	109-227
LT 2 Appendix C (microbial toolbox reporting requirements: 8 demonstration of performance)	Appendix C (Sub L)	109-227
LT 2 Appendix C (microbial toolbox reporting requirements: 9 bag filter and cartridge filters)	Appendix C (Sub L)	109-228
LT2 2-stage lime softening (microbial toolbox component)	109.1204(e)	109-196
LT2 additional requirements (additional treatment based on bin classification)	109.1203(e)	109-190
LT2 alternative source (microbial toolbox component)	109.1204(c)	109-195
LT2 applicability	109.1201(b)	109-182.3
LT2 bag and cartridge filter (microbial toolbox component)	109.1204(j)	109-198
LT2 bank filtration (microbial toolbox component)	109.1204(f)	109-196
LT2 bin classification (procedures for calculating)	109.1203(b)	109-189
LT2 bin classification and treatment technique requirements	109.1203(a)	109-189
LT2 Change in bin classification due to second round of source water monitoring (filtered systems)	109.1203(n)	109-192
LT2 Change in bin classification due to second round of source water monitoring (unfiltered systems)	109.1203(o)	109-192
LT2 combined filter performance (microbial toolbox component)	109.1204(g)	109-197
LT2 <i>Cryptosporidium</i> bin concentration recalculation requirements	109.1203(d)	109-190
LT2 <i>Cryptosporidium</i> bin concentration thresholds	109.1203(c)	109-189
LT2 <i>Cryptosporidium</i> treatment compliance dates (phased in by population size)	109.1203(m)	109-192

LT2 demonstration of performance study (microbial toolbox component)	109.1204(i)	109-197
LT2 failure to meet treatment credit is a treatment technique violation	109.1203(g)	109-191
LT2 inactivation toolbox components (calculation of CT values)	109.1204(n)	109-204
LT2 inactivation toolbox components (chlorine dioxide)	109.1204(o)	109-204
LT2 inactivation toolbox components (ozone)	109.1204(p)	109-204
LT2 inactivation toolbox components (UV light)	109.1204(q)	109-204
LT2 individual filter performance (microbial toolbox component)	109.1204(h)	109-197
LT2 initial source water monitoring	109.1202(a)	109-183
LT2 initial source water monitoring requirements can be met with grandfathered data	109.1205	109-206
LT2 membrane filtration (microbial toolbox component)	109.1204(k)	109-199
LT2 microbial toolbox components conditions	109.1204(a)	109-193
LT2 monitoring violations	109.1202(g)	109-186
LT2 new sources	109.1202(f)	109-185
LT2 Plants operating only part of the year	109.1202(e)	109-185
LT2 presedimentation (microbial toolbox component)	109.1204(d)	109-195
LT2 reporting and recordkeeping requirements (bin classification reporting)	109.1206(g)	109-207
LT2 reporting and recordkeeping requirements (DEP notification retention)	109.1206(k)	109-208
LT2 reporting and recordkeeping requirements (disinfection profiles/benchmarks)	109.1206(i)	109-208
LT2 reporting and recordkeeping requirements (methods for reporting to DEP during 2nd round)	109.1206(d)	109-206
LT2 reporting and recordkeeping requirements (methods for reporting to DEP)	109.1206(c)	109-206
LT2 reporting and recordkeeping requirements (methods for reporting to EPA)	109.1206(b)	109-206
LT2 reporting and recordkeeping requirements (microbial toolbox options record retention)	109.1206(l)	109-208
LT2 reporting and recordkeeping requirements (microbial toolbox reporting)	109.1206(h)	109-208
LT2 reporting and recordkeeping requirements (sampling schedule reporting)	109.1206(f)	109-207
LT2 reporting and recordkeeping requirements (source water monitoring record retention)	109.1206(j)	109-208
LT2 reporting and recordkeeping requirements (source water reporting data elements)	109.1206(e)	109-206
LT2 reporting and recordkeeping requirements (source water reporting time frame)	109.1206(a)	109-206
LT2 schedule for compliance with <i>Cryptosporidium</i> treatment technique requirements (filtered systems)	109.1203(k)	109-192
LT2 schedule for compliance with <i>Cryptosporidium</i> treatment technique requirements (unfiltered systems)	109.1203(l)	109-192
LT2 second round of source water monitoring	109.1202(b)	109-184
LT2 second stage filtration (microbial toolbox component)	109.1204(l)	109-203
LT2 slow sand filtration as a secondary filter (microbial toolbox component)	109.1204(m)	109-203
LT2 source water additional requirements	109.1202(p)	109-188
LT2 source water missed samples	109.1202(j)	109-187

A - Z Selected Topics within Chapter 109 (rev. 6/19/17)

LT2 source water monitoring avoidance	109.1202(d)	109-185
LT2 source water monitoring schedule	109.1202(c)	109-184
LT2 source water sample collection period	109.1202(i)	109-186
LT2 source water sample location for multiple sources	109.1202(o)	109-188
LT2 source water sampling location for plants that recycle	109.1202(m)	109-187
LT2 source water sampling location prior to bank filtration	109.1202(n)	109-187
LT2 source water sampling location prior to treatment	109.1202(l)	109-187
LT2 source water sampling locations	109.1202(k)	109-187
LT2 source water sampling schedules	109.1202(h)	109-186
LT2 treatment and management options (term=microbial toolbox under 109.1204)	109.1203(f)	109-191
LT2 Unfiltered systems bin classification (initial round)	109.1203(i)	109-191
LT2 Unfiltered systems bin classification (second round)	109.1203(j)	109-191
LT2 watershed changes that lead to increased <i>Cryptosporidium</i> contamination	109.1203(h)	109-191
LT2 watershed control program (microbial toolbox component)	109.1204(b)	109-193
Materials used meet ANSI/NSF Standard 61	109.606(c)	109-110
MCLs, MRDLs and treatment technique requirements	109.202	109-19
Minimum treatment design standards	109.605	109-109
Minimum treatment design standards for disinfection for ground water sources	109.605(4)	109-109
Minimum treatment design standards for disinfection for noncommunity ground water sources (E.C.+)	109.605(5)	109-110
Minimum treatment design standards for disinfection for surface water and GUDI sources	109.605(2)	109-109
Minimum treatment design standards for filtration and disinfection for bin 2 or higher sources	109.605(3)	109-109
Minimum treatment design standards for filtration for surface water and GUDI sources	109.605(1)	109-109
Monitoring requirements	109.301	109-28
Monitoring requirements for entry points that do not provide water continuously	109.301(11)	109-46
Monthly operational report for CWSs	109.701(b)(1)	109-119
MRDLs	109.202(f)	109-25
New source quality and quantity	109.603	109-107
New well, spring, infiltration gallery Zone 1 wellhead protection requirements (effective 10/9/1995)	109.603(b)(1)	109-107
Nitrate and nitrite monitoring	109.301(7)(ii)	109-40
Noncommunity alternate nitrate level exceedance Tier 1 PN requirements	109.413	109-85
Noncommunity water system construction permit	109.505(a)	109-102
Noncommunity water system providing 4-log treatment of groundwater source permit	109.505(b)	109-103
Noncommunity water system significant deficiency special notice requirements	109.417	109-89
Noncompliance report within 48 hrs to DEP (failure to comply with NPDWR or monitoring requirement)	109.701(a)(10)	109-119

One-Hour Reporting requirements	109.701(a)(3)	109-117
One-Hour Reporting requirements (circumstances exist which may adversely impact quality/quantity...)	109.701(a)(3)(iii)	109-117
Operation and Maintenance plan	109.702	109-127
Operation permit	109.504	109-101
Operational evaluation levels (Stage 2 DBP rule)	109.701(g)(2)(iii)	109-123
Operator Certification	109.704	109-129
Organization of Chapter 109	109.5	109-15
Performance monitoring for filtration and disinfection	109.301(1)	109-28
Performance monitoring for unfiltered surface water and GUDI	109.301(2)	109-30
Permit application requirements	109.503(a)	109-94
Permit fees	109.503(c)	109-99
Permit requirements	109.501	109-92
Permitting of currently operating systems; compliance deadlines	109.502	109-93
Permits for Innovative technology	109.507	109-104
Planned service interruptions	109.708	109-134
POE Devices	109.612	109-113
POE Devices monitoring	109.301(9)	109-46
Primary MCLs	109.202(a)	109-19
Public hearing on a variance or exemption	109.905	109-147
Public notice additional requirements (updates to O & M and ERP plans)	109.407(d)	109-74
Public notice by DEP on behalf of the PWS	109.415	109-86
Public notice content elements	109.411(a)	109-82
Public notice formatting, posting and Spanish translation requirements	109.411(d)	109-83
Public notice recipients	109.407(c)	109-73
Public notice standard language requirements	109.411(e)	109-83
Public notice tier definitions	109.407(b)	109-72
Public notice to new billing customers or units	109.414	109-86
Public Notification certification form	109.701(a)(4)	109-117
Public notification requirements (General)	109.407	109-72
Public notification violation and situation categories	109.407(a)	109-72
Purpose of Chapter 109	109.2	109-15
PWS or DEP may request a consultaiton with the other party	109.705(b)(9)	109-131
PWS with GWR sources with significant deficiencies shall comply with 109.1302(c)	109.705(d)	109-131
PWS with surface water and GUDI with significant deficiency response timeframe	109.705(c)	109-131

A - Z Selected Topics within Chapter 109 (rev. 6/19/17)

PWSs shall correct sanitary defects	109.705(b)(8)	109-131
Radionuclide compliance requirements	109.301(14)(iii)	109-63
Radionuclide monitoring	109.301(14)	109-59
Record Maintenance for public water suppliers	109.701(d)	109-119
Recycling of waste stream	109.202(h)	109-25
Reporting requirements for disinfectant residuals (Chlorine dioxide, chlorine, chloramines)	109.701(a)(8)	109-118
Reporting requirements for Level 1 and Level 2 Assessments (RTCR)	109.701(a)(9)	109-118
Reporting requirements for NTNCWs	109.701(c)	109-119
Reporting requirements for public water systems	109.701(a)	109-114
Reserved capacity and finished water storage	109.609	109-112
Residual disinfectant performance monitoring reporting requirements (Distribution)	109.701(a)(2)(i)(C)	109-116
Residual disinfectant performance monitoring reporting requirements (Entry point)	109.701(a)(2)(i)(B)	109-115
Samples are properly collected and preserved	109.303(c)	109-66
Sampling location for asbestos	109.303(a)(5)	109-66
Sampling location for compliance with treatment technique and performance monitoring	109.303(b)	109-66
Sampling location for <i>E. coli</i>	109.303(a)(2)	109-66
Sampling location for fluoride	109.303(a)(3)	109-66
Sampling location for organics and inorganics	109.303(a)(4)	109-66
Sampling location for turbidity	109.303(a)(1)	109-66
Sampling locations	109.303	109-66
Sanitary surveys (conducted by CWS)	109.705	109-130
Scope of Chapter 109	109.3	109-16
Seasonal systems (start-up procedure requirements)	109.715	109-138
Secondary MCLs	109.202(b)	109-20
SOC compliance determinations	109.301(6)(ix)	109-39
SOC monitoring	109.301(6)	109-36
SOC Susceptibility waiver	109.301(6)(vii)(C)	109-38
SOC Use waiver	109.301(6)(vii)(B)	109-38
SOC waivers	109.301(6)(vii)	109-38
Special monitoring	109.302	109-64
Special notice for failure to conduct source water <i>Cryptosporidium</i> monitoring	109.418	109-90
Special notice for failure to determine <i>Cryptosporidium</i> bin classification	109.418	109-90
Surface water and GUDI additional reporting and recordkeeping requirements (found under 109.1206)	109.701(l)	109-126
System distribution map	109.706	109-132

A - Z Selected Topics within Chapter 109 (rev. 6/19/17)

Tier 1 abbreviated public notice content elements	109.411(b)	109-82
Tier 1 public notice delivery requirements before 5/10/2010	109.408(c)	109-76
Tier 1 public notice delivery requirements beginning 5/10/2010	109.408(d)	109-76
Tier 1 public notice milestones and time frames	109.408(b)	109-75
Tier 1 public notice violation categories	109.408(a)	109-74
Tier 2 public notice delivery requirements	109.409(c)	109-78
Tier 2 public notice time frames	109.409(b)	109-78
Tier 2 public notice violation categories	109.409(a)	109-77
Tier 3 public notice delivery requirements	109.410(c)	109-80
Tier 3 public notice delivery using CCR	109.410(d)	109-81
Tier 3 public notice time frames	109.410(b)	109-80
Tier 3 public notice violation categories	109.410(a)	109-79
Total coliform sample siting plan	109.701(a)(5)	109-117
Treatment technique requirements for acrylamide and epichlorohydrin	109.202(e)	109-25
Treatment technique requirements for disinfection byproduct precursors	109.202(g)	109-25
Treatment technique requirements for pathogenic bacteria, viruses and protozoan cysts	109.202(c)	109-20
TTHM and HAA5 Stage 1 DBP rule monitoring	109.301(12)(i)	109-46
TTHM and HAA5 Stage 2 DBP rule compliance determinations	109.301(12)(ii)(E)	109-55
TTHM and HAA5 Stage 2 DBP rule routine monitoring	109.301(12)(ii)(B)	109-49
Turbidity performance monitoring reporting requirements	109.701(a)(2)(i)(A)	109-115
Unregulated Contaminant Monitoring (UCMR) special notice	109.412	109-85
Unregulated contaminants	109.203	109-26
Variance request	109.902	109-145
Variance requirements	109.901	109-144
Vended water systems permit-by-rule monitoring requirements	109.1003(a)(2)	109-150.7
Vended water systems permit-by-rule special permit	109.1005(b)	109-150.12
Vending machine operational requirements	109.1009(g)	109-150.26
VOC compliance determinations	109.301(5)(x)	109-35
VOC monitoring	109.301(5)	109-34.3
VOC waivers	109.301(5)(viii)	109-35
Water supplier shall develop additional sources if 2 or more outages occur in a consecutive 2-year period	109.603(d)	109-108
Wellhead protection program	109.713	109-136