

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2022 - March 2022

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
BEAVER VALLEY							
42-007-0007	1	BEAVER VALLEY	Lead (LC)	1/5/2022	0.007	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	1/11/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	1/17/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	1/23/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	1/29/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	2/10/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	2/16/2022	0.003	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	2/22/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	2/28/2022	0.003	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	3/6/2022	0.003	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	3/12/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	3/24/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	3/30/2022	0.003	µg/m ³	
CHESTER							
42-045-0002	1	CHESTER	Lead (LC)	1/5/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	1/11/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	1/17/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	1/23/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	1/29/2022	0.003	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	2/4/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	2/10/2022	0.006	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	2/16/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	2/22/2022	0.003	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	2/28/2022	0.003	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	3/6/2022	0.004	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	3/12/2022	0.005	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	3/18/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	3/24/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	3/30/2022	0.004	µg/m ³	
CONEMAUGH							
42-129-0009	1	CONEMAUGH	Lead (LC)	1/5/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	1/11/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	1/17/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	1/23/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	2/4/2022	0.002	µg/m ³	

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2022 - March 2022

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-129-0009	1	CONEMAUGH	Lead (LC)	2/10/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	2/16/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	2/22/2022	0.004	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	2/28/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	3/6/2022	0.003	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	3/12/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	3/18/2022	0.003	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	3/24/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	3/30/2022	0.003	µg/m ³	
ELLWOOD CITY							
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/5/2022	0.02	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/11/2022	0.023	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/17/2022	0.002	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/23/2022	0.009	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/29/2022	0.006	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/4/2022	0.002	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/10/2022	0.006	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/16/2022	0.064	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/22/2022	0.02	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/28/2022	0.024	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/6/2022	0.021	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/12/2022	0.003	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/18/2022	0.042	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/24/2022	0.012	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/30/2022	0.026	µg/m ³	
LAURELDALE SOUTH							
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/5/2022	0.008	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/11/2022	0.006	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/17/2022	0.002	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/23/2022	0.005	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/29/2022	0.007	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/4/2022	0.002	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/10/2022	0.327	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/16/2022	0.003	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/22/2022	0.009	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/28/2022	0.009	µg/m ³	

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2022 - March 2022

EPA Codes						
Site		Site Name	Pollutant	Date	Concentration	Units
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/6/2022	0.006	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/12/2022	0.003	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/18/2022	0.005	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/24/2022	0.01	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/30/2022	0.007	µg/m ³
LYONS BORO						
42-011-0021	1	LYONS BORO	Lead (LC)	1/5/2022	0.025	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	1/11/2022	0.008	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	1/23/2022	0.017	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	1/29/2022	0.004	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/4/2022	0.002	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/10/2022	0.028	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/16/2022	0.009	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/22/2022	0.022	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/28/2022	0.005	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/6/2022	0.115	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/12/2022	0.006	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/18/2022	0.034	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/24/2022	0.003	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/30/2022	0.004	µg/m ³
LYONS PARK						
42-011-0022	1	LYONS PARK	Lead (LC)	1/5/2022	0.013	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	1/11/2022	0.006	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	1/23/2022	0.015	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	1/29/2022	0.003	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/4/2022	0.002	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/10/2022	0.016	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/16/2022	0.004	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/22/2022	0.009	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/28/2022	0.003	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/6/2022	0.106	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/18/2022	0.029	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/24/2022	0.002	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/30/2022	0.004	µg/m ³
MT JOY						
42-071-0009	1	MT JOY	Lead (LC)	1/5/2022	0.003	µg/m ³

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2022 - March 2022

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-071-0009	1	MT JOY	Lead (LC)	1/11/2022	0.023	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	1/17/2022	0.105	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	1/23/2022	0.007	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	1/29/2022	0.002	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	2/4/2022	0.005	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	2/10/2022	0.025	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	2/16/2022	0.002	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	2/22/2022	0.003	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	2/28/2022	0.003	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	3/18/2022	0.016	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	3/24/2022	0.004	µg/m ³	
42-071-0009	1	MT JOY	Lead (LC)	3/30/2022	0.005	µg/m ³	
PALMERTON							
42-025-0214	1	PALMERTON	Lead (LC)	1/5/2022	0.023	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	1/11/2022	0.014	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	1/17/2022	0.015	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	1/23/2022	0.033	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	1/29/2022	0.003	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/4/2022	0.004	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/10/2022	0.026	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/16/2022	0.027	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/22/2022	0.05	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/28/2022	0.006	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/6/2022	0.086	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/12/2022	0.009	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/18/2022	0.022	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/24/2022	0.004	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/30/2022	0.024	µg/m ³	
PALMERTON HIGH SCHOOL							
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/5/2022	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/11/2022	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/17/2022	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/23/2022	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/29/2022	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/4/2022	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/10/2022	0.003	µg/m ³	

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2022 - March 2022

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/16/2022	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/22/2022	0.034	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/28/2022	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/6/2022	0.014	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/12/2022	0.005	µg/m ³	
POTTER TOWNSHIP							
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	1/5/2022	0.002	µg/m ³	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	1/11/2022	0.002	µg/m ³	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	2/28/2022	0.002	µg/m ³	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/6/2022	0.003	µg/m ³	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/12/2022	0.002	µg/m ³	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/18/2022	0.002	µg/m ³	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/24/2022	0.002	µg/m ³	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/30/2022	0.004	µg/m ³	
VANPORT							
42-007-0505	1	VANPORT	Lead (LC)	1/5/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	1/11/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	1/17/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	1/23/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	1/29/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	2/4/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	2/10/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	2/16/2022	0.004	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	2/22/2022	0.003	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	2/28/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	3/6/2022	0.004	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	3/12/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	3/18/2022	0.004	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	3/24/2022	0.002	µg/m ³	
42-007-0505	1	VANPORT	Lead (LC)	3/30/2022	0.003	µg/m ³	