

# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

# STATE ONLY SYNTHETIC MINOR OPERATING PERMIT

Issue Date: June 24, 2024 Effective Date: February 3, 2025
Revision Date: February 3, 2025
Expiration Date: June 24, 2029

Revision Type: Modification

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

# State Only Permit No: 35-00008

Synthetic Minor

Federal Tax Id - Plant Code: 23-2801499-1

#### **Owner Information**

Name: GENTEX CORP Mailing Address: 324 MAIN ST

SIMPSON, PA 18407-1182

# **Plant Information**

Plant: GENTEX CORP/SIMPSON PROT CLOTHING

Location: 35 Lackawanna County 35923 Fell Township

SIC Code: 3851 Manufacturing - Ophthalmic Goods

## Responsible Official

Name: PATRICK STALLINGS

Title: SR DIRECTOR/GENERAL MGR.

Phone (570) 282 - 8314 Email: Pstallings@gentexcorp.com

# Permit Contact Person

Name: KI HARMON Title: EHS MANAGER Phone: (570) 282 - 8607

Phone: (570) 282 - 8607 Email: kharmon@gentexcorp.com

[Signature]

MARK J. WEJKSZNER, NORTHEAST REGION AIR PROGRAM MANAGER



# **SECTION A. Table of Contents**

### Section A. Facility/Source Identification

**Table of Contents** Site Inventory List

# Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation of Sources
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- Sampling, Testing and Monitoring Procedures. #019
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

#### Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

### Section D. Source Level State Only Requirements

- Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

### Section E. Source Group Restrictions

E-I: Restrictions



# **SECTION A. Table of Contents**

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

# Section F. Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

# Section G. Emission Restriction Summary

### Section H. Miscellaneous








# **SECTION A.** Site Inventory List

ID Source Name	Capacity/	Throughput	Fuel/Material
031 CLEAVER BROOKS BOILER - GP1-35-005			#2 Oil
	14.010	MMCF/HR	Natural Gas
032 CLEAVER BROOKS BOILER - GP1-35-006	14.200	MMBTU/HR	
	14.000	MMCF/HR	Natural Gas
	102.000	Gal/HR	#2 Oil
NORDSON SPRAY BOOTH 1			
NORDSON SPRAY BOOTH 2			
PAINT DRYING OVEN (HELMETS)			
BINKS BOOTH 1			
BINKS BOOTH 2			
BINKS BOOTH 3			
ADHESIVES DEPT 5 & 17	7.100	Lbs/HR	ADHESIVES
COATING LINE C			
EMERGENCY GENERATORS			
OPTICAL SYSTEMB			
MVS OPTICAL LINE			
FLOW COATING			
ADWEST REGENERATIVE THERMAL OXIDIZER			
(RTO)			
STACK - CLEAVER BROOKS BOILER  STACK - EMERGENCY GENERATORS			
	CLEAVER BROOKS BOILER - GP1-35-005  CLEAVER BROOKS BOILER - GP1-35-006  NORDSON SPRAY BOOTH 1  NORDSON SPRAY BOOTH 2  PAINT DRYING OVEN (HELMETS)  BINKS BOOTH 1  BINKS BOOTH 2  BINKS BOOTH 3  ADHESIVES DEPT 5 & 17  COATING LINE C  EMERGENCY GENERATORS  OPTICAL SYSTEMB  MVS OPTICAL LINE  FLOW COATING  ADWEST REGENERATIVE THERMAL OXIDIZER (RTO)  NORDSON SPRAY BOOTH 1 FILTER BANK  BINKS BOOTH 2 FILTER BANK  BINKS BOOTH 1 FILTER BANK  BINKS BOOTH 3 FILTER BANK  BINKS BOOTH 3 FILTER BANK  NATURAL GAS  #2 FUEL OIL  STACK - NORDSON BOOTH 1  STACK - BINKS BOOTH 2  STACK - BINKS BOOTH 2  STACK - BINKS BOOTH 3  STACK - BINKS BOOTH 3  STACK - BINKS BOOTH 3  STACK - DEPT 5 EXHAUST  STACK - DEPT 17 EXHAUST  STACK - CLEAVER BROOKS BOILER  STACK - CLEAVER BROOKS BOILER	CLEAVER BROOKS BOILER - GP1-35-005  14.340  102.100  14.010  CLEAVER BROOKS BOILER - GP1-35-006  14.200  14.000  102.000  NORDSON SPRAY BOOTH 1  NORDSON SPRAY BOOTH 2  PAINT DRYING OVEN (HELMETS)  BINKS BOOTH 1  BINKS BOOTH 2  BINKS BOOTH 3  ADHESIVES DEPT 5 & 17  COATING LINE C  EMERGENCY GENERATORS  OPTICAL SYSTEM B  M/S OPTICAL LINE  FLOW COATING  ADWEST REGENERATIVE THERMAL OXIDIZER  (RTO)  NORDSON SPRAY BOOTH 1 FILTER BANK  NORDSON SPRAY BOOTH 2 FILTER BANK  BINKS BOOTH 2 FILTER BANK  BINKS BOOTH 3 FILTER BANK  BINKS BOOTH 3 FILTER BANK  BINKS BOOTH 5 FILTER BANK  BINKS BOOTH 5 FILTER BANK  BINKS BOOTH 6 FILTER BANK  BINKS BOOTH 7 FILTER BANK  BINKS BOOTH 8 FILTER BANK  STACK - NORDSON BOOTH 1  STACK - NORDSON BOOTH 1  STACK - BINKS BOOTH 2  STACK - BINKS BOOTH 3  STACK - BINKS BOOTH 3  STACK - DEPT 5 EXHAUST  STACK - DEPT 17 EXHAUST  STACK - CLEAVER BROOKS BOILER  STACK - CLEAVER BROOKS BOILER	14.340   MMBTU/HR   102.100   Gal/HR   14.010   MMCF/HR   14.010   MMCF/HR   14.010   MMCF/HR   14.000   MMCF/HR   14.000   MMCF/HR   14.000   MMCF/HR   14.000   MMCF/HR   102.000   Gal/HR   102.000


# **PERMIT MAPS**











DEP Auth ID: 1509311 DEP PF II





#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

**Operating Permit Duration.** 

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]

#### Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
  - (1) For a synthetic minor facility, a fee equal to:
    - (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
    - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
    - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.





- (2) For a facility that is not a synthetic minor, a fee equal to:
  - (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
  - (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
  - (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.
- (b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

# #005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

# **Transfer of Operating Permits.**

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

# #006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

#### Inspection and Entry.

- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
  - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

### #007 [25 Pa. Code §§ 127.441 & 127.444]

### Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:





- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

**Duty to Provide Information.** 

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]

**Operating Permit Modifications** 

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:



- (b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.
- (e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

### #012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

### #013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
  - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:





- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
  - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
  - (4) Space heaters which heat by direct heat transfer.
  - (5) Laboratory equipment used exclusively for chemical or physical analysis.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

# #014 [25 Pa. Code § 127.3]

#### Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)





- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

#### #015 [25 Pa. Code § 127.11a]

### **Reactivation of Sources**

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

### #016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

# #017 [25 Pa. Code § 121.9]

### Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

### #018 [25 Pa. Code §§ 127.402(d) & 127.442]

# Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such





records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

### #019 [25 Pa. Code §§ 127.441(c) & 135.5]

### Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

### #020 [25 Pa. Code §§ 127.441(c) and 135.5]

#### Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
  - (1) The date, place (as defined in the permit) and time of sampling or measurements.
  - (2) The dates the analyses were performed.
  - (3) The company or entity that performed the analyses.
  - (4) The analytical techniques or methods used.
  - (5) The results of the analyses.
  - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

# #021 [25 Pa. Code § 127.441(a)]

**Property Rights.** 

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]

**Alternative Operating Scenarios.** 

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.



#023 [25 Pa. Code §135.3]

35-00008

Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]

**Report Format** 

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.



#### I. RESTRICTIONS.

### **Emission Restriction(s).**

### # 001 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

- (a) No person may permit the emission into the outdoor atmosphere of fugitive air contaminant from a source other than the following:
  - (1) Construction or demolition of buildings or structures.
  - (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
- (4) Clearing of land.
- (5) Stockpiling of materials.
- (6) Open burning operations.
- (7) Blasting in open pit mines. Emissions from drilling are not considered as emissions from blasting.
- (8) N/A.
- (9) Sources and classes of sources other than those identified in paragraphs (1)-(8), for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
  - (i) the emissions are of minor significance with respect to causing air pollution; and
- (ii) the emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

## # 002 [25 Pa. Code §123.2]

# Fugitive particulate matter

A person may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in SECTION C, Condition #001 (relating to prohibition of certain fugitive emissions) if such emissions are visible at the point the emissions pass outside the person's property.

#### # 003 [25 Pa. Code §123.31]

#### Limitations

A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

#### # 004 [25 Pa. Code §123.41]

#### Limitations

- (a) A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:
  - (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
  - (2) Equal to or greater than 60% at any time.

#### # 005 [25 Pa. Code §123.42]

#### **Exceptions**

- (a) The limitations of SECTION C, Condition #004, shall not apply to a visible emission in any of the following instances:
  - (1) When the presence of uncombined water is the only reason for failure of the emission to meet the limitations.





- (2) When the emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions.
- (3) When the emission results from sources specified in SECTION C, Condition #001.
- (4) When arising from the production of agricultural commodities in their unmanufactured state on the premises of the farm operation.

# # 006 [25 Pa. Code §127.441]

# Operating permit terms and conditions.

The VOC emissions from the facility shall be limited to less than 50 tons per year based on a 12-month rolling sum as calculated by the company and approved by the Department.

#### # 007 [25 Pa. Code §127.441]

#### Operating permit terms and conditions.

The HAPs emissions from the facility shall never equal to or exceed 10 tons per year for any single HAP and shall never be equal to or exceed 25 tons per year for combined HAPs based on a 12-month rolling sum.

#### II. TESTING REQUIREMENTS.

#### # 008 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

All sampling, testing and analyses performed in compliance with the requirements of any section of this Operating Permit shall be done in accordance with SECTION B, General State Only Requirement #019.

#### # 009 [25 Pa. Code §127.441]

#### Operating permit terms and conditions.

- (a) If at any time the Department has cause to believe that air contaminant emissions from the sources at the facility may be in excess of the limitations specified in, or established pursuant to, any applicable rule or regulation contained in Article III of the Rules and Regulations of the Department of Environmental Protection, the company shall be required to conduct to whatever tests are deemed necessary by the Department to determine the actual emission rate(s), such testing shall be conducted in accordance with the provisions of the most current publication of the DEP Source Testing Manual and Chapter 139 of the Rules and Regulations of the Department of Environmental Protection. The testing shall be performed in accordance with any restriction or limitation established by the Department, within the time frame specified by the Department.
- (b) The company shall not impose conditions upon or otherwise restrict the Department's access to the aforementioned sources) and/or any associated air cleaning device(s) and shall allow the Department to have access at any time to said source(s) and associated air cleaning device(s) with such measuring and recording equipment, including equipment recording visual observations, as the Department deems necessary and proper for performing its duties and for the effective enforcement of the Air Pollution Control Act.
- (c) The company shall immediately notify the Department of any malfunction of, or damage to, these air cleaning devices which result in, or may possible result in, the emissions of air pollutants in excess of the limitations specified in the Operating Permit or any applicable Department Rule or Regulation.

# # 010 [25 Pa. Code §139.1]

#### Sampling facilities.

If requested by the Department, the permittee shall conduct performance (stack) tests in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department. The permittee will provide adequate sampling ports, safe sampling platforms, and adequate utilities for the performance by the Department of tests on such sources. The Department will set forth, in the request, the time period in which the facilities shall be provided as well as the specifications for such facilities.

#### # 011 [25 Pa. Code §139.11]

# General requirements.

(a) The following are applicable to source tests for determining emissions from stationary sources:



- (1) Performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.
- (2) The Department will consider for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, as a minimum all of the following:
  - (i) A thorough source description, including a description of any air cleaning devices and the flue.
- (ii) Process conditions, for example, the charging rate of raw material or rate of production of final product, boiler pressure, oven temperature, and other conditions which may affect emissions from the process.
  - (iii) The location of the sampling ports.
- (iv) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage CO, CO2, O2 and N2), static and barometric pressures.
- (v) Sample collection techniques employed, including procedures used, equipment descriptions and data to verify that isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met.
  - (vi) Laboratory procedures and results.
  - (vii) Calculated results.

#### III. MONITORING REQUIREMENTS.

### # 012 [25 Pa. Code §123.41]

#### Limitations

Equipment shall be maintained and operated in accordance with manufacture's specifications and in compliance with SECTION C, Condition #004.

#### # 013 [25 Pa. Code §123.43]

#### Measuring techniques

- (a) Visible emissions may be measured using either of the following:
  - (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and qualified to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

### # 014 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

- (a) The permittee shall conduct weekly inspections of the facility perimeter, during daylight hours when the plant is in operation, to detect visible, fugitive, and malodor emissions as follows:
  - (1) Visible emissions in excess of the limits stated in SECTION C, Condition #004.
- (i) Visible emissions may be measured according to the methods specified in SECTION C, Condition #013, or alternatively, plant personnel who observe any visible emissions will report the incident of visible emissions to the Department within four (4) hours of each incident and make arrangements for a certified observer to verify the opacity of the emissions.
- (2) The presence of fugitive emissions visible beyond the boundaries of the facility, as stated in SECTION C, Condition #002.
- (3) The presence of malodor emissions beyond the boundaries of the facility, as stated in SECTION C, Condition #003.

# IV. RECORDKEEPING REQUIREMENTS.

### # 015 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

All instances of exceedance of visible or fugitive emission limitations, SECTION C, Conditions #001, #002, and #004, shall be recorded in a log book. Such records shall be maintained in accordance with SECTION B, General State Only





Requirements #020 and shall be made available to the Department upon written or verbal request in a reasonable time.

#### # 016 [25 Pa. Code §127.441]

# Operating permit terms and conditions.

[Authority for this condition is also derived from 25 Pa. Code, Section 129.95]

- (a) The permittee shall maintain records in accordance with recordkeeping requirements of 25 Pa Code, Section 129.95 except that these records shall be retained in accordance with SECTION B, General State Only Requirements #020.
- (b) These records shall include, but not limited to, all VOC and HAP's containing compounds used at the facility as well as calculations both VOC and HAP emissions (updated monthly): all air pollution control systems performance evaluations and records of calibration checks, adjustments and maintenance performed on all equipment which is subject to this operating permit.
- (c) The facility shall keep on hand chemical composition data for all of the coatings used in the lines, and shall record on a daily basis the amount of these coatings and any volatile organic compound (VOC) solvent or thinner usage for these lines.

#### # 017 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

- (1) The permittee shall determine monthly the facility's actual emission of each Federal HAP, in units of tons per month, based on a 12-month rolling average. The permittee shall keep and maintain a monthly record of each Federal HAP emitted from this facility per month, in units of tons per month, based a 12 month rolling average.
- (2) The permittee shall determine monthly the facility's actual total emissions of Federal HAPs, in units of tons per month, based on a 12-month rolling average. The permittee shall keep and maintain monthly records of the total amount of all Federal HAPs emitted from this facility, in units of tons per month, based on a 12-month rolling average

#### REPORTING REQUIREMENTS.

#### # 018 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

- (a) The permittee, within one (1) hour of discovery of an occurrence, shall notify the Department, by phone at (570) 826-2511, of any malfunction, record keeping or reporting errors, or other possible non-compliance issues, which reasonably is believed to either result in or possibly result in, or which results in, the emission of air contaminants in excess of the limitations specified in, or established pursuant to, any applicable rule or regulations contained in Article III of the Rules and Regulations of the Department of Environmental Protection.
- (b) A written report shall be submitted to the Department within five (5) working days following the initial notification describing the incident and the corrective actions taken or to be taken. The Department may take enforcement action for any violations of the applicable standards.

### [25 Pa. Code §127.441]

#### Operating permit terms and conditions.

The permittee shall report on a quarterly basis the total VOC emissions emitted, the total usage of each coating to include weight of VOC/gal., any volatile organic compound (VOC) solvent, fuel usage, and any maintenance /calibration checks performed on all equipment which is subject to this permit. The permittee shall submit the report within one month of the end of the guarter (April, July, October, January).

#### VI. WORK PRACTICE REQUIREMENTS.

#### # 020 [25 Pa. Code §123.1]

#### Prohibition of certain fugitive emissions

- (a) The permittee shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions shall include, but not be limited to, the following:
- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction



35-00008

operations, the grading of roads, or the clearing of land.

- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
  - (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

# # 021 [25 Pa. Code §129.14]

# Open burning operations

- (a) No person may permit the open burning of material in an air basin.
- (b) Exceptions: The requirements of subsection (a) do not apply where the open burning operations result from:
- (1) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.
  - (2) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
  - (3) A fire set for the prevention and control of disease or pests, when approved by the Department.
- (4) A fire set in conjunction with the production of agricultural commodities in their unmanufactured state on the premises of the farm operation.
- (5) A fire set for the purpose of burning domestic refuse, when the fire is on the premises of a structure occupied solely as a dwelling by two families or less and when the refuse results from the normal occupancy of such structure.
  - (6) A fire set solely for recreational or ceremonial purposes.
  - (7) A fire set solely for cooking food.
- (c) Clearing and grubbing wastes. The following is applicable to clearing and grubbing wastes:
  - (1) As used in this subsection the following terms shall have the following meanings:

Air curtain destructor -- A mechanical device which forcefully projects a curtain of air across a pit in which open burning is being conducted so that combustion efficiency is increased and smoke and other particulate matter are contained.

Clearing and grubbing wastes -- Trees, shrubs, and other native vegetation which are cleared from land during or prior to the process of construction. The term does not include demolition wastes and dirt laden roots.

- (2) Subsection (a) notwithstanding, clearing and grubbing wastes may be burned in a basin subject to the following requirements:
  - (i) Air curtain destructors shall be used when burning clearing and grubbing wastes.
- (ii) Each proposed use of air curtain destructors shall be reviewed and approved by the Department in writing with respect to equipment arrangement, design and existing environmental conditions prior to commencement of burning. Proposals approved under this subparagraph need not obtain plan approval or operating permits under 25 Pa. Code, Chapter 127 (relating to construction modification, reactivation and operation of sources).
- (iii) Approval for use of an air curtain destructor at one site may be granted for a specified period not to exceed 3 months, but may be extended for additional limited periods upon further approval by the Department.
- (iv) The Department reserves the right to rescind approval granted if a determination by the Department indicates that an air pollution problem exists.





(3) During an air pollution episode, open burning is limited by 25 Pa. Code, Chapter 137 (relating to air pollution episodes) and shall cease as specified in such chapter.

# VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

# IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.

35-00008



# **SECTION D.** Source Level Requirements

Source ID: 031 Source Name: CLEAVER BROOKS BOILER - GP1-35-005


Source Capacity/Throughput: 14.340 MMBTU/HR

102.100 Gal/HR #2 Oil

14.010 MMCF/HR Natural Gas

Conditions for this source occur in the following groups: GROUP 01

**GROUP 04** 



#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).



# 35-00008



# **SECTION D.** Source Level Requirements


Source ID: 032 Source Name: CLEAVER BROOKS BOILER - GP1-35-006

Source Capacity/Throughput: 14.200 MMBTU/HR

14.000 MMCF/HR Natural Gas 102.000 Gal/HR #2 Oil

Conditions for this source occur in the following groups: GROUP 01

**GROUP 04** 



### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).







Source ID: 101A Source Name: NORDSON SPRAY BOOTH 1

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 02



#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

# VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).





Source ID: 101B Source Name: NORDSON SPRAY BOOTH 2

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 02



#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

# VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).








Source ID: 101C Source Name: PAINT DRYING OVEN (HELMETS)

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 02



#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

# VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).







Source ID: 101D Source Name: BINKS BOOTH 1

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 02



### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### WORK PRACTICE REQUIREMENTS. VI.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### ADDITIONAL REQUIREMENTS. VII.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).





Source ID: 101E Source Name: BINKS BOOTH 2

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 02



#### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### WORK PRACTICE REQUIREMENTS. VI.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### ADDITIONAL REQUIREMENTS. VII.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

35-00008



#### SECTION D. **Source Level Requirements**

Source ID: 101F Source Name: BINKS BOOTH 3

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 02



#### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### WORK PRACTICE REQUIREMENTS. VI.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### ADDITIONAL REQUIREMENTS. VII.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).



#### 35-00008




# **SECTION D.** Source Level Requirements

Source ID: 104 Source Name: ADHESIVES DEPT 5 & 17

Source Capacity/Throughput: 7.100 Lbs/HR ADHESIVES

Conditions for this source occur in the following groups: GROUP 04



#### I. RESTRICTIONS.

# **Emission Restriction(s).**

# 001 [25 Pa. Code §123.13]

#### **Processes**

No person may permit the emission into the outdoor atmosphere of particulate matter from these processes in a manner that the concentration of particulate matter in the effluent gas exceeds 0.04 grain per dry standard cubic foot, when the effluent gas volume is less than 150,000 dry standard cubic feet per minute.

# 002 [25 Pa. Code §123.31]

#### Limitations

A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

# 003 [25 Pa. Code §123.41]

#### Limitations

- (a) A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:
  - (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
  - (2) Equal to or greater than 60% at any time.

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

# IV. RECORDKEEPING REQUIREMENTS.

# 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Authority for this condition is also derived from 25 Pa. Code, Section 129.95]

(a) The company shall maintain a file containing all records and other data that are required to be collected pursuant to the various provisions of the operating permit, 25 PA Code Section 129.95, such that records provide sufficient data and calculations to clearly demonstrate that the requirements of 25 PA Code, Chapter 129, 129.91-94 are met. The file shall include, but not limited to:





- (1) A record of all VOC containing compounds used at the facility as well as calculations on the entire facilities VOC emissions (updated Quarterly - 3 months); and
- (2) All air pollution control systems performance evaluations and records of calibration checks, adjustment and maintenance performed on all equipment which is subject to this operating permit.
- (b) All measurements, records and other data required to be maintained by the company shall be retained for at least five (5) years following the date on which such measurements, records or data are recorded. These records shall be available to the Department upon request.

# 005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The company shall keep on hand chemical composition data for all of the materials including coatings and cleaning solutions. The facility shall indicate all Volatile Organic Compounds (VOC) material usage on the aforementioned sources. These records shall be maintained and made available to the Department upon request.

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VI. WORK PRACTICE REQUIREMENTS.

# 006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall conduct best manufacturing practices which will ensure compliance with required material formulations and application procedures.
- (b) Maintain and operate all system components according to manufacturer's recommendations.

#### ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

35-00008



#### SECTION D. **Source Level Requirements**

Source ID: 109 Source Name: COATING LINE C

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 03



#### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### WORK PRACTICE REQUIREMENTS. VI.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### ADDITIONAL REQUIREMENTS. VII.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).








Source ID: 110 Source Name: EMERGENCY GENERATORS

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 04



#### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### MONITORING REQUIREMENTS. Ш

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

# VI. WORK PRACTICE REQUIREMENTS.

#### # 001 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6640]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal **Combustion Engines** 

How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?

- (a) You must demonstrate continuous compliance with each emission limitation, operating limitation, and other requirements in Tables 1a and 1b, Tables 2a and 2b, Table 2c, and Table 2d to this subpart that apply to you according to methods specified in Table 6 to this subpart.
- (b) You must report each instance in which you did not meet each emission limitation or operating limitation in Tables 1a and 1b, Tables 2a and 2b, Table 2c, and Table 2d to this subpart that apply to you. These instances are deviations from the emission and operating limitations in this subpart. These deviations must be reported according to the requirements in § 63.6650. If you change your catalyst, you must reestablish the values of the operating parameters measured during the initial performance test. When you reestablish the values of your operating parameters, you must also conduct a performance test to demonstrate that you are meeting the required emission limitation applicable to your stationary RICE.
- (c) N/A
- (d) For new, reconstructed, and rebuilt stationary RICE, deviations from the emission or operating limitations that occur during the first 200 hours of operation from engine startup (engine burn-in period) are not violations. Rebuilt stationary RICE



35-00008



#### SECTION D. **Source Level Requirements**

means a stationary RICE that has been rebuilt as that term is defined in 40 CFR 94.11(a).

- (e) You must also report each instance in which you did not meet the requirements in Table 8 to this subpart that apply to you.
- (f) If you own or operate an emergency stationary RICE, you must operate the emergency stationary RICE according to the requirements in paragraphs (f)(1) through (4) of this section. In order for the engine to be considered an emergency stationary RICE under this subpart, any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (f)(1) through (4), is prohibited. If you do not operate the engine according to the requirements in paragraphs (f)(1) through (4), the engine will not be considered an emergency engine under this subpart and must meet all requirements for non-emergency engines.
  - (1) There is no time limit on the use of emergency stationary RICE in emergency situations.
- (2) You may operate your emergency stationary RICE for the purpose specified in paragraph (f)(2)(i) of this section for a maximum of 100 hours per calendar year. Any operation for non-emergency situations as allowed by paragraphs (f)(3) and (4) of this section counts as part of the 100 hours per calendar year allowed by this paragraph (f)(2).
- (i) Emergency stationary RICE may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that federal, state, or local standards require maintenance and testing of emergency RICE beyond 100 hours per calendar year.
  - (ii)-(iii) [Reserved]
- (3) N/A
- (4) Emergency stationary RICE located at area sources of HAP may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing provided in paragraph (f)(2) of this section. Except as provided in paragraphs (f)(4)(i) and (ii) of this section, the 50 hours per year for non-emergency situations cannot be used for peak shaving or nonemergency demand response, or to generate income for a facility to an electric grid or otherwise supply power as part of a financial arrangement with another entity.
  - (i) N/A
- (ii) The 50 hours per year for non-emergency situations can be used to supply power as part of a financial arrangement with another entity if all of the following conditions are met:
  - (A) The engine is dispatched by the local balancing authority or local transmission and distribution system operator.
- (B) The dispatch is intended to mitigate local transmission and/or distribution limitations so as to avert potential voltage collapse or line overloads that could lead to the interruption of power supply in a local area or region.
- (C) The dispatch follows reliability, emergency operation or similar protocols that follow specific NERC, regional, state, public utility commission or local standards or guidelines.
  - (D) The power is provided only to the facility itself or to support the local transmission and distribution system.
- (E) The owner or operator identifies and records the entity that dispatches the engine and the specific NERC, regional, state, public utility commission or local standards or guidelines that are being followed for dispatching the engine. The local balancing authority or local transmission and distribution system operator may keep these records on behalf of the engine owner or operator.

[69 FR 33506, June 15, 2004, as amended at 71 FR 20467, Apr. 20, 2006; 73 FR 3606, Jan. 18, 2008; 75 FR 9676, Mar. 3, 2010; 75 FR 51591, Aug. 20, 2010; 78 FR 6704, Jan. 30, 2013; 87 FR 48607, Aug. 10, 2022]



#### VII. ADDITIONAL REQUIREMENTS.

# 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Emergency Generators listed under this source include:

- (1) 275 kW Kohler 275REOZJD installed 2008, subject to 40 CFR 60, Subpart IIII.
- (2) 20 kW Onan 20ES installed 1993, subject to 40 CFR 63, Subpart ZZZZ.
- (3) 20 kW Kohler 20RZ installed 2005, subject to 40 CFR 63, Subpart ZZZZ.
- # 003 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4211]
  Subpart IIII Standards of Performance for Stationary Compression Ignition Internal Combustion Engines
  What are my compliance requirements if I am an owner or operator of a stationary CI internal combustion engine?
- (a) If you are an owner or operator and must comply with the emission standards specified in this subpart, you must do all of the following, except as permitted under paragraph (g) of this section:
- (1) Operate and maintain the stationary CI internal combustion engine and control device according to the manufacturer's emission-related written instructions;
- (2) Change only those emission-related settings that are permitted by the manufacturer; and
- (3) Meet the requirements of 40 CFR part 1068, as they apply to you.
- (b) N/A
- (c) If you are an owner or operator of a 2007 model year and later stationary CI internal combustion engine and must comply with the emission standards specified in § 60.4204(b) or § 60.4205(b), or if you are an owner or operator of a CI fire pump engine that is manufactured during or after the model year that applies to your fire pump engine power rating in table 3 to this subpart and must comply with the emission standards specified in § 60.4205(c), you must comply by purchasing an engine certified to the emission standards in § 60.4204(b), or § 60.4205(b) or (c), as applicable, for the same model year and maximum (or in the case of fire pumps, NFPA nameplate) engine power. The engine must be installed and configured according to the manufacturer's emission-related specifications, except as permitted in paragraph (g) of this section.
- (d) N/A
- (e) If you are an owner or operator of a modified or reconstructed stationary CI internal combustion engine and must comply with the emission standards specified in § 60.4204(e) or § 60.4205(f), you must demonstrate compliance according to one of the methods specified in paragraphs (e)(1) or (2) of this section.
- (1) Purchasing, or otherwise owning or operating, an engine certified to the emission standards in § 60.4204(e) or § 60.4205(f), as applicable.
- (2) Conducting a performance test to demonstrate initial compliance with the emission standards according to the requirements specified in § 60.4212 or § 60.4213, as appropriate. The test must be conducted within 60 days after the engine commences operation after the modification or reconstruction.
- (f) If you own or operate an emergency stationary ICE, you must operate the emergency stationary ICE according to the requirements in paragraphs (f)(1) through (3) of this section. In order for the engine to be considered an emergency stationary ICE under this subpart, any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (f)(1) through (3), is prohibited. If you do not operate the engine according to the requirements in paragraphs (f)(1) through (3), the engine will not be considered an emergency engine under this subpart and must meet all requirements for non-emergency engines.
  - (1) There is no time limit on the use of emergency stationary ICE in emergency situations.
- (2) You may operate your emergency stationary ICE for the purpose specified in paragraph (f)(2)(i) of this section for a maximum of 100 hours per calendar year. Any operation for non-emergency situations as allowed by paragraph (f)(3) of this



section counts as part of the 100 hours per calendar year allowed by this paragraph (f)(2).

(i) Emergency stationary ICE may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that federal, state, or local standards require maintenance and testing of emergency ICE beyond 100 hours per calendar year.

# (ii)-(iii) [Reserved]

- (3) Emergency stationary ICE may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing provided in paragraph (f)(2) of this section. Except as provided in paragraph (f)(3)(i) of this section, the 50 hours per calendar year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to an electric grid or otherwise supply power as part of a financial arrangement with another entity.
- (i) The 50 hours per year for non-emergency situations can be used to supply power as part of a financial arrangement with another entity if all of the following conditions are met:
  - (A) The engine is dispatched by the local balancing authority or local transmission and distribution system operator;
- (B) The dispatch is intended to mitigate local transmission and/or distribution limitations so as to avert potential voltage collapse or line overloads that could lead to the interruption of power supply in a local area or region.
- (C) The dispatch follows reliability, emergency operation or similar protocols that follow specific NERC, regional, state, public utility commission or local standards or guidelines.
  - (D) The power is provided only to the facility itself or to support the local transmission and distribution system.
- (E) The owner or operator identifies and records the entity that dispatches the engine and the specific NERC, regional, state, public utility commission or local standards or guidelines that are being followed for dispatching the engine. The local balancing authority or local transmission and distribution system operator may keep these records on behalf of the engine owner or operator.
  - (ii) [Reserved]
- (g) If you do not install, configure, operate, and maintain your engine and control device according to the manufacturer's emission-related written instructions, or you change emission-related settings in a way that is not permitted by the manufacturer, you must demonstrate compliance as follows:
- (1) N/A
- (2) If you are an owner or operator of a stationary CI internal combustion engine greater than or equal to 100 HP and less than or equal to 500 HP, you must keep a maintenance plan and records of conducted maintenance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions. In addition, you must conduct an initial performance test to demonstrate compliance with the applicable emission standards within 1 year of startup, or within 1 year after an engine and control device is no longer installed, configured, operated, and maintained in accordance with the manufacturer's emission-related written instructions, or within 1 year after you change emission-related settings in a way that is not permitted by the manufacturer.
  - (3) N/A
- (h) The requirements for operators and prohibited acts specified in 40 CFR 1039.665 apply to owners or operators of stationary CI ICE equipped with AECDs for qualified emergency situations as allowed by 40 CFR 1039.665.

[71 FR 39172, July 11, 2006, as amended at 76 FR 37970, June 28, 2011; 78 FR 6695, Jan. 30, 2013; 81 FR 44219, July 7, 2016; 86 FR 34359, June 29, 2021; 87 FR 48605, Aug. 10, 2022]



# 004 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6590]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

What parts of my plant does this subpart cover?

- (c) Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart JJJJ, for spark ignition engines. No further requirements apply for such engines under this part.
- (1) A new or reconstructed stationary RICE located at an area source;

[69 FR 33506, June 15, 2004, as amended at 73 FR 3604, Jan. 18, 2008; 75 FR 9674, Mar. 3, 2010; 75 FR 37733, June 30, 2010; 75 FR 51588, Aug. 20, 2010; 78 FR 6700, Jan. 30, 2013; 87 FR 48607, Aug. 10, 2022]







## **SECTION D.** Source Level Requirements

Source ID: P105A Source Name: OPTICAL SYSTEMB

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 03



### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

## VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).



# 35-00008



#### SECTION D. **Source Level Requirements**

Source ID: P105C Source Name: MVS OPTICAL LINE

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 03



#### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### WORK PRACTICE REQUIREMENTS. VI.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### ADDITIONAL REQUIREMENTS. VII.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).



## 35-00008



## **SECTION D.** Source Level Requirements

Source ID: P105D Source Name: FLOW COATING

Source Capacity/Throughput:

Conditions for this source occur in the following groups: GROUP 03



#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

## VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).





Group Name: **GROUP 01** Group Description: BOILERS Sources included in this group

ID	Name
031	CLEAVER BROOKS BOILER - GP1-35-005
032	CLEAVER BROOKS BOILER - GP1-35-006

#### RESTRICTIONS.

## **Emission Restriction(s).**

#### # 001 [25 Pa. Code §123.11]

#### **Combustion units**

The permittee may not permit the emission into the outdoor atmosphere of particulate matter from each boiler in excess of the rate of 0.4 pound per million Btu of heat input, when the heat input to the combustion unit in millions of Btus per hour is greater than 2.5 but less than 50.

#### # 002 [25 Pa. Code §123.22]

#### **Combustion units**

The permittee may not permit the emission into the outdoor atmosphere of sulfur oxides, expressed as SO2, from a combustion unit in excess of the rate of 3 pounds per million Btu of heat input over a 1-hour period.

#### # 003 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Best Available Technology Requirements:

- (a) Combustion Units Constructed after December 2, 1995, with Rated Capacity Equal to or Greater than 10 Million Btu per Hour are subject to the following air containinant emission limitations:
  - (i) 30 ppmdv NOx at 3% O2 when firing gas;
  - (ii) 90 ppmdv NOx at 3% O2 when firing No. 2 fuel oil; and
  - (iii) 300 ppmdv CO at 3% O2.

The combustion unit(s) shall be fired only on gas (natural or liquefied petroleum) or No. 2 commercial fuel oil to which there has been no reclaimed or waste oil or other waste materials added.

### Fuel Restriction(s).

#### # 004 [25 Pa. Code §123.22]

#### **Combustion units**

The concentration of Sulfur in the No. 2 Fuel Oil fired by these boilers shall not exceed 0.0015% Sulfur by weight.

#### # 005 [25 Pa. Code §127.441]

#### Operating permit terms and conditions.

The boilers are exempt from 40 CFR 63 Subpart JJJJJJ, if they meet the following requirement(s).

- (a) The boilers shall only fire natural gas except during periods of gas curtailment, gas supply emergencies, or periodic testing on liquid fuel. Periodic testing of liquid fuel shall not exceed a combined total of 48 hours during any calendar year.
- (b) Whenever the boilers are fired on anything other than natural gas, the facility shall keep records of the hours of operation and type of fuel used.
- (c) If the conditions described above are not met, the facility shall immediately comply with the requirements of 40 CFR Part 63 Subpart JJJJJJ. The requirements of 40 CFR Part 63 Subpart JJJJJJ will be remain in effect throughout the remaining term of the permit.



#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

### # 006 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

To demonstrate compliance with Source Group 01 - Condition #004, the permittee shall comply with the following requirements:

- (a) The permittee shall perform a quarterly analysis of the No. 2 Fuel Oil used by these sources. A representative sample shall be obtained and tested. The fuel characteristics to be determined shall include, but not be limited to, the following:
  - (1) The heating value (in Btu/Lb); and
  - (2) The percent (%) sulfur content, by weight.
  - (3) The percent (%) ash content, by weight.

Testing shall be done in accordance with 25 Pa. Code, Chapter 139.

(b) If the supplier of the oil can provide certification of the values of the fuel characteristics mentioned in section (a) (specific to each shipment of No. 2 Fuel Oil delivered to the facility), the permittee may substitute such certification (signed and notarized by a responsible official) for the analysis of a representative sample.

#### IV. RECORDKEEPING REQUIREMENTS.

#### # 007 [25 Pa. Code §127.441]

#### Operating permit terms and conditions.

Combustion Units for Which Construction Commenced After June 9, 1989 and Subject to Federal New Source Performance Standards shall comply with the emission limitations of the New Source Performance Standards prescribed in 40 CFR Part 60, Subpart Dc.

- (a) The permittee shall install and maintain the necessary meter(s) to determine and to record amount of fuel usage.
- (b) The permittee shall comply with the recordkeeping and certification requirements in accordance with 40 CFR §§60.46c(e), 60.42c(h) and 60.48c(f)(1). Reports shall be submitted on a semi-annual basis unless no excess emissions occurred. If there are no excess emissions, the permittee shall semi-annually report that no excess emissions occurred during the semi-annual reporting period (this does not apply to gas-fired units).
- (c) The permittee shall maintain daily fuel consumption records in accordance with 40 CFR §60.48c(g) (this applies to both gas and oil-fired units). Records shall be kept for the fuel firing rates of the combustion unit on a monthly basis in order to determine sulfur dioxide (SO2) emissions in accordance with 40 CFR §60.48c(d) (this applies to oil-fired units only).
- (d) Semi-annual reports shall be submitted by the permittee in accordance with 40 CFR §§60.48c(d), 60.48c(e)(11) and 60.48c(j). The initial semi-annual report shall be postmarked by the 30th day of the sixth month following the completion of the initial performance test. Each subsequent report shall be postmarked by the 30th day following the end of the reporting period (this does not apply to gas-fired units).
- (e) Pursuant to 40 CFR §60.4, the permittee shall submit copies of all requests, reports, applications, submittals, and other communications to both EPA and the appropriate Regional Office of the Department. The EPA copies shall be forwarded to:

Enforcement & Compliance Assurance Division Air, RCRA and Toxics Branch (3ED21) Four Penn Center 1600 John F. Kennedy Boulevard Philadelphia, PA 19103-2852





#### # 008 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

The permittee shall keep records of the hours of operation of these boilers. These records with the records of the heating value, ash content, and sulfur content of the No. 2 Fuel Oil, shall be used with EPA's AP-42 emission factors to determine compliance with Source Group 01 - Conditions #001 and #002.

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







Group Name: **GROUP 02** 

Group Description: HELMET COATING

Sources included in this group

ID	Name
101A	NORDSON SPRAY BOOTH 1
101B	NORDSON SPRAY BOOTH 2
101C	PAINT DRYING OVEN (HELMETS)
101D	BINKS BOOTH 1
101E	BINKS BOOTH 2
101F	BINKS BOOTH 3

#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

## II. TESTING REQUIREMENTS.

#### [25 Pa. Code §139.14]

#### **Emissions of VOCs.**

At the request of the Department the permittee shall perform testing of all VOC based coatings in accordance with Reference Method 24, 40 CFR Part 60, Appendix A, and 25 Pa., Code 139.14(a)(1).

#### # 002 [25 Pa. Code §139.14]

#### **Emissions of VOCs.**

- (a) The permittee shall comply with one of the following:
- (1) The permittee shall perform annual testing on all coatings in accordance with Reference Method 24, 40 CFR Part 60, Appendix A, and 25 Pa, Code139.14(a)(1).
- (2) The permittee shall obtain certifications of Reference Method 24, 40 CFR Part 60, Appendix A directly from the coating manufacturers or suppliers of each coating. These certifications shall be obtained each year and each time the manufacturer or supplier changes.

### MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

## IV. RECORDKEEPING REQUIREMENTS.

#### # 003 [25 Pa. Code §127.441]

#### Operating permit terms and conditions.

The permittee shall keep on hand chemical composition data for all the coatings used in the coating operation, and shall record on a daily basis the amount of these coatings and any volatile organic compound (VOC) solvent or thinner usage for this process.

#### # 004 [25 Pa. Code §129.52]

### Surface coating processes

A facility, regardless of the facility's annual emission rate, which contains surface coating processes shall maintain records sufficient to demonstrate compliance with this section. At a minimum, a facility shall maintain daily records of the gallons of coating used, the coating density before and after addition of diluents, the gallons of diluents used and the density of the diluents, the gallons of water contained in the coating and the weight percent of the organic volatiles in the coating. The records shall be maintained for five (5) years and shall be submitted to the Department on a schedule reasonably prescribed by the Department.

## V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







## VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

## VII. ADDITIONAL REQUIREMENTS.

35-00008

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







Group Name: GROUP 03
Group Description: COATING LINES

Sources included in this group

ID	Name
109	COATING LINE C
P105A	OPTICAL SYSTEM B
P105C	MVS OPTICAL LINE
P105D	FLOW COATING

#### I. RESTRICTIONS.

## **Emission Restriction(s).**

# 001 [25 Pa. Code §129.52]

#### Surface coating processes

Table I

Emission Limits of VOCs in Surface Coatings by Process Category (Weight of VOC per Volume of Coating Solids) Surface Coating Process Category

4. Vinyl Coating: 7.69 lbs VOC per gallon coating solids; 0.92 kg VOC per liter coating solids

## # 002 [25 Pa. Code §129.52]

### Surface coating processes

- (b) A person may not cause or permit the emission into the outdoor atmosphere of VOCs from a surface coating process category listed in Table I, unless one of the following limitations is met:
  - (1) The VOC content of each as applied coating is equal to or less than the standard specified in Table I.
- (i) The VOC content of the as applied coating, expressed in units of weight of VOC per volume of coating solids, shall be calculated using equation from 129.52(b)(1)(i).
- (ii) The VOC content of a dip coating, expressed in units of weight of VOC per volume of coating solids, shall be calculated on a 30-day rolling average basis using the equation from 129.52(b)(1)(ii).
- (iii) The VOC content of the as applied coating, expressed in units of weight of VOC per weight of coating solids, shall be calculated using the equation from 129.52(b)(1)(iii).
- (iv) Sampling and testing shall be done in accordance with the procedures and test methods specified in Chapter 139 (relating to sampling and testing).
- (2) The overall weight of VOCs emitted to the atmosphere is reduced through the use of vapor recovery or incineration or another method which is acceptable under § 129.51(a) (relating to general). The overall efficiency of a control system, as determined by the test methods and procedures specified in Chapter 139 shall be no less than the equivalent overall efficiency calculated using the equation from 129.52(b)(2).

## Control Device Efficiency Restriction(s).

## # 003 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

- (a) Pursuant to the Best Available Control Technology (BACT) provision of Pa. Code, Chapter 127, the RTO shall meet the following limitations:
  - (1) The RTO shall operate at a destruction/removal efficiency of at least 98% or 25ppm for VOCs.

### II. TESTING REQUIREMENTS.

## # 004 [25 Pa. Code §139.14]

#### **Emissions of VOCs.**

(a) The permittee shall comply with one of the following:



- (1) The permittee shall perform annual testing on all coatings in accordance with Reference Method 24, 40 CFR 60, Appendix A, and 25 Pa, Code 139.14(a)(1).
- (2) The permittee shall obtain certifications of Reference Method 24, 40 CFR Part 60, Appendix A directly from the coating manufacturers or suppliers of each coating. These certifications shall be obtained each year and each time the manufacturer or supplier changes.

### III. MONITORING REQUIREMENTS.

### # 005 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

- (1) Temperature sensing and recording devices shall be installed to show that the combustion chamber temperature of the RTO operates as stated in the Operating Permit.
- (2) Temperature sensing and recording devices shall be installed to show that the combustion temperature be maintained at no less than 1,500 degrees F. The gases are to have a retention time of no less than 0.5 seconds at that temperature.
- (3) The company shall ensure that the control devices shall be equipped with the applicable monitoring equipment and the monitoring equipment shall be installed, calibrated, operated, and maintained according to the vendor's specifications at all times the control device is in use.

#### IV. RECORDKEEPING REQUIREMENTS.

## # 006 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The permittee shall keep on hand chemical composition data for all the coatings used in the coating operation, and shall record on a daily basis the amount of these coatings and any volatile organic compound (VOC) solvent or thinner usage for this process.

## # 007 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

- (1) Temperatures shall be recorded whenever the RTO is in operation. Records shall be kept on hand and be made available to the Department upon request. These records shall be kept for a minimum of five (5) years.
- (2) The company shall keep on hand chemical composition data for all coatings used in the coating operations and record any VOC solvent or thinner usage. These shall be kept on a daily basis.

## # 008 [25 Pa. Code §129.52]

## **Surface coating processes**

- (c) The owner or operator of a facility, regardless of the facility's annual emission rate, which contains surface coating processes shall maintain records sufficient to demonstrate compliance with this section. At a minimum, a facility shall maintain daily records of:
  - (1) The following parameters for each coating, thinner and other component as supplied:
  - (i) The coating, thinner or component name and identification number.
  - (ii) The volume used.
  - (iii) The mix ratio.
  - (iv) The density or specific gravity.
  - (v) The weight percent of total volatiles, water, solids and exempt solvents.
  - (vi) The volume percent of solids for Table I surface coating process categories 1—10.
- (vii) The volume percent of solids for a Table I surface coating process category 12 coating whose VOC content is expressed in units of weight of VOC per volume of coating solids.
  - (2) The VOC content of each coating, thinner and other component as supplied.
  - (3) The VOC content of each as applied coating.

## # 009 [25 Pa. Code §129.52]

## Surface coating processes





(g) The records shall be maintained onsite for 5 years. The records shall be submitted to the Department in an acceptable format on a schedule reasonably prescribed by the Department.

#### V. REPORTING REQUIREMENTS.

### # 010 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Any changes in the location of the aforementioned sources, or any changes in the process or control equipment would be considered a modification and would require the submittal of an amended application for plan approval in accordance with the provisions of 25 PA Code 127.11 and 127.12.

### VI. WORK PRACTICE REQUIREMENTS.

### # 011 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The RTO shall operate at a minimum of 1,500 degress F and have a retention time of no less than 0.5 seconds.

### # 012 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (1) The aforementioned source(s) may only be operated as long as the associated air pollution control device is operated and maintained in accordance with the specifications set forth in the respective operating permit (as approved by the Department), and in accordance with any conditions set forth herein.
- (2) The company shall maintain and operate the air pollution control equipment and sources in accordance with good engineering practice.
- (3) All clean-up solvent operations must comply with Best Available Technology (BAT) to minimize volatile organic compound (VOC) emissions. All cleaning operations must store new and used cleaning solvents in closed containers.

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







Group Name: **GROUP 04** 

Group Description: RACT II (PRESUMPTIVE)

Sources included in this group

ID	Name
031	CLEAVER BROOKS BOILER - GP1-35-005
032	CLEAVER BROOKS BOILER - GP1-35-006
104	ADHESIVES DEPT 5 & 17
110	EMERGENCY GENERATORS
C01	ADWEST REGENERATIVE THERMAL OXIDIZER (RTO)

#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### VI. WORK PRACTICE REQUIREMENTS.

#### # 001 [25 Pa. Code §129.97]

Presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule.

(c) The owner and operator of a source specified in this subsection, which is located at a major NOx emitting facility or major VOC emitting facility subject to §129.96 shall install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices.

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



# **SECTION F.** Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.







# **SECTION G.** Emission Restriction Summary.

No emission restrictions listed in this section of the permit.

# 35-00008



### SECTION H. Miscellaneous.

The Operating Permit Modification application was received on December 6, 2024. The annual operating permit maintenance fee shall be submitted to the Department in accordance with 25 Pa. Code, Chapter 127, Section 127.703. The annual maintenance fees are due no later than December 31, annually.

This Operating Permit includes conditions from GP1-35-005 and GP1-35-006.

The following is a list of sources that have been determined by the Department to be of minor significance under 25 Pa. Code, Chapter 127, Section 127.14(a)(8) and are not regulated in this TV Operating Permit. However, this determination does not exempt the sources from compliance with all applicable air quality regulations specified in 25 Pa. Code Chapters 121-143:

(6) Emergency Generators < 1 TPY 25PA127.14(a)(8)(5).

(7) Hydro-Dip Equipment < 1 TPY VOC/HAP

### RFD's

RFD Application ID 10885 was approved on October 22, 2024 for new equipement addition to exisiting helmet mfg process.

RFD Application ID 10532 was approved on February 1, 2024 for a new flow coating system (P109 Coating Line C).

RFD Application ID 9171 was approved on May 18, 2021 for Source Name PhCH App-Manual Priming Station.

RFD #3362 issued 11/29/2012 for flow-coating process to enter existing RTO unit.

RFD #35-0765 (application ID 6517) approved 09/26/2017 for Source Hydro-Dip Equipment.

RFD #35-0800 (application ID 7604) approved 03/11/2019 for capturing and routing the exhaust from the Hydro-Dip process to Control Device C-01.

RFD #9068 (application ID 9068) approved 02/16/2021 for a total facility throughput of 20,000 pounds of expanded polystyrene beads in any running 12-month period.

## OTHER EQUIPMENT

- Hirsch preexpander/Molding machine
- Photo Chromic Operation
- Application of Transhade and curing oven
- Tori Dust Collector

Title V Operating Permit 35-00047 has been included in this Operating Permit via a Change of Ownership Form received on 10/20/2015.

This permit modification recieved on 12/6/2024 is for the removal of units 102A- 40" Vinyl Spreader, 102C- 60" Spreader, and 102E 72" Surface Coater.





\*\*\*\*\* End of Report \*\*\*\*\*