Project SBG 32

Site Name Bell - Woodcock

AMD TREAT AMD TREAT MAIN COST FORM



Costs **Passive Treatment** \$0 Vertical Flow Pond \$0 Anoxic Limestone Drain \$0 Anaerobic Wetlands \$0 Aerobic Wetlands \$0 Manganese Removal Bed \$0 Oxic Limestone Channel \$0 Limestone Bed \$0 **BIO Reactor** \$0 Passive Subtotal: **Active Treatment** 0 \$12,387 1 Caustic Soda \$0 **Hydrated Lime** \$0 Pebble Quick Lime \$0 Ammonia \$0 Oxidants \$0 Soda Ash \$0 Active Subtotal: **Ancillary Cost** 1 0 \$18,388 **Ponds** \$0 Roads \$0 Land Access \$0 Ditching 1 0 \$3,078 **Engineering Cost** \$21,466 **Ancillary Subtotal:** \$0 Other Cost (Capital Cost) \$33,853 **Total Capital Cost: Annual Costs** 2 0 \$1,226 Sampling 1 0 \$10,920 Labor 1 0 \$372 Maintenance \$0 Pumping \$165,796 1 0 **Chemical Cost** \$0 Oxidant Chem Cost 0 \$5,264 Sludge Removal \$0 Other Cost (Annual Cost) \$0 Land Access (Annual Cost) \$183,578 **Total Annual Cost:** Other Cost

Water Quality	THEFT	
Calculated Acidity		mg/L
Alkalinity	0.00	mg/L
Calculate Net Acidity (Acid-	Alkalinity)	
F Enter Net Acidity manually		
Net Acidity (Hot Acidity)	200.00	mg/L
Design Flow	400.00	gpm
Typical Flow	300.00	gpm
Total Iron	10.60	mg/L
Aluminum	15.40	mg/L
Manganese	6.90	mg/L
рН	3.30	su
Ferric Iron	0.00	mg/L
Ferrous Iron	0.00	mg/L
Sulfate	0.00	mg/L
Filtered Fe	0.00	mg/L
Filtered Al	0.00	mg/L
Filtered Mn	0.00	mg/L
Specific Conductivity	0.00	uS/cm
Total Dissolved Solids	0.00	mg/L
Dissolved Oxygen	0.00	mg/L
	•	
	,	

Total Annual Cost: per 1000 Gal of H2O Treated \$1.163

Project SBG 32

Site Name Bell - Woodcock



AMD TREAT CAUSTIC SODA

Opening Screen ✓	Caustic Soda Name propos	ed caustic			
Water Parameter	s				
Influent Water	Gallons of Caustic per Year	132,637.12	gal/yr	☐ 17. Automatic Syster	n?
Parameters that Affect	2. Gallons of Caustic per Month	11,053.09	gal/mo	18. PID pH Proportional Control	\$
Caustic Soda	3. Gallons of Caustic per Day	363.38	gal/day	19. pH Probe	\$
Calculated Acidity 0.00 mg/L	☐ 4. Titration?		İ	20. Chemical Metering Pump	\$
0.00 mg/L Alkalinity	5. Caustic Titration Volume		gal caustic/gal water treated	21. Water Wheel Di	· ·····
0.00 mg/L	6. Purity of Caustic Solution	99.00	purity of 20% caustic solution	22. Dispenser Cost	4000.00 \$
	7. Mixing Efficiency of Caustic Solution	80.00	%	Caustic Sub-Tota	ls
Calculate Net Acidity	8. Tank Cost	8000	\$	23. Number of Tanks Required	1 nbr
(Acid-Alkalinity)	9. Tank Volume	10000	gal	24. Tank Cost	8,000 \$
Enter Net Acidity manually	10. Delivery Frequency	24	times/yr	25. Automatic System or Wheel Dispenser Cost	4,000 \$
Net Acidity	11. Valve Unit Cost	50.00	\$	26. Cost of Valves	100 \$
(Hot Acidity) 200.00 mg/L	12. Number of Valves	2	nbr	27. Feeder Line Cost	7 \$
200.00	13. Feeder Line Length	20	ft	28. Labor Cost	280 \$
Design Flow	14. Feeder Line Unit Cost	0.35	\$/ft	<u> </u>	
400.00 gpm Typical Flow	15. Installation of System Unit Cost	35.00	\$/hr	29. Total Capital Cost	12,387 \$
300.00 gpm	16. Installation Hours	8	hours		
Total Iron					
10.60 mg/L				Record Number 1 of	
Aluminum				Record Number 1 of	. '
15.40 mg/L					
Manganese					
6.90 mg/L					

1 of 1

Project SBG 32

Site Name Bell - Woodcock

AMD TREAT PONDS




		1 11172	, 	
Pond Name settling pond	s			
	Pond Design Based On:	23. Revegetation Co	ost 1500.00	\$/acre
	C Retention Time	24. Number of Ponds for this Desig	gn 3	number
	Desired Retention Time hours	25. Cost of Baffle	es 0	\$
☑ Opening Screen	3. Sludge Removal Frequency times/year	Calculated Pond Dimens	ions per Pon	ıd
✓ Opening Screen Water Parameters	4. Titration?	26. Length at Top of Freeboard	200	ft
Influent Water	5. Sludge Rate gal sludge/	27. Width at Top of Freeboard		ft
Parameters	6. Percent Solids %	28. Freeboard Volume	3,687	yd3
that Affect	7.Sludge Density lbs./gal	29. Water Volume		yd3
Ponds Calculated Acidity		30. Estimated Annual Sludge	0	yd3/yr
0.00 mg/L	6 Pond Size	31. Volume of Sludge per Removal	0	yd3/ removal
Alkalinity	8. Pond Length at Top of Freeboard 200.000 ft	32. Excavation Volume	1.42	acre ft
0.00 mg/L	9. Pond Width at Top of Freeboard 100.000 ft	33. Excavation Volume	2,292	yd3
	Run Rise	34. Clear and Grub Area	0.68	acres
C Calculate Net	10. Slope Ratio of Pond Sides 2.0 : 1	35. Liner Area	0	yd2
Acidity (Acid-Alkalinity)	11. Freeboard Depth 2.0 ft	36. Calculated Retention Time	19	hours
Enter Net Acidity	12. Water Depth 4.0 ft	Ponds Sub-T	otals per Po	nd
manually	·	37. Excavation Cost	17,197] \$
Net Acidity (Hot Acidity)	14 Total Length of Effluent	38. Pipe Cost	158	\$
200.00 mg/L	/ Influent Pipe	39. Liner Cost	0] \$
200.00	15. Unit Cost of Pipe 7,90 \$/ft Liner Cost	40. Clearing and Grubbing Cost	0] \$
Design Flow	© No Liner	41. Revegetation Cost	1,033	\$
400.00 gpm	C Clay Liner	42. Baffle Cost	0	\$
Typical Flow 300.00 gpm	16. Clay Liner Unit Cost \$/yd3			
Total Iron	17. Thickness of Clay Liner ft	43. Estimated Cost	18,388	7 \$ }
10.60 mg/L	C Synthetic Liner	<u> </u>		
Aluminum	18. Synthetic Liner Unit Cost \$/yd2			
15.40 mg/L Manganese	☐ 19. Clearing and Grubbing?			
6.90 mg/L	O 20. Land Multiplier ratio			
December 1	21. Clear/Grub Acres acres			
Record Number	22. Clear and Grub Unit Cost			

\$/acre

Project SBG 32

Site Name Bell - Woodcock

AMD TREAT ENGINEERING COST



4. Total Engineering Cost 3,078 \$

* Total Capital Cost minus Engineering and Land Access Capital Cost

Printed on 03/17/2008



Company Name C & K Coal

Sampling Name

Project SBG 32

monthly - final

Site Name Bell - Woodcock

AMD TREAT

SAMPLING



€ Estimate Sampling Cost	
1. Unit Labor Cost	35.00 \$/hr
2. Collection Time per Sample	0.25 hours/sample
3. Travel Time	1.00 hr
4. Sample Frequency	1.00 samples/mo
5. Lab Cost Per Sample	25.00 \$/sample
6. Number of Sample Points	1 points
← Enter Established Annual Sa	ampling Cost
7. Actual Annual Sampling Cost	\$

Sampling Sub-Totals

- 8. Yearly Sample Analysis Cost 300 \$
 - 9. Yearly Travel Cost 420 \$
 - 10. Yearly Collection Cost 105 \$

11. Sampling Cost 825 \$

Record Number 1 of 2

Company Name C&K Coal

Sampling Name quarterly - raw, upstr, downst

Project SBG 32

Site Name Bell - Woodcock

AMD TREAT SAMPLING



© Estimate Sampling Cost	
1. Unit Labor Cost	35.00 \$/hr
2. Collection Time per Sample	0.25 hours/sample
3. Travel Time	0.00 hr
4. Sample Frequency	0.33 samples/mo

5. Lab Cost Per Sample 25.00 \$/sample 6. Number of Sample Points 3 points

C Enter Established Annual Sampling Cost

7. Actual Annual Sampling Cost \$

Sampling Sub-Totals

- 8. Yearly Sample Analysis Cost 297 \$
 - 9. Yearly Travel Cost 0 \$
 - 10. Yearly Collection Cost 104 \$

11. Sampling Cost 401 \$

Record Number 2 of 2

Company Name C&K Coal

Project SBG 32

Site Name Bell - Woodcock

AMD TREAT

LABOR



abor Name	weekly

- 1. Site Visits per Week 3.00
 2. Site Labor Time per Visit 1.00 hours
 3. Travel Time per Visit 1.00 hours
 4. Unit Labor Cost 35.00 \$/hour

 Enter Established Annual Labor Cost
 5. Actual Annual Labor Cost \$
 - 6. Total Cost 10,920 \$

Record Number 1 of 1

Company Name C & K Coal

Project

SBG 32

Site Name Bell - Woodcock

AMD TREAT

MAINTANENCE

Estimate Maintenance Cost 3.00 % 1. Percent of Active Cost 1.00 % 2. Percent of Passive Cost

0.00 % 3. Percent of Ancillary Cost *

4. Percent of Other Capital Cost 0.00 %

C Enter Established Annual Maintenance Cost

5. Annual Maintenance Cost

Maintenance Sub-Totals

6 Total Maintenance Active Cost 372 \$

7. Total Maintenance Passive Cost 0 \$

8. Total Maintenance Ancillary Cost 0 \$

9. Total Maintenance Other Capital Cost 0 \$

> 10. Total Maintenance Cost 372 \$

* Ancillary Cost does int include Cost for Land Access and Engineering Cost



Project SBG 32

Site Name Bell - Woodcock

AMD TREAT CHEMICAL COST



	-	Chemical Cost Name:	
	Opening Screen	A. Hydrated Lime?	E. Anhydrous Ammonia ?
치	Water Parameters		21. Titration?
_	Influent Water	2. Hydrated Lime Titration Amount lbs of hydrated lime / gal of H2O	22. AmmoniaTitration Amount / gal H2O
	Parameters	3. Hydrated Lime Purity %	23. Ammonia Purity %
	that Affect Chemical Cost	4. Mixing Efficiency of Hydrated Lime %	24. Mixing Efficiency of Ammonia %
	Calculated Acidity	5. Hydrated Lime Unit Cost \$//b	Non-Bulk Delivery
	0.00 mg/L	B. Pebble Quick Lime ?	25. Ammonia Non-Bulk Unit Cost \$/lb
	Alkalinity	6. Titration?	Bulk Delivery 26. Ammonia Bulk Unit Cost \$/Ib
	0.00 mg/L	7. Pebble Lime Titration Amount Lime / gal of H2O	
Γ	Calculate Net	8. Pebble Lime Purity %	F. Soda Ash?
(Acidity	9. Mixing Efficiency of Pebble Lime %	27. Titration?
	(Acid-Alkalinity)		28 Soda Ash Titration Amount / gal of H2O
	Enter Net Acidity	O Delivered in Bags 10. Pebble Lime Bag Unit Cost \$/lb	29. Soda Ash Purity %
9	manually Net Acidity	10. Pebble Lime Bag Unit Cost \$/lb	30. Mixing Efficiency of Soda Ash %
	(Hot Acidity)	11. Pebble Lime Bulk Unit Cost \$/lb	31 Soda Ash Unit Cost \$//b
	200.00 mg/L	C. Caustic Soda ?	
L	[☐ 12 Titration?	G. Known Chemical Cost ? 32. Known Annual Chemical Cost \$
	Design Flow 400.00 gpm	gal ofcaustic 13. Caustic Titration Amount / gal H2O	Annual Amount of
	Typical Flow	14. Caustic Purity 99.00 purity of 20%	Chemical Cost Sub-Totals Chemicals Consumer 33 Total Hydrated Lime Cost 0 \$ 0 lbs
ĺ	300.00 gpm	caustic solution	oo. Total Hydrates Eline ook
	Total Iron		34. Total Pebble Lime Cost 0 \$ 0 lbs
	10.60 mg/L	Non-Bulk Delivery	35. Total Caustic Soda Cost 165,796 \$ 132,637 gal:
	Aluminum	16. Caustic Non-Bulk Unit Cost \$/gal	36. Total Limestone Cost 0 \$ 0 ton
	15.40 mg/L	F Bulk Delivery 17. Caustic Bulk Unit Cost 1.25 \$/gal	37. Total Anhydrous Ammonia Cost 0 \$ 0 lbs
	Manganese 6.90 mg/L		38. Total Soda Ash Cost 0 \$ 0 lbs
\geq	[C D. Limestone ? 18. Limestone Purity %	39. Total Known Chemical Cost 0 \$
ı	Record Number	19. Limestone Efficiency %	40. Selected Chemical: CAUSTIC SODA
	1 of 1	20 Limestone Unit Cost \$/ton	Annual Chemical Cost 165,796 \$
_	<u> </u>	La contraction of the contractio	

Company Name <u>C & K Coal</u> Project <u>SBG 32</u>

Site Name Bell - Woodcock

AMDTREAT

AMD TREAT SLUDGE REMOVAL

Opening Screen
Water Parameters

Influent Water
Parameters

that Affect Sludge Removal Calculated Acidity

0.00 mg/L

Alkalinity

0.00 mg/L

C Calculate Net
Acidity
(Acid-Alkalinity)

Enter Net Acidity
manually
Net Acidity

(Hot Acidity)

200.00 mg/L

Design Flow

400.00 gpm Typical Flow

300.00 gpm

Total Iron

11 mg/L

Aluminum

15 mg/L

Manganese

7 mg/L

1. Select One	Selection for Method of Removing Sludge
Sludge Removal by \$	per Gallon
2. Sludge Removal Unit	Cost 0.05 \$/gal
C Sludge Removal by V	acuum Truck
3. Vacuum Truck Unit	Cost \$/hr
4. Mobilization	Cost \$
5. Hours to be	Used hr
C Sludge Removal by M	lechanical Excavation
6. Mechanical Excavation Unit	t Rate \$/hr
7. Mobilization	Cost \$
8. Hours to be	Used hr
C Sludge Removal by L	agoon Cleaner
9. Lagoon Cleaning Uni	t Rate \$/hr
10. Mobilization	n Cost \$
11. Hours to be	Used hr
C Actual Sludge Remov	val Cost
12. Actual Sludge Remova	ll Cost \$
13. Off Site Disposa	al Cost 0.00 \$

14. Iron Concentration	10.60	mg/L
15. Manganese Concentration	6.90	mg/L
16. Aluminum Concentration	15.40	mg/L
17. Total Miscellaneous Concentration	0	mg/L
18. Percent Solids	5.00	%
19. Sludge Density	8.33	lbs/gal
☐ 20 Titration?		
21. Gal. of Sludge per Gal of Water Treated		gal
22 Estimated Studge Volume		
22. Estimated Sludge Volume	521	yd3/yr
Cost for Sludge	L	
1	L	
Cost for Sludge	Removal Type	es
Cost for Sludge 23. Removal by \$ per Gallon	Removal Type	\$
Cost for Sludge 23. Removal by \$ per Gallon 24. Removal by Vacuum Truck	Removal Type 5,264	\$ \$
23. Removal by \$ per Gallon 24. Removal by Vacuum Truck 25. Removal by Mechanical Excavation	5,264 0	\$ \$ \$ \$
23. Removal by \$ per Gallon 24. Removal by Vacuum Truck 25. Removal by Mechanical Excavation 26. Removal by Lagoon Cleaner	5,264 0 0 0	\$ \$ \$ \$

Company Name C & K Coal

Project SBG 32

Site Name Bell - Woodcock

AMD TREAT RECAPITIZALITION COST



AMOTREAT

Calculation Period	75 yrs	Inflation Rate	3.10 %	Net Return Rate	6.00 %	
Recapitizalition Name	SBG 32 -bond					

A.	В	С	D	E	F	G
Description of Item	Unit Cost Per Item	Quantity	Total Item Cost	Life Cycle	Number of Periods	Total PV
1. replace entire caustic system	30,775	1	30,775	25	3	26,914
2.	0	0	0	0	0	0
3.	0	0	0	0	0	0
4.	0	0	0	0	0	0
5.	0	0	0	0	0	0
6.	0	0	0	0	0	0
7.	0	0	0	0	0	0
8.	0	0	0	0	0	0
9.	0	0	0	0	0	0
10.	0	0	0	0	0	0
11.	0	0	0	0	0	0
12.	0	0	0	0	0	0
13.	0	0	0	0	0	0
14.	0	0	0	0	0	0
15.	0	0	0	0	0	0
16.	0	0	0	0	0	0
17.	0	0	0	0	0	0
18.	0	0	0	0	0	0
19.	0	0	0	0	0	0
20.	0	0	0	0	0	0

30,775 \$ PV Grand Total Total Capital Cost 26,914