
EXHIBITS H-1 – H-9

Kent No. 56 Exhibits

EXHIBIT H-1

Topographic Map





CONSOL Mining Company LLC

Kent 56 Location Map

Permit No. 32841321




EXHIBIT H-2

Raw Water Quality Data

Exhibit C - Kent 56 Raw Water Data

Permit No. 32803010

Raw Water collected as part of a CONSOL internal voluntary program

					CONSOL internat voluntary program				
Date*	Acidity (as CaCO3) - mg/L	Alkalinity, Total (as CaCO3) - mg/L	Aluminum, Total - mg/L	Flow Rate - GPM	Iron, Total - mg/L	Manganese, Total - mg/L	pH - SU	Sulfate - mg/L	Temperature - °C
24-Jul-2017	-	165.00	-	N/A	0.12	0.39	N/A	156.00	N/A
7-Jan-2019	74.70	132.00	-	10.00	2.70	1.59	5.80	271.00	6.20
6-Feb-2019	94.20	138.00	-	5.00	4.07	1.63	5.70	296.00	7.80
20-Mar-2019	74.30	138.00	-	1.00	2.28	1.58	5.60	292.00	8.70
9-Apr-2019	98.60	162.00	-	2.00	1.95	1.32	6.80	314.00	19.60
30-May-2019	102.00	158.00	-	N/A	1.75	1.04	N/A	234.00	N/A
17-Jun-2019	101.00	175.00	-	1.00	1.83	1.04	6.80	276.00	12.40
30-Jul-2019	32.40	161.00	-	5.00	0.52	0.51	6.80	237.00	24.10
23-Aug-2019	136.00	160.00	-	3.00	1.01	1.22	6.00	286.00	22.30
16-Sep-2019	-	192.00	-	8.00	0.99	0.82	6.90	203.00	27.90
18-Oct-2019	115.00	159.00	-	4.00	7.04	1.54	6.40	292.00	19.80
5-Nov-2019	77.20	162.00	-	8.00	1.56	1.32	6.60	314.00	14.60
12-Dec-2019	101.00	136.00	-	4.00	1.72	1.02	6.20	230.00	13.50
21-Jan-2020	89.00	131.00	-	4.00	2.36	1.39	6.70	259.00	6.10
25-Feb-2020	80.50	127.00	-	4.00	1.74	1.40	6.70	263.00	9.10
3-Mar-2020	93.60	125.00	-	4.00	1.56	1.17	6.50	208.00	11.10
6-Apr-2020	82.10	131.00	-	8.00	5.53	1.25	6.70	253.00	10.30
8-Jun-2022	110.00	155.00	-	5.00	1.37	0.41	6.50	276.00	18.40
20-Jul-2022	105.00	174.00	-	12.00	1.60	1.31	6.70	328.00	18.70
10-Aug-2022	108.00	183.00	-	4.00	1.90	1.27	6.60	313.00	23.10
20-Sep-2022	103.00	165.00	-	12.00	1.99	1.20	6.50	298.00	21.30
19-Oct-2022	101.00	161.00	-	12.00	1.52	1.22	6.40	313.00	15.60
Average	85.39	154.09	-	5.80	2.14	1.17	6.45	268.73	15.53
	All 0's for Acidity were less than 20	A	All 0's for Aluminum were less than						
		_							

*Note: Dates are provided as a reference. Different analytes may have been analyzed within one or two dates of the date shown

0.16~mg/L

mg/L

EXHIBIT H-3

NPDES Permit

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF DISTRICT MINING OPERATIONS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) INDIVIDUAL PERMIT (COAL)

NPDES PERMIT NO.:	PA0124834	PERMITTEE NAME:	Consol Mining Company, LLC
MINING PERMIT NO.:	32803010	OPERATION NAME:	Kent 56 Mine
MUNICIPALITY:	Blacklick Township	COUNTY:	Indiana

In compliance with the provisions of the Clean Water Act, 33 U.S.C. Section 1251 <u>et seq.</u> (the "Act") and Pennsylvania's Clean Streams Law, <u>as amended</u>, 35 P.S. Section 691.1 <u>et seq.</u>, the Department of Environmental Protection (Department) hereby approves the discharge to the following surface water(s): <u>unnamed tributary to Aultmans Run</u> subject to all effluent limitations, monitoring and reporting requirements and other terms, conditions, criteria, and special requirements for the discharge as defined in this permit, to surface waters of the Commonwealth. This permit is issued pursuant to the authority in 25 Pa. Code Chapter 92a and is subject to the requirements of 25 Pa. Code Chapter 92a.

The authority granted by this permit is subject to the following further qualifications:

- 1. If there is a conflict between the application, its supporting documents and/or amendments and the terms and conditions of this permit, the terms and conditions of this permit shall apply.
- 2. Failure to comply with the terms, conditions, or effluent limitations of this permit is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. [40 CFR 122.41(a)]
- 3. A complete application for renewal or reissuance of this permit, or notice of intent to cease discharging by the expiration date, must be submitted to DEP at least 180 days prior to the above expiration date (unless permission has been granted by DEP for submission at a later date), using the appropriate NPDES permit application form. [92a.21(c)] In the event that a timely and complete application for renewal or reissuance has been submitted and DEP is unable, through no fault of the permittee, to reissue the permit before the above expiration date, the terms and conditions of this permit, including submission of the Discharge Monitoring Reports ("DMRs"), will be automatically continued and will remain fully effective and enforceable against the discharger until DEP takes final action on the pending permit application. [25 Pa. Code § 92a.7]
- 4. The permit may be terminated prior to the expiration date upon notice to and approval by the Department.
- 5. No condition of this permit shall release the operator from any responsibility or requirement under Pennsylvania, or federal environmental statutes, and regulations or local ordinances.
- 6. This permit is subject to the requirements of the mining permit referenced above.

EFFECTIVE DATE:	September 1, 2024	EXPIRATION DATE:	August 6, 2029

June 26, 2024; December 2, 2019; April 12, 2015; March 31, 2009; March 31, 2004;

RENEWAL DATES: Mach 5, 1999; December 29, 1993, March 29, 1989

AUTHORIZED BY: MUCH THORIC

David D. Thomas, District Mining Manager

PART A EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Section A. MINE DRAINAGE TREATMENT FACILITIES								
 ☐ There are no point source discharges of this type at this site. ☐ The facilities listed below utilize non-discharge technologies. 								
Outfall No.	<u>Latitude</u>		Longitude			<u>To</u>		
007	<u>40</u> °	<u>32</u> '	<u>01</u> "	<u>79</u> °	<u>16</u> '	<u>47</u> "	UNT to Aultmans Run	
		,					м-т	
☐ This permit establishes effluent limitations in the form of implemented BMPs identified in the associated E&S Plan, Reclamation Plan and NPDES application for this permit. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of the Commonwealth.								
The following BMPs apply:								

☑ The following limits apply to the mine drainage treatment facility outfalls discharging to **unnamed tributary to Aultmans Run**. Outfalls: 007

DIS	MONITORING REQUIREMENTS					
Discharge Parameter	Minimum	Average Monthly	Maximum Daily	Instantaneous Maximum	Measurement Frequency* (minimum)	Sample Type
pH (S.U.)	6.0	N/A	N/A	9.0	2/Month	Grab
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0	2/Month	Grab
Iron, Total (mg/L)	N/A	1.5	3.0	3.7	2/Month	Grab
Manganese, Total (mg/L)	N/A	1.0	2.0	2.5	2/Month	Grab
Aluminum, Total (mg/L)	N/A	0.75	0.75	0.75	2/Month	Grab
Net Alkalinity (as CaCO₃, mg/L)	0.0	N/A	N/A	N/A	2/Month	Grab
Alkalinity, Total (as CaCO₃, mg/L)			2/Month	Grab		
Acidity, Total (as CaCO₃, mg/L)	полениции положения положения	777	Report		2/Month	Grab
Flow (gpm)				2/Month	Measured	
Temperature (°C)	The international organisms of		2/Month	Measured		
Specific Conductance (µmhos/cm)			2/Month	Grab		
Sulfate, Total (mg/L)			Report		2/Month	Grab

^{*} The measurement frequency is the minimum number of sampling events required. Permittees are encouraged to obtain more than the minimum number of sampling events, which provides a better demonstration of compliance.

Effluent Characterization Sampling Requirement

The permittee shall provide analysis of samples collected from the mine drainage treatment outfalls no later than two years after the initial discharge of each facility in compliance with 40 CFR 122.21(k)(5)(vi). Specifically, sampling results are required for the pollutants listed in 40 CFR 122, Appendix D, Table III (Report all), and for Appendix D Tables II and IV for those that are expected to be present. This quantitative data requirement is subject to the small business exemption at 40 CFR 122.21(g)(8) for Table II.

	•							
Section B. ST	ORMWATE	R CONT	ROL FACI	LITIES				
☐ There are no p	ooint source	discharge	s of this typ	e at this s	ite.			
Outfall No.	La	atitude		Lo	ngitude		<u>To</u>	
	0	0) 11		0	0	n		
	٥	,	11	•	91	"		
		6	,,	0	,	,,		
		F.	7000	0		n	·	
	and NPDES eing discharg	application	on for this p	ermit. Th	ese BMPs	restrict the rates	d in the associated E s and quantities of as	
The following I Outfalls:			her or all di	-	from storm	water facilities d	ischarging to MONITOR REQUIREM	RING
			A		Marrian	144	Measurement	Comple

DI	MONITORING REQUIREMENTS					
Discharge Parameter	Minimum	Average Monthly	Maximum Daily	Instantaneous Maximum	Measurement Frequency* (minimum)	Sample Type
pH (S.U.)					2/Month	Grab
Total Suspended Solids (mg/L)					2/Month	Grab
Iron, Total (mg/L)					2/Month	Grab
Manganese, Total (mg/L)				2277 2007 10	2/Month	Grab
Aluminum, Total (mg/L)					2/Month	Grab
Net Alkalinity (as CaCO₃, mg/L)		1		7. o 3000	2/Month	Grab
Alkalinity, Total (as CaCO₃, mg/L)					2/Month	Grab
Acidity, Total (as CaCO₃, mg/L)					2/Month	Grab
Flow (gpm)				: :	2/Month	Measured
Temperature (°C)				:	2/Month	Measured
Specific Conductance (µmhos/cm)					2/Month	Grab
Sulfate, Total (mg/L)					2/Month	Grab

Alternate Precipitation L	imits for Stor	mwater Conf	trol Facilities			
During a precipitation e from stormwater facilities r monitoring requirements a precipitation event in acco	esulting from p	recipitation e emonstration	vents dischard by the permit	ging to The tee that the dischar	alternative discharge ge occurred only as	ge limits and s a result of a
☐ The following limits are Outfalls:	not applicable	due to Wate	r Quality Base	ed Effluent Limits (V	VQBELs).	
In response to preci	pitation even	ts LESS THA	N OR EQUAL	_ TO the 10-year/2	4-hour precipitati	on event.
	DISCHARGI	E LIMITATIO	NS		MONITO REQUIRE	
Discharge Parameter	Minimum	Average Monthly	Maximum Daily	Instantaneous Maximum	Measurement Frequency* (minimum)	Sample Type
pH (S.U.)					2/Month	Grab
Total Settleable Solids (mL/L)					2/Month	Grab
Iron, Total (mg/L)					2/Month	Grab
Net Alkalinity (as CaCO ₃ , mg/L)			Vi.		2/Month	Grab
Alkalinity, Total (as CaCO₃, mg/L)					2/Month	Grab
Acidity, Total (as CaCO₃, mg/L)	tocoming the state of the state		nu		2/Month	Grab
Flow (gpm)	To be broadly and the same				2/Month	Measured
Temperature (°C)		e de la			2/Month	Measured
Specific Conductance (µmhos/cm)			and the second s		2/Month	Grab
Sulfate, Total (mg/L)	· ·				2/Month	Grab
In response to	precipitation	events GRE	ATER THAN t	the 10-year/24-hou	ır precipitation ev	ent.
Discharge Parameter	Minimum	Average Monthly	Maximum Daily	Instantaneous Maximum	Measurement Frequency* (minimum)	Sample Type
pH (S.U.)			· ·	:	2/Month	Grab
Net Alkalinity (as CaCO ₃ , mg/L)		was			2/Month	Grab
Alkalinity, Total (as CaCO ₃ , mg/L)			***	age. Service of the control of the c	2/Month	Grab
Acidity, Total		management and Hilde Hards to Cartafad and Free			2/Month	Grah

⁽as CaCO₃, mg/L)

* The measurement frequency is the minimum number of sampling events required. Permittees are encouraged to obtain more than the minimum number of sampling events, which provides a better demonstration of compliance.

Effluent Characterization Sampling Requirement

The permittee shall provide analysis of samples collected from erosion and sedimentation control outfalls within two years of the initial discharge of each facility in compliance with 40 CFR 122.26(c)(1)(i)(G). Specifically, sampling results are required for the pollutants listed in 40 CFR 122, Appendix D, Table III (Report All), and for Appendix D, Tables II and IV for those that are expected to be present and pH, specific conductivity, temperature, alkalinity, acidity, iron, manganese, aluminum, sulfate, chloride, settleable solids, total dissolved solids, oil and grease, BOD5, COD, Kjeldahl nitrogen, and nitrate plus nitrite nitrogen. This quantitative data requirement is subject to the small business exemption at 40 CFR 122.21(g)(8) for Table II.

Additional Requirements for Sections A and B

(applicable to all outfalls, under all precipitation conditions)

- 1. Samples collected to comply with the monitoring requirements shall be taken while the facility is discharging at the outfall points listed above. The monitoring requirement frequencies apply to both continuous and non-continuous discharges; therefore, sampling is required in every month during which a discharge occurs. A monitoring report of "no discharge" should only be used to indicate that there was no discharge during the entire reporting period.
- 2. The discharger may not discharge floating materials, scum, sheen, or substances that result in deposits in the receiving water. Except as provided in the permit, the discharger may not discharge foam, oil, grease, or substances that produce an observable change in the color, taste, odor, or turbidity of the receiving water. [25 Pa. Code § 92a.41(c)]
- 3. The permittee may not discharge substances in concentration or amounts sufficient to be inimical or harmful to the water uses to be protected or to human, animal, plant or aquatic life. [25 Pa. Code § 93.6(a)]
- 4. The permittee shall ensure that all effluent characterization data analysis includes detection limits that are less than or equal to the most stringent water quality criteria for each parameter (PA Code Title 25 Chapter 93.8c Table 5).
- 5. The permittee shall include a sample from the receiving stream to be analyzed for hardness as part of the effluent characterization for this site. The hardness sample must be collected from the receiving stream downstream of the outfall(s) during a discharge.

PART B MANDATED STANDARD CONDITIONS FOR NPDES PERMITS

1. Definitions

The following definitions apply within this permit. Reference citations are given from sections of 40 CFR as noted which have been adopted by reference in 25 Pa. Code Chapter 92a.

- (a) "Bypass" means the intentional diversion of waste streams from any portion of a treatment facility. [122.41(m)(1)(i)]
- (b) "Severe property damage" means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production. [122.41(m)(1)(ii)]
- (c) "Average monthly" discharge limitation means the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month. [122.2]
- (d). "Maximum daily" discharge limitation means the highest allowable "daily discharge." [122.2]
- (e) "Daily discharge" means the discharge of a pollutant measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in units of mass, the "Daily discharge" is calculated as the total mass of the pollutant discharged over the day. For pollutants with limitations expressed in other units of measurement, the "daily discharge" is calculated as the average measurement of the pollutant over the day. [122.2]
- (f) "Average" refers to the use of an arithmetic mean, unless otherwise specified in this permit. [122.41(I)(4)(iii)]
- (g) "Instantaneous Maximum" means the highest allowable discharge of a concentration or mass at any one time as measured by a grab sample. [92a.2]
- (h) "Composite Sample" means a combination of individual samples obtained at regular intervals over a time period. Either the volume of each individual sample is proportional to discharge flow rates, or the sampling interval (for constant volume samples) is proportional to the flows rates, over the time period used to produce the composite.
- The maximum time period between individual samples shall not exceed two hours, except that for wastes of a uniform nature the samples may be collected on a frequency of at least twice per working shift and shall be equally spaced over a 24-hour period (or over the operating day if flows are of a shorter duration).
- (i) "Grab Sample" means an individual sample collected at a randomly-selected time over a period not to exceed 15 minutes.
- (j) "Measured Flow" means any method of liquid volume measurement, the accuracy of which has been previously demonstrated in engineering practice, or for which a relationship to absolute volume has been obtained.
- (k) "At Outfall XXX" means a sampling location in outfall line XXX below the last point at which wastes are added to outfall line XXX, or where otherwise specified.
- (I) "Estimate" means to be based on a technical evaluation of the sources contributing to the discharge including, but not limited to pump capabilities, water meters and batch discharge volumes.
- (m) "Toxic Pollutant" means any pollutant listed as toxic under Section 307(a)(1) of the Clean Water Act. [122.2]
- (n) "Hazardous Substance" means any substance designated under 40 CFR Part 116 pursuant to Section 311 of the Clean Water Act. [122.2]
- (o) "Best Management Practices" ("BMPs") are activities, facilities, measures, or procedures used to protect and maintain the quality of waters, and existing and designated uses within this Commonwealth. BMPs include E&S Plans, Reclamation Plans, Storm Water Management Act Plans, and other treatment requirements, operating procedures, and practices to control project site runoff, spillage or leaks, and other drainage from the mining activity.
- (p) "Erosion and Sediment Control Plan" ("E&S Plan") is a site-specific plan included with the mining permit or authorization application identifying BMPs to minimize accelerated erosion and sedimentation and which meets the requirements of 25 Pa. Code Chapter 102.

- (q) "Point Source" means a discernible, confined and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, CAAP, CAFO, landfill leachate collection system, or vessel or other floating craft from which pollutants are or may be discharged. [25 Pa. Code 92a.2]
- (r) "Operator" means a person or entity conducting mining activity that is covered by this permit. The operator name must match the "Permittee" in relation to their mining permit or exploration activity approval and also that of "Operator" in the associated mine operator's license.
- (s) "Reclamation Plan" means approved documentation made part of a permit or exploration notice that describes how the permittee will restore the land surface as required by the appropriate regulations to meet an approved postmining land use. This plan includes activities such backfilling, regrading, soil stabilization, and revegetation. Once the permittee completes the reclamation plan, reclamation bond(s) may be released for a permitted mine site.
- (t) "Stormwater" means surface runoff and drainage resulting from precipitation events, including ice and snowmelt runoff. [122.26(b)(13)]
- (u) "Dry weather flow" means the base flow or surface discharge from an area or treatment facility which occurs immediately prior to a precipitation event and which resumes 24 hours after the precipitation event ends. [25 Pa. Code §§ 87.1, 88.1, 89.1, and 90.1]
- (v) "Upset" means an exceptional incident in which there is unintentional and temporary noncompliance with technology-based permit effluent limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation. [122.41(n)(1)]

2. Standard Federal Conditions

40 CFR Sections 122.41 and 122.42 require that the following conditions are applied to all permits.

- (a) *Duty to comply.* [92a.41(a)(1) and 122.41(a)] The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application.
 - (1) The permittee shall comply with effluent standards or prohibitions established under section 307(a) of the Clean Water Act for toxic pollutants and with standards for sewage sludge use or disposal established under section 405(d) of the CWA within the time provided in the regulations that establish these standards or prohibitions or standards for sewage sludge use or disposal, even if the permit has not yet been modified to incorporate the requirement.
 - (2) The Clean Water Act provides that any person who violates section 301, 302, 306, 307, 308, 318 or 405 of the Act, or any permit condition or limitation implementing any such sections in a permit issued under section 402, or any requirement imposed in a pretreatment program approved under sections 402(a)(3) or 402(b)(8) of the Act, is subject to a civil penalty not to exceed \$25,000 per day for each violation. Section 309(d) of the CWA, 33 U.S.C. § 1319(d), provides that any person who violates Section 301 of the CWA, 33 U.S.C. § 1311, or violates any permit condition or limitation in a permit issued pursuant to Section 402 of the CWA, 33 U.S.C. § 1342, shall be subject to a civil penalty payable to the United States of up to \$25,000 per day for each violation, which, pursuant to the Federal Civil Penalties Inflation Adjustment Act of 1990, as amended by the Debt Collection Improvement Act of 1996, and the subsequent Civil Monetary Penalty Inflation Adjustment Rule, 40 C.F.R. Part 19, was increased to \$32,500 per day for each violation occurring on or after March 15, 2004, and \$37,500 per day for each violation occurring on or after January 12, 2009. The Clean Water Act provides that any person who negligently violates sections 301, 302, 306, 307, 308, 318, or 405 of the Act, or any condition or limitation implementing any of such sections in a permit issued under section 402 of the Act, or any requirement imposed in a pretreatment program approved under section 402(a)(3) or 402(b)(8) of the Act, is subject to criminal penalties of \$2,500 to \$25,000 per day of violation, or imprisonment of not more than 1 year, or both. In the case of a second or subsequent conviction for a negligent violation, a person shall be subject to criminal penalties of not more than \$50,000 per day of violation, or by imprisonment of not more than 2 years, or both. Any person who knowingly violates such sections, or such conditions or limitations is subject to criminal penalties of \$5,000 to

\$50,000 per day of violation, or imprisonment for not more than 3 years, or both. In the case of a second or subsequent conviction for a knowing violation, a person shall be subject to criminal penalties of not more than \$100,000 per day of violation, or imprisonment of not more than 6 years, or both. Any person who knowingly violates section 301, 302, 303, 306, 307, 308, 318 or 405 of the Act, or any permit condition or limitation implementing any of such sections in a permit issued under section 402 of the Act, and who knows at that time that he thereby places another person in imminent danger of death or serious bodily injury, shall, upon conviction, be subject to a fine of not more than \$250,000 or imprisonment of not more than 15 years, or both. In the case of a second or subsequent conviction for a knowing endangerment violation, a person shall be subject to a fine of not more than \$500,000 or by imprisonment of not more than 30 years, or both. An organization, as defined in section 309(c)(3)(B)(iii) of the CWA, shall, upon conviction of violating the imminent danger provision, be subject to a fine of not more than \$1,000,000 and can be fined up to \$2,000,000 for second or subsequent convictions.

- (3) Any person may be assessed an administrative penalty by the Administrator for violating section 301, 302, 306, 307, 308, 318 or 405 of this Act, or any permit condition or limitation implementing any of such sections in a permit issued under section 402 of this Act. Administrative penalties for Class I violations are not to exceed \$10,000 per violation, with the maximum amount of any Class I penalty assessed not to exceed \$25,000. Penalties for Class II violations are not to exceed \$10,000 per day for each day during which the violation continues, with the maximum amount of any Class II penalty not to exceed \$125,000.
- (b) *Duty to reapply.* [92a.41(a)(2) and 122.41(b)] If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must apply for and obtain a new permit.
- (c) Need to halt or reduce activity not a defense. [92a.41(a)(3) and 122.41(c)] It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.
- (d) *Duty to mitigate.* [92a.41(a)(4) and 122.41(d)] The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.
- (e) Proper operation and maintenance. [92a.41(a)(5) and 122.41(e)] The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems which are installed by a permittee only when the operation is necessary to achieve compliance with the conditions of the permit.
- (f) *Permit actions.* [92a.41(a)(6) and 122.41(f)] This permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- (g) *Property rights*. [92a.41(a)(7) and 122.41(g)] This permit does not convey any property rights of any sort, or any exclusive privilege.
- (h) *Duty to provide information.* [92a.41(a)(8) and 122.41(h)] The permittee shall furnish to the Department, within a reasonable time, any information which the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The permittee shall also furnish to the Department upon request, copies of records required to be kept by this permit.
- (i) Inspection and entry. [92a.41(a)(9) and 122.41(i)] The permittee shall allow the Department, or an authorized representative (including an authorized contractor acting as a representative of the Department or EPA), upon presentation of credentials and other documents as may be required by law, to:
 - (1) Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;

- (3) Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- (4) Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act, any substances or parameters at any location.
- (j) Monitoring and records. [92a.41(a)(10) and 122.41(j)]
 - (1) Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
 - (2) Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years (or longer as required by 40 CFR part 503), the permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the sample, measurement, report or application. This period may be extended by request of the Department at any time.
 - (3) Records of monitoring information shall include:
 - (i) The date, exact place, and time of sampling or measurements;
 - (ii) The individual(s) who performed the sampling or measurements;
 - (iii) The date(s) analyses were performed;
 - (iv) The individual(s) who performed the analyses;
 - (v) The analytical techniques or methods used, including detection limits; and
 - (vi) The results of such analyses.
 - (4) Monitoring must be conducted according to test procedures approved under 40 CFR Part 136 unless another method is required under 40 CFR subchapters N or O.
 - (5) The Clean Water Act provides that any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit shall, upon conviction, be punished by a fine of not more than \$10,000, or by imprisonment for not more than 2 years, or both. If a conviction of a person is for a violation committed after a first conviction of such person under this paragraph, punishment is a fine of not more than \$20,000 per day of violation, or by imprisonment of not more than 4 years, or both.
- (k) Signatory requirement. [92a.41(a)(11) and 122.41(k)]
 - (1) All applications, reports, or information submitted to the Department shall be signed and certified. (See § 122.22)
 - (2) The CWA provides that any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or non-compliance shall, upon conviction, be punished by a fine of not more than \$10,000 per violation, or by imprisonment for not more than 6 months per violation, or by both.
- (I) Reporting requirements [92a.41(a)(12) and 122.41(I)]
 - (1) *Planned changes*. The permittee shall give notice to the Department as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:
 - (i) The alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in § 122.29(b); or
 - (ii) The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements under § 122.42(a)(1).

- (iii) The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan;
- (2) Anticipated noncompliance. The permittee shall give advance notice to the Department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- (3) *Transfers*. This permit is not transferable to any person except after notice to the Department. The Department may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary under the Clean Water Act. (See § 122.61; in some cases, modification or revocation and reissuance is mandatory.)
- (4) Monitoring reports. Monitoring results shall be reported at the intervals specified elsewhere in this permit.
 - (i) Monitoring results must be reported on a DMR or forms provided or specified by the Department for reporting results of monitoring of sludge use or disposal practices.
 - (ii) If the permittee monitors any pollutant more frequently than required by the permit using test procedures approved under 40 CFR Part 136, or another method required for an industry-specific waste stream under 40 CFR subchapters N or O, the results of such monitoring shall be included in the calculation and reporting of the data submitted in the DMR or sludge reporting form specified by the Department.
 - (iii) Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified by the Department in the permit.
 - (iv) Monitoring results obtained each month shall be summarized for that month and reported on a DMR.
 - (v) The DMR shall be submitted quarterly within 28 days after the end of the quarter to the appropriate District Mining Office.
 - (vi) Electronic Reporting The permittee shall use DEP's electronic Discharge Monitoring Report (eDMR) system to report the results of compliance monitoring under this permit. (25 Pa. Code §§ 92a.3(c), 92a.41(a), 92a.61(g) and 40 CFR § 122.41(l)(4)).
- (5) Compliance schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.
- (6) Twenty-four hour reporting.
 - (i) The permittee shall report any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within 5 days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.
 - (ii) The following shall be included as information which must be reported within 24 hours under this paragraph.
 - (A) Any unanticipated bypass which exceeds any effluent limitation in the permit. (See § 122.44(g)).
 - (B) Any upset which exceeds any effluent limitation in the permit.

- (C) Violation of a maximum daily discharge limitation for any of the pollutants listed by the Department in the permit to be reported within 24 hours. (See § 122.44(g).)
- (iii) The Department may waive the written report on a case-by-case basis for reports under paragraph (I)(6)(ii) of this section if the oral report has been received within 24 hours.
- (7) Other noncompliance. The permittee shall report all instances of noncompliance not reported under paragraphs (I) (4), (5), and (6) of this section, at the time monitoring reports are submitted. The reports shall contain the information listed in paragraph (I)(6) of this section.
- (8) Other information. Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Department, it shall promptly submit such facts or information.

(m) Bypass [92a.41(m) and 122.41(a)(13)]

(1) Bypass not exceeding limitations. The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of paragraphs (m)(2) and (m)(3) of this section.

(2) Notice -

№ (210 (4)

- (i) Anticipated bypass. If the permittee knows in advance of the need for a bypass, it shall submit prior notice, if possible, at least ten days before the date of the bypass.
- (ii) *Unanticipated bypass*. The permittee shall submit notice of an unanticipated bypass as required in paragraph (I)(6) of this section (24-hour notice).
- (3) Prohibition of bypass.
 - (i) Bypass is prohibited, and the Department may take enforcement action against a permittee for bypass, unless:
 - (A) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (B) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
 - (C) The permittee submitted notices as required under paragraph (m)(2) of this section.
 - (ii) The Department may approve an anticipated bypass, after considering its adverse effects, if the Department determines that it will meet the three conditions listed above in paragraph (m)(3)(i) of this section.
- (n) Existing manufacturing, commercial, mining, and silvicultural dischargers. [92a.42 and 122.42(a)]

In addition to the reporting requirements above, all existing manufacturing, commercial, mining, and silvicultural dischargers must notify the Department as soon as they know or have reason to believe:

- (1) That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - (i) One hundred micrograms per liter (100 μg/l);
 - (ii) Two hundred micrograms per liter (200 μg/l) for acrolein and acrylonitrile; five hundred micrograms per liter (500 μg/l) for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/l) for antimony;

- (iii) Five (5) times the maximum concentration value reported for that pollutant in the permit application in accordance with § 122.21(g)(7); or
- (iv) The level established by the Department in accordance with § 122.44(f).
- (2) That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - (i) Five hundred micrograms per liter (500 μg/l);
 - (ii) One milligram per liter (1 mg/l) for antimony;
 - (iii) Ten (10) times the maximum concentration value reported for that pollutant in the permit application in accordance with § 122.21(g)(7).
 - (iv) The level established by the Department in accordance with § 122.44(f).

3. Standard State Conditions

- (a) All discharges authorized by the NPDES permit shall be consistent with the terms and conditions of the permit; that facility expansions, production increases or process modifications which result in new or increased discharges of pollutants shall be reported by submission of a new application or, if the discharge does not violate effluent limitations specified in the NPDES permit, by submission to the Department of notice of the new or increased discharges of pollutants, that the discharge of any pollutant more frequently than or at a level in excess of that identified and authorized by the permit shall constitute a violation of the terms and conditions of the permit.
- (b) The permittee must comply with applicable water quality standards, including the narrative standards found at 25 Pa. Code § 93.6.
- (c) The permittee shall comply with the immediate oral notification requirements of 25 Pa. Code § 91.33 (relating to incidents causing or threatening pollution). Oral notification is required as soon as possible, but no later than 4 hours after the permittee becomes aware of the incident causing or threatening pollution. A written submission shall also be provided within 5 days of the time the permittee becomes aware of the incident causing or threatening pollution. The written submission must conform to the requirements of 40 CFR 122.41(I)(6). [92a.41(b)]

4. Preparedness, Prevention and Contingency (PPC) Plans

- (a) Persons subject to this permit shall maintain a Preparedness, Prevention and Contingency (PPC) plan.
- (b) The permittee shall periodically review, update, and amend the PPC Plan at least once a year and whenever the information submitted in the plan is no longer accurate.
- (c) The permit does not authorize the discharge of any polluting substances resulting from an on-site spill. Such spills shall be controlled through proper implementation of a PPC Plan.
- (d) This permit does not authorize any discharge (stormwater or non-stormwater), which contains any pollutant that may cause or contribute to an impact on aquatic life or pose a substantial hazard to human health or the environment due to its quantity or concentration.
- (e) Operator personnel shall conduct site compliance evaluations using the Annual Inspection Form at least once a year. All areas shall be visually inspected for evidence of, or the potential for pollutants entering the drainage system. Measures to reduce pollutant loading shall be evaluated to determine whether they are adequate and property implemented in accordance with the terms of this permit or whether additional control measures are needed. Stormwater management measures, E&S plan measures and other structural pollution prevention measures shall be observed to ensure that they are operating correctly. The PPC Plan shall be revised as needed within 15 days of such inspection with implementation of any changes occurring not more than 90 days after the inspection.

NPDES INDIVIDUAL PERMIT CONDITIONS

1. Operation and Maintenance of Erosion and Sedimentation Plan

9 10 20 3

- a. The permittee shall implement the erosion and sedimentation plan contained in Module <u>12</u> and approved under Surface Mining Permit Number <u>32803010</u>.
- b. The permittee shall be responsible for the inspection, maintenance, and repair of the erosion and sedimentation control BMPs to ensure that the proposed system continues to function as designed until final bond release occurs for the mine site.
- c. All BMPs shall be inspected by the responsible entity on a regularly scheduled basis and, at minimum, once a quarter and after all major storm events (greater than 0.5 inch in 24 hours). A qualified representative of the operator must perform inspections of the facilities. The inspections shall determine the operational condition, safety, and the effectiveness of the BMP. Based on the inspection results, an inspection report shall generate a listing of maintenance needs or repairs required. The permittee shall keep a listing of the repairs needed and a schedule for corrective action. Corrective actions shall be performed within the schedule. Written records shall be kept of all inspections and maintenance work performed related to the discharge management facilities.
- 2. The permittee is responsible to renew this NPDES permit until such time that the area is stabilized and no further water treatment will occur.
- 3. If the operator must use flocculants to meet effluent criteria, these must be approved by the Department prior to their use.

EXHIBIT H-4

Treatment Flow Diagram




EXHIBIT H-5

Rights of Entry

Table of Contents for the Consent to Right of Entry Kent No. 56 Treatment Facility

Parcel Number (Part or Whole)	Current Owner (As of Effective Date)	Description	Consent to Right of Entry Obtained?
43-010-137.000	COMMONWEALTH OF PA GAME COMMISSION	3 rd Party	√
04-002-100	MCINTIRE HAZEL E AL	3 rd Party	
43-012-109	COMMONWEALTH OF PA GAME COMMISSION	3 rd Party	✓

Document Number: 2024-347753

5600-FM-BMP0470 12/2013

pennsylvania
pepartment of environmental
profection

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF MINING PROGRAM

ORIGINAL

32803010		
	Permit No.	

CONSENT TO RIGHT OF ENTRY FOR OPERATION AND MAINTENANCE OF A MINE DRAINAGE TREATMENT FACILITY COVERED BY A BOND OR A POST-MINING DISCHARGE TREATMENT TRUST AGREEMENT

Property Owner(s): List everyone with an ownership in Agreement.	nterest in the property which is the subject of this
Name: The Commonwealth of Pennsylvania	Name: Pennsylvania Game Commission
Address: 2001 Elmerton Avenue, Harrisburg, PA 17110	Address:
WHEREAS, the Property Owner(s) own surface Young and Block Liek Townships, Indiana County, Volume 2013-248632, Page _, in the Indiana County Recorder (the Property);	Pennsylvania, and described in Deed Book
WHEREAS, the Commonwealth of Pennsylvania, authorized to administer and enforce the Surface 52 P.S. §§ 1396.1-1396.19a, the Clean Streams Law, 35 regulations, including requiring the construction, operation an effects of mine drainage;	Mining Conservation and Reclamation Act, P.S. §§ 691.1-691.1001, and their implementing
WHEREAS, Consol Mining Company LLC ("Ope adjacent to the Property pursuant to Surface Mining Permit No.	
WHEREAS, DEP has determined that mine drainage from or passing through the Property, and the mine drainage pollution, to waters of the Commonwealth;	
WHEREAS, <i>Operator</i> is required, under the mining larged maintain mine drainage treatment facilities on a portion purposes of treating the pollutional discharge(s);	

WHEREAS, a map showing the boundaries of the Treatment Facility Property is attached as Exhibit A;

WHEREAS, Operator has posted a bond with the Department, or has established a trust with a financial institution as an alternative financial assurance mechanism, in order to provide sufficient funds to guarantee Operator's legal obligation to operate and maintain the mine drainage treatment facilities on the Property and the Operator's obligation for long-term treatment, or abatement, of the post-mining pollutional discharge(s) on the Property;

WHEREAS, to assure compliance with its legal obligations, *Operator* and DEP [and the Trustee] must have access to the Treatment Facility Property to conduct and/or oversee the mine drainage treatment activities required by law and the mining permit;

WHEREAS, Operator and DEP have requested and the Property Owner(s) is willing to grant Operator and DEP [and Trustee] a right of entry into, under, over and upon the Treatment Facility Property to construct, operate and maintain mine drainage treatment facilities;

WHEREAS, the Property Owner(s) acknowledge that treatment of the mine drainage on the Property will provide benefits to the Property Owner and to the Commonwealth through abatement of a nuisance, restoration of land affected by mining operations, and prevention of pollution to waters of the Commonwealth;

5600-FM-BMP0470 12/2013

NOW THEREFORE, in consideration of the benefits which the Property Owner(s) and the general public will receive, and with the intention of being legally bound, it is agreed as follows:

- 1. <u>Right of Entry.</u> The Property Owner(s) hereby grants and conveys to *Operator* and DEP [and *Trustee*], its employees, agents, servants, contractors and subcontractors, a right of entry into, under, over and upon the Treatment Facility Property. This right of entry includes all necessary rights of ingress, egress and regress with all personnel, materials, and equipment needed to perform the discharge treatment activities.
- 2. <u>Duration of Right of Entry</u>. The term of this Right of Entry shall extend for the length of time necessary to complete the discharge treatment activities in accordance with applicable law. It is specifically understood and agreed that the term of this Right of Entry extends for the length of time necessary to operate and maintain all mine drainage treatment facilities on the Treatment Facility Property, and shall only terminate when such treatment facilities are no longer necessary to remediate or prevent pollution to waters of the Commonwealth.
- 3. <u>Insurance</u>. DEP will require *Operator* to obtain and keep in force insurance coverage in accordance with the requirements of 25 Pa. Code § 86.168.
- 4. <u>Property Use.</u> During the term of this Right of Entry, the Property Owner(s) will not, without the written consent of DEP, make any use of the Property which will interfere with the construction, operation or maintenance of the mine drainage treatment facilities installed on the Treatment Facility Property.
- 5. <u>Notification</u>. This Consent to Right of Entry shall be recorded by *Operator* in the <u>Indiana</u> County Recorder's Office within thirty days of its execution. In the event that the Property Owner(s) intends to sell, lease, or otherwise transfer any interest in the Property prior to the termination of this Right of Entry, the Property Owners shall advise the prospective owner or lessee of the terms and conditions of this Right of Entry. The Property Owner(s) shall advise DEP, by notifying the Department representative whose signature appears below or his successor, of the intent to sell the Property prior to any sale.
- 6. <u>Representation of Interests</u>. The Property Owners represent that they are the only persons authorized to grant access to the Treatment Facility Property.
- 7. <u>Binding on Successors</u>. All the covenants, representations, consents, waivers and agreements contained herein shall be binding upon and inure to the benefit of the parties and their heirs, successors and assigns.
 - 8. <u>Coordination with Property Owner.</u> See Attached Addendum.

For [Operator]	
Stathemmet M. Jamyeng	Jaan Hartley
Mame: Anthony M. Drezewski Title: VICE Place (1997)	Witness
For the Department of Environmental Protection:	•
San Tarte	Megan Bull -
Name: San Faits Title:	Withess
District Mining Mar	

IN WITNESS WHEREOF, each of the parties set its respective hand and seal, for itself, its heirs, executors, administrators, successors and assigns, intending to be legally bound, this _____ day of _______, 2024.

The Property Owner(s)

(Each owner sign and print their name under the signature.)

Name: Jeffrey J. Painter for PA Game Commission

5600-FM-BMP0470 12/2013

ACKNOWLEDGEMENT

STATE OF Pennsylvania	:		
COUNTY OF Dauphin	; ss :		
On this, the $\frac{2^{1}}{2}$ day of $\frac{1}{2}$	1ay, 2024	_, before me, the undersigned	Notary, personally appeared
Je	Frey -	Painter	
	1 (v	lame (s))	
known to me (or satisfactorily prover acknowledged that (he, she or they) has			scribed to this instrument, and who
IN WITNESS WHEREOF, I ha (SEAL) Elyabeth S	ve hereunder set my h	and and official seal. My Commission Expires: _	1/14/2027
Notary Publi	c	,	

Commonwealth of Pennsylvanie-Notary Seal Elizabeth S Maize, Notary Public Dauphin County My Commission Expires JANUARY 18, 3667 Commission Number 1344135 Document Number: 2024-347753

Addendum as referenced in Section 8.

CONSENT TO RIGHT OF ENTRY FOR OPERATION AND MAINTENANCE OF A MINE DRAINAGE TREATMENT FACILITY COVERED BY A BOND OR A POST-MINING DISCHARGE TREATMENT TRUST AGREEMENT

Project: Consol Mining Company LLC –Kent #56

Permit No.: <u>32803010</u>

Purpose: Request for access onto State Game Lands ("SGL") 332, Young and Black Lick

Townships, Indiana County for conducting operation and maintenance of a post-

mining discharge treatment system.

The Pennsylvania Game Commission (the "Owner") requires that the following provisions be adhered to:

- 1. The Government, its employees, agents, servants, contractors and subcontractors shall continue to coordinate the project with the Owner's Land Management Group Supervisor ("LMGS") for SGL 332, currently Mr. Zeb Campbell, and shall provide at least five (5) business days' notice to the LMGS prior to implementing any of the activities authorized by this Consent for Right of Entry, except in the event of an emergency.
- 2. The Government, its employees, agents, servants, contractors and subcontractors shall be responsible for the repair of all damages to any roads, bridges, refuge lines, pipelines, telephone or power lines and survey boundary lines crossing SGL 332, or adjacent thereto, or for any damages done to other improvements or structures on SGL 332 resulting from the activities authorized by this Consent for Right of Entry.
- 3. The Government, its employees, agents, servants, contractors and subcontractors shall conduct its operations so as to minimize interference with other authorized activities on SGL 332. As a result, except in emergency situations, no activities authorized by this Consent for Right of Entry shall be permitted on the following days (see www.pgc.pa.gov for actual dates for Wildlife Management Unit (WMU) 2D) unless approved in writing by the LMGS:
 - a. The opening day of archery deer season.
 - b. The opening day of any youth or special-use hunting seasons.
 - c. The opening day of early fall muzzleloader deer season.
 - d. The opening day of early small game season.
 - e. The opening day of general small game season.
 - f. The junior/senior/disabled/active-duty-military special antlerless deer season.
 - g. The opening day of fall turkey season.
 - h. The opening days and Sundays of the archery or rifle bear seasons.
 - i. The first three (3) days of the firearms deer seasons.
 - j. All Saturdays and Sundays of the firearms deer season.
 - k. The opening day of spring turkey season.


Addendum as referenced in Section 8. Other Provisions

Title: District Mining Manager

Page | 2

- 4. The Government, its employees, agents, servants, contractors and subcontractors shall obey and abide by all State Game Lands regulations while conducting the activities otherwise authorized by this Consent for Right of Entry.
- 5. The Government, its employees, agents, servants, contractors and subcontractors agree, as far as possible, to avoid damaging standing timber on SGL 332, to use existing access roads whenever possible, and to conduct its operations in such a way to minimize surface and timber damages in all cases. This Consent for Right of Entry does not authorize the sale or removal of any timber from SGL 332 by the Government, its employees, agents, servants, contractors or subcontractors without the prior written approval of the Owner.
- 6. All proposed herbaceous seed mixes, trees, shrubs, soil supplements, and mulch must be specifically approved by the LMGS prior to their planting or application.
- 7. The Government, its employees, agents, servants, contractors and subcontractors agree to undertake all reasonable and necessary repairs to the areas disturbed by this abandoned mine reclamation project on SGL 332 post-reclamation. The post-reclamation repairs may include the re-grading of eroded or unstable areas, or the re-seeding or re-planting of the site to original design specifications where the LMGS has determined that such repairs are necessary to protect wildlife, wildlife habitat and hunting and trapping opportunities.
- 8. It is understood between the Government and the Owner that the Owner retains the right to revoke or suspend this Consent for Right of Entry, if at any time the Government fails to abide by or perform the compliance obligations as set forth in its permits (the "Default") within thirty (30) days of receipt of notice of such Default from Owner.

DATE:	OPERATOR: CONSOL Mining Company LLC
5/2/24	By: MilliannyM. Juny
	Name: ANTHONY M. DREZENSK,
	Title: VICE PRESIDENT
DATE:	GOVERNMENT: Commonwealth of PA,
,	Department of Environmental Protection
9/03/24	By: Jan Face
	Name: Sam Faith



Indiana County

825 Philadelphia Street Indiana, PA 15701 Phone: (724) 465-3860



0860531-0012.1

RECORDING COVER PAGE

Page 7 of 7

Instrument Type: Consent

Instrument Date: 09/23/2024 12:00:41 PM

Instrument Number: 2024-347753

RETURN TO: (Mail) NICK TYSIAK

TWO GATEWAY CENTER

8TH FLOOR

PITTSBURGH, PA 15222

Transaction #:

905542

Instrument Page Count: 6

SUBMITTED BY:

NICK TYSIAK

TWO GATEWAY CENTER

8TH FLOOR

PITTSBURGH, PA 15222

INSTRUMENT REFERENCE NAME: COMMONWEALTH OF PA/ PA GAME COMMISSION

FEES / TAXES:

Recording Fee:Consent \$30.50 Additional Pages Fee \$4.00 Mail Fee \$1.00

Total:

\$35.50

Instrument #: 2024-347753

Recorded Date: 09/23/2024 12:00:41 PM

I hereby CERTIFY that this document is recorded in the Recorder's Office of Indiana County, Pennsylvania



Maria Jack Recorder of Deeds

** DO NOT REMOVE - THIS PAGE IS PART OF THE RECORDED DOCUMENT **

NOTE: If document data differs from cover sheet, document data always supersedes. *COVER PAGE MAY NOT INCLUDE ALL DATA, PLEASE SEE INDEX AND DOCUMENT FOR ANY ADDITIONAL INFORMATION.

Kent No. 56 Treatment Facility

Supplemental C for 04-002-100 (865/893)

1768

ER-MR-10: Rev. 2/84 "Supplemental C"

Return R+P Church St.

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES

BOOK 865 PAGE 893

		APPL. NO.	(Department Use Only)	
CON	TRACTUAL CONS	ENT OF LANDO	WNER	,#
(I) (We), the undersigned		250	_ acres of t	and located in
(I) (We), the undersigned	i, being the owner(s) (Indiana		County, as
Blacklick Towns	hip		Osti-a Baaklel	and nage(s)
(Township, Borough, City) described in the deed(s)	recorded in the Re	corder of Deeds	by crosshatched	i lines on the
map attached hereto which Kent Coal Mini	is signed in the orig	inal by the landov	proposes to enga	age in surface
Rent Coal MINITED (Name of Mining Operator) mining activities for which application and the courses and of which application and the course of	TOR HAS THE RIGHT OF SURFACE MINING	TO ENTER UPON ACTIVITIES. Furthe	rmore, (i) (We), th	e undersigned,
do hereby irrevocably grant	land before beginning	the mining activit	y(ies), during the	mining activi-
ty(ies) for the purposes of in	the provisions of the	Surface Mining Cor	nservation and Re	ciamation Act,
The Close Streams Law, at	O LIIO CODI LIGITADA SI	The state of the s	-: ∩norot∩r (I)	IVVAI OO NUTUUY
Ingtod thereithcar, and u	IB DIOAISIONS OF BATTER		atama in a sinche At At	TOUR REPOSS ALLY
DOMESTICATION OF CONTINUOUS INC.	12 DAMINGO DA LOGI LILIA		ivas kha Com	monwealth tile
Ullis Deeple villed ifference at all	filling 2000 that suit			n thatatrom as
right to enter, inspect, stu	dy, Dackini, pidne die	bliggte the Commo	nwealth to do so	o, and does not
a matter within the police constitute any ownership	nterest by the Comm	onwealth in the af	foresaid land.	
Constitute any ownership		i contractil	al agreement bet	ween the Mine
This Consent shall no	t be construed to imp	pair any contracto		
Operator and the landown	er.	·	<u> </u>	
(INSERT ADDITIONAL PROVISIONS OF	CROSS OUT)			
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Į				
In witness whereof an and assigns, (I) (we) have	d intending to legally be hereunto set (my)	oind (myself) (ourse our) hand(s) and se	lves), (my) (our) h	eirs, successors
of	, 19	1 .		
01 - 0		•		- -
	•	HAZEL E. M	CINTYRE, ET	
		LANDOWNER		
	. 1	By: Marg	erys to	enston x
BY: Shall & The	trie X	(Signature)	(Seål	,
Hazel E. McIntyr	e	Margery J	. Johnston	
Hazer E. Herneyr	-	(Print Name)		_
		4/marcas)	1 Daniel	en X

Homer J. Johnston

	na de la companya de
BOOK 865 PAGE 894	
State Rt. 286	•
	T 461
T660	
11 L.R.32171	
11	
COMMONNEALTH OF PENNSYLVANIA) SS: COUNTY OF INDIANA On this the day of 1985, before me, a Notary Public, personally appeared H.E. McIntyre, N.S. Johnston, H.J. Johnston	EXHIBIT TO "SUPPLEMENTAL C" DEPARTMENT OF ENVIRONMENTAL RESOURCES Landowner: Hazel E. McIntyre, et al Township: Blacklick County: Indiana
are subscribed to the within instrument, and acknowledged that they executed the same for the purposes together contained. IN MINESS MERROF, I hereunto set my hand and official soft.	Signature(s): Hazel E. McIntyre Margary S. Johnston
Notary Public DEBRA, M. WALP, NOTARY PUBLIC Indiana Borough, Indiana County My Commission applies November 14, 1988	Margery S. Johnston Homer J. Johnston Date:

ACKNOWLEDGEMENT OF INDIVIDUALS OR PARTNERS

LAND OWNER

BCON 865 PAGE 895

STATE OF PENNSYL	•	SS			, -
COOKITO	٠ ١٥٥٥	efore me, the undersigned Johnston, and Homer	Notary,	personally hnston	appeared
Hazel E. McI	ityre, Margery o	[Name(e)]			L1_ 1a
lengua to me (or sati	isfactorily proven) to	o be the person whose nam	e is sub	scribed to t	his instru-
ment, and who ackr	nowledged that	they [he, she or they]			
executed the same a					
executed the same of	unness I have been	eunto set my hand and offic	cial <u>equ</u>	A. M. WALP, NOT	ARY PUBLIC
	HEREOF, I have ner	My Commission Expires: _	India	na Borough, India	rember 14, 1980 rember 14, 1980
(SEAL) Notary Public	M Malp	My Commission Expires: _	(date)		•
	ACKNOWLED(SEMENT OF CORPORAT	rions		8
A Commence of the Commence of	Actions	LAND OWNER		: ₹ 3	RE
12.		Date of the contract of the co	Tr.	A A A A A A A A A A A A A A A A A A A	# 255 #
			1	်း မြ	3 A A A A A A A A A A A A A A A A A A A
STATE OF	:	SS *	ļ	5	200
COUNTY OF				is in	
	,	pefore me, the undersigned	Notary	personally	appeared
On	, [etore me, the undersigned		60	
		- ho tha			of
who acknowledged	(herself) (himself) t	(Title of Person)			a
·		[Name of Corporation]			, a
		حام مم امرين ال	so, exe	cuted the fo	regoing in-
corporation, and the	of the said corpora	tion and desires that this in	strume	nt be record	ea.
IN WITNESS W	HEREOF, I have he	reunder set my hand and o	11.0.0.	eal.	
(SEAL)	·	My Commission Expires:	(date)		<u> </u>
Notary Public					
		anded in Anchiana	ノ	-	
This inst	trument has been re Pennsylvania, this	4 day of Felice	ary	. ,	
County,	Pennsylvania, triis	, Page (s	823	. •	
. 19 <u>//</u> 5	, at Book		7		
	Donala	1B Mark Ko	well	<u>v</u>	.
	(Signed) * (Print Name)				
					-
₹	(Sealed)			•	
•					

AMDTreat Cost Worksheets

Project Global Trust Site Name Kent 56 REV4

Costs

AMD TREAT AMD TREAT MAIN COST FORM



M	רה		т

Costs			INEAL MAIN			
Passive Treatment	<u>A</u>	<u>s</u>				
Vertical Flow Pond			\$0			
Anoxic Limestone Drain			\$0			
Anaerobic Wetlands			\$0			
Aerobic Wetlands			\$0			
Manganese Removal Bed			\$0			
Oxic Limestone Channel			\$0			
Limestone Bed			\$0			
BIO Reactor			\$0			
Passive Subtotal:			\$0			
Active Treatment						
Caustic Soda			\$0			
Hydrated Lime			\$0			
Pebble Quick Lime			\$0			
Ammonia			\$0			
Oxidants			\$0			
Soda Ash			\$0			
Active Subtotal:			\$0			
Ancillary Cost						
Ponds			\$0			
Roads			\$0			
Land Access			\$0			
Ditching			\$0			
Engineering Cost			\$0			
Ancillary Subtotal:			\$0			
Other Cost (Capital Cost)			\$0			
Total Capital Cost:			\$0			
Annual Costs						
Sampling	1	0	\$8,034			
Labor	1	0	\$8,190			
Maintenance	1	0	\$1,335			
Pumping			\$0			
Chemical Cost	1	0	\$815			
Oxidant Chem Cost			\$0			
Sludge Removal			\$0			
Other Cost (Annual Cost)			\$456			
Land Access (Annual Cost)	, ,					
Total Annual Cost:	· · · · · · · · · · · · · · · · · · ·					
Other Cost	1	0				
L	•					

•	AWDTREW!	Γ
Water Quality		
Design Flow	5.80	gpm
Typical Flow	5.80	gpm
Total Iron	2.14	mg/L
Ferrous Iron	2.14	mg/L
Aluminum	0.00	mg/L
Manganese	1.17	mg/L
рН	6.45	su
Alkalinity	154.09	mg/L
TIC	71.07	mg/L
Calculate Net Acidity Enter Hot Acidity manually		
Acidity	85.39	mg/L
Sulfate	268.73	mg/L
Chloride	0.00	mg/L
Calcium	99.00	mg/L
Magnesium	39.00	mg/L
Sodium	0.00	mg/L
Water Temperature	15.53	С
Specific Conductivity	0.00	uS/cm
Total Dissolved Solids	0.00	mg/L
Dissolved Oxygen	0.01	mg/L
Typical Acid Loading	1.0	tons/yr
otal Annual Cost: per		

Total Annual Cost: per 1000 Gal of H2O Treated \$6.172

Project Global Trust

Site Name Kent 56 REV3

AMD TREAT



Sampling Name Kent 56 Sampling

Estimate Sampling Cost		
1. Unit Labor Cost	35.00	\$/hr
2. Collection Time per Sample	0.33	hours/sample
3. Travel Time	1.25	hr
4. Sample Frequency	0.94	samples/mo
5. Lab Cost Per Sample	99.85	\$/sample
6. Number of Sample Points	6	points
 Enter Established Annual Sa 	mpling Cost	
7. Actual Annual Sampling Cost		\$

Sampling Sub-Totals

8. Yearly Sample Analysis Cost 6,758 \$

> 9. Yearly Travel Cost 494 \$

10. Yearly Collection Cost 782 \$

> 11. Sampling Cost 8,034 \$

Record Number 1 of 1

Project Global Trust

Site Name Kent 56_REV3

AMD TREAT

LABOR

Labor Name Kent 56 Labor



Estimate La	abor Cost		
1	. Site Visits per Week	3.00	
2. Site	e Labor Time per Visit	0.25	hours
3.	Travel Time per Visit	1.25	hours
	4. Unit Labor Cost	35.00	\$/hour
C Enter Estab	lished Annual Labor	Cost	
5. Actua	al Annual Labor Cost		\$
	6 Total Cost	8 190	\$

Record Number 1 of 1

Project Global Trust

Site Name Kent 56 REV4

AMD TREAT

MAINTANENCE

Estimate Maintenance Cost

 Percent of Active Cost 	9/
2. Percent of Passive Cost	9/
3. Percent of Ancillary Cost *	9/
4. Percent of Other Capital Cost	0/

Enter Established Annual Maintenance Cost


5. Annual Maintenance Cost 1,335

Maintenance Sub-Totals

0 \$

6 Total Maintenance Active Cost
7. Total Maintenance Passive Cost
8. Total Maintenance Ancillary Cost
0 \$
0 \$

9. Total Maintenance Other Capital Cost



^{*} Ancillary Cost does int include Cost for Land Access and Engineering Cost



Project <u>Global Trust</u>

Site Name Kent 56 REV4

AMD TREAT CHEMICAL COST



AMOTREAT

	Chemical Cost Name: Kent 56 So	odium Hydroxide						
Opening Scree	A. Hydrated Lime?			C E. Anhydrous Ammonia ?				
Water Paramet	· ·			21. Titration?				
	2. Hydrated Lime Titration Amount	lbs of hydrated				22. AmmoniaTitration Amount lbs of ammonia / gal H2O		
Influent Water Parameters	3. Hydrated Lime Purity	iiiie / g.	ai ui nzu	23. Ammonia Purity		%		
that Affect	Mixing Efficiency of Hydrated Lime	%		24. Mixing Efficiency of Ammonia		%		
Chemical Cost Calculated Acidity	5. Hydrated Lime Unit Cost	\$/lb		Non-Bulk Delivery				
-148.11 mg/		Ψ/12		25. Ammonia Non-Bulk Unit Cost		\$/lb		
Alkalinity	6. Titration?			Bulk Delivery				
154.09 mg/		lbs of P		26. Ammonia Bulk Unit Cost		\$/lb		
	8. Pebble Lime Purity	Lime / g	gal of H2O	F. Soda Ash?				
Calculate Net Acidity	9. Mixing Efficiency of Pebble Lime	%		27. Titration?				
(Acid-Alkalinity)		70		28 Soda Ash Titration Amount			soda ash of H2O	
Enter Net Acidity	Delivered in Bags	• "		29. Soda Ash Purity		%	11120	
• manually	10. Pebble Lime Bag Unit Cost	\$/lb		30. Mixing Efficiency of Soda Ash		%		
Net Acidity (Hot Acidity)	Bulk Delivery 11. Pebble Lime Bulk Unit Cost	\$/lb						
85.39 mg/				31 Soda Ash Unit Cost		\$/lb		
	C. Caustic Soda ?			G. Known Chemical Cost ?				
Design Flow	13 Caustic Titration Amount	gal ofca		32. Known Annual Chemical Cost	815	\$	Annual Amount	t of
5.80 gpm		/ gal H2		Chemical Cost	Sub-Totals		Chemicals Consu	
Typical Flow 5.80 gpm	14. Caustic Purity		solution	33. Total Hydrated Lime Cost	0	\$	0	lbs
5.80 gpm Total Iron	15. Mixing Efficiency of Caustic	%		34. Total Pebble Lime Cost	0	\$	0	lbs
2.14 mg/	Non-Bulk Delivery			35. Total Caustic Soda Cost	4,073	\$	875	gals
Aluminum	16. Caustic Non-Bulk Unit Cost	\$/gal		36. Total Anhydrous Ammonia Cost	0	\$	0	lbs
0.00 mg/	Bulk Delivery 17. Caustic Bulk Unit Cost	\$/gal		37. Total Soda Ash Cost	0	\$	0	lbs
Manganese		ψ/gai		38. Total Known Chemical Cost	815	\$		i
1.17 mg/	☐ 18. Flocculents?			39. Total Flocculent Cost	0.0	\$	0	gals
Record Number	19. Flocculent Consumption	gal/hr		40. Selected Chemical: KNOWN	CHEMICAL CO	ST		7
1 of 1	20. Flocculent UnitCost	\$/gal		Annual Chemical Cost	815			
1011	<i>/</i>			I				

Project Global Trust
Site Name Kent 56 REV4



AMD TREAT OTHER COST

AMOTREAT

Oher Cost Name Other Costs	TILIT GOOT			- AMDTREAT
A. Description of Item	B. Unit Cost Per Item	C. Quantity	D. Total Item Cost	E. Capital Cost Annual Cost
Maintenance based off 2% of Total Capital Cost from Recapitalization Cost Sheet	456.00	1	456	C Capital Cost Annual Cost
2.	0.00	0	0	Capital Cost Annual Cost
3.	0.00	0	0	Capital CostAnnual Cost
4.	0.00	0	0	Capital CostAnnual Cost
5.	0.00	0	0	Capital Cost Annual Cost
6.	0.00	0	0	C Capital Cost
7.	0.00	0	0	C Capital Cost
8.	0.00	0	0	C Capital Cost
9.	0.00	0	0	C Capital Cost
10.	0.00	0	0	C Capital Cost
11.	0.00	0	0	C Capital Cost
12.	0.00	0	0	C Capital Cost
13.	0.00	0	0	C Capital Cost
14.	0.00	0	0	C Capital Cost
15.	0.00	0	0	C Capital Cost

Record Number 1 of 1

Curent Capital Cost	0	\$
Current Annual Cost	456	\$

Total Capital Cost	0	\$
Total Annual Cost	456	\$

AMDTreat Recapitalization Worksheet

Project Global Trust
Site Name Kent 56 REV1

AMD TREAT RECAPITIZALITION COST



AMOTREAT

Calculation Period 75 yrs Inflation Rate 3.10 % Net Return Rate 8.43 %

Recapitizalition Name Exhibit E - Kent 56 Recapitalization Cost

Recapitizalition Name Exhibit E - Kent 56 Reca				_	<u> </u>	
Α.	В	С	D	E	F	G
Description of Item	Unit Cost Per Item	Quantity	Total Item Cost	Life Cycle	Number of Periods	Total PV
1. Cell #1	722	1	722	75	1	16
2. Cell #2	1,007	1	1,007	75	1	23
3. Cell #3	151	1	151	75	1	3
4. Cell #4	224	1	224	75	1	5
5. Incoming Ditch	5,395	1	5,395	10	7	7,990
6. Cell 1 to Cell 2 Ditch	1,079	1	1,079	10	7	1,598
7. Cell 2 to Cell 3 Ditch	809	1	809	10	7	1,198
8. Cell 3 to Cell 4 Ditch	540	1	540	10	7	800
9. 8" PVC Pipe	175	1	175	10	7	259
10. Chemical Line 1/2" PVC Line	22	31	682	10	7	1,010
11. Pond Cleaning	12,000	1	12,000	15	5	10,378
12.	0	0	0	0	0	0
13.	0	0	0	0	0	0
14.	0	0	0	0	0	0
15.	0	0	0	0	0	0
16.	0	0	0	0	0	0
17.	0	0	0	0	0	0
18.	0	0	0	0	0	0
19.	0	0	0	0	0	0
20.	0	0	0	0	0	0

Total Capital Cost 22,784 \$ PV Grand Total 23,281

Global Trust Addendum to Exhibit E - Facility Details and Measurements Kent 56 - 32803010

0. Unit Costs

Item	U	Init Cost	Unit	Discount	ReCap	Unit Cost	Description
Pond Construction	\$	3.29	yd^3	0%	\$	3.29	The unit cost is based off an average of the high and low cost for soil movement by bidders on a large reclamation project currently being undertaken by CONSOL at another site. The ReCap unit cost was discounted by 90% since CONSOL's maintenance program, the costs of which will be captured in the M&R section on an annual basis, will make the likelihood of a full pond recapitalization negligible.
Ditch Construction	\$	107.90	ft.	0%	\$	107.90	The unit cost is based off an average of the high and low cost for soil movement by bidders on a large reclamation project currently being undertaken by CONSOL at another site. The ReCap unit cost was discounted by 90% since CONSOL's maintenance program, the costs of which will be captured in the M&R section on an annual basis, will make the likelihood of a full pond recapitalization negligible.
Pipeline Install	\$	2.50	Per inch-ft	0%	\$	2.50	Based on the costs from contractor bids from various ongoing capital projects. The discount assumes that 20% of the pipe will be repaired within the recapitalization period.
Concrete Vault Construction	\$	1,385.47	yd ³	0%	\$	1,385.47	Cost based on concrete vault construction price obtained in 2021. The discount is based on the an assumed degradation of 25% of the vault in the lifetime.
Turbidity Boom	\$	21.00	ft.	0%	\$	21.00	
Access Road Reconstruction	s	24.29	vd ³	0%	\$	24.29	Cost based on the combination of earthmoving costs (\$3.29/vd) and the cost of road stone (\$15/ton @ 1.4 tons/cy).

1. Ponds

		Bank Length			Estimated Bank						Middle Pond Volume	Slope Area		Slope Area	Total Pond Area		Lifetime
Pe	ond ID	(ft.)	Bank Width (ft.)	Depth (ft.)	Slope (X:1)	Slope %	Subtractable	Bottom Length	Bottom Width	Middle Pond Area (ft ³)	(yd³)	(ft ²)	Slope Area (ft ³)	(yd³)	(yd³)	ReCap Cost	(Years)
(Cell #1	40.00	85.00	2.00	2.00	50%	4.00	32.00	77.00	4,928.00	182.52	4.00	1,000.00	37.04	219.56	\$ 722	75.00
	Cell #2	115.00	75.00	1.00	2.00	50%	2.00	111.00	71.00	7,881.00	291.89	1.00	380.00	14.07	305.96	\$ 1,007	75.00
(Cell #3	20.00	70.00	1.00	2.00	50%	2.00	16.00	66.00	1,056.00	39.11	1.00	180.00	6.67	45.78	\$ 151	75.00
(Cell #4	50.00	40.00	1.00	2.00	50%	2.00	46.00	36.00	1,656.00	61.33	1.00	180.00	6.67	68.00	\$ 224	75.00

2. Ditches

	Base Width					Ditch Volume						
Ditch ID	(ft.)	Depth (ft.)	Ditch Area (ft2)	Ditch Construction	Length (ft.)	(ft ³)	Ditch Volume (yd3)		Total Costs	Re	Cap Cost	Lifetime (Years)
Incoming Ditch	2.00	2.00	4.00	Rock Lined Ditch	100.00	400.00	14.81	\$	10,790	\$	5,395	10.00
Cell 1 to Cell 2 Ditch	3.00	2.00	6.00	Rock Lined Ditch	20.00	120.00	4.44	\$	2,158	\$	1,079	10.00
Cell 2 to Cell 3 Ditch	5.00	2.00	10.00	Rock Lined Ditch	15.00	150.00	5.56	\$	1,619	\$	809	10.00
Cell 3 to Cell 4 Ditch	5.00	2.00	10.00	Rock Lined Ditch	10.00	100.00	3.70	S	1.079	S	540	10.00

3. Concrete Vaults

		Diameter (in.) for	Length (ft.) for	Width (ft.) for	Depth	Wall Thickness	Concrete	Concrete			
Vault ID	Type	circular vaults only	rectangular vaults only	rectangular vaults only	(ft.)	(in.)	Volume (ft ³)	Volume (yd3)	ReCap Cost	Lifetime (Years)	_
	Rectangular								\$ -		•

4. Turbidity Boom

Boom ID	Length (ft.)	ReCap Cost	Lifetime (Years)
		S -	

5. Access Roads

Road ID	Type	Width (ft.)	Length (ft.)	Depth (in.)	Road Volume (ft.3)	Road Volume (yd3)	ReCap Cost	Lifetime (Years)
					-		\$ -	-

6. Pipe and Culverts

ipe and Curverts											
				C	Cost per Unit						
					Length	Cost per Unit Length	1	otal Cost per			
Pipe Name	Pipe Material	Diameter (in.)	Length (ft.)		(Material)	(Labor)		Unit Length	ReCap Cost	Lifetime	
8" PVC Line	PVC	8.00	10.00	\$	19.08	\$ 16.00	\$	35.08	\$ 175		10

Project Global Trust
Site Name Kent 56 REV4

 Life of Trust Fund
 75
 yrs

 Inflation Rate
 3.10
 %

 Return Rate
 8.43
 %

AMD TREAT RECAPITIZALITION COST



1 2 3	Trust Fund Growth Fund Before Payout 23,281	Trust Fund Growth Fund After Payout	Payout Schedule	Year	Trust Fund Growth	Trust Fund Growth	Payout
2	23,281				Fund Before Payout	Fund After Payout	Schedule
2		23,281	Initial Fund Amount				
2	25,243	25,243	0	51	98,098	98,098	0
	27,371	27,371	0	52	106,368	106,368	0
U	29,678	29,678	0	53	115,335	115,335	0
4	32,180	32,180	0	54	125,057	125,057	0
5	34,893	34,893	0	55	135,600	135,600	0
6	37,834	37,834	0	56	147,031	147,031	0
7	41,024	41,024	0	57	159,426	159,426	0
8	44,482	44,482	0	58	172,865	172,865	0
9	48,232	48,232	0	59	187,438	187,438	0
10	52,298	40,519	11,778	60	203,239	74,096	129,142
11	43,935	43,935	0	61	80,342	80,342	129,142
12	47,639	47,639	0	62	87,115	87,115	0
	51,655	51,655	0		94,459	94,459	0
13	56,009	56,009	0	63	102,422	102,422	0
14	60,731		-	64			
15		41,761	18,969	65	111,056	111,056	0
16	45,282	45,282	0	66	120,418	120,418	0
17	49,099	49,099	0	67	130,569	130,569	0
18	53,238	53,238	0	68	141,576	141,576	0
19	57,726	57,726	0	69	153,511	153,511	0
20	62,593	46,608	15,984	70	166,452	92,895	73,557
21	50,537	50,537	0	71	100,726	100,726	0
22	54,798	54,798	0	72	109,217	109,217	0
23	59,417	59,417	0	73	118,424	118,424	0
24	64,426	64,426	0	74	128,408	128,408	0
25	69,857	69,857	0	75	139,232	-0	139,233
26	75,746	75,746	0	76	0	0	0
27	82,132	82,132	0	77	0	0	0
28	89,056	89,056	0	78	0	0	0
29	96,563	96,563	0	79	0	0	0
30	104,703	53,025	51,678	80	0	0	0
31	57,495	57,495	0	81	0	0	0
32	62,342	62,342	0	82	0	0	0
33	67,597	67,597	0	83	0	0	0
34	73,295	73,295	0	84	0	0	0
35	79,474	79,474	0	85	0	0	0
36	86,174	86,174	0	86	0	0	0
37	93,439	93,439	0	87	0	0	0
38	101,315	101,315	0	88	0	0	0
39	109,856	109,856	0	89	0	0	0
40	119,117	89,682	29,435	90	0	0	0
41	97,242	97,242	0	91	0	0	0
42	105,440	105,440	0	92	0	0	0
43	114,329	114,329	0	93	0	0	0
44	123,967	123,967	0	94	0	0	0
45	134,417	87,012	47,404	95	0	0	0
46	94,347	94,347	0	96	0	0	0
47	102,301	102,301	0	97	0	0	0
48	110,925	110,925	0	98	0	0	0
49	120,276	120,276	0	99	0	0	0
50	130,415	90,471	39,944	100	0	0	0

Treatment Bond/Trust Calculator

TREATMENT BOND/TRUST CALCULATOR

(c) 2003, 2005, 2006, 2007 by SCMF

July 19, 2024

Prepared For: CONSOL Energy Post-Mining Dischage Treatment Trust Date (mm/dd/yy):

Treatment System(s) ID: Kent No. 56

Inflation Rate: 3.1% Yrs to Treat start: Annual Treatment Cost: \$18.829.68 Trust Fees: 1.50% Bond (not needed for rec): \$0.00 Investment Ratios: stock: 80% 20% bond: Effective Rate of Return: 8.43% Volatility Index: 1.16 Rec Bond Rate of Return: 6.00% Remaining Time on Permit: vears

Options option #1	O&M only	Total with Recap	Total with Recap <u>& Insurance</u>	
conventional bond: bond adjustment:	\$778,311.85 \$778,311.85	\$778,311.85 \$778,311.85	\$815,788.23 \$815,788.23	bond in year 6
option #2 fully funded trust:	\$431,644.09	\$454,925.09	\$465,353.62	trust in year 1

PV of Recap (todays \$\$) @	8.43%	Eff RoR &	3.1% Inf:	\$23,281.00 for trust in year 1			
PV of Recap (todays \$\$) @	6.00%	Eff RoR &	3.1% Inf:	for bond in year 1	\$0.00	for bond in year 6	

Liability Insurance Factor @	\$1.00 per year, per \$1000 in the total PV of the Trust:	\$454.93 per year	PV Insurance:	\$10,428.52
Liability Insurance Factor @	\$1.00 per year, per \$1000 in total Bond:	\$778.31 per year	PV Insurance:	\$32,170.98

Fields in RED can be updated
Fields in BLUE are fixed or calculated
Fields in GREEN are partial amounts
Highlighted Fields in GREEN are final amounts

Bill of Sale

BILL OF SALE AND LICENSE AGREEMENT

This Bill of Sale and License Agreement is entered into this 2 nd day of 2014, by and between CONSOL Mining Company LLC ("CMC" or "Transferor") with its principal place of business at 275 Technology Drive, Suite 101, Canonsburg, PA 15317 and Somerset Trust Company with a business address of 131 North Center Avenue, P.O. Box 1330, Somerset, PA 15501, as Trustee of the CMC/Laurel Run/Helvetia Post-Mining Discharge Treatment Trust ("CMC/Laurel Run/Helvetia Treatment Trust").

Whereas, the Department requires Transferor to continue to treat the post-mining discharges covered by the Trust COA, but also to immediately transfer the water treatment equipment, appurtenances, and facilities to the Trust to facilitate continued treatment of water and protection of the environment in the event CMC or its successors should cease treating the post-mining discharges.

KNOW ALL MEN BY THESE PRESENTS that Transferor in consideration of One Dollar (\$1.00) and other good and valuable consideration, the receipt and adequacy of which is hereby acknowledged, and intending to be legally bound, does hereby bargain, sell, transfer and convey to Somerset Trust Company, as Trustee of the CMC/Laurel Run/Helvetia Treatment Trust, all of its right, title and interest to the equipment, appurtenances, facilities, and other personal property (the "Personal Property") comprising the Kent No. 56 - Kent No. 56 Treatment Facility, including, but not limited to, the equipment and other property described on Exhibit 1, attached hereto and made a part hereof, such transfer to be effective as of the date hereof (the "Effective Date").

Transferor represents and warrants that the Personal Property is transferred to the Trust hereby free and clear of all liens and encumbrances.

PROVIDED, HOWEVER, that CMC and its successors shall have a license to use, operate, maintain, construct or reconstruct the Personal Property to treat the post-mining discharges so long as CMC, or its successor, is conducting the necessary water treatment operations. Pursuant to the exercise of the rights granted under this License, CMC shall at its sole cost and expense be responsible for maintaining and replacing/upgrading, as appropriate, the Personal Property.

As a condition of the License hereby granted, CMC agrees that any and all parts, additional equipment, replacements, and upgrades to the Personal Property and the Kent No. 56 - Kent No. 56 Treatment Facility and systems shall immediately and automatically become the

property of the CMC/Laurel Run/Helvetia Treatment Trust. As long as this Bill of Sale and License Agreement is in effect and not terminated or revoked, CMC, or its successor, shall bear all risk of loss of the Personal Property.

This Bill of Sale and License Agreement shall be governed by and construed and enforced in accordance with the laws of the Commonwealth of Pennsylvania, without regard to the conflict of laws provisions thereof.

IN WITNESS WHEREOF, the parties hereto have hereunto set their hands effective the day and year first above written.

TRANSFEROR: CONSOL Mining Company LLC Witness:	(signature) By: James A. Brock
Steven F. aspenell	Title: President, Chairman, and Chief Executive Officer
TRUSTEE: Somerset Trust Company	(signature)
Witness:	By: LISAM, BITTWON
Hom of Hi Chale	Title: Ne S- Trust Officer

Exhibit 1 - Inventory of Personal Property for Kent No. 56 -Kent No. 56 Treatment Facility

Installed Equipment Listing:

Index	Item	Notes
I1	8" PVC Pipe	
I2	Chemical Line 1/2" PVC Line	

Spare Equipment Listing:

Index	Item	Storage Location
	No Spare Equpment For This Location	