3150-PM-BWEW0051 Rev. 8/2016 Checklist pennsylvania DEPARTMENT OF ENVIRONMENTAL PROTECTION

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION **BUREAU OF WATERWAYS ENGINEERING AND WETLANDS**

DEP USE ONLY				
Non-Reporting				
Reporting				

PASPGP-5 REPORTING CRITERIA CHECKLIST

The following questionnaire must be completed (instructions on pages 1-6) and submitted as part of all DEP

Chapter 105 applications / registrations to determine the appropriate Federal Pennsylvania State Programmatic General Permit-5 (PASPGP-5) review procedure. Incomplete submissions, including lack of certification signature, will be returned.				
Applicant / Project Name: Transcontinenal Gas Pipe Line Company, LLC Atlantic Sunrise Project County(s): Northumberland				
SECTION A: ELIGIBILITY DETERMINATION				
NO 🛚	1.	Does the proposed work associated with the Single and Complet impact greater than 1.0 acre of waters and/or wetlands, and/or resfect of stream channel(s)?		
NO ⊠	2.	Is any of the proposed work located waterward of the ordinary ineligible waterbodies identified in the instructions?	high water mark (OHWM) of any of the	
NO 🗵	3.	Has any portion of the proposed work been denied a DEP Chapter 105 Permit, a State Water Quality Certification as required under Section 401 of the Clean Water Act, or a Coastal Zone Consistency Determination?		
NO 🗵	4.	Does the proposed work result in the diversion of more than 10,000 gallons per day of surface water or groundwater into or out of the Great Lakes Basin (Lake Erie Watershed)?		

ON B:	REP	ORTING ACTIVITY DETERMINATION		
NO 🗌	1.	Does the proposed work associated with a Single and Complete permanently and/or temporarily impact greater than 0.5 acre of jurisdictional wetlands?		
NO ⊠	2a.	Does the application/registration include any proposed Singl impacting greater than 250 linear feet of streams, rivers, or other		
NO 🛚	2b.	Is the Single and Complete Project for stream bank stabili enhancement and propose impacts of greater than 500 linear fee		
NO 🛛	2c.	Does the Single and Complete Project qualify for DEP GP-1 for R	Fish and Enhancement Structures?	
NO 🗌	2d.	Is the project covered by a programmatic State Water Qualit conditioned upon receiving approval by- the Environmental Review		
NO 🗌	3.	Does the application/registration include any Single and Comple conversion of greater than 0.10 acre of forested and/or shrul regulated activity?		
NO ⊠	4.	If the application/registration is for a utility line, do any of the sing United States, including jurisdictional wetlands, exceed 500 lines		
NO 🗌	5.	Is this application/registration to place a buried utility line in water utility line will run parallel to or along a stream bed?	ers and/or wetlands in a manner that the	
	Permitite, will I	Permit-5 (Pire, will be ret / Project Name	Permit-5 (PASPGP-5) review procedure. Incomplete submission re, will be returned. t / Project Name: Transcontinenal Gas Pipe Line Company, LLC Atlantic Sunrise Project ON A: ELIGIBILITY DETERMINATION NO ☑ 1. Does the proposed work associated with the Single and Complete impact greater than 1.0 acre of waters and/or wetlands, and/or reserved feet of stream channel(s)? NO ☑ 2. Is any of the proposed work located waterward of the ordinary ineligible waterbodies identified in the instructions? NO ☑ 3. Has any portion of the proposed work been denied a DEP Chacetification as required under Section 401 of the Clean Waterbodies in the Great Lakes Basin (Lake Erie Waterbodies in the Great Lakes Basin (Lake Erie Waterbodies in the Great Lakes Basin (Lake Erie Waterbodies) NO ☑ 4. Does the proposed work result in the diversion of more than 10 groundwater into or out of the Great Lakes Basin (Lake Erie Waterbodies) NO ☑ 1. Does the proposed work associated with a Single and Complete permanently and/or temporarily impact greater than 0.5 acre of jurisdictional wetlands? NO ☑ 2a. Does the application/registration include any proposed Singli impacting greater than 250 linear feet of streams, rivers, or other NO ☑ 2b. Is the Single and Complete Project for stream bank stabilitienhancement and propose impacts of greater than 500 linear feet NO ☑ 2c. Does the Single and Complete Project qualify for DEP GP-1 for I NO ☐ 2d. Is the project covered by a programmatic State Water Quality conditioned upon receiving approval by- the Environmental Revivation of greater than 0.10 acre of forested and/or shrungulated activity? NO ☑ 4. If the application/registration is for a utility line, do any of the sing United States, including jurisdictional wetlands, exceed 500 linear No ☐ 5. Is this application/registration to place a buried utility line in waterbodies in the propect in the propect in the propect of the propect in the	

	S□ NO⊠		Department of the A	egistration associ	ated with a Single and (has been issued through ar	Complete Project whereby a previous Individual Permit, a Nationwide Permit, Activity? If YES, please complete the
	Authoriza	tion	Authorization	Date	Federal I	Permitted Impacts
	Туре		Number	(mm/dd/yyyy)	Wetlands	Waters
YΕ	s □ no ⊠	7a.				y listed, proposed, or candidate mussels sted waterways? See instructions for list
YΕ	S NO	7b.	Species Act (ESA) "r include PNDI langua	no effect" determina age stating "NO KN	ation from the Corps? Docur	SFWS, or a Section 7 of the Endangered nented clearance from the USFWS could ISFWS letter the language must indicate species."
ΥE	S⊠ NO□	8a.			Federally regulated wetlarns for list of counties.	ds in a county that requires bog turtle
YΕ	S□ NO⊠	8b.	determination from	the Corps? Docur I IMPACT"; or, if in	mented clearance from the a USFWS letter the languag	JSFWS, or a Section 7 ESA "no effects" USFWS could include PNDI language to must indicate "no effect" or "the project
ΥE	S⊠ NO□	9a.	Does the completed conflict(s) for a Fede			NDI) search receipt identify a potential
YΕ	s⊠ no□	9b.	If YES for 9a, have y signing of the PNDI with Federally listed	receipt, to comply v	vith all avoidance measures	ESA clearance, or do you agree, through identified on the PNDI receipt associated
YΕ	s □ no ⊠	10.	including the remove Section 7 of the Dar	al of accumulated m Safety and Encr	sediments? This correspo oachments Act (DSEA), 32	a reservoir's design storage capacity, nds to activities authorized pursuant to P.S. § 693.1, et seq., and the rules and 25 PA. Code, Chapter 105, § 105.131(c)).
YΕ	S⊠ NO□	11a.	as part of the app	lication/registration (SHPO), i.e., Pe	, have you included the r	of a Cultural Resources Notification Form response letter from the State Historic ruseum Commission (PHMC) with your
ΥE	S⊠ NO□	11b.	Has the PHMC determit area?	ermined that archa	eological or other cultural re	esources are believed to exist within the
YΕ	S⊠ NO□	11c.	If yes for 11b, have y determination from t		-up documented clearance	from PHMC, or a Section 106 "no effect"
YΕ	S□ NO⊠	12a.				ld and Scenic River System or in a river clusion in the System? See instructions
YΕ	s⊠ no□	12b.		ch river that the pr		Federal agency with direct management ersely affect any Wild and Scenic River
ΥE	s □ no ⊠	13.	Does the proposed p	project require the	preparation of an Environm	ental Impact Statement?
ΥE	S □ NO ⊠	14.			or area of indirect impact (located within the Common	(secondary impact) extend across state wealth of Pennsylvania)?

SEC	TION B:	REP	ORTING A	CTIVITY DETER	RMINATION (C	ONT)	
YES [□ NO ⊠	15.	15. Is the proposed work authorized pursuant to DEP Chapter 105 permits in conjunction with coal and non-coal mining permits issued by the DEP District Mining Offices (Bureau of Mining and Reclamation), including activities authorized pursuant to Chapter 105 Waiver 4 [25 Pa. Code §105.12(a)(4)] and GP-101 and GP-102]?				
YES [□ NO 🖾	16.		quirements of the Co			Bank or In Lieu Fee site developed to atory Mitigation for Losses of Aquatic
YES [□ NO ⊠	17.				mpt to possess, or to	that may harm or impair any existing aged property?
YES NO NO 18a. Does the Single and Complete Project involve the construction or expansion of a residential, commerci institutional subdivision or development?			ansion of a residential, commercial or				
YES [□ NO ⊠	18b.	Does greated directly impa	er than 0.25 acre of acted as part of this	wetland(s) exist was application/registra	vithin the property be ation? If YES, prov	oundary that are not proposed to be ide wetland acreage: acres.
YES [□ NO ⊠	18c.		posing to protect the Corps' Model Protec		hrough a deed restr	iction or conservation easement that
YES [□ NO ⊠	19.	Does the pro 1 year?	oposed work tempo	orarily impact water	s and/or wetlands th	nat will remain in place for more than
YES [⊠ NO □	20.					or Corps that are necessary for this ES, provide following information.
		ion / Re	egistration Type	Project Name	Date of Submittal to DEP (mm/dd/yyyy)	DEP / CCD Reviewing Office	Corps Reviewing Office
		B-OPR	-P-2014- 5-P12	Atlantic Sunrise Project	04/09/2015	n/a	Baltimore District - State College Office
	V	WQ02-(001	Atlantic Sunrise Project	04/13/2015	PADEP NERO	Baltimore District - State College Office
		E49-33	36	Atlantic Sunrise Project	08/28/2015	PADEP NCRO	Baltimore District - State College Office
	ESG	3000°	150001	Atlantic Sunrise Project	08/28/2015	PADEP SCRO	n/a
YES [□ NO 🛛	21.	Hope, Penn		e Lehigh River (fror	n the mouth to Fran	the U.S. Route 202 Bridge in New cis E. Walter Dam, located in Carbon
YESΓ	□ NO 🏻	22a.	Does the pro	oposed work occur	in any of the water	s listed in the instruc	ctions?
	YES NO 22b. Will you comply with all of the identified conservation measures?						
			,		****		

SECTION C:	CER'	TIFICATION
of the information	on ar	nation provided on this form is true and correct to the best of my knowledge and information. If any and/or plans is found to be in error, falsified, and/or incomplete, your Chapter 105/PASPGP-5 in may be subject to modification, suspension, or revocation in accordance with applicable regulations.
Sig	natur	e of Applicant Date
Joseph Dean, Ma Nam		, <u>Permiting</u> ed or Printed

		IMPERVIOUS SURFACE DATA FOR CORPS
YES □ NO ☒	1a.	Is your project located in the Corps of Engineers Philadelphia District (Delaware River Watershed), or in Chester, Lancaster, or York County?
YES ☐ NO ☒	1b.	Does your project propose impervious surfaces within waters and wetlands? If YES, provide area of impervious surface within the footprint of waters and wetlands: square feet
YES □ NO ☒	1c.	Does any part of your project propose the removal of any impervious surfaces? If YES, provide area of impervious surface being removed: square feet

3150-PM-BWEW0050 7/2016

FOR DEP USE	ONLY
DEP / District Manager Signature	Date
Name Typed or Printed	Permit Number