



PITT-04-22-001

April 13, 2022

Mr. Christopher Smith
Pennsylvania Department of Environmental Protection
Waterways and Wetlands Program
Southeast Regional Office
2 East Main Street
Norristown, Pennsylvania 19401

**Re: Sunoco Pipeline LP – Pennsylvania Pipeline Project (Mariner East II)
Chapter 102 Permit No. ESG0100015001
Major Amendment Request – HDD 541
Thornbury Township, Delaware County
Additional Extension Request for Response to Technical Deficiency Letter No. 1 and
Public Comments**

Dear Mr. Smith:

On behalf of Sunoco Pipeline LP (SPLP), Tetra Tech, Inc. requests an addition extension for response to the Technical Deficiency Letter No. 1 and Public Comments letter dated February 16, 2022, regarding the above-referenced Chapter 102 ESCGP-3 Permit Application. SPLP is continuing to work with Thornbury Township to address several of the comments and additional time is needed to adequately conduct that effort. The extension provided on March 24, 2022 extended the response due date to April 17, 2022 and we respectfully request a additional 60 day extension requiring a response to be submitted to the Department on or before June 17, 2022.

This response letter is being provided electronically via email and SPLP appreciates your consideration of this request and should you have questions regarding this correspondence, please do not hesitate to contact me at 412-921-8163 or via e-mail at Robert.Simcik@tetrattech.com.

Sincerely,

A handwritten signature in black ink, appearing to read 'Robert F. Simcik'.

Robert F. Simcik, P.E.
Project Manager
Tetra Tech, Inc.

RFS/clm

Enclosures: Application

cc: File 212IC-BF-00037
M. Ferri – Delaware CCD
J. Hohenstein, PADEP SERO
N. Bryan, Energy Transfer
M. Styles, Energy Transfer
C. Embry, Energy Transfer
A. Thomas, Energy Transfer
B. Schaeffer, Tetra Tech

Tetra Tech, Inc.

661 Andersen Drive, Suite 200, Pittsburgh, PA 15220
Tel +1.412.921.7090 Fax +1.412.921.4040 | tetrattech.com

