Berks County

ATTACHMENT 1

GENERAL INFORMATION FORM (GIF) AND SUPPLEMENTAL INFORMATION

Note: It is up to the construction contractor to finalize contracts with the Public Water Supplies and they are not finalized at this time. As such, no Letters of Approval from Suppliers are attached.

GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

Related ID#	s (If Known)		DEP U	JSE ONLY
Client ID#	APS ID#		Date Receive	d & General Notes
Site ID#	Auth ID#			
Facility ID#				
	CLIENT INFORM	IATION		
DEP Client ID#	Client Type / Code			
	NPACO			
Organization Name or Registered	d Fictitious Name	Employer	ID# (EIN)	Dun & Bradstreet ID#
Sunoco Pipeline L.P. (SPLP)		23-310265	56 1	1-339-2331
Individual Last Name	First Name	MI	Suffix	SSN
NA				
Additional Individual Last Name	First Name	MI	Suffix	SSN
NA				
Mailing Address Line 1	Mai	ling Address	Line 2	
535 Fritztown Road	04-44	710 - 4	^	10401
Address Last Line – City Sinking Spring	State PA	ZIP+4 19608	USA	untry
Client Contact Last Name	First Name	19000	03/	Suffix
Gordon	Matthew		1	Cullix
Client Contact Title	mattion		Phone	Ext
Principal Engineer			610-670-32	
Email Address			FAX	
MLGordon@sunocologistics.com				
	SITE INFORMA	ATION		
DEP Site ID# Site Name				
Pennsylvania I	Pipeline Project			
EPA ID#	Estimated Number of Em	ployees to be	Present at Si	ite 0
Description of Site				
Installation of 21.2 miles of natural		erks County in		
	unicipality	L.C	City I	Boro Twp State
	efer to attached Supplemental	Information		
County Name M	unicipality		City I	Boro Twp State
Site Location Line 1	Sita	Location Line	2	
Refer to Attachment 8 (Location Ma			-	
Site Location Last Line – City	State	ZIP+4		
·····				
Detailed Written Directions to Sit	e			
Begin at the intersection of Route 8				
Galen Hall Rd. for approximately 1.				
for approximatey 0.67 miles until re			d the Project's	s right-of-way. Proceed
west on the right-of-way for approx Site Contact Last Name		s County line.	NAL	0
Gordon	First Name Matthew		MI	Suffix
Site Contact Title		Contact Firm	L	
Principal Engineer		co Pipeline L.F	כ	
Mailing Address Line 1		ng Address Li		
	man			

535 Fritztown Road

	ng Address Last Line – City		Sta PA	ate	ZIP+4 19608			
	ng Spring			nail Ade				
Phor	-	FAX				le ristice con	-	
	670-3284			Gordor		ologistics.con		
	S Codes (Two- & Three-Digit Code	es – List Ali That A	чрріу)			-Digit Code		
	nd 493190				2	37120, 4862	10	
	t to Site Relationship							
OWN	10P							
84 - 1		FACILIT	y info	RMA	ION			N.,
	fication of Existing Facility						Yes	No
1.	Will this project modify an ex							님
2.	Will this project involve an ac							
	If "Yes", check all relevant facili					ation number		
	Facility Type	DEP Fac			ity Type			DEP Fac ID#
H	Air Emission Plant		[_			s Mining Operati	ion	
님	Beneficial Use (water) Blasting Operation				atory Location	leanup Location	. —	
H	Captive Hazardous Waste Operation					nt/LandRecyProj		
H	Coal Ash Beneficial Use Operation		-		ipal Waste (
H	Coal Mining Operation					chment Location		
H	Coal Pillar Location				Gas Locatio			Unknown
H	Commercial Hazardous Waste Operation	on	🗠	1		Poll Control Faci		Onknown
H	Dam Location				Water Sup			
H	Deep Mine Safety Operation -Anthracit	e			tion Facility	· · · · · ·		
П	Deep Mine Safety Operation -Bitumino		<u>_</u>		ual Waste C	Operation		
	Deep Mine Safety Operation -Ind Miner	als			ge Tank Loc			
	Encroachment Location (water, wetland	d)		Water	Pollution C	ontrol Facility		
	Erosion & Sediment Control Facility			Water	Resource			
	Explosive Storage Location			Other				
	Latitude/Longitude		Latitu	de			Longitud	e
	Point of Origin	Degrees	Minut	es S	econds	Degrees	Minutes	Seconds
Enter	rs County at	40	17	7		76	6	13
Horiz	zontal Accuracy Measure	Feet			or	- Ме	eters	
Horiz	zontal Reference Datum Code	🗌 Nor	th Ameri	can Dat	um of 192	27		
		🛛 Nor	th Ameri	can Dat	um of 198	33		
		🗌 Wo	rld Geod	etic Sys	tem of 19	84		
Horiz	zontal Collection Method Code	SURVY, G	PSDF, G	SISDR				
Refe	rence Point Code	CTROD						
Altitu	ıde	Feet N	A		or	- Ме	eters	
Altitu	ude Datum Name	The The	Nationa	I Geode	tic Vertica	al Datum of 1		
		The	North A	mericar	Vertical	Datum of 198	88 (NAVD88)
Altitu	de (Vertical) Location Datum				NA		,	
	netric Type Code	POINT						
	Collection Date	2014-2016						
	ce Map Scale Number	NA	Inch(e	s)	=		Feet	
)r		neter(s)	=		Mete	
		PROJEC						· •
Proie	ect Name							
-	sylvania Pipeline Project							

Project Description

Installation of two parallel natural gas liquid pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline would be installed within the ROW from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, would also be installed in the same ROW, from SPLP's Delmont station to Marcus Hook (for approximately 255.8 miles). Approximately 21.2 miles and the existing Beckersville pump station modifications are located in Berks County in southcentral PA. Please refer to Attachment 9 of the Joint Application for additional information.

1300-PM-BIT0001 5/2012

Project Consultant Las Schaeffer	st Name	First Na Brad	me	Μ	II	S	uffix	
Project Consultant Titl	e	Didd	Consulting F	irm				
Environmental Project M			Tetra Tech, In					
Mailing Address Line 1			Mailing Addr					
301 Ellicott Street								
Address Last Line – C	ty		State		ZIP+4			
Buffalo	•		NY		14203			
Phone	Ext	FAX	Email Addr	ress				
716-849-9419	117	716-849-9420	brad.schaef	ffer@tetratech	.com			
Time Schedules	Project Mile	estone (Optional)						
January 2017	Construction	on						<u> </u>
								<u> </u>
		urrounding commu			\boxtimes	Yes		No
		the application to the		?				
		e or federal grants?				Yes		No
Note: If "Yes", sp	ecify what aspe	ect of the project is related	ted to the grant an	nd provide the g	rant sou	irce, con	itact pe	erson
	expiration date. Project Related							
		to Grant						
					_			
	ration Date:							
		thorization on App	endix A of th	e I and IIse	\boxtimes	Yes		No
		st, see Appendix A						
attached to GIF i								
		application is not subject	t to the Land Use	Policy.				
		application is subject to			ould ans	swer the	additio	nal
questions	n the Land Use	e Information section.	· · ·					
		LAND USE IN						
Note: Applicants are en			al land use appr	ovals or other	evide	nce of c	omplia	ance with
local comprehensive pla								
		multi-county comp				Yes		No
		l or multi-municipal				Yes		No
		y-wide zoning ord	inance, munic	ipal zoning	\boxtimes	Yes		No
		zoning ordinance?	4 0 0 4			. .		
		No" to either Questions ed to respond to questions				, are not	applic	able and
If the Applica	cant answers "	Yes" to questions 1, 2 a	nd 3 the Applicar	<u>r</u> . ht should respor	nd to au	estions 4	4 and 5	below
		leet the provisions				Yes		No
		ave zoning approva	•			.00		
received, attach do								
		and County Land U	se Letters for t	he project?	\boxtimes	Yes		No

COORDINATION INFORMATION

<u>Note</u>: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

		•			
1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.		Yes	\boxtimes	No
1.1	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?		Yes		No
1.2	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?		Yes		No
1.3	Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?		Yes		No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?		Yes		No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.		Yes	\boxtimes	No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?		Yes		No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?		Yes		No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?		Yes		No
2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No

1500-1 1					
3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No",		Yes		No
3.1	skip to Question 4.0. Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including waterdo)?		Yes		No
3.2	water (including wetlands)? Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> .		Yes		No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities?		Yes	\boxtimes	No
4.0	Will the project involve a construction activity that results in earthdisturbance? If "Yes", specify the total disturbed acreage.4.0.1Total Disturbed Acreage233 acres		Yes		No
5.0	Does the project involve any of the following? If "Yes", respond to 5.1-5.3. If "No", skip to Question 6.0.	\boxtimes	Yes		No
5.1	Water Obstruction and Encroachment Projects – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water?		Yes		No
5.2	Wetland Impacts – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a wetland?	\boxtimes	Yes		No
5.3	Floodplain Projects by the commonwealth, a Political Subdivision of the commonwealth or a Public Utility – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a floodplain?		Yes		No
6.0	Will the project involve discharge of stormwater or wastewater from an industrial activity to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system?		Yes		No
7.0	Will the project involve the construction and operation of industrial waste treatment facilities?		Yes	\square	No
8.0	 Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i>, where applicable. 8.0.1 Estimated Proposed Flow (gal/day) 		Yes		No
9.0	Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the generation of 800 gpd or more of industrial wastewater that would be discharged to an existing sanitary sewer system?		Yes		No
	9.0.1 Was Act 537 sewage facilities planning submitted and approved by DEP? If "Yes" attach the approval letter. Approval required prior to 105/NPDES approval.		Yes		No
10.0	 Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year). 10.0.1 Gallons Per Year (residential septage) 		Yes		No
11.0	10.0.2Dry Tons Per Year (biosolids)Does the project involve construction, modification or removal of a dam?If "Yes", identify the dam.11.0.1Dam Name		Yes		No

12.0	 Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam. 12.0.1 Dam Name 		Yes	\boxtimes	No
3.0	Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission.		Yes		No
	13.0.1 Enter all types & amounts See attached list of facilities associated of emissions; separate Project and air emissions.	ated	with the	overall	
4.0	each set with semicolons. Does the project include the construction or modification of a drinking		Yes	\boxtimes	No
4.0	water supply to serve 15 or more connections or 25 or more people, at least 60 days out of the year? If "Yes", check all proposed sub-facilities. 14.0.1 Number of Persons Served		163		ĨŇĊ
	14.0.2 Number of Employee/Guests				
	14.0.3 Number of Connections		Vaa		NIa
	14.0.4Sub-Fac: Distribution System14.0.5Sub-Fac: Water Treatment Plant	H	Yes Yes		No No
	14.0.5 Sub-Fac: Water Treatment Flant 14.0.6 Sub-Fac: Source	H	Yes		No
	14.0.7 Sub-Fac: Pump Station	H	Yes	Н	No
	14.0.8 Sub Fac: Transmission Main	H	Yes	H	No
	14.0.9 Sub-Fac: Storage Facility	Π	Yes		No
5.0	Will your project include infiltration of storm water or waste water to		Yes	$\overline{\boxtimes}$	No
	ground water within one-half mile of a public water supply well, spring or infiltration gallery?				
6.0	Is your project to be served by an existing public water supply? If "Yes", indicate name of supplier and attach letter from supplier stating that it will serve the project	\boxtimes	Yes		No
	serve the project. 16.0.1 Supplier's Name PA American Waters				
	16.0.1 Supplier's Name PA American Waters				
	16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority				
	16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company	e prov	vided wh	en con	trac
	16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority	e prov	vided wh	en con	trac
	16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be	e prov	vided wh	en con	trac
17.0	16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal	e prov			
17.0	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name 		Yes	\boxtimes	No
	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and 	e prov	Yes	\boxtimes	No
	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Name 		Yes Yes Yes		No
17.0 18.0 19.0	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 		Yes Yes Yes		No
8.0	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Amount Unknown Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 		Yes Yes Yes be dipos	Sed;	Ni Ni
18.0	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Amount Unknown Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 20.1 Enter all substances & capacity of each; separate each set with semicolons. 	e will	Yes Yes Yes Yes Yes	sed;	No No No
18.0	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Amount Unknown Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 20.0.1 Enter all substances & capacity of each; separate each set with semicolons. Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 21.0.1 Enter all substances & 	e will	Yes Yes Yes be dipos	Sed;	Ni Ni Ni
8.0 9.0 0.0	 16.0.1 Supplier's Name PA American Waters Womelsdorf Robesonia Joint Authority Elverson Water Company Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Amount Unknown Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 20.0.1 Enter all substances & capacity of each; separate each set with semicolons. Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 	e will	Yes Yes Yes Yes Yes	sed;	No

22.0	Does your project involve installation of a tank greater than 1,100 gallons	Yes	\boxtimes	No
	which will contain a highly hazardous substance as defined in DEP's			
	Regulated Substances List, 2570-BK-DEP2724? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	22.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
23.0	Does your project involve installation of a storage tank at a new facility	Yes	\boxtimes	No
	with a total AST capacity greater than 21,000 gallons? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	23.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
24.0	Will the intended activity involve the use of a radiation source?	Yes	\boxtimes	No
	CERTIFICATION			

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

Principal Engineer

Type or Print Name Matthew L. Gordon

Signature

Title

2016 Date

Pennsylvania Pipeline Project

Municipality	City	Borough	Township	Municipal Comprehensive Plan	Municipal Zoning Ordinance
South Heidelberg			x	Y	Y
Spring			X	Y	Y
Cumru			X	Y	Y
Brecknock			X	Y	Ŷ
New Morgan			Х	Y	Y
Robeson			X	Y	Y
Caernarvon			X	Y	Y

Berks County: General Information Form Supplemental Information

Pennsylvania Pipeline Project Facility Emissions

							Emission F	Rate (tpy)					
County	Facility	NO _x	СО	VOC	PM ¹	PM ₁₀ ¹	PM _{2.5} ¹	SO _x	HAP	CO ₂	CH4	N ₂ O	CO ₂ e
Washington	Independence Tie-In	< 0.01	< 0.01	0.18	< 0.01	< 0.01	< 0.01	< 0.01	0.01	0.76	< 0.01	< 0.01	0.76
Washington	Houston Injection Site	0.04	0.17	0.57	0	0	0	< 0.01	0.03	75.00	0.01	< 0.01	75.30
Westmoreland	Delmont Station	0.03	0.15	0.72	0	0	0	< 0.01	0.04	69.85	0.01	< 0.01	70.15
Cambria	Ebensburg Station	0.03	0.15	0.94	0	0	0	< 0.01	0.05	70.65	0.01	< 0.01	70.95
Huntingdon	Mount Union Station	0.01	0.05	0.26	0	0	0	< 0.01	0.02	24.9	< 0.01	< 0.01	25.00
Dauphin	Middletown Station	0.03	0.15	0.93	0	0	0	< 0.01	0.05	70.55	0.01	< 0.01	70.85
Berks	Beckersville Station	0.01	0.05	0.25	0	0	0	< 0.01	0.02	24.90	< 0.01	< 0.01	25.00
Delaware	Twin Oaks Station	0.03	0.14	0.83	0	0	0	< 0.01	0.05	66.40	0.01	< 0.01	66.70
	Total	< 0.19	< 0.87	4.68	< 0.01	< 0.01	< 0.01	< 0.08	0.27	403.01	< 0.08	< 0.08	404.71

Notes:

CH₄: methane

CO: carbon monoxide

CO2: carbon dioxide

CO2e: carbon dioxide equivalent

HAP: hazardous air pollutant

N₂O: nitrous oxide

NOX: oxides of nitrogen

PM: particulate matter

PM₁₀: particles with an aerodynamic diameter less than or equal to 10 micrometers

PM_{2.5}: particles with an aerodynamic diameter less than or equal to 2.5 micrometers

SOX: oxides of sulfur

tpy: ton per year

VOC: volatile organic compound

¹ $PM = PM_{2.5} = PM_{10}$ ² Permitting for the b

Permitting for the Houston Markwest Station was not within Tetra Tech scope of work; therefore, emission estimates are not available for this site.