

## Carson, Megan

---

**From:** Beckie Smith <beckie.smith@witmanengineers.com>  
**Sent:** Monday, February 15, 2016 3:02 PM  
**To:** Carson, Megan  
**Subject:** RE: Sunoco PPP Act 167 consistency letter request for additional information

**Categories:** Red Category

Megan,

We need everything that has been submitted to Berks County that pertains to Caernarvon Township, or there will not be a stormwater compliance letter issued from Caernarvon Township, Berks County. If you can send me the documents only pertaining to Caernarvon Township, that is what we need. These documents should be much less than 5000 pages. A dropbox or another method of transferring this information to us electronically would be satisfactory.

Thanks,  
Beckie Smith, EIT

### Witman Engineers & Consultants,LLC

3417 Main Street  
P.O. Box 742  
Morgantown, PA 19543  
Phone: 610-913-5680  
Fax: 610-913-5682

---

**From:** Carson, Megan [mailto:Megan.Carson@tetrattech.com]  
**Sent:** Monday, February 15, 2016 1:54 PM  
**To:** Beckie Smith <beckie.smith@witmanengineers.com>  
**Subject:** RE: Sunoco PPP Act 167 consistency letter request for additional information

Hi Beckie,

We are currently applying for an ESCGP-2 through PADEP. Berks County Conservation District is also reviewing the permit and providing their feedback to DEP.

The ESCGP-2 application is rather significant in size (5000+ pages). Due to its size, can we provide you the permit application via CD? Berks County Conservation District does have a hard copy of the document.

Megan

---

**From:** Beckie Smith [mailto:beckie.smith@witmanengineers.com]  
**Sent:** Monday, February 15, 2016 11:10 AM  
**To:** Carson, Megan <Megan.Carson@tetrattech.com>  
**Subject:** RE: Sunoco PPP Act 167 consistency letter request for additional information

Megan,

I would like to request storm water calculations for the change of coverage from woods to meadow. Also, if there is anything that has been submitted to the Berks County Conservation District/DEP, for your NPDES Permit, that you have not shared with us, please send that information to me.

Thanks,  
Beckie Smith, EIT

### Witman Engineers & Consultants,LLC

3417 Main Street  
P.O. Box 742  
Morgantown, PA 19543  
Phone: 610-913-5680  
Fax: 610-913-5682

---

**From:** Carson, Megan [<mailto:Megan.Carson@tetrattech.com>]  
**Sent:** Friday, February 12, 2016 2:01 PM  
**To:** [beckie.smith@witmanengineers.com](mailto:beckie.smith@witmanengineers.com)  
**Subject:** Sunoco PPP Act 167 consistency letter request for additional information

Dear Ms. Smith:

Per your request, attached are the Erosion and Sediment Control and Site Restoration Plans for the Pennsylvania Pipeline Project within Caernarvon Township. The project limits of disturbance will be restored to meadow within the township which is consistent with the requirements of the Schuylkill River Watershed Act 167 Plan (June 2007) and the Conestoga River Watershed Act 167 Plan (September, 2005). There are no permanent stormwater BMPs or impervious areas proposed within Caernarvon Township.

Should you have questions regarding this correspondence, please do not hesitate to contact me at 412-921-8963 or via e-mail at [megan.carson@tetrattech.com](mailto:megan.carson@tetrattech.com).

Sincerely,  
Megan Carson

**Megan Carson** | Chemist I/Permit Specialist  
Direct: 412.921.8963 | Main: 412.921.7090 | Personal Fax: 412.921.4040  
[megan.carson@tetrattech.com](mailto:megan.carson@tetrattech.com)

Tetra Tech Inc. | Site Development  
661 Andersen Dr. | Pittsburgh, Pa 15220-2700 | [www.tetrattech.com](http://www.tetrattech.com)

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.