


- NOTE:**
1. COARSE SAND GRADATION SHALL BE SPECIFIED SUCH THAT 100% PASSES THE #4 SIEVE AND NO MORE THAN 5% PASSES THE #16 SIEVE.
  2. EXISTING WETLANDS ARE NOT PRESENT WITHIN THE LIMITS OF DISTURBANCE OF THE PROJECT.
  3. THE OWNER/OPERATOR WILL COMPLY WITH THE OPERATION & MAINTENANCE PROGRAM ESTABLISHED IN THE STORMWATER MANAGEMENT PLAN.



www.tetrattech.com  
661 ANDERSEN DRIVE - FOSTER PLAZA 7  
PITTSBURGH, PA 15220  
T: (412) 921-7090 | F: (412) 921-4040

REVISIONS			
NO.	BY	DATE	REMARKS
1	TD	11/30/18	REVISED FOR DEP TECHNICAL COMMENTS

SUNOCO PIPELINE L.P.  
SINKING SPRING, PENNSYLVANIA

DOYLESBURG STATION

ESCGP-2 POST CONSTRUCTION STORMWATER PLAN

PROPOSED SITE LAYOUT & GRADING PLAN

DATE:	3/7/16
PROJECT NO.:	112IC05370
DESIGNED BY:	RS
DRAWN BY:	BH
CHECKED BY:	RS
COPYRIGHT TETRA TECH INC.	
<b>C-3</b>	
SHEET	3 OF 4