


HDD PA-CH-0370.0000-RD (N Chester Road)




Given the design, the threat of inadvertent return has been reduced to the maximum extent practicable and in this case that threat is considered to be low. Implementing this design, along with adherence to the Pennsylvania Pipeline Project Inadvertent Return Contingency Plan will ensure inadvertent impacts, if they were to occur, are also minimized to the maximum extent.

The drill will enter/exit 3 feet north of N Chester Road. The drill will continue under N Chester Road for approximately 1500 feet. This point is 600 feet north of the south entry/exit point. After the entry/exit point, the drill will pass between 49 and 80 feet under this road. Using the results of the geotechnical investigation, as well as several other data points, the entry/exit, angles, and depths have been configured to pass through the best substrates while maintaining pipe integrity (e.g., no large bends). The majority of the substrate that will be passed through is estimated to be silty sand and gneiss.



PROFILE VIEW

CHESTER COUNTY, PENNSYLVANIA - EAST GOSHEN TOWNSHIP
S3-0500



- DESIGN AND CONSTRUCTION:
- CONTRACTOR SHALL FIELD VERIFY DEPTH OF ALL EXISTING UTILITIES SHOWN OR NOT SHOWN ON THIS DRAWING.
 - THE MINIMUM SEPARATION DISTANCE FROM EXISTING SUBSURFACE UTILITIES SHALL NOT BE LESS THAN 10 FEET AS MEASURED FROM THE OUTSIDE EDGE OF THE UTILITY TO OUTSIDE OF PROPOSED PIPELINE.
 - DESIGNED IN ACCORDANCE WITH CFR 49 195 & ASME B31.4
 - CROSSING PIPE SPECIFICATION:
HDD HORZ. LENGTH (L): 2100'
HDD PIPE LENGTH (S): 2107'
20" x 0.456" W.T., X-65, APISL, PSL2, ERW, BFW
COATING: 14-16 MILS FBE WITH 30-35 MIL ARO (POWERCRETE R95)
 - INTERNAL DESIGN PRESSURE 1480 PSIG (SEAM FACTOR 1.0, DESIGN FACTOR 0.50).
 - INSTALLATION METHOD: HORIZONTAL DIRECTIONAL DRILL (HDD).
 - PIPELINE WARNING MARKERS SHALL BE INSTALLED ON BOTH SIDES OF ALL ROAD, RAILWAY, AND STREAM CROSSINGS.
 - CARRIER PIPE NOT ENCASED.
 - PIPE / AMBIENT TEMPERATURE MUST BE NO LESS THAN 30°F DURING PULLBACK WITHOUT PRIOR WRITTEN APPROVAL FROM THE ENGINEER.
 - CONDUCT 4-HOUR PRE-INSTALLATION HYDROTEST OF HDD PIPE STRING TO MINIMUM 1850 PSIG.
 - SEE SUNOCO PENNSYLVANIA PIPELINE PROJECT ESRI WEBMAP FOR ACCESS ROAD ALIGNMENT.
 - SUNOCO PIPELINE, L.P.'S HORIZONTAL DIRECTIONAL DRILL INADVERTENT RETURN CONTINGENCY PLAN WILL BE IMPLEMENTED AT ALL TIMES.
 - SUNOCO PIPELINE, L.P.'S EROSION AND SEDIMENTATION CONTROL PLAN WILL BE IMPLEMENTED AT ALL TIMES.

NOTES

- ALL COORDINATES SHOWN ARE IN LATITUDE AND LONGITUDE. ALL MSL ELEVATIONS ARE NAD83
- STATIONING IS BASED ON HORIZONTAL DISTANCES.
- ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP ARE NOT RESPONSIBLE FOR LOCATION OF FOREIGN UTILITIES SHOWN IN PLOT PLAN OR PROFILE. THE INFORMATION SHOWN HEREON IS FURNISHED WITHOUT LIABILITY ON THE PART OF ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP, FOR ANY DAMAGES RESULTING FROM ERRORS OR OMISSIONS THEREIN.
- CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES. CONTACT ONE CALL AT 811 PRIOR TO DIGGING.
- SUNOCO EMERGENCY HOTLINE NUMBER IS #1-800-786-7440.

REF. DRAWING	DESCRIPTION	NO.	DESCRIPTION
ES-6.64 TO SHEET 42	EROSION & SEDIMENT PLAN		
ES-6.65 TO SHEET 43	AERIAL SITE PLAN		
	EP1		REVISED PER PADEP COMMENTS
	EP		
	0		ISSUED FOR CONSTRUCTION
DWG NO	DWG NO	DESCRIPTION	NO.


Sunoco Logistics Partners L.P.

TETRA TECH ROONEY
(303) 792-5911

SUNOCO PIPELINE, L.P.


20-INCH HORIZONTAL DIRECTIONAL DRILL
N CHESTER RD
PENNSYLVANIA PIPELINE PROJECT

SCALE: 1"=200' DWG. NO. PA-CH-0370.0000-RD



PROFILE VIEW

CHESTER COUNTY, PENNSYLVANIA - EAST GOSHEN TOWNSHIP
S3-0500-16



- DESIGN AND CONSTRUCTION:
- CONTRACTOR SHALL FIELD VERIFY DEPTH OF ALL EXISTING UTILITIES SHOWN OR NOT SHOWN ON THIS DRAWING.
 - THE MINIMUM SEPARATION DISTANCE FROM EXISTING SUBSURFACE UTILITIES SHALL NOT BE LESS THAN 10 FEET AS MEASURED FROM THE OUTSIDE EDGE OF THE UTILITY TO OUTSIDE OF PROPOSED PIPELINE.
 - DESIGNED IN ACCORDANCE WITH CFR 49 195 & ASME B31.4
 - CROSSING PIPE SPECIFICATION:
HDD HORZ. LENGTH (L-): 2100'
HDD PIPE LENGTH (S-): 2106'
16" x 0.438" W.T., X-70, API5L, PSL2, ERW, BFW
COATING: 14-16 MILS FBE WITH 30-35 MIL ARO (POWERCRETE R95)
 - INTERNAL DESIGN PRESSURE 1480 PSIG (SEAM FACTOR 1.0, DESIGN FACTOR 0.50).
 - INSTALLATION METHOD: HORIZONTAL DIRECTIONAL DRILL (HDD).
 - PIPELINE WARNING MARKERS SHALL BE INSTALLED ON BOTH SIDES OF ALL ROAD, RAILWAY, AND STREAM CROSSINGS.
 - CARRIER PIPE NOT ENCASED.
 - PIPE / AMBIENT TEMPERATURE MUST BE NO LESS THAN 30°F DURING PULLBACK WITHOUT PRIOR WRITTEN APPROVAL FROM THE ENGINEER.
 - CONDUCT 4-HOUR PRE-INSTALLATION HYDROTEST OF HDD PIPE STRING TO MINIMUM 1850 PSIG.
 - SEE SUNOCO PENNSYLVANIA PIPELINE PROJECT ESRI WEBMAP FOR ACCESS ROAD ALIGNMENT.
 - SUNOCO PIPELINE, L.P.'S HORIZONTAL DIRECTIONAL DRILL INADVERTENT RETURN CONTINGENCY PLAN WILL BE IMPLEMENTED AT ALL TIMES.
 - SUNOCO PIPELINE, L.P.'S EROSION AND SEDIMENTATION CONTROL PLAN WILL BE IMPLEMENTED AT ALL TIMES.

NOTES

- ALL COORDINATES SHOWN ARE IN LATITUDE AND LONGITUDE. ALL MSL ELEVATIONS ARE NAD83
- STATIONING IS BASED ON HORIZONTAL DISTANCES
- ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP ARE NOT RESPONSIBLE FOR LOCATION OF FOREIGN UTILITIES SHOWN IN PLOT PLAN OR PROFILE. THE INFORMATION SHOWN HEREON IS FURNISHED WITHOUT LIABILITY ON THE PART OF ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP, FOR ANY DAMAGES RESULTING FROM ERRORS OR OMISSIONS THEREIN.
- CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES. CONTACT ONE CALL AT 811 PRIOR TO DIGGING.
- SUNOCO EMERGENCY HOTLINE NUMBER IS #1-800-786-7440.

REF. DRAWING	TO	DESCRIPTION	NO.	DESCRIPTION
ES-6.64	TO	ES-6.65		EROSION & SEDIMENT PLAN
SHEET 42	TO	SHEET 43		AERIAL SITE PLAN
		EP1		REVISED PER PADEP COMMENTS
		EP		
		0		ISSUED FOR CONSTRUCTION


BY	DATE	CHK	DATE	APP	DATE
JTW	05/10/16	RMB	05/10/16	AAW	05/10/16
DLM	03/15/16	RMB	03/15/16	AAW	03/15/16
MRS	02/19/16	RMB	02/19/16	AAW	02/19/16



SUNOCO PIPELINE, L.P.

16-INCH HORIZONTAL DIRECTIONAL DRILL
N CHESTER RD
PENNSYLVANIA PIPELINE PROJECT

SCALE: 1"=200' DWG. NO. PA-CH-0370.0000-RD-16



LEGEND:

⊙ Geotechnical Soil Boring (SB) Locations



GEOTECHNICAL BORING LOCATIONS
 HDD S3-0500
 CHESTER COUNTY, EAST GOSHEN TWP, PA
 SUNOCO PENNSYLVANIA PIPELINE PROJECT



TETRA TECH
 240 Continental Drive, Suite 200
 Newark, Delaware 19713
 302.738.7551
 fax: 302.454.5988

TEST BORING LOG

Project Name:	SUNOCO PENNSYLVANIA PIPELINE PROJECT	Project No.:	103IP3406
Project Location:	INTERSECTION OF BOOT ROAD AND N. CHESTER ROD, WEST CHESTER, PA	Page 1 of 1	
HDD No.:	S3-0500	Dates(s) Drilled:	08-03-15
Boring No.:	SB-01	Inspector:	J. COSTELLO
Drilling Contractor:	HAD DRILLING	Drilling Method:	SPT - ASTM D1586
		Driller:	E. OGDON
		Groundwater Depth (ft):	SEE BELOW
		Total Depth (ft):	30.0
Boring Location Coordinates:	39° 59' 12.903" N	75° 32' 36.309" W	

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (ft)	Strata (USCS)	Description of Materials	6" Increment Blows *				N	
	From	To	From	To									
			0.0	0.2			TOPSOIL (2")						
1	3.0	5.0	0.2		12		DARK REDDISH BROWN FINE TO MEDIUM SAND WITH SOME SILT, TRACE F-C GRAVEL.	8	9	7	6	16	
2	8.0	10.0			15	SM	DR, VARIEGATED (BROWN, YELLOW, WHITE, RED) FINE TO MEDIUM SAND AND SILT, TRACE FINE SCHIST FRAGS. (USCS: SM).	2	4	5	12	9	
3	13.0	15.0			4		DR, VARIEGATED (BROWN, YELLOW, WHITE, RED) FINE TO MEDIUM SAND WITH SOME SILT, TRACE FINE SCHIST FRAGS.	7	8	10	9	18	
4	18.0	20.0			16		DR, VARIEGATED (BROWN, YELLOW, WHITE, RED) FINE TO MEDIUM SAND WITH A LITTLE SILT, TRACE FINE SCHIST FRAGS.	2	8	21	23	29	
5	23.0	25.0	24.0		16	SM	DR, VARIEGATED GRAYS FINE TO COARSE SAND WITH A LITTLE SILT, WITH A LITTLE F-C SCHIST FRAGS.	10	18	27	50/4"	45	
6	28.0	30.0			10		DR, VARIEGATED GRAYS FINE TO COARSE SAND WITH A LITTLE SILT, WITH A LITTLE F-C SCHIST FRAGS.	12	27	31	50/5"	58	
				30.0									
							PERCHED(?) WATER AT 8'.						
							CAVED AND DRY AT 26.4'.						

Notes/Comments:
Pocket Pentrometer Testing DR: DECOMPOSED ROCK

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.
 N: Number of blows to drive spoon from 6" to 18" interval.



TETRA TECH

240 Continental Drive, Suite 200
 Newark, Delaware 19713
 302.738.7551
 fax: 302.454.5988

TEST BORING LOG

Project Name: SUNOCO PENNSYLVANIA PIPELINE PROJECT			Project No.: 103IP3406		
Project Location: 600 N. CHESTER ROAD, WEST CHESTER, PA			Page 1 of 1		
HDD No.: S3-0500		Dates(s) Drilled: 12-18/19-15		Inspector: J. COSTELLO	
Boring No.: SB-02		Drilling Method: SPT - ASTM D1586		Driller: E. OGDON	
Drilling Contractor: HAD DRILLING		Groundwater Depth (ft): NOT ENCOUNTERED		Total Depth (ft): 31.0	
Boring Location Coordinates:		39°59'1.26"N		75°32'30.61"W	

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (ft)	Strata (USCS)	Description of Materials	6" Increment Blows *				N	
	From	To	From	To									
			0.0	0.3			TOPSOIL (4")						
1	3.0	5.0	0.3		12	SM	DR, BROWN FINE SAND AND SILT, MICACEOUS.	1	3	5	7	8	
2	8.0	10.0			21		DR, VARIEGATED WHITE, BROWN, BLACK, YELLOW FINE TO MEDIUM SAND WITH SOME SILT, TRACE FINE ROCK FRAGS.	1	3	6	10	9	
3	13.0	15.0			20		DR, VARIEGATED WHITE, BROWN, BLACK, YELLOW FINE TO MEDIUM SAND WITH A LITTLE SILT, TRACE FINE ROCK FRAGS.	6	12	21	23	33	
4	18.0	20.0			21		DR, VARIEGATED WHITE, BROWN, BLACK, YELLOW F-M SAND, WITH LAYERS OF PARTIALLY WEATHERED ROCK, SOME SILT. (USCS: SM)	17	23	25	11	48	
5	23.0	25.0			24		DR, VARIEGATED BROWN, YELLOW, BLACK FINE SAND AND SILT, TRACE UNWEATHERED ROCK FRAGS. (USCS: SM)	1	3	11	8	14	
6	28.0	28.3		29.0	0		NO RECOVERY	50/3"					>50
								AUGER REFUSAL AT 29'.					
							<u>ROCK CORING</u>						
RUN 1	29.0	31.0	29.0	31.0	13		VARIEGATED LIGT GRAY, REDDISH BROWN, DECOMPOSED AND HIGHLY WEATHERED GNEISS, MOSTLY DECOMPOSED, SOME RUBBLE, ONE INTACT PIECE.	TCR: 54.17%, SCR: 19%, RQD: 19%					
							CORE HOLE COLLAPSED DUE TO SOIL CONTENT, UNABLE TO CORE PAST 31'.						
							CAVED AND DRY AT 27'.						
							<u>CORE TESTING RESULTS (DEPTH 30.5 TO 31 '):</u>						
							COMPRESSIVE STRENGTH: 8,267 PSI						
							UNIT WEIGHT: 165.1 PCF						

Notes/Comments: Pocket Pentrometer Testing DR: DECOMPOSED ROCK

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.
 N: Number of blows to drive spoon from 6" to 18" interval.



TETRA TECH

240 Continental Drive, Suite 200
 Newark, Delaware 19713
 302.738.7551
 fax: 302.454.5988

TEST BORING LOG

Project Name: SUNOCO PENNSYLVANIA PIPELINE PROJECT		Project No.: 103IP3406	
Project Location: N. CHESTER ROAD (BEHIND 528 BEAUMONT CIRCLE), WEST CHESTER, PA		Page 1 of 1	
HDD No.: S3-0510	Dates(s) Drilled: 06-29-15	Inspector: E. WATT	
Boring No.: SB-01	Drilling Method: SPT - ASTM D1586	Driller: S. HOFFER	
Drilling Contractor: HAD DRILLING	Groundwater Depth (ft): NOT ENCOUNTERED	Total Depth (ft): 15.0	
Boring Location Coordinates:		39° 58' 54.30" N	75° 32' 22.74" W

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (in)	Strata (USCS)	Description of Materials	6" Increment Blows *				N	
	From	To	From	To									
			0.0	0.2			TOPSOIL (2")						
1	3.0	5.0	0.2			SM	DR, VARIEGATED LIGHT BROWN, GRAY, AND WHITE FINE TO MEDIUM SAND AND SILT, TRACE FINE ROCK FRAGS.	1	4	5	5	9	
				9.6									
2	8.0	10.0	9.6			ML	DR, ORANGE BROWN SILT AND FINE SAND, TRACE FINE GRAVEL.	2	3	4	6	7	
				11.5									
3	13.0	15.0	11.5			SM	DR, BROWN AND ORANGE BROWN FINE TO MEDIUM SAND WITH SOME SILT.	1	3	5	7	8	
				15.0									
							NEIGHBORING LO CAME OUT AND INSISTED BORING LOCATION WAS ON HIS LAND, AND INSISTED FOR CREW TO LEAVE. LAND AGENT CONFIDENT THAT CREW WAS NOT ON NEIGHBORS PROPERTY, BUT ASKED THAT CREW SHUT-DOWN AND COME BACK ANOTHER TIME.						
							AT LATER DATE, COULD NOT GAIN ACCESS, PERFORMED S3-0510 SB-01A (ALTERNATE) FURTHER DOWN HDD WHERE ACCESS WAS GRANTED.						

Notes/Comments:
Pocket Pentrometer Testing DR: DECOMPOSED ROCK

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.
 N: Number of blows to drive spoon from 6" to 18" interval.



TETRA TECH

240 Continental Drive, Suite 200
Newark, Delaware 19713
302.738.7551
fax: 302.454.5988

TEST BORING LOG

Project Name: SUNOCO PENNSYLVANIA PIPELINE PROJECT Project No.: 103IP3406

Project Location: 534 BEAUMONT CIRCLE, OFF OF SR 352, WEST CHESTER, PA Page 1 of 1

HDD No.: S3-0510 Dates(s) Drilled: 12-18-15 Inspector: J. COSTELLO

Boring No.: SB-01A Drilling Method: SPT - ASTM D1586 Driller: E. ODGEN

Drilling Contractor: HAD DRILLING Groundwater Depth (ft): NOT ENCOUNTERED Total Depth (ft): 14.0

Boring Location Coordinates: 39°58'51.07"N 75°32'20.32"W

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (in)	Strata (USCS)	Description of Materials	6" Increment Blows *				N
	From	To	From	To								
			0.0	0.1			TOPSOIL (<1")					
1	3.0	5.0	0.1		16	SM	DR, ORANGE BROWN FINE SAND WITH SOME SILT, TRACE FINE ROCK FRAGS.	1	2	4	7	6
2	8.0	10.0			19		DR, VARIEGATED BORWN, WHITE & BLACK FINE TO MEDIUM SAND AND SILT, TRACE FINE ROCK FRAGS. (USCS: SM).	2	5	7	7	12
				13.0								
3	13.0	13.3	13.0	14.0	8		PARTIALLY WEATHERED SCHIST.	50/4"				>50
							AUGER REFUSAL AT 14'.					
							CAVED AND DRY AT 13'.					
							LANDOWNER WOULD NOT ALLOW CORING BECAUSE OF MESS IT WOULD MAKE.					

Notes/Comments:
Pocket Pentrometer Testing DR: DECOMPOSED ROCK

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.
N: Number of blows to drive spoon from 6" to 18" interval.

**ROCK CORE DESCRIPTION SUMMARY
SUNOCO PENNSYLVANIA PIPELINE PROJECT
HDD S3-0500**

Location	Boring No.	Core Run	Core Depth (ft)		TCR (%)	SCR (%)	RQD (%)	Depth (ft)		Weathering	Classification	Bedding Thickness (ft)	Color	Discontinuity Data
			From	To				From	To					
S3-0500	SB-02	1	29	31	54	19	19	29	31	Moderate	Gneiss	Massive	Light gray	Nearly rubble; nearly level fracturing on single intact piece

**GEOTECHNICAL LABORATORY TESTING SUMMARY
SUNOCO PENNSYLVANIA PIPELINE PROJECT
HDD S3-0500**

HDD No.	Test Boring No.	Sample No.	Depth of Sample (ft.)		Water Content, % (ASTM D2216)	Percent Silts/Clays, % (ASTM D1140)	Atterburg Limits (ASTM D4318)			USCS Classif. (ASTM D2487)
			From	To			Liquid Limit, %	Plastic Limit, %	Plasticity Index, %	
S3-0500	SB-01	1	3.0	5.0	10.4	25.3	-	-	-	-
		2	8.0	10.0	39.5	42.3	35	26	9	SM
		4	18.0	20.0	6.7	19.5	-	-	-	-
		5	23.0	25.0	8.6	19.3	-	-	-	-
	SB-02	1	3.0	5.0	22.8	48.0	-	-	-	-
		2	8.0	10.0	14.5	27.6	-	-	-	-
		3	13.0	15.0	12.9	15.2	-	-	-	-
		4	18.0	20.0	11.7	26.6	NV	NP	NP	SM
		5	23.0	25.0	20.4	43.8	29	24	5	SM
	S3-0510	SB-01	1	3.0	5.0	16.7	41.7	-	-	-
2			8.0	10.0	52.9	95.2	-	-	-	-
3			13.0	15.0	26.0	34.9	-	-	-	-
SB-01A		1	3.0	5.0	39.1	35.5	-	-	-	-
		2	8.0	10.0	31.5	44.8	36	31	5	SM
		3	13.0	13.3	18.1	34.7	-	-	-	-

Rock Core Testing Results				
Boring No.	Core Run	Approximate Depth (ft)	Compressive Strength (psi)	Unit Weight (pcf)
SB-02	1	30.5 TO 31	8,267	165.1

Notes:

- 1) Sample depths based on feet below grade at time of exploration.

**REGIONAL GEOLOGY SUMMARY
SUNOCO PENNSYLVANIA PIPELINE PROJECT
HDD S3-0500**

HDD No.	NAME	BORING NO.	REGIONAL GEOLOGY DESCRIPTION	GENERAL TOPOGRAPHIC SETTING	BEDROCK FORMATION	GENERAL ROCK TYPE	APPROX MAX FM THICKNESS (FT)	DEPTH TO ROCK (Ft bgs) based on nearby well drilling logs	NOTES / COMMENTS
S3-0500		SB-01	Felsic gneiss - Light, medium grained; includes rocks of probable sedimentary origin.	Gently sloping to the North	Felsic gneiss (Precambrian age)	Felsic gneiss; Secondary - paragneiss	No information found during literature review	Bedrock depth information not available within .5 mile radius, likely similar to other formation wells, avg. from approx. 30 to 50 ft bgs	All part of Glenarm Supergroup a name given to provincial series of pre-Cambrian metamorphosed sedimentary rocks present in northern VA, MD, southeastern PA, western NJ, and possibly southeastern NY. Rocks from this assemblage consists of a thick sequence of metasedimentary rock and include the following formations; Setters metaquartzite, Cockeysville marble, Wissahickon Schist (along with subset of the Octoraro schist), Peters Creek metaquartzite and meta siltstones and the Peach Bottom Clate (Geology of Pennsylvania SP-1, 1999) . Drilling in these formations generally difficult to very difficult except where fractures and weathered exposed zones present.
		SB-02							
S3-0510		SB-01		Generally level, slightly sloping to the south					

Note : Source of well log data - <http://www.dcnr.state.pa.us/topogeo/groundwater/pagwis/records/index.htm>. All other sources as referenced in comments section.

FIELD DESCRIPTION AND LOGGING SYSTEM FOR SOIL EXPLORATION

GRANULAR SOILS

(Sand, Gravel & Combinations)

<u>Density</u>	<u>N (blows)*</u>
Very Loose	5 or less
Loose	6 to 10
Medium Dense	11 to 30
Dense	31 to 50
Very Dense	51 or more

Particle Size Identification

Boulders	8 in. diameter or more
Cobbles	3 to 8 in. diameter
Gravel	Coarse (C) 3 in. to ¾ in. sieve Fine (F) ¾ in. to No. 4 sieve
Sand	Coarse (C) No. 4 to No. 10 sieve (4.75mm-2.00mm) Medium (M) No. 10 to No. 40 sieve (2.00mm – 0.425mm) Fine (F) No. 40 to No. 200 sieve (0.425 – 0.074mm)
Silt/Clay	Less Than a No. 200 sieve (<0.074mm)

Relative Proportions

<u>Description Term</u>	<u>Percent</u>
Trace	1 - 10
Little	11 - 20
Some	21 - 35
And	36 - 50

COHESIVE SOILS

(Silt, Clay & Combinations)

<u>Consistency</u>	<u>N (blows)*</u>
Very Soft	3 or less
Soft	4 to 5
Medium Stiff	6 to 10
Stiff	11 to 15
Very Stiff	16 to 30
Hard	31 or more

Plasticity

<u>Degree of Plasticity</u>	<u>Plasticity Index</u>
None to Slight	0 - 4
Slight	5 - 7
Medium	8 - 22
High to Very High	> 22

ROCK

(Rock Cores)

<u>Rock Quality Designation (RQD), %</u>	<u>Rock Quality Description</u>
0-25	Very Poor
25-50	Poor
50-75	Fair
75-90	Good
90-100	Excellent

***N - Standard Penetration Resistance.** Driving a 2.0" O.D., 1-3/8" I.D. sampler a distance of 18 inches into undisturbed soil with a 140 pound hammer free falling a distance of 30.0 inches. The number of hammer blows to drive the sampler through each 6 inch interval is recorded; the number of blows required to drive the sampler through the final 12 inch interval is termed the Standard Penetration Resistance (SPR) N-value. For example, blow counts of 6/8/9 (through three 6-inch intervals) results in an SPR N-value of 17 (8+9).

Groundwater observations were made at the times indicated. Groundwater elevations fluctuate throughout a given year, depending on actual field porosity and variations in seasonal and annual precipitation.

UNIFIED SOIL CLASSIFICATION SYSTEM [Casagrande (1948)]

Major Divisions		Group Symbols	Typical Descriptions	Laboratory Classifications			
Coarse Grained Soils (More than half of material is larger than No. 200 sieve)	Gravels (More than half of coarse fraction is larger than No. 4 sieve size)	Clean gravel (Little or no fines)	GW	Well-graded gravels, gravel-sand mixtures, little or no fines	$C_u = \frac{D_{60}}{D_{10}}$ greater than 4: $C_c = \frac{(D_{30})^2}{D_{10} \times D_{60}}$ between 1 and 3 Not meeting C_u or C_c requirements for GW		
			GP	Poorly graded gravels, gravel-sand mixtures, little or no fines			
		Gravel with fines (Appreciable amount of fines)	GM	Silty gravels, gravel-sand-silt mixtures	Atterberg limits below A Line or I_p less than 4	Limits plotting in hatched zone with I_p between 4 and 7 are borderline cases requiring use of dual symbols	
			GC	Clayey gravels, gravel-sand-clay mixtures	Atterberg limits above A line with I_p greater than 7		
	Sands (More than half of coarse fraction is smaller than No. 4 Sieve)	Clean sands (Little or no fines)	SW	Well graded sands, gravelly sands, little or no fines	$C_u = \frac{D_{60}}{D_{10}}$ greater than 6: $C_c = \frac{(D_{30})^2}{D_{10} \times D_{60}}$ between 1 and 3 Not meeting C_u or C_c requirements for SW		
			SP	Poorly graded sands, gravelly sands, little or no fines			
		Sands with fines (Appreciable amount of fines)	SM	Silty sands, sand-silt mixtures	Atterberg limits below A Line or I_p less than 4	Limits Plotting in hatched zone with I_p between 4 and 7 are borderline cases requiring use of dual symbols	
			SC	Clayey sands, sand-clay mixtures	Atterberg limits above A line with I_p greater than 7		
		Determine Percentage of sand and gravel from grain size curve. Depending on Percentage of fines (fraction smaller than No. 200 sieve), coarse-grained soils are classified as follows: Less than 5 percent GW, GP, SW, SP More than 12 percent GM, GC, SM, SC 5 to 12 percent Borderline cases requiring dual symbols ⁽¹⁾					
		Major Divisions		Group Symbols	Typical Descriptions	For soils plotting nearly on A line use dual symbols i.e., $I_p = 29.5$, $w_L = 60$ gives CH-MH. When w_L is near 50 use CL-CH or ML-MH. Take near as ± 2 percent.	
Fine-grained soils (More than half of material is smaller than No. 200 sieve)	Silt and clays (Liquid limit less than 50)	ML	Inorganic silts and very fine sands, rock flour, silty or clayey fine sands, or clayey silts with slight plasticity				
		CL	Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays				
		OL	Organic silts and organic silty clays of low plasticity				
	Silt and Clays (Liquid limit greater than 50)	MH	Inorganic silts, micaceous or diatomaceous fine sandy or silty soils, elastic silts	MH or OH			
		CH	Inorganic clays of high plasticity, fat clays				
		OH	Organic clays of medium to high plasticity, organic silts				
	Highly organic soils	Pt	Peat and other highly organic soils				

(1) Borderline classifications, used for soils possessing characteristics of two groups, are designated by combinations of group symbols. For example: GW-GC. well-graded gravel-sand mixture with clay binder.