


***HDD PA-CH-0420.0000-RD (N Chester Road)***

Given the design, the threat of inadvertent return has been reduced to the maximum extent practicable and in this case that threat is considered to be low. Implementing this design, along with adherence to the Pennsylvania Pipeline Project Inadvertent Return Contingency Plan will ensure inadvertent impacts, if they were to occur, are also minimized to the maximum extent.


The drill will enter/exit 50 feet northwest of N Chester Road. The drill will continue under N Chester Road for approximately 2578 feet. This point is 102 feet northwest of the southeast entry/exit point. After the entry/exit point, the drill will pass between 30 and 50 feet under this road. Using the results of the geotechnical investigation, as well as several other data points, the entry/exit, angles, and depths have been configured to pass through the best substrates while maintaining pipe integrity (e.g., no large bends). The majority of the substrate that will be passed through is estimated to be sandy silt, silty sand, and gneiss.



PLAN VIEW

CHESTER COUNTY, PENNSYLVANIA - EAST GOSHEN TOWNSHIP  
S3-0530

PROFILE VIEW



- DESIGN AND CONSTRUCTION:**
- CONTRACTOR SHALL FIELD VERIFY DEPTH OF ALL EXISTING UTILITIES SHOWN OR NOT SHOWN ON THIS DRAWING.
  - THE MINIMUM SEPARATION DISTANCE FROM EXISTING SUBSURFACE UTILITIES SHALL NOT BE LESS THAN 10 FEET AS MEASURED FROM THE OUTSIDE EDGE OF THE UTILITY TO OUTSIDE OF PROPOSED PIPELINE.
  - DESIGNED IN ACCORDANCE WITH CFR 49 195 & ASME B31.4
  - CROSSING PIPE SPECIFICATION:  
HDD HORZ. LENGTH (L-): 2730'  
HDD PIPE LENGTH (S-): 2751'  
20" x 0.456" W.T., X-65, API5L, PSL2, ERW, BFW  
COATING: 14-16 MILS FBE WITH 30-35 MIL ARO (POWERCRETE R95)
  - INTERNAL DESIGN PRESSURE 1480 PSIG (SEAM FACTOR 1.0, DESIGN FACTOR 0.50).
  - INSTALLATION METHOD: HORIZONTAL DIRECTIONAL DRILL (HDD).
  - PIPELINE WARNING MARKERS SHALL BE INSTALLED ON BOTH SIDES OF ALL ROAD, RAILWAY, AND STREAM CROSSINGS.
  - CARRIER PIPE NOT ENCASED
  - PIPE / AMBIENT TEMPERATURE MUST BE NO LESS THAN 30°F DURING PULLBACK WITHOUT PRIOR WRITTEN APPROVAL FROM THE ENGINEER
  - CONDUCT 4-HOUR PRE-INSTALLATION HYDROTEST OF HDD PIPE STRING TO MINIMUM 1850 PSIG.
  - SEE SUNOCO PENNSYLVANIA PIPELINE PROJECT ESRI WEBMAP FOR ACCESS ROAD ALIGNMENT.
  - SUNOCO PIPELINE, L.P.'S HORIZONTAL DIRECTIONAL DRILL INADVERTENT RETURN CONTINGENCY PLAN WILL BE IMPLEMENTED AT ALL TIMES.
  - SUNOCO PIPELINE, L.P.'S EROSION AND SEDIMENTATION CONTROL PLAN WILL BE IMPLEMENTED AT ALL TIMES.

NOTES	
1.	ALL COORDINATES SHOWN ARE IN LATITUDE AND LONGITUDE. ALL MSL ELEVATIONS ARE NAD83
2.	STATIONING IS BASED ON HORIZONTAL DISTANCES
3.	ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP ARE NOT RESPONSIBLE FOR LOCATION OF FOREIGN UTILITIES SHOWN IN PLOT PLAN OR PROFILE. THE INFORMATION SHOWN HEREON IS FURNISHED WITHOUT LIABILITY ON THE PART OF ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP. FOR ANY DAMAGES RESULTING FROM ERRORS OR OMISSIONS THEREIN.
4.	CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES. CONTACT ONE CALL AT 811 PRIOR TO DIGGING.
5.	SUNOCO EMERGENCY HOTLINE NUMBER IS #1-800-786-7440.


REF. DRAWING		REVISIONS	
ES-6.68	TO ES-6.70	EROSION & SEDIMENT PLAN	
SHEET 45	TO SHEET 46	AERIAL SITE PLAN	EP1 REVISED PER PADEP COMMENTS
			EP
			C ISSUED FOR BID
			B ISSUED FOR BID
			A ISSUED FOR REVIEW
DWG NO	DWG NO	DESCRIPTION	NO.

SUNOCO PIPELINE, L.P.					
JTW	05/11/16	RMB	05/11/16	AAW	05/11/16
MRS	03/15/16	RMB	03/15/16	AAW	03/15/16
DLM	08/21/15	RMB	08/21/15	AAW	08/21/15
DLM	07/31/15	RMB	07/31/15	AAW	07/31/15
JAM	03/27/15	RMB	03/27/15	AAW	03/27/15
BY	DATE	CHK	DATE	APP	DATE

**Sunoco Logistics Partners L.P.**

**TETRA TECH ROONEY**  
(303) 792-5911


SUNOCO PIPELINE, L.P.	
20-INCH HORIZONTAL DIRECTIONAL DRILL WEST CHESTER PIKE PENNSYLVANIA PIPELINE PROJECT	
SCALE: 1"=250'	DWG. NO. PA-CH-0420.0000-RD



PLAN VIEW

CHESTER COUNTY, PENNSYLVANIA - EAST GOSHEN TOWNSHIP  
S3-0530-16

PROFILE VIEW



- DESIGN AND CONSTRUCTION:
- CONTRACTOR SHALL FIELD VERIFY DEPTH OF ALL EXISTING UTILITIES SHOWN OR NOT SHOWN ON THIS DRAWING.
  - THE MINIMUM SEPARATION DISTANCE FROM EXISTING SUBSURFACE UTILITIES SHALL NOT BE LESS THAN 10 FEET AS MEASURED FROM THE OUTSIDE EDGE OF THE UTILITY TO OUTSIDE OF PROPOSED PIPELINE.
  - DESIGNED IN ACCORDANCE WITH CFR 49 195 & ASME B31.4
  - CROSSING PIPE SPECIFICATION:  
HDD HORZ. LENGTH (L-): 2868'  
HDD PIPE LENGTH (S-): 2882'  
16" x 0.438" W.T., X-70, API5L, PSL2, ERW, BFW  
COATING: 14-16 MILS FBE WITH 30-35 MIL ARO (POWERCRETE R95)
  - INTERNAL DESIGN PRESSURE 1480 PSIG (SEAM FACTOR 1.0, DESIGN FACTOR 0.50).
  - INSTALLATION METHOD: HORIZONTAL DIRECTIONAL DRILL (HDD).
  - PIPELINE WARNING MARKERS SHALL BE INSTALLED ON BOTH SIDES OF ALL ROAD, RAILWAY, AND STREAM CROSSINGS.
  - CARRIER PIPE NOT ENCASED.
  - PIPE / AMBIENT TEMPERATURE MUST BE NO LESS THAN 30°F DURING PULLBACK WITHOUT PRIOR WRITTEN APPROVAL FROM THE ENGINEER.
  - CONDUCT 4-HOUR PRE-INSTALLATION HYDROTEST OF HDD PIPE STRING TO MINIMUM 1850 PSIG.
  - SEE SUNOCO PENNSYLVANIA PIPELINE PROJECT ESRI WEBMAP FOR ACCESS ROAD ALIGNMENT.
  - SUNOCO PIPELINE, L.P.'S HORIZONTAL DIRECTIONAL DRILL INADVERTENT RETURN CONTINGENCY PLAN WILL BE IMPLEMENTED AT ALL TIMES.
  - SUNOCO PIPELINE, L.P.'S EROSION AND SEDIMENTATION CONTROL PLAN WILL BE IMPLEMENTED AT ALL TIMES.

NOTES	
1.	ALL COORDINATES SHOWN ARE IN LATITUDE AND LONGITUDE. ALL MSL ELEVATIONS ARE NAD83
2.	STATIONING IS BASED ON HORIZONTAL DISTANCES
3.	ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP ARE NOT RESPONSIBLE FOR LOCATION OF FOREIGN UTILITIES SHOWN IN PLOT PLAN OR PROFILE. THE INFORMATION SHOWN HEREON IS FURNISHED WITHOUT LIABILITY ON THE PART OF ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP. FOR ANY DAMAGES RESULTING FROM ERRORS OR OMISSIONS THEREIN.
4.	CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES. CONTACT ONE CALL AT 811 PRIOR TO DIGGING.
5.	SUNOCO EMERGENCY HOTLINE NUMBER IS #1-800-786-7440.

REF. DRAWING		
ES-6.68	TO	ES-6.70
SHEET 45	TO	SHEET 46
		EROSION & SEDIMENT PLAN
		AERIAL SITE PLAN


REVISIONS					
NO.	DESCRIPTION	BY	DATE	CHK	DATE
EP1	REVISED PER PADEP COMMENTS	JTW	05/11/16	RMB	05/11/16
EP		MRS	03/15/16	RMB	03/15/16
A	ISSUED FOR BID	MRS	08/31/15	RMB	08/31/15

(303) 792-5911


SUNOCO PIPELINE, L.P.

16-INCH HORIZONTAL DIRECTIONAL DRILL  
WEST CHESTER PIKE  
PENNSYLVANIA PIPELINE PROJECT

SCALE: 1"=250'  
DWG. NO. PA-CH-0420.0000-RD-16



**LEGEND:**

 Geotechnical Soil Boring (SB) Locations



GEOTECHNICAL BORING LOCATIONS

HDD S3-0530

CHESTER COUNTY, EAST GOSHEN/WESTTOWN TOWNSHIP, PA  
 SUNOCO PENNSYLVANIA PIPELINE PROJECT



**TETRA TECH**  
 240 Continental Drive, Suite 200  
 Newark, Delaware 19713  
 302.738.7551  
 fax: 302.454.5988

**TEST BORING LOG**

Project Name: SUNOCO PENNSYLVANIA PIPELINE PROJECT			Project No.: 103IP3406		
Project Location: MATLOCK FLORIST, WEST CHESTER, PA			Page 1 of 1		
HDD No.: S3-0520		Dates(s) Drilled: 06-27-15		Inspector: E. WATT	
Boring No.: SB-03		Drilling Method: SPT - ASTM D1586		Driller: S. HOFFER	
Drilling Contractor: HAD DRILLING		Groundwater Depth (ft): 28.0		Total Depth (ft): 30.0	
Boring Location Coordinates:			39° 58' 14.479" N		75° 31' 48.928" W

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (in)	Strata (USCS)	Description of Materials	6" Increment Blows *				N	
	From	To	From	To									
			0.0	0.3			TOPSOIL (4")						
1	3.0	5.0	0.3		19	ML	LIGHT BROWN AND ORANGE BROWN SILT, TRACE FINE SAND.	1	5	5	9	10	
2	8.0	10.0			22		BROWN, ORANGE BROWN AND LIGHT GRAY MICACEOUS SILT, TRACE FINE SAND.	2	2	4	4	6	
3	13.0	15.0			24		BROWN, ORANGE BROWN, GRAY, AND WHITE SILT, TRACE FINE SAND. (USCS: ML).	2	3	4	4	7	
4	18.0	20.0			24		DR, VARIEGATED BROWN AND ORANGE BROWN MICACEOUS SILT, TRACE FINE SAND.	4	5	11	11	16	
5	23.0	25.0			24		DR, VARIEGATED BROWN, ORANGE BROWN AND WHITE, MICACEOUS SILT, TRACE FINE SAND.	2	4	8	13	12	
6	28.0	30.0			24		DR, VARIEGATED BROWN, ORANGE BROWN AND WHITE, MICACEOUS SILT, TRACE FINE SAND. (USCS: ML).	2	5	9	15	14	
				30.0									
								CAVED AT 29', WATER LEVEL ON CAVE AT 28'.					

Notes/Comments:  
Pocket Pentrometer Testing DR: DECOMPOSED ROCK  
 10': 1.25 TSF  
 15': 1.5 TSF

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

\* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.  
 N: Number of blows to drive spoon from 6" to 18" interval.



**TETRA TECH**

240 Continental Drive, Suite 200  
 Newark, Delaware 19713  
 302.738.7551  
 fax: 302.454.5988

**TEST BORING LOG**

Project Name: SUNOCO PENNSYLVANIA PIPELINE PROJECT		Project No.: 103IP3406	
Project Location: 1515 MANLEY RD, WEST CHESTER, PA		Page 1 of 1	
HDD No.: S3-0530	Dates(s) Drilled: 09-11/12-15	Inspector: E. WATT	
Boring No.: SB-01	Drilling Method: SPT - ASTM D1586	Driller: S. HOFFER	
Drilling Contractor: HAD DRILLING	Groundwater Depth (ft): NOT ENCOUNTERED	Total Depth (ft): 41.0	
Boring Location Coordinates:		39° 58' 8.98" N 75° 31' 38.34" W	

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (ft)	Strata (USCS)	Description of Materials	6" Increment Blows *				N		
	From	To	From	To										
			0.0	0.3			TOPSOIL (3")							
1	3.0	5.0	0.3		18	ML	ORANGE BROWN SILT WITH A LITTLE FINE SAND, TRACE FINE GRAVEL.	7	7	8	9		15	
				8.5										
2	8.0	9.4	8.5		15	SM	DR, VARIEGATED GRAY, WHITE, BROWN FINE TO COARSE SAND WITH A LITTLE SILT, TRACE F-C UNWEATHERED ROCK FRAGS.	6	22	50/5"			>50	
3	13.0	14.4			14		SAME	6	22	50/5"				>50
4	18.0	18.8			9		SAME	6	50/3"					>50
5	23.0	24.4			10		SAME	5	46	50/5"				>50
6	28.0	29.5			16		DR, VARIEGATED GRAY, WHITE, BROWN FINE TO COARSE SAND WITH SOME SILT, TRACE F-C UNWEATHERED ROCK FRAGS. (USCS: SM).	4	17	50				67
7	33.0	33.9		36.0	5		SAME	12	50/5"					>50
							AUGER REFUSAL AT 36'.							
							ROCK CORING							
RUN 1	36.0	41.0	36.0		19		BROWN AND GRAY HIGHLY DECOMPOSED AND WEATHERED GNEISS; RUBBLE RECOVERY.	TCR: 32%, SCR: 0%, RQD: 0%						
				41.0										
							CORE BARREL BIT BROKE. UNABLE TO CORE FURTHER.							
							ROCK SAMPLE NOT SUITABLE (NOT LONG ENOUGH) FOR TESTING.							

Notes/Comments:  
Pocket Pentrometer Testing DR: DECOMPOSED ROCK (FELSIC GNEISS ORGIN)  
 S1: > 4 TSF

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

\* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.  
 N: Number of blows to drive spoon from 6" to 18" interval.



**TETRA TECH**

240 Continental Drive, Suite 200  
 Newark, Delaware 19713  
 302.738.7551  
 fax: 302.454.5988

**TEST BORING LOG**

Project Name: SUNOCO PENNSYLVANIA PIPELINE PROJECT		Project No.: 103IP3406	
Project Location: PNC BANK OFF N. CHESTER ROAD (FT 352), WEST CHESTER, PA		Page 1 of 1	
HDD No.: S3-0530	Dates(s) Drilled: 11-14-15	Inspector: J. COSTELLO	
Boring No.: SB-02	Drilling Method: SPT - ASTM D1586	Driller: E. ODGEN	
Drilling Contractor: HAD DRILLING	Groundwater Depth (ft): NOT ENCOUNTERED	Total Depth (ft): 15.0	
Boring Location Coordinates:		39° 58' 2.29" N 75° 31' 28.14" W	

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (in)	Strata (USCS)	Description of Materials	6" Increment Blows *				N
	From	To	From	To								
			0.0	0.0			TOPSOIL (0")					
1	3.0	5.0	0.0		19	SC	DR, VARIEGATED REDDISH BROWN AND BROWN, FINE TO MEDIUM SAMD AND SILTY CLAY, ZONES OF PARTIALLY WIEATHERED ROCK.	2	5	6	11	11
2	8.0	9.4	6.5		14	SM	DR, VARIEGATED GRAY AND BROWN FINE TO MEDIUM SAND, SOME SILT, SOME COARSE UNWEATHERED ROCK ZONES.	22	50	50/2"		>50
3	13.0	14.4					SAME.	2	17	50		67
				15.0								
							AUGER REFUSAL AT 15'. OFF-SET BORING AND CONTINUOUSLY DRILLED TO AUGER REFUSAL AT 10'. NO ROOM FOR FURTHER OFF-SETS.					
							CAVED AND DRY AT 13'.					

Notes/Comments:  
Pocket Pentrometer Testing DR: DECOMPOSED ROCK (FELSIC GNEISS ORGIN)  
 S1: > 4 TSF

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

\* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.  
 N: Number of blows to drive spoon from 6" to 18" interval.



**TETRA TECH**

240 Continental Drive, Suite 200  
 Newark, Delaware 19713  
 302.738.7551  
 fax: 302.454.5988

**TEST BORING LOG**

Project Name: SUNOCO PENNSYLVANIA PIPELINE PROJECT		Project No.: 103IP3406	
Project Location: 6 CAVANAUGH COURT, ST. SIMON & JUDE CHURCH, WEST CHESTER, PA		Page 1 of 1	
HDD No.: S3-0530	Dates(s) Drilled: 06-27-15	Inspector: E. WATT	
Boring No.: SB-03	Drilling Method: SPT - ASTM D1586	Driller: S. HOFFER	
Drilling Contractor: HAD DRILLING	Groundwater Depth (ft): NOT ENCOUNTERED	Total Depth (ft): 18.9	
Boring Location Coordinates: 39° 57' 57.12" N		75° 31' 20.11" W	

Sample No.	Sample Depth (ft)		Strata Depth (ft)		Recov. (ft)	Strata (USCS)	Description of Materials	6" Increment Blows *				N	
	From	To	From	To									
			0.0	0.3			TOPSOIL (3")						
1	3.0	5.0	0.3		11	SM	DR, BROWN AND ORANGE BROWN FINE TO MEDIUM MICACEOUS SAND WITH SOME SILT.	1	4	5	4	9	
2	8.0	10.0			24		DR, BROWN AND ORANGE BROWN FINE TO MEDIUM MICACEOUS SAND WITH A LITTLE SILT.	1	5	7	8	12	
3	13.0	15.0			22	SM	DR, VARIEGATED BROWN, ORANGE BROWN, WHITE FINE TO MEDIUM MICACEOUS SAND WITH SOME SILT, TRACE FINE ROCK FRAGS.	2	5	6	8	11	
4	18.0	18.9	18.5		6		PARTIALLY WEATHERED QUARTZ, F-C SAND AND F-C GRAVEL, TRACE SILT.	20	50/5"			>50	
				18.9									
							AUGER REFUSAL AT 18.5'.						
							GRINDING VERY HARD AT 17.5'.						

Notes/Comments: Pocket Pentrometer Testing DR: DECOMPOSED ROCK

Strata (USCS) Designations are approximated based on visual review, except where indicated in Description of Materials.

\* Number of blows of 140 lb. Hammer dropped 30 in. required to drive 2 in. split-spoon sampler in 6 in. increments.  
 N: Number of blows to drive spoon from 6" to 18" interval.



**ROCK CORE DESCRIPTION SUMMARY  
SUNOCO PENNSYLVANIA PIPELINE PROJECT  
HDD S3-0530**

Location	Boring No.	Core Run	Core Depth (ft)		TCR (%)	SCR (%)	RQD (%)	Depth (ft)		Weathering	Classification	Bedding Thickness (ft)	Color	Discontinuity Data
			From	To				From	To					
S3-0530	SB-1	1	36	41	32	0	0	36	41	Heavily	Gneiss	Massive	Brown to gray	Rubble

**GEOTECHNICAL LABORATORY TESTING SUMMARY**  
**SUNOCO PENNSYLVANIA PIPELINE PROJECT**  
**HDD S3-0530**

HDD No.	Test Boring No.	Sample No.	Depth of Sample (ft.)		Water Content, % (ASTM D2216)	Percent Silts/Clays, % (ASTM D1140)	Atterburg Limits (ASTM D4318)			USCS Classif. (ASTM D2487)
			From	To			Liquid Limit, %	Plastic Limit, %	Plasticity Index, %	
S3-520	SB-03	2	8.0	10.0	33.2	93.4	-	-	-	-
		3	13.0	15.0	40.9	98.8	48	35	13	ML
		4	18.0	20.0	35.2	99.0	-	-	-	-
		5	23.0	25.0	25.2	61.3	-	-	-	-
		6	28.0	30.0	35.6	89.3	47	33	14	ML
S3-530	SB-01	2	8.0	9.4	7.0	17.6	-	-	-	-
		4	18.0	18.8	7.4	15.1	-	-	-	-
		5	23.0	24.4	10.2	18.8	-	-	-	-
		6	28.0	29.5	12.4	25.0	NV	NP	NP	SM
		7	33.0	33.9	7.7	9.9	-	-	-	-
	SB-02	1	3.0	5.0	31.7	47.1	-	-	-	-
		2	8.0	9.4	5.2	24.7	NV	NP	NP	SM
		3	13.0	14.4	6.1	30.1	-	-	-	-
	SB-03	1	3.0	5.0	27.8	36.5	-	-	-	-
		2	8.0	10.0	14.9	18.0	-	-	-	-
		3	13.0	15.0	12.0	23.1	NV	NP	NP	SM
		4	18.0	18.9	1.7	6.9	-	-	-	-

Notes:

- 1) Sample depths based on feet below grade at time of exploration.

**REGIONAL GEOLOGY SUMMARY  
SUNOCO PENNSYLVANIA PIPELINE PROJECT  
HDD S3-0530**

HDD No.	NAME	BORING NO.	REGIONAL GEOLOGY DESCRIPTION	GENERAL TOPOGRAPHIC SETTING	BEDROCK FORMATION	GENERAL ROCK TYPE	APPROX MAX FM THICKNESS (FT)	DEPTH TO ROCK (Ft bgs) based on nearby well drilling logs	NOTES / COMMENTS
S3-0520		SB-03	Felsic gneiss - Light, medium grained; includes rocks of probable sedimentary origin.	Generally level, slightly sloping to the south	Felsic gneiss (Precambrian age)	Felsic gneiss; Secondary - paragneiss	Unknown	Ranges from 9 to 70 ft bgs, Avg. 42 ft bgs (.5 mile radius)	
S3-0530		SB-01	Felsic gneiss - Light, medium grained; includes rocks of probable sedimentary origin.	Generally level	Felsic gneiss (Precambrian age)	Felsic gneiss; Secondary - paragneiss	Unknown	Ranges from 9 to 70 ft bgs, Avg. 42 ft bgs (.5 mile radius)	
		SB-02		Generally level, slightly sloping to the NE			Unknown		
		SB-03		Generally level			Unknown		

*Note : Source of well log data - <http://www.dcnr.state.pa.us/topogeo/groundwater/pagwis/records/index.htm>. All other sources as referenced in comments section.*

# FIELD DESCRIPTION AND LOGGING SYSTEM FOR SOIL EXPLORATION

## GRANULAR SOILS

(Sand, Gravel & Combinations)

<u>Density</u>	<u>N (blows)*</u>
Very Loose	5 or less
Loose	6 to 10
Medium Dense	11 to 30
Dense	31 to 50
Very Dense	51 or more

### Particle Size Identification

Boulders	8 in. diameter or more
Cobbles	3 to 8 in. diameter
Gravel	Coarse (C) 3 in. to ¾ in. sieve
	Fine (F) ¾ in. to No. 4 sieve
Sand	Coarse (C) No. 4 to No. 10 sieve (4.75mm-2.00mm)
	Medium (M) No. 10 to No. 40 sieve (2.00mm – 0.425mm)
	Fine (F) No. 40 to No. 200 sieve (0.425 – 0.074mm)
Silt/Clay	Less Than a No. 200 sieve (<0.074mm)

### Relative Proportions

<u>Description Term</u>	<u>Percent</u>
Trace	1 - 10
Little	11 - 20
Some	21 - 35
And	36 - 50

## COHESIVE SOILS

(Silt, Clay & Combinations)

<u>Consistency</u>	<u>N (blows)*</u>
Very Soft	3 or less
Soft	4 to 5
Medium Stiff	6 to 10
Stiff	11 to 15
Very Stiff	16 to 30
Hard	31 or more

### Plasticity

<u>Degree of Plasticity</u>	<u>Plasticity Index</u>
None to Slight	0 - 4
Slight	5 - 7
Medium	8 - 22
High to Very High	> 22

## ROCK

(Rock Cores)

<u>Rock Quality Designation (RQD), %</u>	<u>Rock Quality Description</u>
0-25	Very Poor
25-50	Poor
50-75	Fair
75-90	Good
90-100	Excellent

**\*N - Standard Penetration Resistance.** Driving a 2.0" O.D., 1-3/8" I.D. sampler a distance of 18 inches into undisturbed soil with a 140 pound hammer free falling a distance of 30.0 inches. The number of hammer blows to drive the sampler through each 6 inch interval is recorded; the number of blows required to drive the sampler through the final 12 inch interval is termed the Standard Penetration Resistance (SPR) N-value. For example, blow counts of 6/8/9 (through three 6-inch intervals) results in an SPR N-value of 17 (8+9).

**Groundwater** observations were made at the times indicated. Groundwater elevations fluctuate throughout a given year, depending on actual field porosity and variations in seasonal and annual precipitation.

**UNIFIED SOIL CLASSIFICATION SYSTEM [Casagrande (1948)]**

Major Divisions		Group Symbols	Typical Descriptions	Laboratory Classifications				
Coarse Grained Soils (More than half of material is larger than No. 200 sieve)	Gravels (More than half of coarse fraction is larger than No. 4 sieve size)	Clean gravel (Little or no fines)	GW Well-graded gravels, gravel-sand mixtures, little or no fines	Determine Percentage of sand and gravel from grain size curve. Depending on Percentage of fines (fraction smaller than No. 200 sieve), coarse-grained soils are classified as follows:  Less than 5 percent GW, GP, SW, SP More than 12 percent GM, GC, SM, SC 5 to 12 percent Borderline cases requiring dual symbols <sup>(1)</sup>	$C_u = \frac{D_{60}}{D_{10}}$ greater than 4: $C_c = \frac{(D_{30})^2}{D_{10} \times D_{60}}$ between 1 and 3			
		GP Poorly graded gravels, gravel-sand mixtures, little or no fines	Not meeting $C_u$ or $C_c$ requirements for GW					
		Gravel with fines (Appreciable amount of fines)	GM Silty gravels, gravel-sand-silt mixtures		Atterberg limits below A Line or $I_p$ less than 4	Limits plotting in hatched zone with $I_p$ between 4 and 7 are borderline cases requiring use of dual symbols		
			GC Clayey gravels, gravel-sand-clay mixtures		Atterberg limits above A line with $I_p$ greater than 7			
	Sands (More than half of coarse fraction is smaller than No. 4 Sieve)	Clean sands (Little or no fines)	SW Well graded sands, gravelly sands, little or no fines		$C_u = \frac{D_{60}}{D_{10}}$ greater than 6: $C_c = \frac{(D_{30})^2}{D_{10} \times D_{60}}$ between 1 and 3			
			SP Poorly graded sands, gravelly sands, little or no fines		Not meeting $C_u$ or $C_c$ requirements for SW			
		Sands with fines (Appreciable amount of fines)	SM Silty sands, sand-silt mixtures		Atterberg limits below A Line or $I_p$ less than 4	Limits Plotting in hatched zone with $I_p$ between 4 and 7 are borderline cases requiring use of dual symbols		
			SC Clayey sands, sand-clay mixtures		Atterberg limits above A line with $I_p$ greater than 7			
						For soils plotting nearly on A line use dual symbols i.e., $I_p = 29.5$ , $w_L = 60$ gives CH-MH. When $w_L$ is near 50 use CL-CH or ML-MH. Take near as $\pm 2$ percent.		
		Fine-grained soils (More than half of material is smaller than No. 200 sieve)	Silt and clays (Liquid limit less than 50)		ML Inorganic silts and very fine sands, rock flour, silty or clayey fine sands, or clayey silts with slight plasticity			
CL Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays								
OL Organic silts and organic silty clays of low plasticity								
Silt and Clays (Liquid limit greater than 50)	MH Inorganic silts, micaceous or diatomaceous fine sandy or silty soils, elastic silts							
	CH Inorganic clays of high plasticity, fat clays							
	OH Organic clays of medium to high plasticity, organic silts							
Highly organic soils	Pt Peat and other highly organic soils							

(1) Borderline classifications, used for soils possessing characteristics of two groups, are designated by combinations of group symbols. For example: GW-GC. well-graded gravel-sand mixture with clay binder.