

ATTACHMENT 1

GENERAL INFORMATION FORM (GIF) AND SUPPLEMENTAL INFORMATION

Note: It is up to the construction contractor to finalize contracts with the Public Water Supplies and they are not finalized at this time. As such, no Letters of Approval from Suppliers are attached.



GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

| | | | |
|--------------------------------|-----------------------|-------------------------------|--|
| Related ID#s (If Known) | | DEP USE ONLY | |
| Client ID# _____ | APS ID# _____ | Date Received & General Notes | |
| Site ID# _____ | Auth ID# _____ | | |
| Facility ID# _____ | | | |

CLIENT INFORMATION

| | | | |
|---|------------------------------------|---|--|
| DEP Client ID# 0 | Client Type / Code NPACO | | |
| Organization Name or Registered Fictitious Name Sunoco Pipeline L.P. (SPLP) | | Employer ID# (EIN) 23-3102656 | Dun & Bradstreet ID# 11-339-2331 |
| Individual Last Name NA | First Name | MI | Suffix SSN |
| Additional Individual Last Name NA | First Name | MI | Suffix SSN |
| Mailing Address Line 1 535 Fritztown Road | | Mailing Address Line 2 | |
| Address Last Line – City Sinking Spring | State PA | ZIP+4 19608 | Country USA |
| Client Contact Last Name Gordon | First Name Matthew | MI L | Suffix |
| Client Contact Title Principal Engineer | | Phone 610-670-3284 | Ext |
| Email Address MLGordon@sunocologistics.com | | FAX | |

SITE INFORMATION

| | | | |
|--|---|---|---|
| DEP Site ID# | Site Name Pennsylvania Pipeline Project | | |
| EPA ID# | Estimated Number of Employees to be Present at Site | | NA |
| Description of Site Installation of 23.6 miles of natural gas liquid pipelines through Chester County in southeast PA. | | | |
| County Name Chester | Municipality Refer to attached Supplemental Information | City <input type="checkbox"/> | Boro <input type="checkbox"/> |
| County Name | Municipality | City <input type="checkbox"/> | Boro <input type="checkbox"/> |
| Site Location Line 1 Refer to Attachment 8 (Location Map) | Site Location Line 2 | | |
| Site Location Last Line – City | State | ZIP+4 | |

Detailed Written Directions to Site
Begin at the intersection of West Main St. (Route 23) and South Chestnut St. (Route 82) in the borough of Elverson, Pennsylvania. Travel for approximately 0.55 mile west on West Main St. until it intersects the Project right-of-way. This location is also the Chester County line.

| | | | |
|---|--|----------------|---------------|
| Site Contact Last Name Gordon | First Name Matthew | MI L | Suffix |
| Site Contact Title Principal Engineer | Site Contact Firm Sunoco Pipeline L.P. | | |
| Mailing Address Line 1 535 Fritztown Road | Mailing Address Line 2 | | |

| | | | | |
|--|------------|------------|--|-----------------------|
| Mailing Address Last Line – City Sinking Spring | | | State PA | ZIP+4 19608 |
| Phone 610-670-3284 | Ext | FAX | Email Address MLGordon@sunocologistics.com | |
| NAICS Codes (Two- & Three-Digit Codes – List All That Apply) 23 and 493190 | | | 6-Digit Code (Optional) 237120, 486210 | |
| Client to Site Relationship OWNOP | | | | |

FACILITY INFORMATION

| | | |
|--|-------------------------------------|--------------------------|
| Modification of Existing Facility | Yes | No |
| 1. Will this project modify an existing facility, system, or activity? | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Will this project involve an addition to an existing facility, system, or activity? | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

If "Yes", check all relevant facility types and provide DEP facility identification numbers below.

| Facility Type | DEP Fac ID# | Facility Type | DEP Fac ID# |
|---|-------------|--|-------------|
| <input type="checkbox"/> Air Emission Plant | _____ | <input type="checkbox"/> Industrial Minerals Mining Operation | _____ |
| <input type="checkbox"/> Beneficial Use (water) | _____ | <input type="checkbox"/> Laboratory Location | _____ |
| <input type="checkbox"/> Blasting Operation | _____ | <input type="checkbox"/> Land Recycling Cleanup Location | _____ |
| <input type="checkbox"/> Captive Hazardous Waste Operation | _____ | <input type="checkbox"/> MineDrainageTrmt/LandRecyProjLocation | _____ |
| <input type="checkbox"/> Coal Ash Beneficial Use Operation | _____ | <input type="checkbox"/> Municipal Waste Operation | _____ |
| <input type="checkbox"/> Coal Mining Operation | _____ | <input type="checkbox"/> Oil & Gas Encroachment Location | _____ |
| <input type="checkbox"/> Coal Pillar Location | _____ | <input checked="" type="checkbox"/> Oil & Gas Location | Unknown |
| <input type="checkbox"/> Commercial Hazardous Waste Operation | _____ | <input type="checkbox"/> Oil & Gas Water Poll Control Facility | _____ |
| <input type="checkbox"/> Dam Location | _____ | <input type="checkbox"/> Public Water Supply System | _____ |
| <input type="checkbox"/> Deep Mine Safety Operation -Anthracite | _____ | <input type="checkbox"/> Radiation Facility | _____ |
| <input type="checkbox"/> Deep Mine Safety Operation -Bituminous | _____ | <input type="checkbox"/> Residual Waste Operation | _____ |
| <input type="checkbox"/> Deep Mine Safety Operation -Ind Minerals | _____ | <input type="checkbox"/> Storage Tank Location | _____ |
| <input type="checkbox"/> Encroachment Location (water, wetland) | _____ | <input type="checkbox"/> Water Pollution Control Facility | _____ |
| <input type="checkbox"/> Erosion & Sediment Control Facility | _____ | <input type="checkbox"/> Water Resource | _____ |
| <input type="checkbox"/> Explosive Storage Location | _____ | <input type="checkbox"/> Other: | _____ |

| Latitude/Longitude Point of Origin | Latitude | | | Longitude | | |
|--|---|---------------|---------|-----------|---------|---------|
| | Degrees | Minutes | Seconds | Degrees | Minutes | Seconds |
| Enters County at | 40 | 9 | 20 | 75 | 50 | 34 |
| Horizontal Accuracy Measure | Feet | NA | --or-- | Meters | | |
| Horizontal Reference Datum Code | <input type="checkbox"/> North American Datum of 1927 <input checked="" type="checkbox"/> North American Datum of 1983 <input type="checkbox"/> World Geodetic System of 1984 | | | | | |
| Horizontal Collection Method Code | SURVY, GPSDF, GISDR, | | | | | |
| Reference Point Code | CTROD | | | | | |
| Altitude | Feet | NA | --or-- | Meters | | |
| Altitude Datum Name | <input type="checkbox"/> The National Geodetic Vertical Datum of 1929 <input type="checkbox"/> The North American Vertical Datum of 1988 (NAVD88) | | | | | |
| Altitude (Vertical) Location Datum Collection Method Code | NA | | | | | |
| Geometric Type Code | POINT | | | | | |
| Data Collection Date | 2014-2016 | | | | | |
| Source Map Scale Number | NA | Inch(es) | = | Feet | | |
| | --or-- | Centimeter(s) | = | Meters | | |

PROJECT INFORMATION

Project Name
Pennsylvania Pipeline Project

Project Description
Installation of two parallel natural gas liquid pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline would be installed within the ROW from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, would also be installed in the same ROW from SPLP's Delmont Station to Marcus Hook (for approximately 255.8 miles). Approximately 23.6 miles are located in Chester County in southeast PA. Please refer to Attachment 9 of the Joint Application.

| | | | |
|--|---------------------------|--|---|
| Project Consultant Last Name Schaeffer | First Name Brad | MI | Suffix |
| Project Consultant Title Environmental Project Manager | | Consulting Firm Tetra Tech, Inc. | |
| Mailing Address Line 1 301 Ellicott Street | | Mailing Address Line 2 | |
| Address Last Line – City Buffalo | | State NY | ZIP+4 14203 |
| Phone 716-849-9419 | Ext 117 | FAX 716-849-9420 | Email Address brad.schaeffer@tetrattech.com |

| Time Schedules | Project Milestone (Optional) |
|----------------|------------------------------|
| January 2017 | Construction |
| | |
| | |
| | |

1. Have you informed the surrounding community and addressed any concerns prior to submitting the application to the Department? Yes No

2. Is your project funded by state or federal grants? Yes No
Note: If "Yes", specify what aspect of the project is related to the grant and provide the grant source, contact person and grant expiration date.
 Aspect of Project Related to Grant _____
 Grant Source: _____
 Grant Contact Person: _____
 Grant Expiration Date: _____

3. Is this application for an authorization on Appendix A of the Land Use Policy? (For referenced list, see Appendix A of the Land Use Policy attached to GIF instructions) Yes No
Note: If "No" to Question 3, the application is not subject to the Land Use Policy.
 If "Yes" to Question 3, the application is subject to this policy and the Applicant should answer the additional questions in the Land Use Information section.

LAND USE INFORMATION

Note: Applicants are encouraged to submit copies of local land use approvals or other evidence of compliance with local comprehensive plans and zoning ordinances.

1. Is there an adopted county or multi-county comprehensive plan? Yes No

2. Is there an adopted municipal or multi-municipal comprehensive plan? Yes No

3. Is there an adopted county-wide zoning ordinance, municipal zoning ordinance or joint municipal zoning ordinance? Yes No
Note: If the Applicant answers "No" to either Questions 1, 2 or 3, the provisions of the PA MPC are not applicable and the Applicant does not need to respond to questions 4 and 5 below.
 If the Applicant answers "Yes" to questions 1, 2 and 3, the Applicant should respond to questions 4 and 5 below.

4. Does the proposed project meet the provisions of the zoning ordinance or does the proposed project have zoning approval? If zoning approval has been received, attach documentation. Yes No

5. Have you attached Municipal and County Land Use Letters for the project? Yes No

COORDINATION INFORMATION

Note: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

| | | | | | |
|------------|---|--------------------------|-----|-------------------------------------|----|
| 1.0 | Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 1.1 | Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 1.2 | Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 1.3 | Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 1.4 | For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 1.5 | Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 1.6 | Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 2.0 | Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 2.1 | Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 2.2 | Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 2.3 | Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 2.4 | For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 2.5 | Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet? | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |

| | | | | | |
|-------|--|-------------------------------------|-----|-------------------------------------|----|
| 3.0 | Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No", skip to Question 4.0. | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 3.1 | Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including wetlands)? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 3.2 | Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> . | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 3.3 | Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 4.0 | Will the project involve a construction activity that results in earth disturbance? If "Yes", specify the total disturbed acreage. 4.0.1 Total Disturbed Acreage 180 acres | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 5.0 | Does the project involve any of the following? If "Yes", respond to 5.1-5.3. If "No", skip to Question 6.0. | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 5.1 | Water Obstruction and Encroachment Projects – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 5.2 | Wetland Impacts – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a wetland? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 5.3 | Floodplain Projects by the commonwealth, a Political Subdivision of the commonwealth or a Public Utility – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a floodplain? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 6.0 | Will the project involve discharge of stormwater or wastewater from an industrial activity to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 7.0 | Will the project involve the construction and operation of industrial waste treatment facilities? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 8.0 | Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i> , where applicable. 8.0.1 Estimated Proposed Flow (gal/day) | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 9.0 | Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the generation of 800 gpd or more of industrial wastewater that would be discharged to an existing sanitary sewer system? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 9.0.1 | Was Act 537 sewage facilities planning submitted and approved by DEP? If "Yes" attach the approval letter. Approval required prior to 105/NPDES approval. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 10.0 | Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year). 10.0.1 Gallons Per Year (residential septage) _____ 10.0.2 Dry Tons Per Year (biosolids) _____ | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 11.0 | Does the project involve construction, modification or removal of a dam? If "Yes", identify the dam. 11.0.1 Dam Name _____ | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |

| | | | | | |
|---------------|---|---|-----|-------------------------------------|----|
| 12.0 | Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 12.0.1 | Dam Name | | | | |
| 13.0 | Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission. | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 13.0.1 | Enter all types & amounts of emissions; separate each set with semicolons. | Note: The overall Project will involve operational emissions; but no operational emissions will be produced in Chester County. See attached list of facilities associated with the overall Project and air emissions. | | | |
| 14.0 | Does the project include the construction or modification of a drinking water supply to serve 15 or more connections or 25 or more people, at least 60 days out of the year? If "Yes", check all proposed sub-facilities. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 14.0.1 | Number of Persons Served | _____ | | | |
| 14.0.2 | Number of Employee/Guests | _____ | | | |
| 14.0.3 | Number of Connections | _____ | | | |
| 14.0.4 | Sub-Fac: Distribution System | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 14.0.5 | Sub-Fac: Water Treatment Plant | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 14.0.6 | Sub-Fac: Source | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 14.0.7 | Sub-Fac: Pump Station | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 14.0.8 | Sub Fac: Transmission Main | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 14.0.9 | Sub-Fac: Storage Facility | <input type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 15.0 | Will your project include infiltration of storm water or waste water to ground water within one-half mile of a public water supply well, spring or infiltration gallery? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 16.0 | Is your project to be served by an existing public water supply? If "Yes", indicate name of supplier and attach letter from supplier stating that it will serve the project. | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 16.0.1 | Supplier's Name | Aqua Pennsylvania Downtown Municipal Water Authority Chester Water Authority Note: Letters of Approval from Suppliers to be provided when contracts are executed. | | | |
| 16.0.2 | Letter of Approval from Supplier is Attached | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 17.0 | Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 17.0.1 | Stream Name | | | | |
| 18.0 | Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 18.0.1 | Type & Amount | Non-hazardous/Construction related C&D waste will be disposed; Amount Unknown. | | | |
| 19.0 | Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 20.0 | Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 20.0.1 | Enter all substances & capacity of each; separate each set with semicolons. | _____ | | | |

22.0 Does your project involve installation of a tank greater than 1,100 gallons which will contain a highly hazardous substance as defined in DEP's Regulated Substances List, 2570-BK-DEP2724? Yes No
If "Yes", list each Substance & its Capacity. **Note:** Applicant may need a Storage Tank Site Specific Installation Permit.

22.0.1 Enter all substances & capacity of each; separate each set with semicolons.

23.0 Does your project involve installation of a storage tank at a new facility with a total AST capacity greater than 21,000 gallons? Yes No
If "Yes", list each Substance & its Capacity. **Note:** Applicant may need a Storage Tank Site Specific Installation Permit.


23.0.1 Enter all substances & capacity of each; separate each set with semicolons.

24.0 Will the intended activity involve the use of a radiation source? Yes No

CERTIFICATION

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

Type or Print Name Matthew L. Gordon


Signature

Principal Engineer

Title

11/2/2016
Date

Pennsylvania Pipeline Project

Chester County: General Information Form Supplemental Information

| Municipality | City | Borough | Township | Municipal Comprehensive Plan | Municipal Zoning Ordinance |
|----------------|------|---------|----------|------------------------------|----------------------------|
| West Nantmeal | | | X | Y | Y |
| East Nantmeal | | | X | Y | Y |
| Wallace | | | X | Y | Y |
| Upper Uwchlan | | | X | Y | Y |
| Uwchlan | | | X | Y | Y |
| West Whiteland | | | X | Y | Y |
| East Whiteland | | | X | N | Y |
| West Goshen | | | X | Y | Y |
| Elverson | | X | | Y | Y |
| East Goshen | | | X | Y | Y |
| Westtown | | | X | Y | Y |

Pennsylvania Pipeline Project Facility Emissions

| County | Facility | Emission Rate (tpy) | | | | | | | | | | | |
|--------------|------------------------|---------------------|--------|------|-----------------|-------------------------------|--------------------------------|-----------------|------|-----------------|-----------------|------------------|-------------------|
| | | NO _x | CO | VOC | PM ¹ | PM ₁₀ ¹ | PM _{2.5} ¹ | SO _x | HAP | CO ₂ | CH ₄ | N ₂ O | CO ₂ e |
| Washington | Independence Tie-In | < 0.01 | < 0.01 | 0.18 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | 0.01 | 0.76 | < 0.01 | < 0.01 | 0.76 |
| Washington | Houston Injection Site | 0.04 | 0.17 | 0.57 | 0 | 0 | 0 | < 0.01 | 0.03 | 75.00 | 0.01 | < 0.01 | 75.30 |
| Westmoreland | Delmont Station | 0.03 | 0.15 | 0.72 | 0 | 0 | 0 | < 0.01 | 0.04 | 69.85 | 0.01 | < 0.01 | 70.15 |
| Cambria | Ebensburg Station | 0.03 | 0.15 | 0.94 | 0 | 0 | 0 | < 0.01 | 0.05 | 70.65 | 0.01 | < 0.01 | 70.95 |
| Huntingdon | Mount Union Station | 0.01 | 0.05 | 0.26 | 0 | 0 | 0 | < 0.01 | 0.02 | 24.9 | < 0.01 | < 0.01 | 25.00 |
| Dauphin | Middletown Station | 0.03 | 0.15 | 0.93 | 0 | 0 | 0 | < 0.01 | 0.05 | 70.55 | 0.01 | < 0.01 | 70.85 |
| Berks | Beckersville Station | 0.01 | 0.05 | 0.25 | 0 | 0 | 0 | < 0.01 | 0.02 | 24.90 | < 0.01 | < 0.01 | 25.00 |
| Delaware | Twin Oaks Station | 0.03 | 0.14 | 0.83 | 0 | 0 | 0 | < 0.01 | 0.05 | 66.40 | 0.01 | < 0.01 | 66.70 |
| Total | | < 0.19 | < 0.87 | 4.68 | < 0.01 | < 0.01 | < 0.01 | < 0.08 | 0.27 | 403.01 | < 0.08 | < 0.08 | 404.71 |

Notes:

- CH₄: methane
- CO: carbon monoxide
- CO₂: carbon dioxide
- CO₂e: carbon dioxide equivalent
- HAP: hazardous air pollutant
- N₂O: nitrous oxide
- NO_x: oxides of nitrogen
- PM: particulate matter
- PM₁₀: particles with an aerodynamic diameter less than or equal to 10 micrometers
- PM_{2.5}: particles with an aerodynamic diameter less than or equal to 2.5 micrometers
- SO_x: oxides of sulfur
- tpy: ton per year
- VOC: volatile organic compound

¹ PM = PM_{2.5} = PM₁₀

² Permitting for the Houston Markwest Station was not within Tetra Tech scope of work; therefore, emission estimates are not available for this site.