Delaware County

## ATTACHMENT 1

# GENERAL INFORMATION FORM (GIF) AND SUPPLEMENTAL INFORMATION

**Note:** It is up to the construction contractor to finalize contracts with the Public Water Supplies and they are not finalized at this time. As such, no Letters of Approval from Suppliers are attached.

#### **GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION**

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

Related ID#		DEP USE ONLY						
Client ID#	APS ID#		Date Rece	ived & Gen	eral Note	6		
Site ID#	Auth ID#							
Facility ID#								
	CLIENT INFORMA							
DEP Client ID#	Client Type / Code NPACO							
Organization Name or Registered	d Fictitious Name	Employer	ID# (EIN)	Dun &	Bradstr	eet ID#		
Sunoco Pipeline L.P. (SPLP)		23-310265	6	11-339	2331			
Individual Last Name	First Name	МІ	Suffi	x SSN				
NA								
Additional Individual Last Name	First Name	MI	Suffi	x SSN				
NA								
Mailing Address Line 1	Maili	ng Address L	ine 2					
535 Fritztown Road								
Address Last Line – City	State	ZIP+4		ountry				
Sinking Spring	PA	19608		SA				
Client Contact Last Name	First Name		MI		Su	ffix		
Gordon	Matthew		L					
Client Contact Title			Phone		Ex	t		
Principal Engineer			610-670 <sup>-</sup>	-3284				
Email Address			FAX					
MLGordon@sunocologistics.com								
	SITE INFORMAT	ΓΙΟΝ						
DEP Site ID# Site Name								
	Pipeline Project			-				
EPA ID#	Estimated Number of Empl	oyees to be	Present at	Site	0			
Description of Site		-						
Installation of 11.5 miles of natural		aware County			-	<b>0</b> 1 1		
	unicipality		City	Boro	Twp	State		
	efer to attached Supplemental Ir	itormation			<u> </u>	Cheta		
County Name M	unicipality		City	Boro	Twp	State		
Site Location Line 1	Site Lo	cation Line	2		_			
Refer to Attachment 8 (Location Ma	ap)							
Site Location Last Line – City								
· · · · · · · · · · · · · · · · · · ·	State	ZIP+4						
Detailed Written Directions to Sit		ZIP+4						
Detailed Written Directions to Sit	te		llistown, Pe	ennsylvar	nia. Trav	vel west on		
Detailed Written Directions to Sin Begin at the intersection of Valley R	t <b>e</b> Rd. and Street Rd. (Rt. 926) in t	ne town of Wi						
Detailed Written Directions to Sit	t <b>e</b> Rd. and Street Rd. (Rt. 926) in t niles to the intersection of East \$	he town of Wi Street Rd. and	d Middletow	ın Rd. (R				
Detailed Written Directions to Sit Begin at the intersection of Valley F Street Rd. for approximately 1.20 n	t <b>e</b> Rd. and Street Rd. (Rt. 926) in t niles to the intersection of East s	he town of Wi Street Rd. and	d Middletow	ın Rd. (R	t. 352).			
Detailed Written Directions to Si Begin at the intersection of Valley I Street Rd. for approximately 1.20 m intersection occurs at the Delaward	t <b>e</b> Rd. and Street Rd. (Rt. 926) in t niles to the intersection of East s County line and is where the F	he town of Wi Street Rd. and	d Middletow of-way cros	ın Rd. (R	t. 352).	This		
Detailed Written Directions to Sit Begin at the intersection of Valley I Street Rd. for approximately 1.20 n intersection occurs at the Delaward Site Contact Last Name	te Rd. and Street Rd. (Rt. 926) in the niles to the intersection of East s County line and is where the F First Name Matthew	he town of Wi Street Rd. and	d Middletow of-way cros MI	ın Rd. (R	t. 352).	This		
Detailed Written Directions to Sit Begin at the intersection of Valley I Street Rd. for approximately 1.20 n intersection occurs at the Delaward Site Contact Last Name Gordon	te Rd. and Street Rd. (Rt. 926) in the niles to the intersection of East s County line and is where the F First Name Matthew Site Co	he town of Wi Street Rd. and Project's right-	d Middletow of-way cros <b>MI</b> L	ın Rd. (R	t. 352).	This		
Detailed Written Directions to Sit Begin at the intersection of Valley F Street Rd. for approximately 1.20 m intersection occurs at the Delaward Site Contact Last Name Gordon Site Contact Title	te Rd. and Street Rd. (Rt. 926) in the niles to the intersection of East s <u>e County line and is where the F</u> First Name Matthew Site Co Sunoco	he town of Wi Street Rd. and Project's right- ontact Firm	d Middletow of-way cros MI L	ın Rd. (R	t. 352).	This		

	ng Address Last Line	– City			Stat PA	е	ZIP+4 19608			
	ng Spring					nil Ado				
Phon		xt F	AX					la ciatica, a co	-	
	670-3284	<u> </u>			IVILO	501001		ologistics.con		
	S Codes (Two- & Three-	- List All That A	чрріу)				-Digit Code			
	d 493190						2	37120, 4862	10	
	t to Site Relationship									
OWN										
Mad	fighting of Existing Eq	- 11:4	FACILIT	y ini	FOF	RMAT	ION		Vaa	Na
	fication of Existing Fa								Yes	No
1.	Will this project mod									
2.	Will this project invo									
	If "Yes", check all relev	vant facility i			JEP			ation number		
	Facility Type		DEP Fac	ID#			ty Type	Mining Oneret		DEP Fac ID#
H	Air Emission Plant				H			s Mining Operat	ion	
H	Beneficial Use (water) Blasting Operation				H		atory Locati	leanup Locatior	,	
H	Captive Hazardous Waste (	Departion			H			nt/LandRecyProj		
H	Coal Ash Beneficial Use Op				H		ipal Waste			
H	Coal Mining Operation	cration			H			chment Location		
H	Coal Pillar Location				$\boxtimes$		Gas Locatio			Unknown
H	Commercial Hazardous Wa	ste Operation						Poll Control Faci		Onknown
Н	Dam Location				Η		Water Sup			
Н	Deep Mine Safety Operation	n -Anthracite			Π		ion Facility			
П	Deep Mine Safety Operation				Ħ		ual Waste C	Operation		
	Deep Mine Safety Operation	n -Ind Minerals					je Tank Loc			
	Encroachment Location (wa	iter, wetland)				Water	Pollution C	ontrol Facility		
	Erosion & Sediment Control	Facility				Water	Resource			
	Explosive Storage Location					Other:				
	Latitude/Longitud	le		Lat	itud	е			Longitud	е
	Point of Origin		Degrees	Mir	nute	s S	econds	Degrees	Minutes	Seconds
Enter	s County at		39	57		1		75	30	38
Horiz	contal Accuracy Measu	ure	Feet N	A			or-	- Ме	eters	
Horiz	contal Reference Datu	m Code	Nor	th Am	erica	an Dat	um of 192	27		
			🛛 Nor	th Am	erica	an Dat	um of 198	33		
			🗌 Wo	rld Ge	odet	ic Sys	tem of 19	84		
Horiz	contal Collection Meth	od Code	SURVY, G	PSDF	F, GI	SDR,				
Refe	rence Point Code		CTROD							
Altitu			Feet N	A			or-	- Me	eters	
Altitu	Ide Datum Name		The The	Natio	nal (	Geode	tic Vertic	al Datum of 1		
			The	North	n Am	erican	Vertical	Datum of 198	88 (NAVD88	3)
Altitu	Ide (Vertical) Location	Datum Col					NA		,	
	netric Type Code		POINT							
	Collection Date		2014-2016							
	ce Map Scale Number		NA		h(es)	)	=		Feet	
		or				, eter(s)	=		Mete	
		0,	PROJEC			`			Wiete	
Proje	ect Name									
-	sylvania Pipeline Projec	t								

Project Description

Installation of two parallel natural gas liquid pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline would be installed within the ROW from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, would also be installed in the same ROW from SPLP's Delmont Station to Marcus Hook (for approximately 255.8 miles). Approximately 11.5 miles are located in Delaware County in southeast PA and an existing meter station will be modified. Please refer to Attachment 9 of this Joint Application for additional information.

1300-PM-BIT0001 5/2012

Project Consultant Las Schaeffer	st Name	<b>First Na</b> r Brad	МІ	S	Suffix		
Project Consultant Titl	e	Didd	Consulting Firm				
Environmental Project M			Tetra Tech, Inc.				
Mailing Address Line			Mailing Address Line	2			
301 Ellicott Street			J				
Address Last Line – C	ty		State	ZIP+4	4		
Buffalo	-		NY	1420	3		
Phone	Ext	FAX	Email Address				
716-849-9419		716-849-9420	brad.schaeffer@tetra	atech.com			
Time Schedules	-	estone (Optional)					
January 2017	Constructio	on					
							<u> </u>
<u> </u>							NI-
			nity and addressed	any 🖂	Yes		No
		the application to th e or federal grants?			Yes	$\boxtimes$	No
			ed to the grant and provide	the grant so			
and grant	expiration date.		ed to the grant and provide	the grant st		naci pe	13011
	Project Related	to Grant					
	ration Date:						
			endix A of the Land		Yes		No
		t, see Appendix A	of the Land Use Po	olicy			
attached to GIF i Note: If "No" to C		polication is not subica	t to the Land Use Policy.				
			this policy and the Applica	nt should ar	nswar the	additic	nal
		e Information section.			iswer the	adultio	
		LAND USE IN					
			I land use approvals or	other evide	ence of (	complia	ance with
local comprehensive pla							
		multi-county comp			Yes	<u> </u>	No
			comprehensive plan?		Yes		No
			nance, municipal zor	ning 🛛	Yes		No
		coning ordinance?	4.0 0.44		0		abla and
		No" to either Questions ad to respond to questic	1, 2 or 3, the provisions of	the PA MP	C are no	t applic	able and
If the Applica	cant answers "	fes" to guestions 1. 2 a	nd 3, the Applicant should r	espond to a	uestions	4 and 5	5 below.
			of the zoning ordinance		Yes		No
			? If zoning approval has b				
received, attach do	cumentation.	• • • •	<b>C</b>				
5. Have you attach	ed Municipal	and County Land Us	se Letters for the proje	ct? 🛛	Yes		No

#### **COORDINATION INFORMATION**

<u>Note</u>: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

**If the activity will be a mining project** (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

		•			
1.0	<b>Is this a coal mining project?</b> If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.		Yes	$\boxtimes$	No
1.1	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?		Yes		No
1.2	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?		Yes		No
1.3	Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?		Yes		No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?		Yes		No
2.0	<b>Is this a non-coal (industrial minerals) mining project?</b> If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.		Yes	$\boxtimes$	No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?		Yes		No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?		Yes		No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?		Yes		No
2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No

1500-1 1					
3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No",		Yes		No
3.1	skip to Question 4.0. Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including waterdo)?		Yes		No
3.2	water (including wetlands)? Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> .		Yes		No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities?		Yes	$\boxtimes$	No
4.0	Will the project involve a construction activity that results in earthdisturbance? If "Yes", specify the total disturbed acreage.4.0.1Total Disturbed Acreage101 acres		Yes		No
5.0	Does the project involve any of the following? If "Yes", respond to 5.1-5.3. If "No", skip to Question 6.0.	$\boxtimes$	Yes		No
5.1	Water Obstruction and Encroachment Projects – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water?		Yes		No
5.2	Wetland Impacts – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a wetland?	$\boxtimes$	Yes		No
5.3	Floodplain Projects by the commonwealth, a Political Subdivision of the commonwealth or a Public Utility – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a floodplain?		Yes		No
6.0	Will the project involve discharge of stormwater or wastewater from an industrial activity to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system?		Yes		No
7.0	Will the project involve the construction and operation of industrial waste treatment facilities?		Yes	$\square$	No
8.0	<ul> <li>Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i>, where applicable.</li> <li>8.0.1 Estimated Proposed Flow (gal/day)</li> </ul>		Yes		No
9.0	Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the generation of 800 gpd or more of industrial wastewater that would be discharged to an existing sanitary sewer system?		Yes		No
	9.0.1 Was Act 537 sewage facilities planning submitted and approved by DEP? If "Yes" attach the approval letter. Approval required prior to 105/NPDES approval.		Yes		No
10.0	<ul> <li>Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year).</li> <li>10.0.1 Gallons Per Year (residential septage)</li> </ul>		Yes		No
11.0	10.0.2Dry Tons Per Year (biosolids)Does the project involve construction, modification or removal of a dam?If "Yes", identify the dam.11.0.1Dam Name		Yes		No

12.0	Will the project interfere with the flow from, or otherwise impact, a dam?If "Yes", identify the dam.12.0.1Dam Name		Yes	$\boxtimes$	No
13.0	Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission.		Yes		No
	<b>13.0.1</b> Enter all types & amounts See attached list of facilities associated of emissions; separate Project and air emissions.	ated	with the	overall	
4.0	each set with semicolons. Does the project include the construction or modification of a drinking		Yes	$\boxtimes$	No
-110	water supply to serve 15 or more connections or 25 or more people, at				
	least 60 days out of the year? If "Yes", check all proposed sub-facilities.				
	14.0.1 Number of Persons Served				
	14.0.2 Number of Employee/Guests				
	14.0.3 Number of Connections				
	14.0.4 Sub-Fac: Distribution System		Yes		No
	14.0.5 Sub-Fac: Water Treatment Plant		Yes		Nc
	14.0.6 Sub-Fac: Source	Ц	Yes		No
	14.0.7 Sub-Fac: Pump Station	H	Yes		No
	14.0.8 Sub Fac: Transmission Main		Yes		No
	14.0.9 Sub-Fac: Storage Facility		Yes		No
5.0	Will your project include infiltration of storm water or waste water to ground water within one-half mile of a public water supply well, spring or infiltration gallery?		Yes	$\boxtimes$	Nc
6.0	Is your project to be served by an existing public water supply? If "Yes",	$\boxtimes$	Yes		Nc
	indicate name of supplier and attach letter from supplier stating that it will				
	serve the project.				
	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania				
	serve the project. <b>16.0.1 Supplier's Name</b> Aqua Pennsylvania Chester Water Authority	e prov	vided wh	en con	trac
	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania	e prov	vided wh	en con	trac
	serve the project. <b>16.0.1 Supplier's Name</b> Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be	e prov	vided wh	$\boxtimes$	trac
7.0	serve the project.       16.0.1       Supplier's Name       Aqua Pennsylvania         Chester Water Authority       Note: Letters of Approval from Suppliers to be are executed.         16.0.2       Letter of Approval from Supplier is Attached         Will this project involve a new or increased drinking water withdrawal	e prov			No
7.0	serve the project.       16.0.1       Supplier's Name       Aqua Pennsylvania         Chester Water Authority       Note: Letters of Approval from Suppliers to be are executed.         16.0.2       Letter of Approval from Supplier is Attached		Yes	$\boxtimes$	
	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment,		Yes	$\boxtimes$	No No
	<ul> <li>serve the project.</li> <li>16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.</li> <li>16.0.2 Letter of Approval from Supplier is Attached</li> <li>Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.</li> <li>17.0.1 Stream Name</li> <li>Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious &amp; chemotherapeutic), residual) and</li> </ul>		Yes Yes	$\boxtimes$	No No
	<ul> <li>serve the project.</li> <li>16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.</li> <li>16.0.2 Letter of Approval from Supplier is Attached</li> <li>Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.</li> <li>17.0.1 Stream Name</li> <li>Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious &amp; chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.</li> <li>18.0.1 Type &amp; Amount Non-hazardous/Construction related C&amp;D waste Amount Unknown.</li> </ul>		Yes Yes Yes be dispo	Dosed;	No No
8.0	<ul> <li>serve the project.</li> <li>16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.</li> <li>16.0.2 Letter of Approval from Supplier is Attached</li> <li>Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.</li> <li>17.0.1 Stream Name</li> <li>Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious &amp; chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.</li> <li>18.0.1 Type &amp; Amount Non-hazardous/Construction related C&amp;D waste Amount Unknown.</li> <li>Will your project involve the removal of coal, minerals, etc. as part of any</li> </ul>		Yes Yes Yes		No No
8.0	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?	e will	Yes Yes Yes be dispo	Dised;	No No
8.0	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Amount Unknown. Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground		Yes Yes Yes be dispo	Dosed;	No No
8.0 9.0	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waster Amount Unknown. Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant	e will	Yes Yes Yes be dispo	Dised;	No No
8.0	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Amount Unknown. Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.	e will	Yes Yes Yes be dispo	Dised;	No No
8.0	serve the project.  16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.  16.0.2 Letter of Approval from Supplier is Attached  Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.  17.0.1 Stream Name  Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.  18.0.1 Type & Amount Non-hazardous/Construction related C&D waste Amount Unknown.  Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?  Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 20.0.1 Enter all substances &	e will	Yes Yes Yes be dispo	Dised;	No No
8.0	serve the project. 16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed. 16.0.2 Letter of Approval from Supplier is Attached Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waster Amount Unknown. Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 20.0.1 Enter all substances & capacity of each; separate	e will	Yes Yes Yes be dispo	Dised;	Nc Nc
8.0 9.0 20.0	<ul> <li>serve the project.</li> <li>16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.</li> <li>16.0.2 Letter of Approval from Supplier is Attached</li> <li>Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.</li> <li>17.0.1 Stream Name</li> <li>Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious &amp; chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.</li> <li>18.0.1 Type &amp; Amount Non-hazardous/Construction related C&amp;D waste Amount Unknown.</li> <li>Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?</li> <li>Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance &amp; its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.</li> <li>20.0.1 Enter all substances &amp; capacity of each; separate each set with semicolons.</li> <li>Does your project involve installation of an aboveground storage tank</li> </ul>	e will	Yes Yes Yes be dispo	Dised;	No No No
17.0 18.0 19.0 20.0 21.0	<ul> <li>serve the project.</li> <li>16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.</li> <li>16.0.2 Letter of Approval from Supplier is Attached</li> <li>Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.</li> <li>17.0.1 Stream Name</li> <li>Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious &amp; chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.</li> <li>18.0.1 Type &amp; Amount Non-hazardous/Construction related C&amp;D waste Amount Unknown.</li> <li>Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?</li> <li>Does your project involve the specific Installation Permit.</li> <li>20.0.1 Enter all substances &amp; capacity of each; separate each set with semicolons.</li> <li>Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance &amp; its Capacity. Note: Applicant may need a Storage Tank</li> </ul>	e will	Yes Yes Yes Yes Yes	Dised;	No
18.0	<ul> <li>serve the project.</li> <li>16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.</li> <li>16.0.2 Letter of Approval from Supplier is Attached</li> <li>Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.</li> <li>17.0.1 Stream Name</li> <li>Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious &amp; chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.</li> <li>18.0.1 Type &amp; Amount Non-hazardous/Construction related C&amp;D waste Amount Unknown.</li> <li>Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?</li> <li>Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance &amp; its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.</li> <li>20.0.1 Enter all substances &amp; capacity of each; separate each set with semicolons.</li> <li>Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance &amp; its Capacity. Note: Applicant may need a Storage Tank</li> </ul>	e will	Yes Yes Yes Yes Yes	Dised;	No No No
8.0 9.0 20.0	<ul> <li>serve the project.</li> <li>16.0.1 Supplier's Name Aqua Pennsylvania Chester Water Authority Note: Letters of Approval from Suppliers to be are executed.</li> <li>16.0.2 Letter of Approval from Supplier is Attached</li> <li>Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.</li> <li>17.0.1 Stream Name</li> <li>Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious &amp; chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.</li> <li>18.0.1 Type &amp; Amount Non-hazardous/Construction related C&amp;D waste Amount Unknown.</li> <li>Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?</li> <li>Does your project involve the specific Installation Permit.</li> <li>20.0.1 Enter all substances &amp; capacity of each; separate each set with semicolons.</li> <li>Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance &amp; its Capacity. Note: Applicant may need a Storage Tank</li> </ul>	e will	Yes Yes Yes Yes Yes	Dised;	No No No

22.0	Does your project involve installation of a tank greater than 1,100 gallons	Yes	$\boxtimes$	No
	which will contain a highly hazardous substance as defined in DEP's			
	Regulated Substances List, 2570-BK-DEP2724? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	22.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
23.0	Does your project involve installation of a storage tank at a new facility	Yes	$\boxtimes$	No
	with a total AST capacity greater than 21,000 gallons? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	23.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
24.0	Will the intended activity involve the use of a radiation source?	Yes	$\boxtimes$	No
	CERTIFICATION			

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

**Principal Engineer** 

Type or Print Name Matthew L. Gordon

Signature

Title

2016 Date

# Pennsylvania Pipeline Project

Municipality	City	Borough	Township	Municipal Comprehensive Plan	Municipal Zoning Ordinance
Thornbury			X	Y	Y
Edgmont			X	Y	Y
Middletown			X	Y	Y
Brookhaven		X		Y	Y
Aston			X	Y	Y
Upper Chichester			x	Y	Y
Chester			X	Ν	Y

# Delaware County: General Information Form Supplemental Information

### Pennsylvania Pipeline Project Facility Emissions

							Emission F	Rate (tpy)					
County	Facility	NO <sub>x</sub>	СО	VOC	PM <sup>1</sup>	PM <sub>10</sub> <sup>1</sup>	PM <sub>2.5</sub> <sup>1</sup>	SO <sub>x</sub>	HAP	CO <sub>2</sub>	CH4	N <sub>2</sub> O	CO <sub>2</sub> e
Washington	Independence Tie-In	< 0.01	< 0.01	0.18	< 0.01	< 0.01	< 0.01	< 0.01	0.01	0.76	< 0.01	< 0.01	0.76
Washington	Houston Injection Site	0.04	0.17	0.57	0	0	0	< 0.01	0.03	75.00	0.01	< 0.01	75.30
Westmoreland	Delmont Station	0.03	0.15	0.72	0	0	0	< 0.01	0.04	69.85	0.01	< 0.01	70.15
Cambria	Ebensburg Station	0.03	0.15	0.94	0	0	0	< 0.01	0.05	70.65	0.01	< 0.01	70.95
Huntingdon	Mount Union Station	0.01	0.05	0.26	0	0	0	< 0.01	0.02	24.9	< 0.01	< 0.01	25.00
Dauphin	Middletown Station	0.03	0.15	0.93	0	0	0	< 0.01	0.05	70.55	0.01	< 0.01	70.85
Berks	Beckersville Station	0.01	0.05	0.25	0	0	0	< 0.01	0.02	24.90	< 0.01	< 0.01	25.00
Delaware	Twin Oaks Station	0.03	0.14	0.83	0	0	0	< 0.01	0.05	66.40	0.01	< 0.01	66.70
	Total	< 0.19	< 0.87	4.68	< 0.01	< 0.01	< 0.01	< 0.08	0.27	403.01	< 0.08	< 0.08	404.71

Notes:

CH<sub>4</sub>: methane

CO: carbon monoxide

CO2: carbon dioxide

CO2e: carbon dioxide equivalent

HAP: hazardous air pollutant

N<sub>2</sub>O: nitrous oxide

NOX: oxides of nitrogen

PM: particulate matter

PM<sub>10</sub>: particles with an aerodynamic diameter less than or equal to 10 micrometers

PM<sub>2.5</sub>: particles with an aerodynamic diameter less than or equal to 2.5 micrometers

SOX: oxides of sulfur

tpy: ton per year

VOC: volatile organic compound

<sup>1</sup>  $PM = PM_{2.5} = PM_{10}$ <sup>2</sup> Permitting for the b

Permitting for the Houston Markwest Station was not within Tetra Tech scope of work; therefore, emission estimates are not available for this site.