


Shadeland Development Corporation

1441 Laura Lane
Pottstown, Pa 19464
484-949-9087

January 7, 2020

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, Pa. 17101



RE: Mariner East 2- Pennsylvania Pipeline Project

Dear Ms. Yordy.

This letter is in response to a letter dated December 26, 2019 from Sunoco Pipeline L.P. and received by Shadeland Development Corporation. (copy attached).


Shadeland Development Corporation is strongly opposed to the HDD proposed for Mariner East 2. This project will have a direct negative impact on our property and water supply.

In addition, our property contains many significant environmental features including wetlands, floodplains, watercourses and streams that will also be negatively affected by the proposed HDD activity adjacent to our property.

We are strongly opposed to any approvals or permitting that will allow this proposed construction activity to occur adjacent to our property.

I can be reached at 484-949-9087 to discuss this matter.

Sincerely,



Richard G. Mingey- President
Shadeland Development Corporation

Cc: Gregg Adelman, Esq.
Andrew Bellwoar, Esq.
Matthew Houtman, P.E



December 26, 2019

BY CERTIFIED AND FIRST CLASS MAIL

Shadeland Development Corp
1441 Laura Lane
Pottstown, PA 19464

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD No. S3-0421/PA-CH-0290.0000-RD

Dear Shadeland Development Corp:

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S3-0421/PA-CH-0290.0000-RD, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P. | Office: (814) 204-0450