Huntingdon County

ATTACHMENT 1

GENERAL INFORMATION FORM (GIF) AND SUPPLEMENTAL INFORMATION

Note: It is up to the construction contractor to finalize contracts with the Public Water Supplies and they are not finalized at this time. As such, no Letters of Approval from Suppliers are attached.

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION

GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

Related	ID#s (If Known)	DEP USE ONLY						
Client ID#	APS ID#	Da	te Receiv	ved & Gen	eral Note	S		
Site ID#	Auth ID#							
Facility ID#								
	CLIENT INFORM	TION						
DEP Client ID#	Client Type / Code							
	NPACO							
Organization Name or Regist	ered Fictitious Name	Employer ID# (EIN)			reet ID#		
Sunoco Pipeline L.P.		23-3102656		11-339				
Individual Last Name	First Name	MI	Suffix	SSN				
NA								
Additional Individual Last Na	me First Name	MI	Suffix	SSN				
NA Mailing Address Line 4	B.0112-							
Mailing Address Line 1 535 Fritztown Road	Mailir	ng Address Line	2					
Address Last Line – City	State	ZIP+4	<u> </u>	ountry				
Sinking Spring	PA	19608						
Client Contact Last Name	First Name	<u> </u>			Si	uffix		
Gordon	Matthew	L	-					
Client Contact Title		PI	none		Ex	ct 🗌		
Principal Engineer		61	0-670-	3284				
Email Address		F/	٩X					
MLGordon@sunocologistics.co	m							
	SITE INFORMAT	ΓΙΟΝ						
DEP Site ID# Site Name								
	nia Pipeline Project			N.4 -	0			
EPA ID#	Estimated Number of Empl	oyees to be Pres	ent at s	bite	0			
Description of Site	ural gas liquid pipelines through Hur	atingdon County ir	coutbo	control E	л.			
County Name	Municipality		City	Boro	Twp	State		
Huntingdon	Refer to attached Supplemental Ir	oformation				Otate		
County Name	Municipality		City	Boro		State		
Site Location Line 1	Site Lo	ocation Line 2						
Refer to Attachment 8 (Location								
Site Location Last Line – City	State	ZIP+4			_			
Detailed Written Directions to	o Site							
Begin at the intersection of rout	e 866 and Piney Creek road in the							
on Piney Creek road (Route 86	6) for approximately 4.1 miles until	reaching the Proje						
	ely 4.88 miles to reach the Huntingo							
Site Contact Last Name	First Name	M	I		Su	ıffix		
Gordon	Matthew							
Site Contact Title Principal Engineer	Site Co	ontact Firm						
	O	Dinalina						
Mailing Address Line 1		Pipeline L.P. Address Line 2						

535 Fritztown Road

	ng Address Last Line – City		Sta	te	ZIP+4			
	ng Spring		PA		19608			
Phor		FAX		ail Ado				
	670-3284			Gordor		ologistics.con		
	S Codes (Two- & Three-Digit Code	s – List All That /	Apply)			-Digit Code		
	nd 493190				2	37120, 4862	210	
	t to Site Relationship							
OWN	IOP							
		FACILIT	Y INFO	RMAT				
Modi	ification of Existing Facility						Yes	No
1.	Will this project modify an exist						\boxtimes	
2.	Will this project involve an add						\boxtimes	
	If "Yes", check all relevant facility	/ types and pro	ovide DEF	P facility	/ identifica	ation number	rs below.	
	Facility Type	DEP Fac	ID#		ity Type			DEP Fac ID#
	Air Emission Plant					s Mining Operat	ion	
	Beneficial Use (water)		🛛		atory Locati		_	
	Blasting Operation					leanup Location		
	Captive Hazardous Waste Operation					t/LandRecyProj	Location	
Ц	Coal Ash Beneficial Use Operation	-	닏		ipal Waste		_	
Ц	Coal Mining Operation		닐			chment Locatior		
	Coal Pillar Location		🛛		Gas Locatio			Unknown
	Commercial Hazardous Waste Operation	ו 	님			Poll Control Faci	<u> </u>	
H	Dam Location	. <u> </u>	님		Water Sup	ply System	_	
H	Deep Mine Safety Operation -Anthracite Deep Mine Safety Operation -Bituminous		님		tion Facility	norotion		
H	Deep Mine Safety Operation -Ind Minera		H		ual Waste C ge Tank Loc			
H	Encroachment Location (water, wetland)		H		-	ontrol Facility		
H	Erosion & Sediment Control Facility		H		Resource	ontrol 1 acinty		
H	Explosive Storage Location		H	Other				
	Latitude/Longitude		Latitud				Longitud	e
	Point of Origin	Degrees	Minute		econds	Degrees	Minutes	Seconds
Ento	rs County at	40	24	34		78	10	38
	zontal Accuracy Measure	Feet	24	J	or	-	eters	50
	zontal Reference Datum Code		th Americ	on Dot	-			
HUHZ	contai Reference Datum Coue		th Americ					
			rld Geode					
Hari	zontal Collection Method Code					04		
	rence Point Code	SURVY, G CTROD	FODF, G	ISUK				
			1.0			N.4		
Altitu			IA	<u> </u>	or-	- Me		
Altiti	ude Datum Name					al Datum of 1		
						Datum of 198	88 (NAVD88	5)
	ude (Vertical) Location Datum C		nod Code	•	NA			
	netric Type Code	POINT						
	Collection Date	2014-2016						
Sour	ce Map Scale Number	NA	Inch(es	1	=		Feet	
	01		Centim	eter(s)	=		Mete	ers
		PROJEC	T INFO	RMA	ΓΙΟΝ			
Proje	ect Name							
-	sylvania Pipeline Project							

Project Description

Installation of two parallel natural gas liquid pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania, with the purposed of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline would be installed within the ROW from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline would be installed in the same ROW, from SPLP's Delmont Station to Marcus Hook (for approximately 255.8 miles) (Refer to Attachment 9 of the Joint Application). Approximately 26.9 miles are located in Huntingdon County in southcentral PA.

1300-PM-BIT0001 5/2012

Project Consultant Las Schaeffer	st Name		First Name N Brad				uffix	
Project Consultant Titl	e	Didd	Consulting	Firm				
Environmental Project M			Tetra Tech,					
Mailing Address Line				Iress Line 2				
301 Ellicott Street			5					
Address Last Line – C	ty		State		ZIP+4			
Buffalo			NY		14203	;		
Phone	Ext	FAX	Email Add					
716-849-9419	117	716-849-9420		effer@tetratech	.com			
Time Schedules	-	lestone (Optional)						
January 2017	Construct	ion						
1. Have vou info	mad the e	surrounding comn	aunity and ad	Idrocod only		Yes		No
		the application to				165		NU
		ate or federal grants				Yes	\boxtimes	No
		pect of the project is rel		and provide the g	ant so			
and grant	expiration date).				,		
	Project Related							
					_			
	ration Date:		an an alter A of t	<u>.</u> 				Na
		uthorization on A st, see Appendix			\boxtimes	Yes		No
attached to GIF i			A OI THE Land	a use Policy				
		application is not subj	ect to the Land Us	se Policy.				
		e application is subject			uld an	swer the	additio	nal
questions	n the Land Us	se information section	ı.					
			INFORMATIC					
Note: Applicants are e			cal land use app	provals or other	evide	nce of c	complia	ance with
local comprehensive pla			<u> </u>		<u> </u>			
		or multi-county com				Yes		No
		al or multi-municipa			<u> </u>	Yes		No
		ty-wide zoning or		icipal zoning		Yes	\boxtimes	No
Note: If the Appl	it municipal	zoning ordinance? "No" to either Questio	ng 1 2 gr 2 than	rovisions of the F			t onalia	abla and
		eed to respond to ques						
If the Appl	cant answers	"Yes" to questions 1, 2	and 3, the Applica	ant should respon	id to au	uestions -	4 and 5	below.
		neet the provision				Yes		No
		ave zoning approv	•		-		-	
received, attach do	cumentation.	• • • •	0	•				
5. Have you attach	ed Municipa	I and County Land	Use Letters for	the project?		Yes		No

COORDINATION INFORMATION

<u>Note</u>: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

		•			
1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.		Yes	\boxtimes	No
1.1	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?		Yes		No
1.2	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?		Yes		No
1.3	Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?		Yes		No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?		Yes		No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.		Yes	\boxtimes	No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?		Yes		No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?		Yes		No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?		Yes		No
2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No

1000-11					
3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No", skip to Question 4.0.		Yes		No
3.1	Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including wetlands)?		Yes		No
3.2	Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> .		Yes		No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities?		Yes	\boxtimes	No
4.0	Will the project involve a construction activity that results in earthdisturbance? If "Yes", specify the total disturbed acreage.4.0.1Total Disturbed Acreage269 acres		Yes		No
5.0	Does the project involve any of the following? If "Yes", respond to 5.1-5.3. If "No", skip to Question 6.0.	\boxtimes	Yes		No
5.1	Water Obstruction and Encroachment Projects – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water?		Yes		No
5.2	Wetland Impacts – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a wetland?	\boxtimes	Yes		No
5.3	Floodplain Projects by the commonwealth, a Political Subdivision of the commonwealth or a Public Utility – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a floodplain?		Yes		No
6.0	Will the project involve discharge of stormwater or wastewater from an industrial activity to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system?		Yes		No
7.0	Will the project involve the construction and operation of industrial waste treatment facilities?		Yes	\boxtimes	No
8.0	Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i> , where applicable.8.0.1Estimated Proposed Flow (gal/day)		Yes		No
9.0	Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the generation of 800 gpd or more of industrial wastewater that would be discharged to an existing sanitary sewer system?		Yes		No
	9.0.1 Was Act 537 sewage facilities planning submitted and approved by DEP? If "Yes" attach the approval letter. Approval required prior to 105/NPDES approval.		Yes		No
10.0	Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year). 10.0.1 Gallons Per Year (residential septage) 10.0.2 Dry Tons Per Year (biosolids)		Yes		No
11.0	Does the project involve construction, modification or removal of a dam? If "Yes", identify the dam. 11.0.1 Dam Name		Yes		No

12.0	Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam.		Yes	\boxtimes	No
	12.0.1 Dam Name				
13.0	Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission.	\boxtimes	Yes		No
		ato d y	with the	overall	
	13.0.1 Enter all types & amounts See attached list of facilities associa	aleu v	with the	overall	
	of emissions; separate Project and air emissions. each set with semicolons.				
14.0			Yes	\boxtimes	No
14.0	Does the project include the construction or modification of a drinking		res		INO
	water supply to serve 15 or more connections or 25 or more people, at				
	 least 60 days out of the year? If "Yes", check all proposed sub-facilities. 14.0.1 Number of Persons Served 				
	14.0.2 Number of Employee/Guests				
	14.0.3 Number of Connections				
	14.0.4 Sub-Fac: Distribution System	L L	Yes		No
	14.0.5 Sub-Fac: Water Treatment Plant	H	Yes	Ц	No
	14.0.6 Sub-Fac: Source	Ц	Yes		No
	14.0.7 Sub-Fac: Pump Station	Ц	Yes		No
	14.0.8 Sub Fac: Transmission Main	Ц	Yes		No
	14.0.9 Sub-Fac: Storage Facility		Yes		No
15.0	Will your project include infiltration of storm water or waste water to ground water within one-half mile of a public water supply well, spring or infiltration gallery?		Yes	\boxtimes	No
16.0	Is your project to be served by an existing public water supply? If "Yes",	\boxtimes	Yes		No
	indicate name of supplier and attach letter from supplier stating that it will				
	serve the project.				
	16.0.1 Supplier's Name Altoona Water Authority				
	Huntingdon Area Water and Sewage Authority	v			
	Note: Letters of Approval from Suppliers to be		ided wh	en con	tracts
	are executed.	•			
	16.0.2 Letter of Approval from Supplier is Attached		Yes	\boxtimes	No
17.0	Will this project involve a new or increased drinking water withdrawal		Yes	\boxtimes	No
	from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management.				
	17.0.1 Stream Name				
18.0	Will the construction or operation of this project involve treatment,	\boxtimes	Yes		No
	storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e.,				
	hazardous, municipal (including infectious & chemotherapeutic), residual) and				
	the amount to be treated, stored, re-used or disposed.				
	18.0.1 Type & Amount Non-hazardous/Construction related C&D waste	e will l	be dispo	osed;	
	Amount Unknown		•		
19.0	Will your project involve the removal of coal, minerals, etc. as part of any		Yes	\boxtimes	No
	earth disturbance activities?				
20.0	Does your project involve installation of a field constructed underground		Yes	\boxtimes	No
	storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant				
	may need a Storage Tank Site Specific Installation Permit.				
	20.0.1 Enter all substances &				
	capacity of each; separate				
	each set with semicolons.				
21.0	Does your project involve installation of an aboveground storage tank		Yes	\boxtimes	No
	greater than 21,000 gallons capacity at an existing facility? If "Yes", list				
	each Substance & its Capacity. Note: Applicant may need a Storage Tank				
	Site Specific Installation Permit.				
	21.0.1 Enter all substances &				
	capacity of each; separate				
	each set with semicolons.				

22.0	Does your project involve installation of a tank greater than 1,100 gallons	Yes	\boxtimes	No
	which will contain a highly hazardous substance as defined in DEP's			
	Regulated Substances List, 2570-BK-DEP2724? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	22.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
23.0	Does your project involve installation of a storage tank at a new facility	Yes	\boxtimes	No
	with a total AST capacity greater than 21,000 gallons? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	23.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
24.0	Will the intended activity involve the use of a radiation source?	Yes	\boxtimes	No
	CERTIFICATION			

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

Principal Engineer

Type or Print Name Matthew L. Gordon

Signature

Title

2016 Date

Pennsylvania Pipeline Project

Municipality	City	Borough	Township	Municipal Comprehensive Plan	Municipal Zoning Ordinance
Penn			X	Ν	Ν
Union			X	N	N
Shirley			X	N	N
Tell			X	Ν	N

Huntingdon County: General Information Form Supplemental Information

Pennsylvania Pipeline Project Facility Emissions

							Emission F	Rate (tpy)					
County	Facility	NO _x	СО	VOC	PM ¹	PM ₁₀ ¹	PM _{2.5} ¹	SO _x	HAP	CO ₂	CH4	N ₂ O	CO ₂ e
Washington	Independence Tie-In	< 0.01	< 0.01	0.18	< 0.01	< 0.01	< 0.01	< 0.01	0.01	0.76	< 0.01	< 0.01	0.76
Washington	Houston Injection Site	0.04	0.17	0.57	0	0	0	< 0.01	0.03	75.00	0.01	< 0.01	75.30
Westmoreland	Delmont Station	0.03	0.15	0.72	0	0	0	< 0.01	0.04	69.85	0.01	< 0.01	70.15
Cambria	Ebensburg Station	0.03	0.15	0.94	0	0	0	< 0.01	0.05	70.65	0.01	< 0.01	70.95
Huntingdon	Mount Union Station	0.01	0.05	0.26	0	0	0	< 0.01	0.02	24.9	< 0.01	< 0.01	25.00
Dauphin	Middletown Station	0.03	0.15	0.93	0	0	0	< 0.01	0.05	70.55	0.01	< 0.01	70.85
Berks	Beckersville Station	0.01	0.05	0.25	0	0	0	< 0.01	0.02	24.90	< 0.01	< 0.01	25.00
Delaware	Twin Oaks Station	0.03	0.14	0.83	0	0	0	< 0.01	0.05	66.40	0.01	< 0.01	66.70
	Total	< 0.19	< 0.87	4.68	< 0.01	< 0.01	< 0.01	< 0.08	0.27	403.01	< 0.08	< 0.08	404.71

Notes:

CH₄: methane

CO: carbon monoxide

CO2: carbon dioxide

CO2e: carbon dioxide equivalent

HAP: hazardous air pollutant

N₂O: nitrous oxide

NOX: oxides of nitrogen

PM: particulate matter

PM₁₀: particles with an aerodynamic diameter less than or equal to 10 micrometers

PM_{2.5}: particles with an aerodynamic diameter less than or equal to 2.5 micrometers

SOX: oxides of sulfur

tpy: ton per year

VOC: volatile organic compound

¹ $PM = PM_{2.5} = PM_{10}$ ² Permitting for the b

Permitting for the Houston Markwest Station was not within Tetra Tech scope of work; therefore, emission estimates are not available for this site.