

Southeast Region
Changes made to submission from
November 2021 to March 2022

County	ES-Sheet Numbers	Changes made on the sheets
Chester	6.28	LOD Modification
	6.29	LOD Modification
	6.31	HDD area shaded to identify as part of partial termination
	6.32	HDD area shaded to identify as part of partial termination
	6.33	HDD area shaded to identify as part of partial termination
	6.34	HDD area shaded to identify as part of partial termination
	6.35	HDD area shaded to identify as part of partial termination
	6.36	HDD area shaded to identify as part of partial termination
	6.38	HDD area shaded to identify as part of partial termination
	6.39	HDD area shaded to identify as part of partial termination
	6.41	HDD area shaded to identify as part of partial termination
	6.42	HDD area shaded to identify as part of partial termination
	6.43	HDD area shaded to identify as part of partial termination
	6.44	HDD area shaded to identify as part of partial termination
	6.45	HDD area shaded to identify as part of partial termination
	6.48	HDD area shaded to identify as part of partial termination
	6.52 to 6.74	HDD area shaded to identify as part of partial termination
Delaware	All sheets	All areas determined not to be ready for termination and were moved to renewal

Notes for 2022 submission:

1. Gray shading was added to areas requesting termination per public comment.
2. Red comment block was added to each E&S plan sheet stating that drawing and text elements in red represent approved changes made since original permit authorization on February 12, 2017.
3. Extended partial termination shading was provided over all completed HDDs even if LOD was not shown over drill. Refer to the list above for more details.
4. For areas where CCD did not concur with permanent stabilization, they were moved to renewal. Refer to the list above for more details.