



4+00

DESIGN AND CONSTRUCTION:

CONTRACTOR SHALL FIELD VERIFY DEPTH OF ALL EXITING UTILITIES SHOWN OR NOT SHOWN ON

2+00

- THE MINIM IM SEPARATION DISTANCE FROM EXISTING SUBSURFACE LITH THES SHALL NOT BE LESS. 2. THE MINIMUM SEPARATION DISTANCE FROM EXISTING SUBSURFACE UTILITIES SHALL NOT BE LESS THAN 10 FEET AS MEASURED FROM THE OUTSIDE EDGE OF THE UTILITY TO OUTSIDE OF PROPOSED PIPELINE.

 3. DESIGNED IN ACCORDANCE WITH CFR 49 195 & ASME B31.4

 4. CROSSING PIPE SPECIFICATION:
 HDD HORZ, LENGTH (L=):1132'
 HDD PIPE LENGTH (S=):1142'
 20' x 0.456" W.T., X-65, API5L, PSL2, ERW, BFW
 COATING: 14-16 MILS FBE WITH 30-35 MIL ARO (POWERCRETE R95)

INTERNAL DESIGN PRESSURE 1480 PSIG (SEAM FACTOR 1.0, DESIGN FACTOR 0.50).

S=698'

8+00

7+00

- INSTALLATION METHOD: HORIZONTAL DIRECTIONAL DRILL (HDD). PIPELINE WARNING MARKERS SHALL BE INSTALLED ON BOTH SIDES OF ALL ROAD, RAILWAY, AND STREAM CROSSINGS

6+00

- STREAM CROSSINGS.

 8. CARRIER PIPE NOT ENCASED.

 9. PIPE / AMBIENT TEMPERATURE MUST BE NO LESS THAN 30°F DURING PULLBACK WITHOUT PRIOR WRITTEN APPROVAL FROM THE ENGINEER.

 10. CONDUCT 4-HOUR PRE-INSTALLATION HYDROTEST OF HDD PIPE STRING TO MINIMUM 1850 PSIG.

 11. SEE SUNOCO PENNSYLVANIA PIPELINE PROJECT ESRI WEBMAP FOR ACCESS ROAD ALIGNMENT.

11+00

WILL BE IMPLEMENTED AT ALL TIMES.
SUNOCO PIPELINE, L.P.'S EROSION AND SEDIMENTATION CONTROL PLAN WILL BE IMPLEMENTED AT ALL

12. SUNOCO PIPELINE, L.P.'S HORIZONTAL DIRECTIONAL DRILL INADVERTENT RETURN CONTINGENCY PLAN

12+00

NOTES REF. DRAWING REVISIONS ES-1.35 TO ES-1.36 EROSION & SEDIMENT PLAN 1. ALL COORDINATES SHOWN ARE IN LATITUDE AND LONGITUDE. ALL MSL ELEVATIONS ARE NAD83 1. ALL COORDINATES SHOWN ARE IN LATITUDE AND LONGITUDE. ALL MSL ELEVATIONS ARE NADB3 2. STATIONING IS BASED ON HORIZONTAL DISTANCES.
3. ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP ARE NOT RESPONSIBLE FOR LOCATION OF FOREIGN UTILITIES SHOWN IN PLOY PLAN OR PROFILE. THE INFORMATION SHOWN HEREON IS FURNISHED WITHOUT LIABILITY ON THE PART OF ROONEY ENGINEERING, INC. AND SUNOCO PIPELINE, LP, FOR ANY DAMAGES RESULTING FROM ERRORS OR OMISSIONS THEREIN.
4. CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES. CONTACT ONE CALL AT 811 PRIOR TO DIGGING. TO SHEET 22 EP2 REVISED PER PADEP COMMENTS RECEIVED 09-06-16 MRS 09/30/16 RMB 09/30/16 AAW 09/30/16 EP1 REVISED PER PADEP COMMENTS MRS 05/06/16 RMB 05/06/16 AAW 05/06/16 DIGGING.

5. SUNOCO EMERGENCY HOTLINE NUMBER IS #1-800-786-7440. JTW 03/15/16 RMB 03/15/16 AAW 03/15/16 BY DATE CHK DATE APP DATE DWG NO DESCRIPTION NO. DESCRIPTION



TETRA TECH ROONEY (303) 792-5911

20-INCH HORIZONTAL DIRECTIONAL DRILL MUNNTOWN ROAD PENNSYLVANIA PIPELINE PROJECT

SUNOCO PIPELINE, L.P.

DWG. NO: PA-WA-0119.0003-RD SCALE: 1"=150'