ATTACHMENT 1

GENERAL INFORMATION FORM (GIF) AND SUPPLEMENTAL INFORMATION

Note: It is up to the construction contractor to finalize contracts with the Public Water Supplies and they are not finalized at this time. As such, no Letters of Approval from Suppliers are attached.



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION

GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

Submitted to the Department.						
Related II	D#s (If Known)		DEP	USE O	NLY	
Client ID#	APS ID#		Date Recei	ved & Gen	eral Note	S
Site ID#	Auth ID#					
Facility ID#						
,	CLIENT INFOR	MATION				
DEP Client ID#	Client Type / Code					
2	NPACO					
Organization Name or Registe		Employer I	D# (EIN)	Dun &	Bradsti	reet ID#
Sunoco Pipeline L.P.		23-3102656	, ,	11-339	2331	
Individual Last Name	First Name	MI	Suffi	x SSN		_
NA						
Additional Individual Last Nan	ne First Name	MI	Suffi	x SSN		_
NA						
Mailing Address Line 1	Ma	ailing Address L	ine 2			
535 Fritztown Road		-				
Address Last Line - City	State	ZIP+4	C	ountry		
Sinking Spring	PA	19608	U	SA		
Client Contact Last Name	First Name		MI		Sı	ıffix
Gordon	Matthew		L			
Client Contact Title			Phone		E	ĸt
Principal Engineer			610-670-	3284		
Email Address			FAX			
MLGordon@sunocologistics.com	n					
	SITE INFORM	ATION				
DEP Site ID# Site Name						
Pennsylvani	a Pipeline Project					
EPA ID#	Estimated Number of En	nployees to be F	Present at	Site	0	
Description of Site		· ·				
Installation of 6.3 miles of natura	ll gas liquid pipelines through Y	ork County in sou	uthcentral F	PA.		
County Name	Municipality	•	City	Boro	Twp	State
York	Fairview		ΠÍ		\boxtimes	
County Name	Municipality		City	Boro	Twp	State
•	. ,					-
Site Location Line 1	Site	Location Line 2	<u> </u>			
Refer to Attachment 8 (Location						
Site Location Last Line - City	Stat	te ZIP+4				
Detailed Written Directions to	Sito					
Begin at the intersection of Penr		own Rd in the to	wn of Fair	Acres D	anneviv	ania
Travel for approximately 0.67 mi						
before turning left onto Shauffne						
way. Follow the right-of-way wes				coming th	o i ioje	or rigiti-oi-
Site Contact Last Name	First Name	o tile TOIK COUIII	MI		c.	ıffix
Gordon	Matthew				31	11117
Site Contact Title		Contact Firm	L			
Principal Engineer		oco Pipeline L.P.				
Mailing Address Line 1		ling Address Lir				
535 Fritztown Road	iviai	iiig Audiess Lii	I C Z			
JJJ I IILZIUWII NUAU						

100	7 III 5110001 0/2012								
	ng Address Last Line – City ng Spring			State PA		ZIP+4 19608			
Phon		λX		Email	Addı				
	70-3284						ologistics.con	n	
	S Codes (Two- & Three-Digit Codes -	List All That					-Digit Code		
	d 493190		11 77				37120, 4862	` '	
	t to Site Relationship								
OWN									
		FACILIT	Y INF	ORI	MATI	ON			
Modi	fication of Existing Facility							Yes	No
1.	Will this project modify an existir	ng facility,	syster	n, or a	activi	ty?		\boxtimes	
2.	Will this project involve an additi	on to an ex	cisting	facili	ity, sy	stem, o	r activity?	\boxtimes	
	If "Yes", check all relevant facility ty	pes and pro	ovide [DEP fa	acility	identifica	ation number	s below.	
	Facility Type	DEP Fac	ID#			у Туре			DEP Fac ID#
	Air Emission Plant						Mining Operat	ion _	
	Beneficial Use (water)			_		tory Location		_	
Ц	Blasting Operation			_			leanup Location	_	
닏	Captive Hazardous Waste Operation						t/LandRecyProj	Location _	
님	Coal Ash Beneficial Use Operation			_		al Waste (_	
님	Coal Mining Operation			=			chment Locatior	n <u>-</u>	
H	Coal Pillar Location					as Location	n Poll Control Faci		Unknown
님	Commercial Hazardous Waste Operation Dam Location	-					ply System		
H	Deep Mine Safety Operation -Anthracite					on Facility	ply System	-	
H	Deep Mine Safety Operation -Bituminous	-				al Waste O	neration	_	
Ħ	Deep Mine Safety Operation -Ind Minerals	-				Tank Loc		_	
Ħ	Encroachment Location (water, wetland)			_	_		ontrol Facility	_	
Ħ	Erosion & Sediment Control Facility	-		=		Resource	,	_	
Ħ	Explosive Storage Location	-		Ħ,	Other:			_	
	Latitude/Longitude		Lat	itude				Longitud	е
	Point of Origin	Degrees	Mir	nutes	Se	conds	Degrees	Minutes	Seconds
Enter	s County at	40	11		31		76	54	41
	ontal Accuracy Measure	Feet	1		ı.	or	- Me	eters	*
	ontal Reference Datum Code		rth Am	erican	Datu	m of 192			
						m of 198			
			rld Ge	odetic	Syste	em of 19	84		
Horiz	ontal Collection Method Code	SURVY, G							
Refe	ence Point Code	CTROD							
Altitu	ıde	Feet N	IΑ			or	- Me	eters	
Altitu	de Datum Name		e Natio	nal G	eodeti	ic Vertica	al Datum of 1	1929	
		The	e North	n Ame	rican '	Vertical I	Datum of 198	88 (NAVD8	3)
Altitu	de (Vertical) Location Datum Colle					NA		,	•
	netric Type Code	POINT							
Data	Collection Date	2014-2016	3						
	ce Map Scale Number	NA		n(es)		=		Fee	†
	or			ntimet	er(s)	=		Mete	
		PROJEC				ION			
Des!	at Name	INOUL	71 1141		141 <i>1</i> -7 1				
-	ct Name								
	sylvania Pipeline Project								
Proje	ct Description								

Installation of two parallel natural gas liquid pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline would be installed within the ROW from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, would also be installed in the same ROW, from SPLP's Delmont station to Marcus Hook (for approximately 255.8 miles). Approximately 6.3 miles are located in York County in southcentral PA. Please refer to Attachment 9 of the Joint Application for additional information.

1300-PM-BIT0001 5/2012

Project Consultant Las	t Name	First Na	ame	MI	5	Suffix	
Schaeffer		Brad					
Project Consultant Title							
Environmental Project M	anager		Tetra Tech, Inc.				
Mailing Address Line 1			Mailing Address Line 2				
301 Ellicott Street			_				
Address Last Line - Ci	tv		State	ZIP+4	,		
Buffalo	•		NY	14203			
Phone	Ext	FAX	Email Address				
716-849-9419	117	716-849-9420	brad.schaeffer@tetrated	ch.com			
Time Schedules		lestone (Optional)					
		iootono (opiionai)					
January 2017	Constructi	ion					
	001101114011						_
1. Have you infor	med the s	currounding comm	unity and addressed an	v 🛛	Yes		No
		the application to t		у 🖂	163	ш	140
		ite or federal grants			Yes	\square	No
			fated to the grant and provide the	arant co			
	ecity what aspexpiration date		ated to the grant and provide the	giant so	uice, coi	maci pe	515011
	Project Related						
		o to Grant					
	ration Date: _						
			pendix A of the Land Use	e 🛛	Yes		No
					162	Ш	INO
			A of the Land Use Policy	y			
attached to GIF i			et to the Land Lies Deliev				
			ect to the Land Use Policy.	مم الماما	ouror the	o d diti c	no!
		e application is subject se Information section.	to this policy and the Applicant s	nould an	swer the	addillo	паі
quodiono	Trans Lana G						
			NFORMATION				
			al land use approvals or othe	er evide	nce of	compli	ance with
local comprehensive pla							
		r multi-county com		\boxtimes	Yes		No
			I comprehensive plan?	\boxtimes	Yes		No
3. Is there an add	pted coun	ty-wide zoning or	dinance, municipal zoning	y 🛛	Yes		No
ordinance or join	t municipal	zoning ordinance?	•				
Note: If the Appli	cant answers	"No" to either Question	s 1, 2 or 3, the provisions of the	PA MP	C are no	t applic	cable and
the Applica	nt does not ne	eed to respond to quest	ions 4 and 5 below.				
If the Appli	cant answers '	"Yes" to questions 1, 2	and 3, the Applicant should resp	ond to qu	<u>lestions</u>	4 and	5 below.
			of the zoning ordinance o		Yes		No
does the propos	ed project h	ave zoning approva	al? If zoning approval has been	า			
received, attach doc							
5. Have you attache	ed Municipal	l and County Land l	Jse Letters for the project?	\square	Yes		No

COORDINATION INFORMATION

<u>Note</u>: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

		-			
1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.		Yes		No
1.1	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?		Yes		No
1.2	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?		Yes		No
1.3	Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?		Yes		No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?		Yes		No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.		Yes		No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?		Yes		No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?		Yes	Ц	No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?		Yes		No
2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No

3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No", skip to Question 4.0.		Yes		No
3.1	Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including wetlands)?		Yes		No
3.2	Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> .		Yes		No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities?		Yes		No
4.0	Will the project involve a construction activity that results in earth disturbance? If "Yes", specify the total disturbed acreage. 4.0.1 Total Disturbed Acreage 68 acres		Yes		No
5.0	Does the project involve any of the following? If "Yes", respond to 5.1-5.3. If "No", skip to Question 6.0.	\boxtimes	Yes		No
5.1	Water Obstruction and Encroachment Projects – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water?		Yes		No
5.2	Wetland Impacts – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a wetland?		Yes		No
5.3	Floodplain Projects by the commonwealth, a Political Subdivision of the commonwealth or a Public Utility – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a floodplain?		Yes		No
6.0	Will the project involve discharge of stormwater or wastewater from an industrial activity to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system?		Yes		No
7.0	Will the project involve the construction and operation of industrial waste treatment facilities?		Yes		No
8.0	Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i> , where applicable. 8.0.1 Estimated Proposed Flow (gal/day)		Yes		No
9.0	Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the generation of 800 gpd or more of industrial wastewater that would be discharged to an existing sanitary sewer system?		Yes		No
	9.0.1 Was Act 537 sewage facilities planning submitted and approved by DEP? If "Yes" attach the approval letter. Approval required prior to 105/NPDES approval.		Yes		No
10.0	Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year). 10.0.1 Gallons Per Year (residential septage)		Yes		No
	10.0.2 Dry Tons Per Year (biosolids)				
11.0	Does the project involve construction, modification or removal of a dam? If "Yes", identify the dam. 11 0.1 Dam Name		Yes		No

12.0	Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam. 12.0.1 Dam Name		Yes		No
13.0	Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission.		Yes		No
			rational	omiooi	onoi
	13.0.1 Enter all types & amounts Note: The overall Project will involve				
	of emissions; separate but no operational emissions will be				
	each set with semicolons. See attached list of facilities associa	ated v	vith the	overall	
440	Project and air emissions.		\/	<u> </u>	NI-
14.0	Does the project include the construction or modification of a drinking	Ш	Yes	\boxtimes	No
	water supply to serve 15 or more connections or 25 or more people, at				
	least 60 days out of the year? If "Yes", check all proposed sub-facilities.				
	14.0.1 Number of Persons Served				
	14.0.2 Number of Employee/Guests				
	14.0.3 Number of Connections				
	14.0.4 Sub-Fac: Distribution System		Yes		No
	14.0.5 Sub-Fac: Water Treatment Plant		Yes		No
	14.0.6 Sub-Fac: Source		Yes		No
	14.0.7 Sub-Fac: Pump Station		Yes		No
	14.0.8 Sub Fac: Transmission Main		Yes		No
	14.0.9 Sub-Fac: Storage Facility		Yes		No
15.0	Will your project include infiltration of storm water or waste water to		Yes	\boxtimes	No
	ground water within one-half mile of a public water supply well, spring or infiltration gallery?				
16.0	Is your project to be served by an existing public water supply? If "Yes",	\boxtimes	Yes		No
	indicate name of supplier and attach letter from supplier stating that it will				
	serve the project.				
	16.0.1 Supplier's Name United Water of PA				
	PA American Waters				
	Note: Letters of Approval from Suppliers to be	prov	ided wh	en con	tracts
	are executed.				
	16.0.2 Letter of Approval from Supplier is Attached		Yes	\boxtimes	No
17.0	Will this project involve a new or increased drinking water withdrawal		Yes	\boxtimes	No
	from a stream or other water body? If "Yes", should reference both Water				
	Supply and Watershed Management.				
	17.0.1 Stream Name				
18.0	Will the construction or operation of this project involve treatment,	\boxtimes	Yes		No
	storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e.,				
	hazardous, municipal (including infectious & chemotherapeutic), residual) and				
	the amount to be treated, stored, re-used or disposed.				
	18.0.1 Type & Amount Non-hazardous/Construction related C&D waste	e will l	oe dispo	sed;	
	Amount Unknown		•		
19.0	Will your project involve the removal of coal, minerals, etc. as part of any		Yes	\boxtimes	No
	earth disturbance activities?				
20.0	Does your project involve installation of a field constructed underground		Yes	\boxtimes	No
	storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant				
	may need a Storage Tank Site Specific Installation Permit.				
	20.0.1 Enter all substances &				
	capacity of each; separate				
	each set with semicolons.				
21.0	Does your project involve installation of an aboveground storage tank		Yes	\boxtimes	No
	greater than 21,000 gallons capacity at an existing facility? If "Yes", list			<u>- 1</u>	
	each Substance & its Capacity. Note: Applicant may need a Storage Tank				
	Site Specific Installation Permit.				
	21.0.1 Enter all substances &				
	capacity of each; separate				
	each set with semicolons.				

1300-PM-BIT0001 5/2012

22.0	Does your project involve installation	, ,	Ш	Yes	\boxtimes	No
	which will contain a highly hazardou					
	Regulated Substances List, 2570-B					
	Substance & its Capacity. Note: Appl	licant may need a Storage Tank Site				
	Specific Installation Permit.					
	22.0.1 Enter all substances					
	capacity of each; separat	te				
	each set with semicolons.					
23.0	Does your project involve installation	of a storage tank at a new facility		Yes	\boxtimes	No
	with a total AST capacity greater than	n 21,000 gallons? If "Yes", list each				
	Substance & its Capacity. Note: Appl	licant may need a Storage Tank Site				
	Specific Installation Permit.					
	23.0.1 Enter all substances	&				
	capacity of each; separat	te				
	each set with semicolons.					
24.0	Will the intended activity involve the u	se of a radiation source?		Yes	\boxtimes	No
	CE	ERTIFICATION				
I certif	y that I have the authority to submit th	nis application on behalf of the appl	icant	named	hereir	n and
	e information provided in this applica					
inform				,		
Type o	r Print Name Matthew L. Gordon					
9	Moly	Principal Engineer		11	/2/2	2016
Signatu	ire	Title		Da	ate	

Pennsylvania Pipeline Project

York County: General Information Form Supplemental Information

Municipality	City	Borough	Township	Municipal Comprehensive Plan	Municipal Zoning Ordinance
Fairview			х	Υ	Υ

Pennsylvania Pipeline Project Facility Emissions

							Emission F	Rate (tpy)					
County	Facility	NO _X	СО	voc	PM ¹	PM ₁₀ ¹	PM _{2.5}	SO _X	HAP	CO ₂	CH ₄	N ₂ O	CO ₂ e
Washington	Independence Tie-In	< 0.01	< 0.01	0.18	< 0.01	< 0.01	< 0.01	< 0.01	0.01	0.76	< 0.01	< 0.01	0.76
Washington	Houston Injection Site	0.04	0.17	0.57	0	0	0	< 0.01	0.03	75.00	0.01	< 0.01	75.30
Westmoreland	Delmont Station	0.03	0.15	0.72	0	0	0	< 0.01	0.04	69.85	0.01	< 0.01	70.15
Cambria	Ebensburg Station	0.03	0.15	0.94	0	0	0	< 0.01	0.05	70.65	0.01	< 0.01	70.95
Huntingdon	Mount Union Station	0.01	0.05	0.26	0	0	0	< 0.01	0.02	24.9	< 0.01	< 0.01	25.00
Dauphin	Middletown Station	0.03	0.15	0.93	0	0	0	< 0.01	0.05	70.55	0.01	< 0.01	70.85
Berks	Beckersville Station	0.01	0.05	0.25	0	0	0	< 0.01	0.02	24.90	< 0.01	< 0.01	25.00
Delaware	Twin Oaks Station	0.03	0.14	0.83	0	0	0	< 0.01	0.05	66.40	0.01	< 0.01	66.70
	Total	< 0.19	< 0.87	4.68	< 0.01	< 0.01	< 0.01	< 0.08	0.27	403.01	< 0.08	< 0.08	404.71

Notes:

CH₄: methane

CO: carbon monoxide

CO2: carbon dioxide

 $\mathsf{CO}_2\mathsf{e}$: carbon dioxide equivalent

HAP: hazardous air pollutant

N₂O: nitrous oxide

NOX: oxides of nitrogen

PM: particulate matter

PM₁₀: particles with an aerodynamic diameter less than or equal to 10 micrometers

PM_{2.5}: particles with an aerodynamic diameter less than or equal to 2.5 micrometers

SOX: oxides of sulfur

tpy: ton per year

VOC: volatile organic compound

 $^{^{1}}$ PM = PM_{2.5} = PM₁₀

² Permitting for the Houston Markwest Station was not within Tetra Tech scope of work; therefore, emission estimates are not available for this site.