

NOTICE OF INTENT (NOI) ADMINISTRATIVE COMPLETENESS CHECKLIST EROSION AND SEDIMENT CONTROL GENERAL PERMIT (ESCGP-3) FOR EARTH DISTURBANCE ASSOCIATED WITH OIL AND GAS EXPLORATION, PRODUCTION, PROCESSING, OR TREATMENT OPERATIONS OR TRANSMISSION FACILITIES

Please check the following list to make sure that you have included all the required information. Place a check mark in the column provided for all items completed and/or provided. Failure to provide all of the requested information will delay the processing of the application, may preclude the use of the Expedited Review, and may result in the application being placed ON HOLD with NO ACTION, or being considered withdrawn and the application file closed.

THIS CHECKLIST MUST BE COMPLETED AND ENCLOSED WITH YOUR GENERAL PERMIT NOI

lf a		✓CHECKLIST FOR EROSION AND SEDIMENT CONTRO INCLUSSION NOI INCLUSSION AND SEDIMENT CONTRO INCLUSSION NOI INCLUSSION AND SEDIMENT CONTRO INCLUSSION AND SEDIMENT CONTROL INCLUSSION AND SEDIMENT CON		ATION	Minor revisi not required submitted regional of review.	d to be to the
		IENT NAME <u>PennEast Pipeline Company, LLC</u> ROJECT and PHASE NAME <u>(If applicable) Per</u>	nnEast Pipeline Pro	ject	Applicant Check ✓ if Included	
1.	ра	lly completed, properly signed and notarized Notice of Inte per application). ot required for subsequent phases)	nt form (1 original ar	nd 2 copies for		
2.		expedited review requested? ves, complete items (a) and (b) below. If no, proceed to section	on 3 of this checklist.		🗌 Yes	🛛 No
	a.	Expedited review eligibility has been completed and determined.	Location:	Page:		
	b.	Expedited review process related questions have fully been answered.	Location:	Page:		
3.	ap NC	omplete Erosion and Sediment Control (E&S) Plans. plication) DTE: Identify locations as Drawings (D), Narrative (N). (Ident e E & S Plan must contain, at a minimum, the following:			🛛 Yes	🗌 No
	a.	Topographic Features Existing topographic features of the project site and immediate surrounding area. Include the project area outlined on an 8 ½" x 11" photocopy of the U.S.G.S. topo map area. The map must include the name of the appropriate 1:24,000 scale U.S.G.S. 7.5 minute series quadrangle map where the project is located.	Location: <u>D</u>	Page: <u>ESCGP-3</u> <u>Section 1-5;</u> <u>Section 2-2:</u> <u>all plan</u> <u>seets</u>		
	b.	Soil Characteristics Types, depth, slope, locations and limitations of the soils including methods for resolution of all soil limitations.	Location: <u>N and D</u>	Page: ESCGP-3 Section 2-1: pages 4 and 5 and Appendix 6; Section 2-2: Drawing 000-01-01-002 and all plan sheets	\boxtimes	
	C.	Earth Disturbance Activity The characteristics of the earth disturbance activity, including the past, present and proposed land uses and proposed alteration to the project site.	Location: <u>N and D</u>	Page: <u>ESCGP-3</u> <u>Section 2-1: pages</u> <u>3-9; Section 2-2</u> <u>Drawings</u> <u>000-03-01-001</u> <u>through</u> <u>000-03-01-239</u>		
	d.	Project Site Runoff The Volume and rate of runoff from the project site and its upstream watershed area. Runoff impact analysis on downstream watercourse, design computations for protective measures if applicable, discharge analysis for non-surface water discharges.	Location: N	Page: <u>ESCGP-3</u> <u>Section 2-1:</u> page 15		

e.	Surface Water Classification		Page: ESCGP-3	
6.	The Location of all surface waters of this Commonwealth which may receive runoff within or from the project site including their classification under Chapter 93 and status as siltation-impaired water. All streams, springs, wetlands, and floodways within, adjacent or receiving water from the project site must be shown on drawings with proper identification of special protection waters and existing uses.	Location: <u>N and D</u>	Section 2-1: pages 3-4; Section 2-2: Drawings 000-01-01-003F and 000-03-01-001 through 000-03-01-239 (See watershed name and classification bands, and stream labels in Stationing and aerial photo band)	
f.	BMP Description Narrative A narrative description of the location and type of perimeter and onsite BMPs used before, during, and after the earth disturbance activity.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 2-1:</u> pages 11-14; <u>Section 2-3</u>	
g.	BMP Installation Sequence Narrative A sequence of BMP installation and removal in relation to the scheduling of earth disturbance activities, prior to, during and after earth disturbance activities that ensures proper functioning of BMPs.	Location: <u>N and D</u>	Page: <u>ESCGP-3</u> <u>Section 2-1: pages</u> <u>19-29: Section 2-2:</u> <u>Drawings</u> 000-01-01-003D and <u>000-01-01-003E</u> ; <u>Section 2-3</u>	
h.	Supporting Calculations and Measurements All BMP design calculations and information must be attached with the E&S plans.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 2-1</u> <u>Appendices 1, 2,</u> and 3; Section 2-3	
i.	Plan Drawings Plan drawings must include locations of proposed BMPs and a legend for all symbols used on the drawing. Construction details, notes, and specifications must be included to explain the drawings.	Location: D	Page: <u>ESCGP-3</u> Section 2-2; Section 2-3	
j.	Maintenance Program A maintenance program which provides for the operation and maintenance of BMPs and the inspection of BMPs on a weekly basis and after each stormwater event, including the repair or replacement of BMPs to ensure effective and efficient operation. The program must provide for completion of a written report documenting each inspection and all BMP repair, or replacement and maintenance activities.	Location: <u>N and D</u>	Page: <u>ESCGP-3</u> <u>Section 2-1:</u> <u>pages 9-10, 22,</u> <u>41-43;</u> <u>Section 2-2:</u> <u>000-01-01-003B,</u> <u>000-03-09-001</u> <u>through</u> <u>000-03-09-009;</u> <u>Section 2-3</u>	
k.	Material Recycling and Disposal Procedures which ensure that the proper measures for the recycling or disposal of materials associated with or from the project site will be undertaken in accordance with this title.	Location: <u>N and D</u>	Page: <u>ESCGP-3</u> Section 2-1: pages <u>15-16:</u> Section 2-2: 000-01-01-003A and 000-01-01-003E: Section 2-3	
I.	Naturally Occurring Geologic Formations and Soil Conditions Identify naturally occurring geologic formations or soil conditions that may have the potential to cause pollution during earth disturbance activities and include the locations on plan drawings. Include BMPs to avoid or minimize potential pollution and its impacts from the formations. If the applicant suspects substantial possibility of potential slope failure, include a geotechnical report prepared by a geotechnical engineer.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 2-1:</u> pages 4-7 and <u>Appendix 4:</u> <u>Section 2-3</u>	
m.	Thermal Impacts Identification of potential thermal impacts to surface waters of this Commonwealth from the earth disturbance activity including BMPs to avoid, minimize or mitigate potential pollution from thermal impacts.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 2-1:</u> <u>page 22;</u> <u>Section 2-3</u>	

		E&S Plan and PCSM/SR Plan Consistency The E&S Plan shall be planned, designed and implemented to be consistent with the PCSM Plan under § 102.8. Unless otherwise approved by the Department, the E&S Plan must be separate from the PCSM Plan and labeled "E&S" or "Erosion and Sediment Control Plan" and be the final plan for construction.	Location: <u>N</u>	Page: ESCGP-3 Section 2-1: page 1; Section 2-3		
		Riparian Forest Buffers Identification of existing and proposed riparian forest buffers should be included on the plan drawings if incorporated into the project site.	Location: <u>N and D</u>	Page: <u>ESCGP-3</u> <u>Section 2-1: pages 4,</u> 9, and 17; Section <u>2-3</u>		
		Antidegradation Requirements Satisfy antidegradation implementation requirements for special protection water and siltation-impaired waters including evaluation of nondischarge alternatives and ABACT.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 2-1:</u> pages 16-19		
4.	Wa the no sul ad dis	rmit NOI Filing Fees of \$500 to the appropriate Clean ater Fund plus \$100/Acre of earth disturbance payable to a Commonwealth of PA Clean Water Fund (\$500 filing fee t required for subsequent phases) is required. For NOIs binitted to delegated county conservation districts, the ministrative fee of \$500 must be paid to the conservation strict and disturbed acreage fee to the Commonwealth of PA vo checks).	Location: <u>N</u>	Page: <u>ESCGP-3</u> Section 1-3		
5.	Mu	nicipal Notification: (3 copies) Not required for subsequence	ce phases.		\square	
	а.	Act 14 Municipal Notifications to the local municipality and county governments that specify that the application is for Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Activities. A "sample" notification letter is provided as Attachment C	Location: <u>N</u>	Page: ESCGP-3		
		of the instructions. Proof or Receipt of municipal notifications: copies of certified mail receipts, proof of deliver from a commercial carrier or acknowledgment letters from the local municipality and county government.		Section 1-6		
	b.	Pennsylvania Inventory of Historical Places and the National Register of Historical Places: When conducting earth disturbance activities, the permittee shall protect archaeological specimens and historic resources in accordance with applicable State and Federal laws. For permitted activities on lands of the Allegheny National Forest (ANF) or other federal lands, the permittee should coordinate with the appropriate ANF Ranger or other appropriate federal agency on the protection of historic properties.	ESCGP-3 Section 1-8			
6.	PN dep	Innsylvania Natural Heritage Program (PNHP). Include DI receipt, PNDI clearance and other information bending on the permit application option. (3 copies for ber application).	Location: <u>N</u>	Page: ESCGP-3 Section 1-9		
7.	Co	mplete PCSM/SR Plans. (1 Original, 2 copies)				
	NO	TE: Identify location(s) as Drawing (D), Narrative (N). (Ident	ify Not Applicable as	"N/A".)	\square	
	The	PCSM/SR Plan must contain, at a minimum, the following:	I	I		
	a.	Topographic Features The existing topographic features of the project site and immediate surrounding area must be shown plan drawings. The name of the USGS quadrangle map must be included.	Location: <u>N and D</u>	Page: <u>ESCGP-3 Section</u> 1-5; Section 3-2 all plan sheets: Section 3-3, PCSM reports Figure 1		

b.	Characteristics of Naturally Occurring Geologic Formations and Soil Conditions The types, depth, slope, locations and limitations of the soils and geologic formations.	Location: <u>N and D</u>	Page: ESCGP-3 Section 3-1: pages 4 and 5 and Appendix 1: Section 3-2 all drawings: Section 3-3, PCSM report sections 3.1.1(f)(2) and Appendix D		
C.	Earth Disturbance Activity Characterization The characteristics of the project site, including the past, present and proposed land uses Limit of Disturbance (LOD), areas of cuts and fill, proposed impervious areas, locations of roads, proposed contours of project area and the proposed alteration of the project site.	Location: <u>N and D</u>	Page: <u>ESCGP-3</u> Section 3-1: pages 3 and 4; Section 3-2: all drawings; Section 3-3; PCSM report sections 3.1.1(f)(3), 4.1.4.2, and <u>Appendices E and F</u>		
d.	Net Change in Volume and Rate of Runoff An identification of the net change in volume and rate of stormwater from preconstruction hydrology to post construction hydrology for the entire project site and each drainage area. Include pre-development and post-development drainage area map. Post-development drainage area map must show Point of Discharge(s) (PODs) from PCSM BMPs.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-1:</u> pages 6 and 10; <u>Section 3-3</u> , <u>PCSM report</u> <u>sections</u> <u>3.1.1(f)(4)</u>		
e.	Surface Water Classification An identification and location of surface waters of this Commonwealth, which may receive runoff within or from the project site and their classification under Chapter 93.	Location: <u>N and D</u>	Page: ESCGP-3 Section 3-1: pages 5 and 6; Section 3-2: all plan drawings: ESCGP-3 Section 3-3, PCSM report section 3.1.1(f)(5)	\boxtimes	
f.	BMP Description Narrative A written description of the location and type of PCSM/Site Restoration BMPs including construction details for permanent stormwater BMPs including permanent stabilization specifications and locations.	Location: <u>N</u>	Page: <u>ESCGP-3</u> Section 3-1: pages 6 and 7: Section 3-2 Drawings 000-03-09-001, 000-03-09-002; Section 3-3, PCSM report sections 3.1.1(f)(6)		
g.	BMP Installation Sequence Narrative A sequence of PCSM/Site Restoration BMP implementation or installation in relation to earth disturbance activities of the project site and a schedule of inspections for critical stages of PCSM/Site Restoration BMP installation.	Location: <u>N</u>	Page: ESCGP-3 Section 3-1: page 7; Section 3-2 Drawing 000-01-01-003A; Section 3-3, PCSM report Sections 3.1.1(f)(7)		
h.	Supporting calculations All design information and calculations must be included with the PCSM/SR plan. Include verification of PCSM/SR plan consistency with the Act 167 plan, if a current and DEP approved Act 167 plan exists. Include summary of bio-infiltration BMPs used for the project using Attachment E of the NOI instructions.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-3</u> , <u>PCSM report</u> <u>sections</u> <u>3.1.1(f)(8) and</u> <u>Appendix B</u>		
i.	Plan Drawings The locations of BMPs with tributaries must be shown on the drawings. Notes, specifications, any constructions details, and any other supporting information needed to explain the drawings must also be included.	Location: <u>D</u>	Page: <u>ESCGP-3</u> Section 3-2; Section 3-3 drawings	\boxtimes	
j.	Long Term Operation and Maintenance Schedule A long-term operation and maintenance schedule, which provides for inspection of PCSM/Site Restoration BMPs, including the repair, replacement or other routine maintenance of the PCSM/Site Restoration BMPs to ensure proper function and operation. The program must provide for completion of a written report documenting each inspection and all BMP repair and maintenance activities and how access to the PCSM/Site Restoration BMPs will be provided.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-1:</u> <u>pages 7-9;</u> <u>Section 3-3,</u> <u>PCSM report</u> <u>sections</u> <u>3.1.1(f)(10)</u>		

k.	Material Recycling and Disposal Procedures which ensure that the proper measures for recycling or disposal of materials associated with or from the PCSM/Site Restoration BMPs are in accordance with Department laws, regulations and requirements.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-1:</u> <u>pages 9-10;</u> <u>Section 3-3;</u> <u>PCSM report</u> <u>sections</u> <u>3.1.1(f)(11)</u>		
Ι.	Addressing Impacts from Naturally Occurring Geologic Formations and Soil Conditions An identification of naturally occurring geologic formations or soil conditions that may have the potential to cause pollution after earth disturbance activities are completed and PCSM/Site Restoration BMPs are operational and development of a management plan to avoid or minimize potential pollution and its impacts.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-1:</u> <u>page 5;</u> <u>Section 3-3,</u> <u>PCSM report</u> <u>sections</u> <u>3.1.1(f)(12)</u>		
m.	Thermal Impacts An Identification of potential thermal impacts from post construction stormwater to surface water of this Commonwealth including BMPs to avoid, minimize or mitigate potential thermal pollution from thermal impacts.		Page: ESCGP-3 Section 3-1: page 10; Section 3-3, PCSM report sections 3.1.1(f)(13)		
n.	Riparian Forest Buffer Management Plan A riparian forest buffer management plan when required under § 102.14.	Location: <u>N/A</u>			
ο.	Antidegradation Requirements A demonstration of compliance with antidegradation implementation requirements including evaluation of nondischarge alternatives and ABACT for where activities will be conducted in special protection waters or siltation impaired waters.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-1:</u> page 10; Section <u>3-3, PCSM</u> report sections <u>3.1(b)(1) and</u> <u>3.1.2(h)</u>		
Do t If Y€	SM Plan Stormwater Analysis the regulated activities require site restoration or reclamation? es, skip to Item 9. o, provide the following information:	, [🗌 Yes 🖾 No	\boxtimes	
	Site Characterization and Assessment Predevelopment site characterization and assessment of soil and geology including infiltration and geotechnical studies that identify location and depths of test sites and methods used.	Location: <u>N and D</u>	Page: ESCGP-3 Section 3-3; PCSM report sections 3.1.2(g)(1) and Appendix G		
b.	Volume Reduction and Water Quality Requirements Analysis demonstrating that the PCSM BMPs will meet the volume reduction and water quality requirement specified in an applicable Department approved and current Act 167 stormwater management watershed plan; or manage the net change for storms up to and including the 2-year/24-hour storm event when compared to preconstruction runoff volume and water quality.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-3:</u> <u>PCSM report</u> <u>sections</u> <u>3.1.2(g)(2), 4,</u> and 6		
с.	Rate Requirements Analyses demonstrating that the PCSM BMPs will meet the rate requirements specified in an applicable Department approved and current Act 167 stormwater management watershed plan; or manage the net change in peak rate for the 2-, 10-, 50-, and 100-year/24-hour storm event in a manner not to exceed preconstruction rates.	Location: <u>N</u>	Page: <u>ESCGP-3</u> <u>Section 3-3:</u> <u>PCSM report</u> <u>sections</u> <u>3.1.2(g)(3), 4,</u> <u>and 6</u>		
d.	Calculation Methodologies Identification of the methodologies for calculating total runoff volume and peak rate of runoff and provide supporting documentation and calculations.	Location: <u>N</u>	Page: <u>ESCGP-3</u> Section 3-3: PCSM report sections 3.1.2(g)(4), 4, and Appendices B and H		

		Construction Techniques Identification of construction techniques or special consideration to address soil and geologic limitations.	ation: <u>N and D</u>	Page: ESC Section 3-3 PCSM rep section 3.1 and PCSM drawings	<u>3:</u> ort .2(g)(5)		
	f.	Antidegradation Requirements Demonstration of compliance with antidegradation implementation requirements including evaluation of nondischarge alternatives and ABACT for where activities will be conducted in special protection waters or siltation impaired waters.	ation: <u>N</u>	Page: <u>ES</u> Section 3 <u>PCSM re</u> section 3	<u>8-3:</u> port		
9.	Pha	sed Projects					
		ne activity being conducted as a phased project?	[🗌 Yes 🛛	🛛 No		
	-	es, all of the following must be completed:			_		
		Initial Phase - Is the master plan included?		Yes	No		
		Subsequent Phase(s) – Is(are) the subsequent phase(s) identified in the master plan?	[Yes [] No		
10.	Will duri	paredness, Prevention and Contingency (PPC) Plan I fuels, chemicals, solvents, other hazardous materials be used or s ing earth disturbance activities? es, a PPC Plan must be maintained on the site during earth disturba		⊠ Yes [] No		
44			ance.				
11.	ls ti Is a	bsequent Phase Certification for Expedited Reviews he activity being conducted as a phased project? an expedited review being requested for subsequent phase? es, all of the following must be completed:			⊠ No ⊠ No		
	l do and the	hereby certify to the best of my knowledge, information, and PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule ificant penalties for submitting false information, including the	ctual field cond es and regulat	litions ar ions. I	nd are am av	in accordan vare that the	ce with
	l do and the sign	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule	ctual field cond es and regulat	litions ar ions. I	nd are am av I impri	in accordan vare that the	ce with ere are
	I do and the sign Sigr	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule nificant penalties for submitting false information, including the	ctual field cond es and regulat	litions ar ions. I	nd are am av I impri	in accordan vare that the sonment.	ce with ere are
	I do and the sign Sigr Con	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule inficant penalties for submitting false information, including the nature	ctual field cond es and regulat	litions ar ions. I	nd are am av I impri P	in accordan vare that the sonment. rofessional S	ce with ere are eal
	I do and the sign Sigr Con	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule nificant penalties for submitting false information, including the nature npany Iress	ctual field cond es and regulat	litions ar ions. I	nd are am av I impri P NO	in accordan vare that the sonment. rofessional S	ce with ere are eal
	I do and the sign Sigr Con Add Pho	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule nificant penalties for submitting false information, including the nature npany Iress	ctual field cond es and regulat	litions ar ions. I	nd are am av I impri P NO	in accordan vare that the sonment. rofessional S	ce with ere are eal
	I do and the sign Sigr Con Add Pho Mos	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule nificant penalties for submitting false information, including the nature npany Iress	ctual field cond es and regulat e possibility of	litions ar ions. I	nd are am av I impri P NO	in accordan vare that the sonment. rofessional S	ce with ere are eal
	I do and the sign Sign Con Add Pho Mos e-M	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule initicant penalties for submitting false information, including the nature npany Iress one et Recent DEP Training Attended Location	ctual field cond es and regulat e possibility of	litions ar ions. I	nd are am av I impri P NO	in accordan vare that the sonment. rofessional S	ce with ere are eal
	I do and the sign Con Add Pho Mos e-M EXF In a and	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule ifficant penalties for submitting false information, including the nature npany Iress one st Recent DEP Training Attended Location ail Address	ctual field cond es and regulat e possibility of Date Date	litions ar ions. I fine and	nd are am av imprid P NO EXP	in accordan vare that the sonment. rofessional S T REQUEST EDITED RE Must attach a	eal FING VIEW
	I do and the sign Sigr Con Add Pho Mos e-M EXF In a and sur I do and con reg	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule inficant penalties for submitting false information, including the nature npany Iress one st Recent DEP Training Attended Location ali Address PEDITED REVIEW PROCESS addition to the certification required above, applicants using the explicit PCSM/Site Restoration Plan developed and sealed by a lice	ctual field cond es and regulat e possibility of 	review pr nal engi he Erosi 2 of the	nd are am av limpri P NO EXP occess neer, l on and t, rep	in accordan vare that the sonment. rofessional S T REQUEST EDITED RE must attach a andscape ar I Sediment of resent actua rtment's rul	ce with ere are eal TING VIEW an E&S rchitect, Control al field es and
	I do and the sign Con Add Pho Mos e-M In a and sun I do and con reg pos	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule inficant penalties for submitting false information, including the inature inpany Itress one at Recent DEP Training Attended Location	ctual field cond es and regulat e possibility of 	litions ar ions. I fine and fine and review pr nal engination he Erosion d correct 2 of the false in	nd are am av impri P NO EXP occess neer, I on anc ct, repu Depa format	in accordance vare that the sonment. rofessional S T REQUEST EDITED RE must attach a andscape ar I Sediment of resent actua rtment's rul tion, includi	ce with ere are eal TING VIEW an E&S rchitect, Control al field es and
	I do and the sign Con Add Pho Mos e-M EXF In a and sur I do and con reg pos Per Is a	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule ificant penalties for submitting false information, including the hature npany Iress one st Recent DEP Training Attended Location ail Address PEDITED REVIEW PROCESS addition to the certification required above, applicants using the explored or professional geologist. The plans shall contain the followir ohereby certify to the best of my knowledge, information, and A PCSM/Site Restoration Plan and Post Construction BMPs additions and are in accordance with the 25 Pa. Code Chapter sibility of fine and imprisonment. mit Renewal a permit renewal being requested?	ctual field cond es and regulat e possibility of 	review pr nal engi he Erosi 2 of the	nd are am av impri P NO EXP occess neer, I on anc ct, repu Depa format	in accordan vare that the sonment. rofessional S T REQUEST EDITED RE must attach a andscape ar I Sediment of resent actua rtment's rul	ce with ere are eal TING VIEW an E&S rchitect, Control al field es and
	I do and the sign Con Add Pho Mos e-M EXF In a and sur I do and con reg pos Per Is a	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule inficant penalties for submitting false information, including the nature npany Iress one st Recent DEP Training Attended Location ail Address PEDITED REVIEW PROCESS addition to the certification required above, applicants using the expleted information and sealed by a lice veyor or professional geologist. The plans shall contain the following or hereby certify to the best of my knowledge, information, and additions. I am aware that there are significant penalties for stillity of fine and imprisonment. mit Renewal a permit renewal being requested? es, all of the following must be completed:	ctual field cond es and regulat e possibility of Date Date ensed profession ng certification: d belief, that th s are true and ters 78 and 10 for submitting	litions ar ions. I fine and fine and review pr nal engi he Erosid d correct 2 of the false in	nd are am av impri. P NO EXP occess neer, I on anc t, rep b Depa format	in accordance vare that the sonment. rofessional S T REQUEST EDITED RE must attach a andscape ar I Sediment of resent actua rtment's rul tion, includi	ce with ere are eal TING VIEW an E&S rchitect, Control al field es and ing the
	I do and the sign Con Add Pho Mos e-M EXF In a and sur I do and con reg pos Per Is a	PCSM/Site Restoration Plan are true and correct, represent ac 25 Pa. Code Chapters 78 and 102 of the Department's rule ificant penalties for submitting false information, including the hature npany Iress one st Recent DEP Training Attended Location ail Address PEDITED REVIEW PROCESS addition to the certification required above, applicants using the explored or professional geologist. The plans shall contain the followir ohereby certify to the best of my knowledge, information, and A PCSM/Site Restoration Plan and Post Construction BMPs additions and are in accordance with the 25 Pa. Code Chapter sibility of fine and imprisonment. mit Renewal a permit renewal being requested?	ctual field cond es and regulat e possibility of Date Date ensed profession ng certification: d belief, that th s are true and ters 78 and 10 for submitting	litions ar ions. I fine and fine and review pr nal engi he Erosid d correct 2 of the false in	nd are am av impri. P NO EXP occess neer, I on anc t, rep b Depa format	in accordance vare that the sonment. rofessional S T REQUEST EDITED RE must attach a andscape ar I Sediment of resent actua rtment's rul tion, includi	ce with ere are eal TING VIEW an E&S rchitect, Control al field es and ing the