Literature Reviewed:

- 1. Agency for Toxic Substances and Disease Registry (ATSDR). (2012). Toxicological Profile for Manganese.
- 2. Appleton, A., et al. (2017). "Prenatal exposure to neurotoxic metals is associated with increased placental glucorticoid receptor DNA methylation". Epigenetics. 12(8): 607-615.
- 3. Aschner, J. and M. Aschner (2005). "Nutritional aspects of manganese homeostasis". Molecular Aspects of Medicine. 26(4): 353-362.
- 4. Aschner, M. (2000). "Manganese: Brain Transports and Emerging Research Needs". Environmental Health Perspectives. 108(3): 429-432.
- Beaudin, S.A., S. Nisam, and D.R. Smith. (2013). "Early life versus lifelong oral manganese exposure differently impairs skilled forelimb performance in adult rats." Neurotoxicology and Teratology. 38: 36-45.
- Bhang, S., et al. (2013). "Relationship between blood manganese levels and children's attention, cognition, behavior, and academic performance A nationwide cross-sectional study". Environmental Research. 126: 9-16.
- 7. Bitto, A., et al. (2014). "Epigenetic Modifications Due to Heavy Metals Exposure in Children Living in Polluted Areas". Current Genomics. 15(6): 464-468.
- 8. Bock, N. A., et al. (2008). "Cerebrospinal Fluid to Brain Transport of Manganese in a Non-Human Primate Revealed by MRI". Brain Research. 1198: 160-170.
- 9. Bouabid, S., et al. (2016). "Manganese Neurotoxicity: Behavioral Disorders Associated with Dysfunctions in the Basal Ganglia and Neurochemical Transmission." Journal of Neurochemistry. 136: 677-691.
- 10. Bouchard, M.F., et al. (2007). "Hair manganese and hyperactive behaviors: pilot studies of school-age children exposed through tap water." Environmental Health Perspectives. 119(1): 138-143.
- 11. Bouchard, M.F., et al. (2011). "Intellectual Impairment in School-age Children Exposed to Manganese from Drinking Water." Environmental Health Perspectives. 119(1): 138-143.
- 12. Brna, P., et al. (2011). "Manganese Toxicity in a Child with Iron Deficiency and Polycythemia". Journal of Child Neurology. 26(11): 891-894.

- 13. Brown, M.T. and B. Foos. (2009). "Assessing Children's Exposures and Risks to Drinking Water Contaminants: A Manganese Case Study." Human and Ecological Risk Assessment. 15: 923-947.
- 14. Chen, P., et. al. (2015). "Manganese homeostasis in the nervous system". Journal of Neurochemistry. 134: 601-610.
- 15. Chung, S.E., et al. (2015). "Maternal Blood Manganese and Early Neurodevelopment: The Mothers and Children's Environmental Health (MOCEH) Study." Environmental Health Perspectives. 123: 717-722.
- 16. Colomina MT, Domingo JL, Llobet JM, et al. 1996. Effect of day of exposure on the developmental toxicity of manganese in mice. Vet Hum Toxicol 38:7-9.
- 17. Cordova, F.M., et al. (2013). "Manganese-exposed developing rats display motor deficits and striatal oxidative stress that are reversed by Trolox." Archives of Toxicology. 87: 1231-1244.
- 18. Crossgrove, J. and W. Zheng. (2004). "Manganese toxicity upon overexposure." NMR in Biomedicine. 17(8): 544-553.
- 19. Engel, S. and M. Wolff. (2013). "Causal Inference Considerations for Endocrine Disruptor Research in Children's Health". Annual Review of Public Health. 34: 139-58.
- 20. Erikson, K.M., et al. (2007). "Manganese Neurotoxicity." Pharmacology and Therapeutics. 113(2): 369-377.
- 21. Finley, J.W. and C.D. Davis. (1999). "Manganese deficiency and toxicity: Are high or low dietary amounts of manganese cause for concern?". BioFactors. 10: 15-24.
- 22. Fordahl, S., et al. (2012). "Waterborne manganese exposure alters plasma, brain and liver metabolites accompanied by changes in stereotypic behaviors." Neurotoxicology and Teratology. 34(1): 27-36.
- 23. Frisbie, S.H., et al. (2012). "World Health Organization Discontinues Its Drinking-Water Guideline for Manganese." Environmental Health Perspectives. 120(6): 775-778.
- 24. Grandjean, P., and P.J. Landrigan (2014). "Neurobehavioral effects of development toxicity." Lancet Neurology. 13: 330-38.
- 25. Haynes, E.N., et al. (2015). "Manganese Exposure and Neurocognitive Outcomes in Rural School-Age Children: The Communities Actively Researching Exposure Study (Ohio, USA)." Environmental Health Perspectives. 123(10): 1066-1071.

- 26. Henn, B.C., et al. (2010). "Early Postnatal Blood Manganese Levels and Children's Neurodevelopment." Epidemiology. 21(4): 433-439.
- 27. Holley, A.K., et al. (2011). "Manganese Superoxide Dismutase: Guardian of the Powerhouse." International Journal of Molecular Sciences. 12: 7114-7162.
- 28. Institute of Medicine. (2001). *Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc.* Washington D.C.
- 29. Kaushal, S., et. al. (2018). "Watershed 'chemical cocktails': forming novel elemental combinations in Anthropocene fresh waters". Biogeochemistry. 141:281-305.
- 30. Kern, C., G. Stanwood and D.R. Smith (2010). "Pre-weaning manganese exposure causes hyperactivity disinhibition, and spatial learning and memory deficits associated with altered dopamine receptor and transporter levels." Synapse. 64(5): 363-378.
- 31. Khan, K., et al. (2011). "Manganese Exposure from Drinking Water and Children's Classroom Behavior in Bangladesh." Environmental Health Perspectives. 119(10): 1501-1506.
- 32. Khan, K., et al. (2012). "Manganese Exposure from Drinking Water and Children's Academic Achievement." Neurotoxicology. 33(1): 91-97.
- 33. Kim, Y., et al. (2009). "Co-exposure to environmental lead and manganese affects the intelligence of school-aged children." Neurotoxicology. 30: 564-571.
- 34. Kondakis, X.G., N. Makris, M. Leotsinidis, M. Prinou and T. Papapetropoulos. 1989. Possible health effects of high manganese concentration in drinking water. Arch. Environ. Health. 44(3): 175-178.
- 35. Kumar, K.K., et al. (2014). "Cellular manganese content is developmentally regulated in human dopaminergic neurons". Scientific Reports. 4: 6801.
- 36. Kwakye, G. F., et al. (2015). "Manganese-Induced Parkinsonism and Parkinson's Disease: Shared and Distinguishable Features". International Journal of Environmental Research and Public Health. 12: 7519-7540.
- 37. Lanphear, B.P., et al. (2015). "The Impact of Toxins on the Developing Brain." Annual Review of Public Health. 36: 211-30.

- Leyva-Illades, D., et al. (2014). "SLC30A10 Is a Cell Surface-Localized Manganese Efflux Transporter, and Parkinsonism-Causing Mutations Block Its Intracellular Trafficking and Efflux Activity". Neurobiology of Disease. 34(42): 14079-14095.
- Lidsky, T. I., Heaney, A. T., Schneider, J. S., & Rosen, J. F. (2007). Neurodevelopmental effects of childhood exposure to heavy metals: Lessons from pediatric lead poisoning. In M. M. M. Mazzocco & J. L. Ross (Eds.), *Neurogenetic developmental disorders: Variations in the manifestation in childhood* (pp. 335–363). Cambridge, MA: MIT Press.
- 40. Ljung, K.S., M. J. Kippler, et al. (2009). "Maternal and early life exposure to manganese in rural Bangladesh." Environmental Science Technology 43(7): 2595-2601.
- 41. Lytle C.M., et. al. (1994). Manganese accumulation in roadside soil and plants. Naturwissenschaften. 81:509–510.
- 42. Maccani, J.Z.J., et al. (2015). "DNA Methylation Changes in the Placenta Are Associated with Fetal Manganese Exposure". Reproductive Toxicology. 57: 43-49.
- 43. Mena, I. (1974). The role of manganese in human disease. Ann. Clin. Lab. Sci. 4(6): 487-491.
- 44. Menezes-Filho, J.A., et al. (2009). "Manganese exposure and the neuropsychological effect on children and adolescents: a review". Rev Panam Salud Publication. 26(6):541-8.
- 45. Menezes-Filho, J.A., et al. (2011). "Elevated manganese and cognitive performance in school-aged children and their mothers". Rev Panam Salud Publication. 111(1):156-163.
- 46. Menezes-Filho, J.A., et al. (2014). "Elevated manganese exposure and school-aged children's behavior: A gender-stratified analysis". Neurotoxicology. 45: 293-300.
- 47. Miranda-Morales, E., et al. (2017). "Implications of DNA methylation in Parkinson's Disease". Frontiers in Molecular Neuroscience. 10: 225.
- 48. Mora, A.M., et al. (2014). "Blood and Hair Manganese Concentrations in Pregnant Women from the Infants' Environmental Health Study (ISA) in Costa Rica". Environmental Science and Technology. 48: 3467-3476.
- 49. Moreno, J.A., et al. (2009). "Age-Dependent Susceptibility to Manganese-Induced Neurological Dysfunction". 112(2):394-404.
- 50. Oulhote, Y., et al. (2014). "Neurobehavioral Function in School-Age Children Exposed to Manganese in Drinking Water". Toxicological Sciences". Environmental Health Perspectives. 122(12):1343-1350.

- 51. Oulhote, Y., et al. (2014). "Sex- and age-differences in blood manganese levels in the U.S. general population: national health and nutrition examination survey 2011-2012". Environmental Health. 13: 87.
- 52. O'Neal, S.L and W. Zheng (2015). "Manganese Toxicity Upon Overexposure: a Decade in Review". Current Environmental Health Reports. 2(3):315-328.
- 53. Parvez, F., et al. (2011). "Arsenic Exposure and Motor Function among Children in Bangladesh". Environmental Health Perspectives. 119(11): 1665-1670.
- 54. Qiao, Y., et al. (2015). "Epigenetics Involvement in Parkinson's Disease and Manganese-Induced Neurotoxicity". Journal of Clinical Epigenetics. 1(12).
- 55. Riojas-Rodriguez, H., et al. (2010). "Intellectual Function in Mexican Children Living in a Mining Area and Environmentally Exposed to Manganese". Environmental Health Perspectives. 118(10): 1465-1470.
- 56. Ryu, H., et al. (2015). "Influence of Toxicologically Relevant Metals on Human Epigenetic Regulation". Toxicology Research. 31(1): 1-9.
- 57. Sahni, V., et al. (2007). "Case Report: A Metabolic Disorder Presenting as Pediatric Manganism". Environmental Health Perspectives. 115(12): 1776-1779.
- 58. Sánchez DJ, Domingo JL, Llobet JM, et al. 1993. Maternal and developmental toxicity of manganese in the mouse. Toxicol Lett 69:45-52.
- 59. Santamaria, A.B. (2008). "Manganese exposure, essentiality & toxicity". Indian Journal of Medical Research. 128:484-500.
- 60. Schroeter, J.D., et al. (2011). "Analysis of Manganese Tracer Kinetics and Target Tissue Dosimetry in Monkeys and Humans with Multi-Route Physiologically Based Pharmacokinetic Models". Toxicological Sciences. 120(2):481-498.
- 61. Schroeter, J.D., et al. (2012). "Application of a Multi-Route Physiologically Based Pharmacokinetic Model for Manganese to Evaluate Dose-Dependent Neurological Effects in Monkeys". Toxicological Sciences. 129(2):432-446.
- 62. Shih, J., et al. (2018). "Association between peripheral manganese levels and attentiondeficit/hyperactivity disorder: a preliminary meta-analysis". Neuropsychiatric Disease and Treatment. 14: 1831-1842.

- 63. Smith, M.R., et. al. (2017). "Redox dynamics of manganese as a mitochondrial life-death switch". Biochemical and Biophysical Research Communications. 482(3):388-398.
- 64. Streifel, K., et. al. (2013). "Manganese inhibits ATP-induced calcium entry through the transient receptor potential channel TRPC3 in astrocytes". Neurotoxicology. 34:160-166.
- 65. Tarale, P., et al. (2016). "Potential Role of Epigenetic Mechanism in Manganese Induced Neurotoxicity". Biomedical Research International. 2016 (article 2548792).
- 66. USEPA (U.S. Environmental Protection Agency). 2000.*Methodology for Deriving Ambient Water Quality Criteria for the Protection of Human Health*. EPA 882-B-00-004. U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology, Washington, DC.
- 67. USEPA (U.S. Environmental Protection Agency). Integrated Risk Information System Chemical Assessment Summary for Manganese (CASRN 7439-96-5). U.S. EPA Office of Research and Development, National Center for Environmental Assessment, Integrated Risk Information System Program. Washington, D.C. Accessed November 2016.
- 68. USEPA (U.S. Environmental Protection Agency). *Water Quality Criteria 1972 ("Blue Book")*. EPA-R3-73-033. National Academy of Sciences. Washington, D.C.
- 69. USEPA (U.S. Environmental Protection Agency). *Quality Criteria for Water 1976 ("Red Book"*). EPA 440-9-76-023. EPA Office of Water Planning and Standards. Washington, D.C.
- 70. USEPA (U.S. Environmental Protection Agency). *Quality Criteria for Water 1986 ("Gold Book"*). EPA 440/5-86-001. EPA Office of Water Regulations and Standards. Washington, D.C.
- 71. USEPA (U.S. Environmental Protection Agency). *Drinking Water Health Advisory for Manganese*. EPA-822-R-04-003. EPA Office of Water; Health and Ecological Criteria Division. Washington, D.C.
- 72. Vaiserman, A. (2015). "Epidemiologic evidence for association between adverse environmental exposures in early life and epigenetic variation: a potential link to disease susceptibility?". Clinical Epigenetics. 7(1): 96.
- 73. Wasserman, G.A., et al. (2006). "Water Manganese Exposure and Children's Intellectual Function in Araihazar, Bangladesh". Environmental Health Perspectives. 114(1):124-129.
- 74. Wasserman, G.A., et al. (2011). "Arsenic and manganese exposure and children's intellectual function". Neurotoxicology. 32(4):450-457.

- 75. Weber, S., et al. (2002). "Effects of Manganese (Mn) on the Developing Rat Brain: Oxidative-Stress Related Endpoints". NeuroToxicology. 23: 169-175.
- 76. Woolf, A., et al. (2002). "A Child with Chronic Manganese Exposure from Drinking Water". Environmental Health Perspectives. 110(6): 1-4.
- 77. World Health Organization (WHO). (2004). Manganese and Its Compounds: Environmental Aspects.
- 78. Yoon, M., et al. (2011). "Physiologically Based Pharmacokinetic Modeling of Fetal and Neonatal Manganese Exposure in Humans: Describing Manganese Homeostasis during Development". Toxicological Sciences. 122(2): 297-316.