

Benner Township PFAS Investigation
Private Water Supply Well Results - PFOA/PFOS
All Samples Listed Collected by DEP or HDR

Address	Street	Date Sampled	Date Results Reported	PFOA	PFOS	Combined	Sample Type
2178	High Tech Road	11/21/2019	12/31/2019	14.0	124.6	138.6	
2197	High Tech Road	11/20/2019	12/31/2019	11.8	100.3	112.1	
1864	Walnut Grove Drive	12/15/2021	2/7/2022	8.0	186.8	194.8	
1858	Walnut Grove Drive	12/15/2021	2/7/2022	4.0	25.3	29.3	
1840	Walnut Grove Drive	12/15/2021	2/7/2022	ND	25.5	25.5	
1882	Millson Circle	12/15/2021	2/7/2022	4.0	3.6	7.6	
1250	Rock Road	12/15/2021	2/7/2022	ND	ND	ND	
Benner Fish Hatchery	Well #2	12/15/2021	2/7/2022	4.9	8.1	13.0	
Benner Spring		12/15/2021	2/7/2022	ND	38.2	38.2	
1828	Walnut Grove Drive	2/22/2022	3/10/2022	6.3	30.0	36.3	
1877	Millson Circle	2/22/2022	3/10/2022	8.7	59.0	67.7	
1864	Walnut Grove Drive	2/22/2022	3/10/2022	0.7	1.0	1.7	Post-Trmt
1853	Walnut Grove Drive	2/22/2022	3/10/2022	ND	0.5	0.5	
2190	High Tech Road	2/22/2022	3/10/2022	5.4	41.0	46.4	
525	Kristina Circle	2/23/2022	3/28/2022	ND	ND	ND	
1000	Fillmore	2/23/2022	3/10/2022	1.6	ND	1.6	
338	Big Hollow Road	2/23/2022	3/10/2022	1.2	7.7	8.9	
122	Big Hollow Road	3/22/2022	4/6/2022	ND	ND	ND	
135	Theodore Lane	3/22/2022	4/7/2022	ND	ND	ND	
1241	Fox Hill Road	3/22/2022	4/7/2022	ND	ND	ND	
1412	Majestic View Drive	3/22/2022	3/31/2022	6.3	120.0	126.3	
1419	Majestic View Drive	3/22/2022	4/7/2022	7.0	150.0	157.0	
1425	Majestic View Drive	3/22/2022	3/31/2022	5.1	33.0	38.1	
1822	Walnut Grove Drive	3/22/2022	3/31/2022	5.4	49.0	54.4	
1834	Walnut Grove Drive	3/22/2022	4/7/2022	4.0	20.0	24.0	
1852	Walnut Grove Drive	3/22/2022	4/7/2022	5.7	140.0	145.7	
258	Old Farm Lane	3/23/2022	4/7/2022	ND	ND	ND	
288	Big Hollow Road	3/23/2022	4/6/2022	ND	7.8	7.8	
480	Big Hollow Road	3/23/2022	4/6/2022	ND	ND	ND	

Address	Street	Date Sampled	Date Results Reported	PFOA	PFOS	Combined	
500	Kristina Circle	3/23/2022	4/7/2022	ND	ND	ND	
786	Big Hollow Road	3/23/2022	4/7/2022	11.0	4.3	15.3	
1004	Fillmore	3/23/2022	4/7/2022	ND	ND	ND	
1418	Majestic View Drive	3/23/2022	4/6/2022	8.1	77.0	85.1	
1424	Majestic View Drive	3/23/2022	4/6/2022	5.3	81.0	86.3	
1436	Majestic View Drive	3/23/2022	4/6/2022	5.3	80.0	85.3	
1437	Majestic View Drive	3/23/2022	4/6/2022	3.5	30.0	33.5	
1443	Majestic View Drive	3/23/2022	4/7/2022	5.5	85.0	90.5	
1810	Walnut Grove Drive	3/23/2022	4/6/2022	ND	ND	ND	
1811	Walnut Grove Drive	3/23/2022	4/8/2022	ND	6.5	6.5	
1829	Walnut Grove Drive	3/23/2022	4/7/2022	6.8	28.0	34.8	
1835	Walnut Grove Drive	3/23/2022	4/7/2022	5.2	57.0	62.2	
1841	Walnut Grove Drive	3/23/2022	4/7/2022	2.8	32.0	34.8	
2496	Bernel Road	3/23/2022	4/6/2022	ND	ND	ND	
50	Far Hills Avenue	3/24/2022	4/8/2022	ND	ND	ND	
153	Far Hills Avenue	3/24/2022	4/8/2022	ND	ND	ND	
1413	Majestic View Drive	3/24/2022	4/7/2022	4.7	98.0	102.7	
1430	Majestic View Drive	3/24/2022	4/8/2022	6.6	120.0	126.0	
1442	Majestic View Drive	3/24/2022	4/8/2022	2.6	12.0	14.6	
1883	Millson Circle	3/24/2022	4/8/2022	7.4	21.0	28.4	
1846	Walnut Grove Drive	4/19/2022	5/2/2022	4.0	65.0	69.0	
1430	Majestic View Drive	4/19/2022	4/29/2022	ND	ND	ND	Post-Trmt
2190	High Tech Road	4/19/2022	4/29/2022	5.2	39.0	44.2	Confirmatory
1859	Walnut Grove Drive	4/19/2022	5/2/2022	5.0	190.0	195.0	
1835	Walnut Grove Drive	4/19/2022	5/2/2022	5.1	48.0	53.1	Confirmatory
1877	Millson Circle	4/19/2022	4/29/2022	7.0	59.0	66.0	Confirmatory
194	Big Hollow Road	4/20/2022					
2234	Barns Lane	4/20/2022					
2528	Bernel Road	4/20/2022					
1876	Millson Circle	4/20/2022					
Benner Spring		4/20/2022					
Bellefonte Fish Hatchery		4/20/2022					

Concentrations reported in ng/l

at or above 70

results pending

ND not detected at laboratory detection limit