

Brunner Island, LLC
REGULATORY DELIVERABLE
SUBMITTAL COVER SHEET

Date:	June 17, 2024	Transmittal No.:	BI-47-2024-06-17-v.1 (Part A)
DOCUMENT DESCRIPTION:		Quarterly Groundwater Report: 2nd Quarter 2024--Basin 5, Disposal Area 8, and Pyrite Tomb Area, Brunner Island, LLC	
CONSENT DECREE REFERENCE:		Paragraph No.:	47
BRIEF DESCRIPTION OF OUTLINED REQUIREMENT:		Brunner shall promptly provide Citizens with all deliverables required under this Consent Decree, as well as quarterly groundwater monitoring data from Ash Basins 5 and 6 and Disposal Area 8.	
RECIPIENT(S):			
NAME:		ORGANIZATION:	
Thomas Weissinger		Talen Energy	
Lisa Widawsky Hallowell (email: lhallowell@environmentalintegrity.org)		EIP	
Dante Mack (email: dmack@environmentalintegrity.org)		EIP	
Brunner Island, LLC Contact Name:		Kathleen Locke	
Brunner Island, LLC Contact Phone:		(717) 268-1531	
Mailing Address: Brunner Island, LLC P. O. Box 221 York Haven, PA 17370		Street Address: Brunner Island, LLC 1400 Wago Road Mt. Wolf, PA 17347	



Martin E. Mengel, PG • Project Manager – Environmental Services
Talen Energy Supply, LLC
600 Hamilton Street, Suite 600 • Allentown, PA 18101
(610) 248-9665 • Martin.Mengel@TalenEnergy.com

June 14, 2024

Mr. Timothy Long, PG
Pennsylvania Department of Environmental Protection
Waste Management Program
909 Elmerton Ave.
Harrisburg, Pennsylvania 17110

**RE: Quarterly Groundwater Report: 2nd Quarter 2024
Basin 5, Disposal Area 8, and Pyrite Tomb Area
Brunner Island, LLC**

Dear Mr. Long:

Please accept this letter and attachments as the quarterly report for Basin 5 at the Brunner Island Steam Electric Station.

Note that a data table (water depth and pH) and associated trend plots for pyrite tomb standpipe monitoring have been added to this Basin 5 report, beginning with the second quarter 2017 groundwater report.


The analytical results are provided on Form 14R (enclosed) in accordance with the Basin 5 closure plan approved by the PADEP in December 2000. A summary table of results, an Excel spreadsheet file, and maps showing well locations are also enclosed.

Please call or email me with any questions. Thank you.

Sincerely,

A handwritten signature in black ink that reads "M. E. Mengel".

Martin E. Mengel, PG/CHMM



Attachments: report, data table, pyrite tomb standpipe monitoring results, maps, LandLinks EDD, trend plots, 14Rs, and statistics summary

Cc: Kathleen Locke (w/atts.) – Brunner Island, LLC
Ben Wilburn – Talen Energy Supply, LLC
Citizens (w/atts.)

Groundwater Monitoring Report – Second Quarter 2024

Brunner Island, LLC - Basin 5

Brunner Island Steam Electric Station

BACKGROUND

The Brunner Island Steam Electric Station (Brunner Island SES) is located in York Haven, York County, Pennsylvania and is owned and operated by Brunner Island, LLC (Brunner). An overall Brunner Island SES map and a basin specific map are attached (Attachments 2 and 3).

The PADEP issued Residual Waste Permit # 301337 on December 28, 2000, approving the Basin 5 closure plan. The residual waste permit expired on December 27, 2007 and was not renewed by the PADEP. Brunner believes that Mandatory Abatement Trigger Levels (MATLs) no longer apply to Basin 5, as a result of the permit expiration, and therefore, Brunner no longer uses MATLs as the primary data screening tool for Basin 5 groundwater results.

Disposal Area 8 (a Class 2 residual waste landfill) was constructed on top of Basin 5. Construction was completed and disposal into the landfill began in late 2008. The permitted area for the landfill encompasses approximately 20 acres, however, currently only 9 acres have been constructed and are actively utilized. The existing groundwater monitoring network for Basin 5 was chosen and approved by the PADEP to serve as the monitoring network for Area 8 as well.

In accordance with Brunner's PADEP-approved *Workplan – Groundwater Risk Evaluation – Ash Basin 4 and Pyrite Tomb* dated September 29, 2016, a downgradient monitoring well MW-PT-1 was installed in January 2017 to help assess potential impacts from the pyrite tomb. Additionally, pH and liquid depth monitoring data and associated trend plots for water within the pyrite tomb standpipe have been added to this Basin 5 report, beginning with the second quarter of 2017.

In accordance with the closure/ post closure use plan, construction of the rail extension on Basin 5 was completed in 2013. As a result, moderate subsurface disturbance has occurred in the area.

Groundwater monitoring in the vicinity of Basin 5 is currently conducted quarterly as required in accordance with the approved Basin 5 closure plan. This groundwater monitoring generally includes sampling wells upgradient and downgradient of Basin 5 for indicator parameters of fly ash such as arsenic, boron, lithium, selenium, strontium, and total dissolved solids. Other parameters are routinely monitored in the vicinity of Basin 5 in accordance with permit requirements and are listed on the attached summary table of quarterly groundwater monitoring results (Attachment 1). Brunner reviews current and historical data (approximately the past 10 years) to identify trends and to compare data with Pennsylvania Act 2 residential Statewide Health Standards for used aquifers and/or EPA National Drinking Water Standards.

A groundwater recovery system was installed on the northern portion of Ash Basin 5 to abate apparent migration of dissolved constituents from the Pyrite Tomb area (located on the northeast corner of Ash Basin 5) and the Bottom Ash Processing Area (located on the northwest corner of Ash Basin 5). The groundwater recovery system consists of five groundwater recovery wells

designated as RW-5-B1 through RW-5-B5 associated with the Pyrite Tomb, and four groundwater recovery wells designated as RW-5-A1 through RW-5-A4 associated with the Bottom Ash Processing Area. Capture zones were determined to be sufficient as shown in the *Recovery Well Installation and Pumping Test Report* (rev. 1/23/2023). The full-time operation of the groundwater recovery began on February 6, 2024.

The effectiveness of the groundwater abatement (groundwater recovery system) will be based on the capture zones and/or reduction in concentrations of constituents of concern (COCs) in monitoring wells MW-8-4, MW-PT-1, MW-8-8A, MW-8-8B, MW-8-9B, and MW-8-9C on the east side of Ash Basin 5 (Pyrite Tomb area), and monitoring wells MW-8-5A and MW-8-5B on the west side of Ash Basin 5 (Bottom Ash Processing Area). The effectiveness of the recovery system will be evaluated over a 12-quarter period (3-years) based on data starting from the initiation of full-time groundwater recovery operations (February 6, 2024). A groundwater evaluation report is scheduled to be completed in approximately June 2027 to document the effectiveness of groundwater abatement (the report is required within 90 days of the expected March 2027 receipt of the 12th of 12 quarterly groundwater monitoring event results).

GROUNDWATER MONITORING PROGRAM

Monitoring Locations – Basin 5

Downgradient and upgradient monitoring wells for Basin 5 are listed below and shown on the attached Site Plan of Basin 5 (Attachment 3).

- Background monitoring well – MW-19
- Upgradient monitoring well – MW-4-7A
- Downgradient monitoring wells – MW-4-10, MW-8-1N, MW-8-2, MW-8-3A, MW-8-3B, MW-8-4, MW-8-5A, MW-8-5B, MW-8-10A, MW-8-10B, MW-8-10C, MW-8-12C, MW-8-8A, MW-8-8B, MW-8-9B, MW-8-9C, and MW-PT-1
- Pyrite tomb standpipe (lab analytical concluded in 2017; field pH and water elevation monitoring to continue)

Monitoring Schedule

For all the monitoring wells listed above, except MW-8-10C and MW-8-12C, quarterly sampling of field parameters, non-metals, and metals are performed. For MW-8-10C and MW-8-12C, these parameters are only required to be sampled annually during the second calendar quarter. All the monitoring parameters are listed on the attached Summary Table of Basin 5 Groundwater Monitoring Results (Attachment 1). For MW-8-8A, MW-8-8B, MW-8-9B, and MW-8-9C, the only metals analyzed are arsenic, lithium, manganese, and molybdenum (all other Basin 5 field parameters and non-metals are also analyzed). Additionally, for quality assurance/quality control (QA/QC), field blanks and duplicates are routinely collected during each sampling event.

QA/QC Results

For the site-wide monitoring event conducted at Brunner Island SES for the second quarter of 2024, Brunner samplers collected seven field blanks (all groundwater field blanks) and nine duplicate samples. The duplicate samples were collected from nine groundwater wells (including CL-7A, MW-4-7A, MW-8-5A, MW-6-4, MW-7-3, PZ-7-32, EQ-1, GC-1N, and MW-19). These field blanks and duplicates were analyzed by the laboratory along with the routinely collected groundwater samples. For the seven field blanks, three water quality parameters were detected above respective limits of quantification (chloride, molybdenum, and total dissolved solids) for a total of five analyses. In Brunner's opinion, analysis of the field blanks indicated no significant evidence of sample contamination related to field sampling procedures or sample containers. For the nine duplicates, a total of 583 paired analyses were performed with 11 paired analyses exceeding Brunner's acceptable level of less than 20% relative percent difference (RPD) between duplicates. Based on these QA/QC results, Brunner believes that the laboratory precision is reasonable, and the monitoring results are acceptable for reporting to the PADEP.

GROUNDWATER MONITORING RESULTS

The groundwater sampling results for this quarter are summarized on Attachment 1, Summary Table of Basin 5 Groundwater Monitoring Results. Upgradient and downgradient wells are indicated in the headings at the top of this table. Any groundwater concentrations that exceeded the listed regulatory standards are indicated in red text color. Groundwater monitoring results are also reported on the 14R forms for each well (Attachment 5).

Below are the findings for each Basin 5 monitoring well:

Upgradient Monitoring Well (MW-4-7A)

Upgradient monitoring well MW-4-7A is located near the northwest corner of Basin 5 and serves as an upgradient well to the basin. Key results for this quarter and trends for MW-4-7A are as follows:

- pH is consistently near neutral.
- Total dissolved solids concentration of 1,120 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L, and TDS exhibits a slightly increasing trend.
- Sulfate concentration of 589 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L, and sulfate exhibits a slightly increasing trend.
- Boron concentrations have been relatively stable since 2012 and are far below the Act 2 residential Statewide Health Standard of 6,000 µg/L, although concentrations at MW-4-7A have fluctuated upward slightly since the fourth quarter of 2018.
- Calcium concentrations historically exhibit a stable long-term trend, but concentrations have exhibited increased variability since the fourth quarter of 2018.
- Lithium (dissolved) concentration of 252 µg/L exceeded the Act 2 residential Statewide Health Standard of 69 µg/L. Lithium concentrations at MW-4-7A have exhibited an

increasing trend since 2011, and now exceed the Act 2 standard (with increased variability since the first quarter of 2020).

- Manganese (dissolved) concentration of 104 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L but did not exceed the Act 2 residential Statewide Health Standard of 300 µg/L. Manganese concentrations are seasonally variable (within a fairly stable range) at MW-4-7A with peak concentrations typically exceeding the Secondary Drinking Water Standard and occasionally exceeding the Act 2 standard.
- Sodium concentrations demonstrate a gradual long-term increasing trend but appear to be stabilizing at about 60 mg/L. Sodium has also exhibited recent increased variability (similar to boron and calcium). There are no EPA drinking water or PA Act 2 standards for sodium.

Downgradient Monitoring Wells

1. MW-4-10 - Monitoring well MW-4-10 is located on the dike between Basin 4 and Basin 5 and would be expected to be more representative of basin pore water than the groundwater surrounding the basin. Relatively significant ash-related impact would be expected and is observed, as compared to monitoring wells which are not bounded by ash on both sides. The general area around MW-4-10 has periodically experienced earth disturbance related to wastewater treatment plant construction. This disturbance has apparently impacted groundwater/pore water quality in MW-4-10. Key results for this quarter and trends for MW-4-10 are as follows:

- Beginning in mid-2018, substantial upward fluctuations (beyond respective historical ranges in many cases) for numerous parameters (including total dissolved solids, sulfate, boron, calcium, specific conductance, and strontium) correlated to increased groundwater elevations. Except for calcium and strontium, these parameters have returned to pre-2018 concentrations.
- Field pH (5.36 S.U.) is below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U. The historical pH range for this well is approximately 4 to 6.5.
- Total dissolved solids concentration of 837 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L. Total dissolved solids exhibit a decreasing trend since 2019. As noted above, following a period of increased concentrations, total dissolved solids have returned to pre-2018 concentrations.
- Sulfate concentration of 532 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L. Sulfate concentrations exhibit a generally decreasing trend since 2019.
- Concentrations of aluminum, arsenic, beryllium, cadmium, fluoride, nickel, and zinc have exhibited similar elevated and variable concentration trends for the past few years, with noticeable peaks in 2011, 2014, 2016, and 2018, resulting in some exceedances of respective regulatory standards. Elevated concentrations of these metals are likely related to low pH occurrences when groundwater elevations are high. Since 2022, aluminum concentrations have been more consistently elevated, fluctuating around the Secondary Drinking Water Standard of 200 µg/L.

- Boron concentrations are elevated and variable (ranging from about 1,500 to 3,500 µg/L) relative to the other Basin 5 wells but meet the Act 2 residential Statewide Health Standard of 6,000 µg/L. Boron exhibits a general decreasing trend since 2012 (except for upward fluctuations from mid-2018 to 2022 as noted above).
 - Iron is present at low concentrations, and typically is below the Secondary Drinking Water Standard. Iron (total) occasionally exceeds the standard.
 - Lithium (dissolved) concentration of 598 µg/L exceeded the Act 2 residential Statewide Health Standard of 69 µg/L. Lithium concentrations at MW-4-10 are the most elevated of all Basin 5 wells but exhibit a slightly decreasing trend since 2012.
 - Manganese (dissolved) concentration of 1,920 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L. Manganese concentrations are elevated and variable but exhibit a relatively stable long-term trend.
 - Molybdenum (dissolved) concentration of 124 µg/L exceeded the Act 2 residential Statewide Health Standard of 40 µg/L. Molybdenum concentrations at MW-4-10 are the most elevated and variable of the Basin 5 wells, but the long-term trend is decreasing.
 - Potassium and sodium concentrations are elevated relative to the other Basin 5 wells. Potassium demonstrates an increasing trend, while sodium demonstrates a decreasing trend. There are no EPA drinking water or PA Act 2 standards for potassium and sodium.
 - Selenium is variable and demonstrates a long-term increasing trend, similar to the increasing trend at background well MW-19, but more variable since 2014. Concentrations have been below the Act 2 residential Statewide Health Standard of 50 µg/L, except for the fourth quarter of 2018.
2. **MW-8-1N** - MW-8-1 was decommissioned on March 27, 2013, shortly after first quarter 2013 sampling was conducted, to accommodate the footprint of the railroad extension project. MW-8-1 was replaced by MW-8-1N (as installed on September 17, 2013) and quarterly sampling was initiated in the third quarter of 2013. Key results for this quarter and trends for MW-8-1N are as follows:
- pH is near neutral, but slightly acidic, sometimes below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U.
 - Total dissolved solids concentration of 684 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L. Total dissolved solids concentrations increased after the well was installed (in 2013) until the second quarter of 2015. Since then, concentrations have generally decreased. Specific conductance exhibits a similar trend. These trends for TDS and specific conductance are likely related to similar trends for calcium, magnesium, sodium, strontium, and sulfate at MW-8-1N.

- Sulfate concentration of 319 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L. Like total dissolved solids, sulfate concentrations had increased until the second quarter of 2015, but concentrations have since decreased and are now below 400 mg/L.
- Boron concentrations are well below the Act 2 residential Statewide Health Standard of 6,000 mg/L and are the lowest of all Basin 5 wells.
- Calcium and magnesium concentrations were elevated (compared to most other Basin 5 wells) from 2015 to 2018, but recent concentrations have decreased similar to the trend for total dissolved solids (discussed above). There are no EPA drinking water or PA Act 2 standards for these parameters.
- Chloride and sodium concentrations have historically been elevated and variable compared to the other Basin 5 wells, but chloride has always been below the Secondary Drinking Water Standard of 250 mg/L. Since 2014 and 2015 respectively, chloride and sodium concentrations have decreased significantly (with variability) and are now comparable to concentrations at several other Basin 5 wells.
- Iron concentrations are elevated and variable relative to most Basin 5 wells, typically exceeding the Secondary Drinking Water Standard of 0.3 mg/L.
- Manganese (dissolved) concentration of 1,310 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L. Manganese concentrations are elevated but exhibit a long-term stable trend with some variability.
- Strontium is usually the most elevated of all the Basin 5 wells (except for recent upward fluctuations at MW-4-10) and exhibits a relatively stable trend since 2015. Strontium concentrations are below the Act 2 residential Statewide Health Standard of 4,000 µg/L.

3. MW-8-2 - Key results for this quarter and trends for MW-8-2 are as follows:

- pH is stable and near neutral, but is occasionally below the Secondary Drinking Water range of 6.5 to 8.5 S.U.
- Sulfate and total dissolved solids had exhibited long-term stable trends below the respective Secondary Drinking Water Standards of 250 mg/L and 500 mg/L. However, concentrations increased during the first quarter of 2023. Since then, total dissolved solids concentrations have been fluctuating around the standard, and sulfate concentrations fluctuate just below the standard.
- Manganese (dissolved) concentration of 576 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L. Concentrations exhibit a long-term stable trend with some variability.
- Molybdenum (dissolved) concentration of 274 µg/L exceeded the Act 2 residential Statewide Health Standard of 40 µg/L. However, concentrations exhibit a fairly stable trend.

- Strontium concentrations exhibits a slight long-term increasing trend but are below the Act 2 residential Statewide Health Standard of 4,000 µg/L.

4. MW-8-3A and MW-8-3B - Key results for this quarter and trends for MW-8-3A and MW-8-3B are as follows:

- pH is stable and near neutral at both wells, but slightly lower at MW-8-3A. pH at MW-8-3A is sometimes slightly below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U.
- Total dissolved solids concentrations at both wells exhibit increasing long-term trends with some variability. Concentrations are higher and more variable at MW-8-3A. The total dissolved solids concentration at MW-8-3A typically exceeds the Secondary Drinking Water Standard of 500 mg/L, while concentrations at MW-8-3B typically fluctuate around the standard.
- Sulfate concentrations in both wells exhibit relatively stable long-term trends with some variability. Sulfate concentrations at MW-8-3A typically fluctuate around the Secondary Drinking Water Standard of 250 mg/L, while concentrations at MW-8-3B are typically below the standard.
- Arsenic (dissolved) concentrations at both wells exhibit stable long-term trends with seasonal variability. Dissolved arsenic concentrations at MW-8-3A typically range from 3 to 20 µg/L over the past 10 years with peak concentrations exceeding the Primary Drinking Water Standard of 10 µg/L. Since 2019, total arsenic at MW-8-3A exhibits increased variability. At MW-8-3B, arsenic concentrations exhibit a decreasing trend since approximately 2019. Brunner believes that relatively permeable material is associated with relic stream channels existing beneath Basin 5, potentially accounting for arsenic detections at wells MW-8-3A and MW-8-3B.
- Iron concentrations at MW-8-3A are variable and exceed the Secondary Drinking Water Standard of 0.3 mg/L (possibly due to impacts from historical pyritic material handling). Iron is present in MW-8-3B, but at much lower concentrations than at MW-8-3A, suggesting possibly more impact in the upper part of the water-bearing zone (and/or possibly a higher iron concentration related to the high turbidity within MW-8-3A groundwater). Peak iron concentrations in MW-8-3B exceed the standard.
- Manganese concentrations in both wells exceed the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L but exhibit long-term stable trends with some variability. Since 2019, manganese at MW-8-3A exhibits increased variability.
- Molybdenum concentrations in both wells normally exceed the Act 2 residential Statewide Health Standard of 40 µg/L but exhibit long-term stable/slight decreasing trends.

5. MW-8-4 - Key results for this quarter and trends for MW-8-4 are as follows:

- Field pH at MW-8-4 is typically below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U., but exhibits an increasing trend.

- Sulfate and total dissolved solids concentrations at MW-8-4 had previously been elevated above respective Secondary Drinking Water Standard, but as a result of long-term decreasing trends, concentrations are now below the standards (since approximately 2023).
 - Aluminum concentrations are elevated and variable relative to most other Basin 5 wells, sometimes exceeding the Secondary Drinking Water Standard of 200 µg/L.
 - Beryllium, cadmium, nickel, and zinc concentrations had been variable and elevated relative to other Basin 5 wells. However, since 2012, concentrations have generally decreased and have been less variable. These parameters now meet respective regulatory standards.
 - Chloride concentrations are seasonally variable but remain well below the Secondary Drinking Water Standard of 250 mg/L. Peak chloride concentrations have decreased since 2015.
 - Manganese concentrations remain elevated at 2,820 µg/L compared to the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L. Manganese concentrations at MW-8-4 are the most elevated and variable of all the Basin 5 wells, but concentrations exhibit a long-term downward trend with decreasing variability.
- 6. MW-8-5A and MW-8-5B** - These wells are located at the northwestern corner of Basin 5. Key results for this quarter and trends for MW-8-5A and MW-8-5B are as follows:
- pH is stable and near neutral at both wells.
 - Total dissolved solids concentrations are elevated in excess of the Secondary Drinking Water Standard in both wells, with stable long-term trends (current concentrations of 742 and 786 µg/L for MW-8-5A and MW-8-5B, respectively).
 - Sulfate concentrations demonstrate stable long-term trends in MW-8-5A and MW-8-5B with current concentrations of 311 mg/L and 342 mg/L, respectively, compared to the Secondary Drinking Water Standard of 250 mg/L.
 - Arsenic (dissolved) concentrations in MW-8-5A and MW-8-5B are elevated (current concentrations of 98.4 µg/L and 218 µg/L, respectively) in excess of the Primary Drinking Water Standard of 10 µg/L. Arsenic concentrations at MW-8-5B exhibit a slight decreasing trend, but concentrations have exhibited increased variability since 2019. Concentrations at MW-8-5A exhibit a stable long-term trend.
- Note: PPL's groundwater consultant, Ish Inc., confirmed that Basin 5 is the source of arsenic identified in MW-8-5A and MW-8-5B. As part of the assessment conducted to investigate the elevated arsenic in MW 8-5 area, Ish Inc. established that arsenic attenuates quickly and is not elevated in the new point of compliance wells MW-8-10A and MW 8-10B.
- Lithium concentrations exceed the Act 2 residential Statewide Health Standard of 69 µg/L but demonstrate fairly stable long-term trends at both wells (current concentrations of 177

µg/L and 217 µg/L for MW-8-5A and MW-8-5B, respectively), but concentrations have exhibited increased variability since the fourth quarter of 2019.

- Manganese concentrations exceed the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L in both wells (current concentrations of 370 and 561 µg/L for MW-8-5A and MW-8-5B respectively). Manganese exhibits a slight increasing trend at MW-8-5A and a slight decreasing trend at MW-8-5B.
- Molybdenum concentrations exceed the Act 2 residential Statewide Health Standard of 40 µg/L in both wells (current concentrations of 343 and 307 µg/L for MW-8-5A and MW-8-5B respectively) but exhibit slightly decreasing long-term concentration trends with increased variability since the third quarter of 2019.
- Strontium concentrations exhibit increasing trends in both wells. Strontium concentrations are below the Act 2 residential Statewide Health Standard of 4,000 µg/L.

7. MW-8-10A, MW-8-10B, and MW-8-10C - Monitoring wells MW-8-10A, MW-8-10B, and MW-8-10C were added to the monitoring program as part of Area 8 monitoring system located within Basin 5. These wells also serve as the point of compliance wells, downgradient of MW-8-5A and MW-8-5B. MW-8-10A and MW-8-10B are sampled quarterly while MW-8-10C is sampled annually during the second calendar quarter. Most importantly, arsenic concentrations in MW-8-10A, MW-8-10B, and MW-8-10C continue to meet the Primary Drinking Water Standard of 10 µg/L and exhibit stable/decreasing trends. Other key results and trends for these wells for this quarter are as follows:

- MW-8-10B demonstrates typically slightly alkaline pH and overall better and more stable water quality than MW-8-10A and MW-8-10C. pH at MW-8-10C is also slightly alkaline.
- pH at MW-8-10A is near neutral, but lower than pH at MW-8-10B and MW-8-10C. pH at MW-8-10A is sometimes slightly below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U.
- Sulfate and total dissolved solids concentrations at MW-8-10A exceed the Secondary Drinking Water Standards, and exhibit an increasing trend since 2021 (after previously fluctuating around the respective standards since 2018). These trends appear to be related to similar trends for calcium, magnesium, specific conductivity, and strontium. At MW-8-10B, total dissolved solids concentrations exhibit an increasing trend above the 500 mg/L standard. Sulfate concentrations at MW-8-10B are below the 250 mg/L standard and exhibit a slight decreasing trend.
- Iron concentrations at MW-8-10C are variable and occasionally exceed the Secondary Drinking Water Standard of 0.3 mg/L. During the second quarter of 2023, dissolved iron at MW-8-10C fluctuated upward beyond the historical range of variability, exceeding the Secondary Drinking Water Standard of 0.3 mg/L. During the second quarter of 2024, dissolved iron at MW-8-10C returned to a lower concentration consistent with the historical trend.

- Manganese concentrations at MW-8-10A are elevated and seasonally variable, exceeding the Secondary Drinking Water Standard of 50 µg/L and historically had exceeded the Act 2 residential Statewide Health Standard of 300 µg/L. However, peak manganese concentrations at MW-8-10A have decreased significantly since 2018 (below the Act 2 standard). Manganese concentrations at MW-8-10C normally exceed both standards but are less variable than at MW-8-10A.
 - Molybdenum concentrations at MW-8-10C exceed the Act 2 residential Statewide Health Standard of 40 µg/L, while concentrations at MW-8-10A and MW-8-10B sometimes exceed the standard. Similar to manganese, peak molybdenum concentrations at MW-8-10A have decreased significantly since 2018 and have not exceeded the standard since the first quarter of 2018.
 - Vanadium concentrations at MW-8-10B fluctuate around the limit of quantification, but are well below the Act 2 residential Statewide Health Standard of 170 µg/L, which was increased in 2023.
 - During the second quarter of 2023, at MW-8-10C, several dissolved metals fluctuated below the historical range of variability including barium, boron, calcium, magnesium, and strontium; and iron fluctuated above the historical range of variability. During the second quarter of 2024, each of these parameters returned to concentrations consistent with respective historical trends.
8. **MW-8-12C** - Sampling is required at MW-8-12C annually in the second calendar quarter. Key results and trends for the second quarter of 2024 were as follows:
- Iron (dissolved) concentration of 0.59 mg/L exceeded the Secondary Drinking Water Standard of 0.3 mg/L. Iron concentrations have generally decreased with variability since 2016.
 - Manganese (dissolved) concentration of 1,590 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L.
 - Molybdenum (dissolved) concentration of 422 µg/L exceeded the Act 2 residential Statewide Health Standard of 40 µg/L. Molybdenum concentrations have fluctuated between approximately 150 and 450 µg/L over the past ten years.
 - Several parameters fluctuated downward during the second quarter of 2019 at MW-8-12C including boron, calcium, iron, magnesium, manganese, molybdenum, potassium, specific conductivity, sulfate, total dissolved solids, and total organic carbon. Barium and strontium fluctuated upward. Since the second quarter of 2020, each of these parameters returned to concentrations consistent with respective historical trends.
9. **MW-8-8A, MW-8-8B, MW-8-9B, and MW-8-9C** – These wells were added to the sampling schedule beginning with the third quarter of 2022. For these wells, the only metals analyzed are arsenic, lithium, manganese, and molybdenum (all other Basin 5 field parameters and non-metals are also analyzed). Key results for this quarter are as follows:

- Arsenic (dissolved) concentrations at these wells ranged from 265 to 440 µg/L, exceeding the Primary Drinking Water Standard of 10 µg/L for each of these wells. Generally arsenic concentration decreases with depth at the locations of paired wells; for example, the concentration is lower at MW-8-9C, which has a deeper screened depth, than at MW-8-9B.
- Lithium (dissolved) concentrations at these wells ranged from 153 to 276 µg/L, exceeding the Act 2 residential Statewide Health Standard of 69 µg/L for each of these wells.
- Manganese (dissolved) concentrations at these wells ranged from non-detect to 1,000 µg/L, exceeding the Act 2 residential Statewide Health Standard of 300 µg/L for three of these wells.
- Molybdenum (dissolved) concentrations at these wells ranged from 145 to 307 µg/L, exceeding the Act 2 residential Statewide Health Standard of 40 µg/L for each of these wells.
- Sulfate concentrations at these wells ranged from 154 to 301 mg/L, exceeding the Secondary Water Standard of 250 mg/L for three of these wells.
- Total dissolved solids concentrations at these wells ranged from 486 to 935 mg/L, exceeding the Secondary Drinking Water Standard of 500 mg/L for three of these wells.

Pyrite Tomb Monitoring

1. **Pyrite Tomb Standpipe** – The pyrite tomb is monitored at least monthly for water depth and field pH, and quarterly reporting (via this quarterly groundwater report) began in the 2nd quarter of 2017. Brunner planned to collect two additional (last) samples from the pyrite tomb standpipe during the 3rd and 4th quarters of 2017 for laboratory analysis (as previously). However, on both quarterly sampling occasions, the standpipe contained too little water to sample (lack of water is a favorable condition). A summary table of the field monitoring results for 2017 thru current is provided in Attachment 4. Trend plots for the field parameters (pH, water depths, water elevations) are provided with the electronic submission of this report.
2. **MW-PT-1** – Downgradient monitoring well MW-PT-1 was installed in January 2017 to help assess the Pyrite Tomb area. This well is located outside of the Basin 5 berm material in native alluvial sediments. Since monitoring of MW-PT-1 commenced, many parameters have exhibited significant variability. Analytical results for the pyrite tomb monitoring well MW-PT-1 are included on Attachment 1, *Summary Table of Basin 5 Groundwater Monitoring Results*, and trend plots for these parameters (as applicable) are provided with the electronic submission of this report. Key results for this quarter are as follows:
 - pH (5.02 S.U.) was below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U. Lower pH and alkalinity values at MW-PT-1 appear to correlate with higher groundwater elevations.
 - Total dissolved solids concentration of 702 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L.
 - Since 2022, nitrate concentrations at MW-PT-1 have been more variable, occasionally exceeding the Primary Drinking Water Standard of 10 mg/L.

- Sulfate concentration of 438 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L.
- Aluminum (total) concentration of 1,600 µg/L exceeded the Secondary Drinking Water Standard of 200 µg/L.
- Manganese (total) concentration of 1,610 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and Act 2 residential Statewide Health Standard of 300 µg/L.

ATTACHMENTS

1. Summary Table of Groundwater Monitoring Results
2. Site Plan – Overall map – Brunner Island SES
3. Site Plan – Brunner Island Basin 5
4. Pyrite Tomb Standpipe Monitoring Results
5. PADEP Form 14Rs
6. Statistics Summary
7. Trend Plots


Brunner Island, LLC
Basin No. 5 Groundwater Monitoring Results


PARAMETER	UNITS	REGULATORY CRITERIA LIMIT	GROUNDWATER MONITORING WELLS																			Pyrite Tomb Monitoring	Upgradient	
			Downgradient																	MW-PT-1	MW-4-7A		MW-19	
Location ID			MW-4-10	MW-8-1N	MW-8-2	MW-8-3A	MW-8-3B	MW-8-4	MW-8-5A	MW-8-5B	MW-8-10A	MW-8-10B	MW-8-10C	MW-8-12C	MW-8-8A	MW-8-8B	MW-8-9B	MW-8-9C	MW-PT-1	MW-4-7A	MW-19			
Sampling Date			4/23/2024	4/20/2024	4/19/2024	4/19/2024	4/19/2024	4/19/2024	4/18/2024	4/18/2024	4/20/2024	4/20/2024	4/20/2024	4/22/2024	4/19/2024	4/19/2024	4/22/2024	4/22/2024	4/22/2024	4/22/2024	4/22/2024	4/23/2024		
Field Parameters (monitored quarterly)																								
Well Depth	FT		38.60	26.30	22.30	26.60	46.80	21.71	39.08	59.13	37.31	56.97	77.60	77.60	52.19	60.50	69.90	90.00	21.20	39.90	45.40			
Sampling Depth	FT		34.00	23.00	15.00	20.00	40.00	18.00	33.00	52.00	32.00	52.00	72.00	72.00	46.00	54.00	64.00	85.00	19.00	35.00	33.00			
Well Purge Volume	L		3.00	3.30	5.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.15	3.00	3.50	3.20	3.08	3.85	4.15	1.80			
Depth to Water	FT		24.01	12.00	4.43	8.97	10.37	12.62	23.05	18.15	16.45	16.61	16.49	9.43	24.30	23.61	27.69	22.46	14.02	25.77	17.62			
Water Surface Elevation	FT		268.70	268.64	267.07	258.41	257.34	257.57	261.99	266.73	260.02	259.66	260.04	263.85	259.90	260.03	256.65	262.22	257.75	262.24	288.18			
Temperature, field	°C		13.42	11.50	10.75	10.73	11.55	10.60	13.49	14.04	12.93	14.98	15.81	12.28	12.61	12.58	12.38	13.59	14.93	13.76	11.70			
pH, field	S.U.	6.5 - 8.5 S	5.36	6.93	6.91	6.54	7.11	4.92	7.10	7.19	6.52	7.41	7.12	7.17	7.18	7.46	7.28	7.31	5.02	6.94	7.00			
pH, lab	S.U.	6.5 - 8.5 S	5.30	6.93	6.92	6.54	7.11	5.21	7.20	7.31	6.77	7.41	7.11	7.25	7.28	7.56	7.16	7.27	5.40	6.81	6.71			
Specific Conductance, field	umhos/cm		1,185.00	1,046.00	818.00	1,209.00	897.00	387.00	1,090.00	1,133.00	1,226.00	934.00	695.00	654.00	1,533.00	1,434.00	1,380.00	801.00	944.00	1,484.00	223.00			
Specific Conductance, lab	umhos/cm		1,161.00	1,030.00	831.00	1,220.00	906.00	398.00	1,100.00	1,140.00	1,240.00	946.00	712.00	659.00	1,560.00	1,450.00	1,370.00	797.00	933.00	1,500.00	228.00			
Turbidity, field	NTU		0.94	0.81	0.53	114.00	0.60	0.28	0.21	0.22	0.41	0.55	0.25	0.57	0.42	0.39	0.44	0.37	1.14	0.18	2.30			
Dissolved Oxygen, field	mg/L		4.15	0.37	1.53	0.49	1.21	2.70	0.82	0.78	1.41	1.18	1.02	3.23	0.88	1.94	1.02	0.96	1.98	2.69	3.73			
Redox, field	mV		402.00	122.20	449.80	147.20	258.20	458.00	188.00	203.00	320.00	246.00	-89.00	-112.70	252.00	269.00	50.30	-68.20	317.50	167.40	242.00			
Non-Metals (monitored quarterly)																								
Alkalinity, total as CaCO3	mg/L		20.20	177.00	168.00	202.00	247.00	< 20	257.00	243.00	161.00	117.00	156.00	188.00	238.00	221.00	226.00	235.00	36.00	228.00	52.50			
Total Organic Carbon	mg/L		0.63	< 0.5	0.94	0.98	0.192 ND	< 0.5	0.192 ND	< 0.5	0.57	0.192 ND	0.192 ND	0.54	0.192 ND	0.192 ND	0.192 ND	< 0.5	2.17	< 0.5	0.192 ND			
Total Dissolved Solids	mg/L	500 S	837.00	684.00	526.00	800.00	527.00	259.00	742.00	786.00	893.00	638.00	435.00	420.00	927.00	935.00	843.00	486.00	702.00	1,120.00	142.00			
Chemical Oxygen Demand	mg/L		< 20	5.3 ND	< 20	22.50	24.70	5.3 ND	5.3 ND	5.3 ND	< 20	< 20	5.3 ND	5.3 ND	< 20	37.80	< 20	5.3 ND	5.3 ND	5.3 ND	5.3 ND			
Bicarbonate	mg/L		20.20	177.00	168.00	202.00	247.00	< 20	257.00	243.00	161.00	117.00	156.00	188.00	238.00	221.00	226.00	235.00	36.00	228.00	52.50			
Chloride, total as Cl	mg/L	250 S	5.19	41.50	26.40	87.60	63.10	5.34	24.70	27.40	68.00	115.00	34.40	8.97	231.00	156.00	159.00	19.50	4.64	13.50	9.08			
Fluoride, total as F	mg/L	2 S, 4 M	0.82	0.25	0.83	0.41	0.45	0.23	1.05	0.86	< 0.2	< 0.2	< 0.2	< 0.2	0.66	0.70	0.34	0.80	0.24	< 0.2	< 0.2			
Ammonia, as N	mg/L		0.066 ND	< 0.2	< 0.2	0.066 ND	0.066 ND	0.066 ND	0.33	0.47	0.066 ND	0.066 ND	0.066 ND	< 0.2	0.49	0.066 ND	0.21	0.32	0.066 ND	< 0.2	0.066 ND			
Nitrate, as N	mg/L	10 M	1.78	0.0218 ND	< 0.5	< 0.5	< 0.5	2.63	< 0.5	0.0218 ND	< 0.5	0.0218 ND	0.0218 ND	0.0218 ND	0.0218 ND	0.77	< 0.5	0.0218 ND	5.60	< 0.5	3.87			
Sulfate, as SO4	mg/L	250 S	532.00	319.00	212.00	315.00	132.00	152.00	311.00	342.00	421.00	189.00	144.00	133.00	261.00	301.00	272.00	154.00	438.00	589.00	21.70			
Metals (monitored quarterly)																								
Aluminum, total	ug/L	200 S	1,410.00	< 100	< 100	< 100	< 100	386.00	< 100	< 100	< 100	< 100	< 100	< 100					1,600.00	< 100	< 100			
Aluminum, dissolved	ug/L	200 S	1,420.00	< 100	< 100	< 100	< 100	408.00	< 100	< 100	< 100	< 100	< 100	< 100						< 100	< 100			
Antimony, total	ug/L	6 M	0.3 ND	0.3 ND	0.3 ND	< 1	< 1	0.3 ND	0.3 ND	0.3 ND	0.3 ND	0.3 ND	0.3 ND	0.3 ND					0.3 ND	0.3 ND	0.3 ND			
Antimony, dissolved	ug/L	6 M	0.3 ND	0.3 ND	< 1	< 1	0.3 ND	0.3 ND	0.3 ND	< 1	0.3 ND	< 1	< 1	0.3 ND						0.3 ND	0.3 ND			
Arsenic, total	ug/L	10 M	0.55 ND	0.55 ND	0.55 ND	19.50	3.26	0.55 ND	97.45	275.00	1.36	0.55 ND	0.55 ND	0.55 ND	461.00	366.00	234.00	216.00	0.55 ND	0.55 ND	< 1			
Arsenic, dissolved	ug/L	10 M	< 1	0.55 ND	0.55 ND	2.08	2.49	0.55 ND	98.40	218.00	< 1	1.65	0.55 ND	< 1	440.00	304.00	265.00	265.00		0.55 ND	1.24			
Barium, total	ug/L	2,000 M	10.70	21.20	39.10	28.90	42.70	25.50	44.90	70.40	30.60	42.30	82.90	61.50					9.65	17.00	217.00			
Barium, dissolved	ug/L	2,000 M	11.80	18.70	38.20	21.90	39.80	23.00	41.60	67.80	26.90	44.70	82.10	63.40						18.30	257.00			
Beryllium, total	ug/L	4 M	< 1	0.19 ND	0.19 ND	0.19 ND	0.19 ND	< 1	0.19 ND	0.19 ND	0.19 ND	0.19 ND	0.19 ND	0.19 ND					1.00	0.19 ND	0.19 ND			
Beryllium, dissolved	ug/L	4 M	< 1	0.19 ND	0.19 ND	0.19 ND	0.19 ND	< 1	0.19 ND	0.19 ND	0.19 ND	0.19 ND	0.19 ND	0.19 ND						0.19 ND	0.19 ND			
Boron, total	ug/L	6,000 A	915.00	< 100	392.00	379.00	349.00	< 100	889.00	977.00	513.00	294.00	445.00	1,100.00					< 100	1,630.00	< 100			
Boron, dissolved	ug/L	6,000 A	917.00	< 100	401.00	393.00	337.00	< 100	880.00	1,020.00	510.00	285.00	431.00	1,100.00						1,630.00	< 100			
Cadmium, total	ug/L	5 M	1.24	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	< 1					< 1	0.15 ND	0.15 ND			
Cadmium, dissolved	ug/L	5 M	1.43	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	0.15 ND	< 1						0.15 ND	0.15 ND			
Calcium, total	mg/L		134.00	158.00	123.00	174.00	146.00	36.60	178.00	182.00	182.00	137.00	91.30	103.00					146.00	238.00	26.30			
Calcium, dissolved	mg/L		134.00	161.00	128.00	172.00	147.00	38.10	178.00	196.00	188.00	137.00	89.30	101.00						234.00	26.90			
Chromium, total	ug/L	100 M	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND					1.15	0.41 ND	0.41 ND			
Chromium, dissolved	ug/L	100 M	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND						0.41 ND	0.41 ND			
Copper, total	ug/L	1,000 S, 1,300 M	6.11	1.20	1.51	1.22	1.05	2.19	3.35	1.69	2.00	< 1	< 1	0.39 ND					2.37	< 1	0.39 ND			
Copper, dissolved	ug/L	1,000 S, 1,300 M	7.24	1.81	1.95	1.88	1.31	2.45	4.22	1.81	2.70	< 1	0.39 ND	< 1						1.16	0.39 ND			

Brunner Island, LLC
Basin No. 5 Groundwater Monitoring Results

PARAMETER	UNITS	REGULATORY CRITERIA LIMIT	GROUNDWATER MONITORING WELLS																		Pyrite Tomb Monitoring	Upgradient	
			Downgradient																				
Location ID			MW-4-10	MW-8-1N	MW-8-2	MW-8-3A	MW-8-3B	MW-8-4	MW-8-5A	MW-8-5B	MW-8-10A	MW-8-10B	MW-8-10C	MW-8-12C	MW-8-8A	MW-8-8B	MW-8-9B	MW-8-9C	MW-PT-1	MW-4-7A	MW-19		
Sampling Date			4/23/2024	4/20/2024	4/19/2024	4/19/2024	4/19/2024	4/19/2024	4/18/2024	4/18/2024	4/20/2024	4/20/2024	4/20/2024	4/22/2024	4/19/2024	4/19/2024	4/22/2024	4/22/2024	4/22/2024	4/22/2024	4/22/2024	4/23/2024	
Molybdenum, total	µg/L	40 A	129.00	1.13	323.00	40.80	131.00	1.46	438.00	386.00	25.90	26.00	46.70	401.00	390.00	354.00	150.00	292.00	26.00	23.10	0.78 ND		
Molybdenum, dissolved	µg/L	40 A	124.00	1.16	274.00	32.60	112.00	0.78 ND	343.00	307.00	21.50	27.00	44.30	422.00	307.00	282.00	145.00	302.00		21.90	2.97		
Nickel, total	ug/L	100 A	88.30	5.61	5.25	6.84	4.81	37.50	4.70	4.52	5.53	5.55	3.78	5.24					47.80	10.40	1.15		
Nickel, dissolved	ug/L	100 A	97.50	5.43	5.48	7.01	4.53	38.80	4.54	4.70	5.20	9.17	6.15	7.89						13.70	1.79		
Potassium, total	mg/L		57.70	7.53	6.02	3.25	1.76	1.00	4.30	5.36	3.03	2.34	1.96	3.53					2.41	4.00	< 1		
Potassium, dissolved	mg/L		58.60	7.60	5.97	3.15	1.65	< 1	4.21	5.38	2.83	2.24	1.93	3.61						3.94	< 1		
Selenium, total	µg/L	50 M	11.30	< 5	< 5	0.63 ND	0.63 ND	< 5	0.63 ND	0.63 ND	0.63 ND	< 5	0.63 ND	0.63 ND					< 5	< 5	17.60		
Selenium, dissolved	µg/L	50 M	13.20	< 5	< 5	0.63 ND	0.63 ND	< 5	0.63 ND	0.63 ND	< 5	0.63 ND	0.63 ND	0.63 ND						< 5	19.60		
Silver, total	µg/L	100 A	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND					0.13 ND	0.13 ND	0.13 ND		
Silver, dissolved	µg/L	100 A	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND						< 5	0.13 ND		
Sodium, total	mg/L		28.60	23.00	16.70	36.50	8.68	11.30	11.90	12.70	25.10	8.82	16.10	8.95					4.58	57.20	8.14		
Sodium, dissolved	mg/L		29.50	23.70	16.40	34.80	8.25	11.90	12.00	12.90	24.70	8.54	15.50	9.06						56.60	8.46		
Strontium, total	µg/L	4,000 A	766.00	1,030.00	728.00	1,010.00	410.00	183.00	738.00	1,090.00	384.00	317.00	298.00	286.00					405.00	354.00	48.00		
Strontium, dissolved	µg/L	4,000 A	779.00	1,030.00	716.00	976.00	387.00	188.00	742.00	1,120.00	368.00	330.00	284.00	287.00						359.00	48.00		
Titanium, total	µg/L		< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5					< 5	< 5	< 5		
Titanium, dissolved	µg/L		< 5	< 5	< 5	< 5	< 5	5.11	< 5	5.50	< 5	< 5	< 5	< 5						< 5	< 5		
Vanadium, total	µg/L	170 A	< 5	0.53 ND	< 5	0.53 ND	0.53 ND	0.53 ND	0.53 ND	0.53 ND	0.53 ND	< 5	0.53 ND	0.53 ND					0.53 ND	< 5	0.53 ND		
Vanadium, dissolved	µg/L	170 A	0.53 ND	0.53 ND	< 5	0.53 ND	0.53 ND	0.53 ND	0.53 ND	0.53 ND	0.53 ND	< 5	0.53 ND	0.53 ND						< 5	0.53 ND		
Zinc, total	µg/L	2,000 A, 5,000 S	90.00	1.12 ND	1.12 ND	< 5	1.12 ND	67.80	< 5	1.12 ND	9.98	< 5	1.12 ND	1.12 ND					52.40	1.12 ND	1.12 ND		
Zinc, dissolved	µg/L	2,000 A, 5,000 S	99.80	< 5	< 5	< 5	1.12 ND	68.30	< 5	1.12 ND	8.68	1.12 ND	1.12 ND	1.12 ND						1.12 ND	1.12 ND		

- Notes:**
- Regulatory qualifier codes: M = EPA Primary Drinking Water MCL/TT, S = EPA Secondary Drinking Water MCL, and A = Pennsylvania Act 2 residential Statewide Health Standard for used aquifers.
 - MW-19 was sampled for additional parameters (Ga, Ge, Rb, Y) pursuant to Basin No. 7 sampling requirements.
 - MW-4-7A, MW-4-10, and MW-19 are additionally sampled for organic parameters during the second and third calendar quarters pursuant to Basin No. 4 South sampling requirements.
 - MW-8-10C and MW-8-12C are sampled annually during the second calendar quarter.





Pyrite Tomb Standpipe Monitoring Results

Pyrite Tomb Standpipe				
Date	Water Depth (ft)	Water Surface Elevation (ft)	pH (S.U.)	Comments
1/3/2017	25.85	269.60	7.61	
1/12/2017	26.00	269.45	7.54	
1/18/2017	29.03	266.42	8.88	Standpipe cleanout 1/17/2017
1/25/2017	28.79	266.66	7.84	Sampled the tomb (with bailer)
1/31/2017	28.79	266.66	8.25	
2/7/2017	28.78	266.67	7.97	
2/13/2017	28.85	266.60	7.41	
3/6/2017	28.70	266.75	7.11	
4/4/2017	28.62	266.83	7.49	
4/15/2017	28.57	266.88	7.11	
4/20/2017	30.71	264.74	7.70	
5/9/2017	29.08	266.37	7.77	
6/22/2017	27.72	267.73	7.43	Purged 24.5 gal.
6/23/2017	30.92	264.53	7.97	Sampled the tomb after recharging (17.5 hours)
8/3/2017	28.41	267.04	7.53	
9/1/2017	28.18	267.27	7.15	
9/21/2017	30.80	264.65	N/A	Sample attempted, but not enough water in standpipe.
9/28/2017	30.70	264.75	N/A	Sample attempted again, but not enough water in standpipe.
10/2/2017	30.65	264.80	7.18	
12/5/2017	30.21	265.24	7.48	
12/14/2017	N/A	N/A	N/A	Sample attempted again, but not enough water in standpipe.
<i>Lab analytical attempts discontinued in 2018; Attempts to purge water continuing quarterly.</i>				
1/25/2018	N/A	N/A	N/A	Water elevation not high enough to record depth to water.
2/19/2018	30.57	264.88	6.94	
3/4/2018	30.33	265.12	6.48	Purged 5.25 Liters
4/12/2018	31.20	264.25	7.24	
5/14/2018	31.16	264.29	6.96	Purged 1.7 liters. Wouldn't purge further.
5/29/2018	31.24	264.21	N/A	Not enough water in tomb to get a pH reading
6/7/2018	31.32	264.13	N/A	Not enough water in tomb to get a pH reading
7/7/2018	29.40	266.05	7.38	
8/2/2018	28.64	266.81	7.42	
8/13/2018	27.93	267.52	N/A	
9/13/2018	23.56	271.89	7.76	Pumped tomb down to 31.43'. Purged 35.25 L.
10/5/2018	22.22	273.23	7.69	
11/5/2018	22.15	273.30	8.2	Purged 52.5 L.
12/10/2018	19.55	275.90	7.95	
1/10/19	19.75	275.70	7.62	

Pyrite Tomb Standpipe Monitoring Results

Pyrite Tomb Standpipe				
Date	Water Depth (ft)	Water Surface Elevation (ft)	pH (S.U.)	Comments
2/22/19	19.22	276.23	7.46	Purged 20 L. Water level was not dropping.
3/13/19	18.80	276.65	7.43	
4/2/2019	18.18	277.27	7.4	
5/16/2019	18.20	277.25	8.22	
6/18/2019	18.55	276.90	7.28	Purged 45 L. Water level was not dropping.
7/23/2019	18.58	276.87	7.35	
8/13/2019	19.00	276.45	7.39	Water level did not drop after 7 hours of pumping. Purged 91 L.
9/5/2019	19.71	275.74	7.24	
10/1/2019	20.32	275.13	7.43	
11/19/2019	21.14	274.31	7.88	Purged 42.5 L. Temp = 13.45°C, SpC = 2465 µmhos/cm, Redox = -85.5 mV, DO = 2.01 mg/L, Turb = 1.00 NTU.
12/19/2019	21.65	273.80	7.39	
1/16/2020	21.47	273.98	7.42	
2/24/2020	21.11	274.34	7.66	Purged 53.5 L. Water level did not drop during purge.
3/11/2020	21.21	274.24	7.07	
4/1/2020	21.37	274.08	6.85	
5/28/2020	21.20	274.25	6.88	Purged 24 L.
6/1/2020	21.38	274.07	7.45	
7/17/2020	22.05	273.40	7.17	
8/20/2020	22.66	272.79	7.12	
9/30/2020	23.44	272.01	6.92	Purged 36 L on 10/6/2020. Did not drop.
10/13/2020	23.63	271.82	7.18	
11/5/2020	24.06	271.39	7.05	Purged 24 L. Temp = 14.7°C, Recharge rate = 0.00165 L/min
12/22/2020	24.67	270.78	7.23	
1/12/2021	24.67	270.78	7.22	Temp = 13.1°C
2/25/2021	24.82	270.63	7.42	Temp = 12.8°C
3/10/2021	24.75	270.70	7.11	Temp = 13.9°C
4/30/2021	23.90	271.55	7.31	Purged 27 L. Temp = 14.1°C
5/4/2021	23.88	271.57	7.22	
6/10/2021	24.16	271.29	7.54	Temp = 15.0°C
7/28/2021	25.53	269.92	7.06	Purged 20 L. Temp = 15.0°C
8/16/2021	24.63	270.82	7.32	Temp = 15.5°C
9/22/2021	24.48	270.97	7.02	
10/23/2021	23.75	271.10	6.82	Purged 84 L
11/30/2021	23.86	271.59	7.28	Temp = 11.6°C
12/1/2021	23.80	271.65	7.31	
1/29/2022	24.52	270.93	7.62	Purged 66 L
2/2/2022	24.54	270.91	7.62	Temp = 12.6°C

Pyrite Tomb Standpipe Monitoring Results

	Pyrite Tomb Standpipe			
Date	Water Depth (ft)	Water Surface Elevation (ft)	pH (S.U.)	Comments
3/23/2022	24.71	270.74	6.97	Temp = 12.5°C
4/25/2022	24.65	270.80	7.29	Purged 30 L. Temp = 13.7°C
5/12/2022	24.73	290.72	7.09	
6/18/2022	23.96	271.49	7.08	Temp = 14.5°C
7/27/2022	24.35	271.10	6.87	Purged 40 L. Temp = 16.1°C
8/3/2022	24.60	270.85	6.58	
9/29/2022	24.90	270.55	6.30	
10/24/2022	25.10	270.35	6.96	Purged 104 L
11/28/2022	25.70	269.75	7.82	
12/21/2022	25.74	269.71	7.19	
1/28/2023	25.80	269.65	7.42	Purged 57 L
2/1/2023	26.05	269.40	7.96	
3/29/2023	25.85	269.60	7.07	
4/26/2023	25.83	269.62	7.55	Purged 12.6 L
5/11/2023	26.00	269.45	7.70	
6/20/2023	25.84	269.61	7.68	
7/29/2023	24.88	270.57	7.34	Purged 18 L. Temp = 16.6°C
8/26/2023	25.97	269.48	7.39	Temp = 14.8°C
9/14/2023	25.98	269.47	7.42	
10/21/2023	26.05	269.40	7.47	Purged 64 L. Temp = 12.8°C
11/7/2023	26.33	269.12	7.64	Temp = 14.2°C
12/4/23	26.40	269.05	7.53	Temp = 13.4°C
1/30/24	26.45	269.00	7.49	Purged 57 L
2/7/24	27.45	268.00	9.17	Temp = 13.9°C
2/14/24	27.23	268.22	8.64	Temp = 13.7°C
2/23/24	27.03	268.42	8.87	Temp = 13.5°C
3/22/2024	26.56	268.89	8.33	Temp = 14.1°C
4/30/2024	26.22	269.23	7.28	Purged 29 L. Temp = 14.7°C
5/9/2024	26.20	269.25	7.50	


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-19

☒ Well ☐ Spring ☐ Stream ☐ Other

☒ Upgradient/Upstream ☐ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 26.55"

Longitude: 76° 41' 55.87"

Depth to Water Level: 17.62 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.60 ft.

Elevation of Water Level: 288.18 ft./MSL

Sampling Depth: 33.00 ft.

Volume of Water Column: gal.

Total Well Depth: 45.40 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 1.8 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/23/2024

Sample Collection Time: 10:53AM

Sample Collector's Name: NL

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401444-001

Final Lab Analysis Completion Date: 05/29/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	04/23/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	52.5	SM 2320
Calcium, total (mg/l)	26.3	EPA 200.7
Calcium, dissolved (mg/l)	26.9	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	9.08	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	4.12	EPA 200.7
Magnesium, dissolved (mg/l)	4.19	EPA 200.7
Manganese, total (µg/l)	5.31 ND	EPA 200.7
Manganese, dissolved (µg/l)	5.31 ND	EPA 200.7
Nitrate, as N (mg/l)	3.87	EPA 300.0
pH, field (su)	7	SM 4500-H+B
pH, lab (su)	6.71 H	SM 4500-H+B
Potassium, total (mg/l)	1 <	EPA 200.7
Potassium, dissolved (mg/l)	1 <	EPA 200.7
Sodium, total (mg/l)	8.14	EPA 200.7
Sodium, dissolved (mg/l)	8.46	EPA 200.7
Specific Conductance, field (umhos/cm)	223	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	228	SM 2510 B
Sulfate, as SO4 (mg/l)	21.7	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	52.5	SM 2320 B
Total Dissolved Solids (mg/l)	142	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	2.3	Field Meter
Dissolved O2, field (mg/l)	3.73	Field Meter
Redox, field (mv)	242	Field Meter
Temperature, field (°c)	11.7	Field Meter
Acidity, total as CaCO3 (mg/l)	-41.4	SM 2310 B

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	04/23/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)	0.166 ND	EPA 8260B
1,2-Dibromoethane (µg/l)	0.263 ND	EPA 8260B
1,1-Dichloroethane (µg/l)	0.172 ND	EPA 8260B
1,1-Dichloroethene (µg/l)	0.244 ND	EPA 8260B
1,2-Dichloroethane (µg/l)	0.127 ND	EPA 8260B
cis-1,2-Dichloroethene (µg/l)	0.14 ND	EPA 8260B
trans-1,2-Dichloroethene (µg/l)	0.195 ND	EPA 8260B
Ethylbenzene (µg/l)	0.172 ND	EPA 8260B
Methylene Chloride (µg/l)	0.285 ND	EPA 8260B
Tetrachloroethene (µg/l)	0.179 ND	EPA 8260B
Toluene (µg/l)	0.238 ND	EPA 8260B
1,1,1-Trichloroethane (µg/l)	0.189 ND	EPA 8260B
Trichloroethene (µg/l)	0.182 ND	EPA 8260B
Vinyl chloride (µg/l)	0.219 ND	EPA 8260B
Xylenes (µg/l)	0.549 ND	EPA 8260B

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	04/23/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	1 <	EPA 200.8
Arsenic, dissolved (µg/l)	1.24	EPA 200.8
Barium, total (µg/l)	217	EPA 200.8
Barium, dissolved (µg/l)	257	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	17.6	EPA 200.8
Selenium, dissolved (µg/l)	19.6	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	1.12 ND	EPA 200.8
Boron, total (µg/l)	100 <	EPA 200.7
Boron, dissolved (µg/l)	100 <	EPA 200.7
Lithium, total (µg/l)	2.46	EPA 200.8
Lithium, dissolved (µg/l)	2.93	EPA 200.8
Molybdenum, total (µg/l)	0.78 ND	EPA 200.8
Molybdenum, dissolved (µg/l)	2.97	EPA 200.8
Strontium, total (µg/l)	48	EPA 200.7
Strontium, dissolved (µg/l)	48	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	04/23/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)	7.34	EPA 200.8
Gallium, dissolved (µg/l)	6.24	EPA 200.8
Germanium, total (µg/l)	1 ND	EPA 200.8
Germanium, dissolved (µg/l)	1 ND	EPA 200.8
Nickel, total (µg/l)	1.15	EPA 200.8
Nickel, dissolved (µg/l)	1.79	EPA 200.8
Rubidium, total (µg/l)	1 ND	EPA 200.8
Rubidium, dissolved (µg/l)	1 ND	EPA 200.8
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)	1 ND	EPA 200.8
Yttrium, dissolved (µg/l)	1 ND	EPA 200.8

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-4-10

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 25.84"

Longitude: 76° 41' 25.83"

Depth to Water Level: 24.01 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.26 ft.

Elevation of Water Level: 268.7 ft./MSL

Sampling Depth: 34.00 ft.

Volume of Water Column: gal.

Total Well Depth: 38.60 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/23/2024

Sample Collection Time: 9:51AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401435-006

Final Lab Analysis Completion Date: 05/17/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	04/23/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	20.2	SM 2320
Calcium, total (mg/l)	134	EPA 200.7
Calcium, dissolved (mg/l)	134	EPA 200.7
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	5.19	EPA 300.0
Fluoride, total as F (mg/l)	0.82	EPA 300.0
Iron, total (µg/l)	37	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	17.2	EPA 200.7
Magnesium, dissolved (mg/l)	17.4	EPA 200.7
Manganese, total (µg/l)	1,910	EPA 200.7
Manganese, dissolved (µg/l)	1,920	EPA 200.7
Nitrate, as N (mg/l)	1.78	EPA 300.0
pH, field (su)	5.36	SM 4500-H+B
pH, lab (su)	5.3 H	SM 4500-H+B
Potassium, total (mg/l)	57.7	EPA 200.7
Potassium, dissolved (mg/l)	58.6	EPA 200.7
Sodium, total (mg/l)	28.6	EPA 200.7
Sodium, dissolved (mg/l)	29.5	EPA 200.7
Specific Conductance, field (umhos/cm)	1,185	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,161	SM 2510 B
Sulfate, as SO4 (mg/l)	532	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	20.2	SM 2320 B
Total Dissolved Solids (mg/l)	837	SM 2540 C
Total Organic Carbon (mg/l)	0.632	SM 5310 C
Turbidity, field (n.t.u.)	0.94	Field Meter
Dissolved O2, field (mg/l)	4.15	Field Meter
Redox, field (mv)	402	Field Meter
Temperature, field (°c)	13.42	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	04/23/2024

FORM 14 R

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)	0.166 ND	EPA 8260B
1,2-Dibromoethane (µg/l)	0.263 ND	EPA 8260B
1,1-Dichloroethane (µg/l)	0.172 ND	EPA 8260B
1,1-Dichloroethene (µg/l)	0.244 ND	EPA 8260B
1,2-Dichloroethane (µg/l)	0.127 ND	EPA 8260B
cis-1,2-Dichloroethene (µg/l)	0.14 ND	EPA 8260B
trans-1,2-Dichloroethene (µg/l)	0.195 ND	EPA 8260B
Ethylbenzene (µg/l)	0.172 ND	EPA 8260B
Methylene Chloride (µg/l)	0.285 ND	EPA 8260B
Tetrachloroethene (µg/l)	0.179 ND	EPA 8260B
Toluene (µg/l)	0.238 ND	EPA 8260B
1,1,1-Trichloroethane (µg/l)	0.189 ND	EPA 8260B
Trichloroethene (µg/l)	0.182 ND	EPA 8260B
Vinyl chloride (µg/l)	0.219 ND	EPA 8260B
Xylenes (µg/l)	0.549 ND	EPA 8260B

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	04/23/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	1 <	EPA 200.8
Barium, total (µg/l)	10.7	EPA 200.8
Barium, dissolved (µg/l)	11.8	EPA 200.8
Cadmium, total (µg/l)	1.24	EPA 200.8
Cadmium, dissolved (µg/l)	1.43	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	6.11	EPA 200.8
Copper, dissolved (µg/l)	7.24	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	11.3	EPA 200.8
Selenium, dissolved (µg/l)	13.2	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	90	EPA 200.8
Zinc, dissolved (µg/l)	99.8	EPA 200.8
Boron, total (µg/l)	915	EPA 200.7
Boron, dissolved (µg/l)	917	EPA 200.7
Lithium, total (µg/l)	446	EPA 200.8
Lithium, dissolved (µg/l)	598	EPA 200.8
Molybdenum, total (µg/l)	129	EPA 200.8
Molybdenum, dissolved (µg/l)	124	EPA 200.8
Strontium, total (µg/l)	766	EPA 200.7
Strontium, dissolved (µg/l)	779	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	04/23/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	1,410	EPA 200.7
Aluminum, dissolved (µg/l)	1,420	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	1 <	EPA 200.8
Beryllium, dissolved (µg/l)	1 <	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	88.3	EPA 200.8
Nickel, dissolved (µg/l)	97.5	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	5 <	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-4-7A

☒ Well ☐ Spring ☐ Stream ☐ Other

☒ Upgradient/Upstream ☐ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 20.84"

Longitude: 76° 41' 34.11"

Depth to Water Level: 25.77 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.23 ft.

Elevation of Water Level: 262.24 ft./MSL

Sampling Depth: 35.00 ft.

Volume of Water Column: gal.

Total Well Depth: 39.90 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 4.15 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/22/2024

Sample Collection Time: 10:48AM

Sample Collector's Name: AMC

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401435-002

Final Lab Analysis Completion Date: 05/17/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.2 <	SM 4500-NH3 F
Bicarbonate (mg/l)	228	SM 2320
Calcium, total (mg/l)	238	EPA 200.7
Calcium, dissolved (mg/l)	234	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	13.5	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	40.1	EPA 200.7
Magnesium, dissolved (mg/l)	39.9	EPA 200.7
Manganese, total (µg/l)	112	EPA 200.7
Manganese, dissolved (µg/l)	104	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.94	SM 4500-H+B
pH, lab (su)	6.81 H	SM 4500-H+B
Potassium, total (mg/l)	4	EPA 200.7
Potassium, dissolved (mg/l)	3.94	EPA 200.7
Sodium, total (mg/l)	57.2	EPA 200.7
Sodium, dissolved (mg/l)	56.6	EPA 200.7
Specific Conductance, field (umhos/cm)	1,484	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,500	SM 2510 B
Sulfate, as SO4 (mg/l)	589	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	228	SM 2320 B
Total Dissolved Solids (mg/l)	1,120	SM 2540 C
Total Organic Carbon (mg/l)	0.5 <	SM 5310 C
Turbidity, field (n.t.u.)	0.18	Field Meter
Dissolved O2, field (mg/l)	2.69	Field Meter
Redox, field (mv)	167.4	Field Meter
Temperature, field (°c)	13.76	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)	0.166 ND	EPA 8260B
1,2-Dibromoethane (µg/l)	0.263 ND	EPA 8260B
1,1-Dichloroethane (µg/l)	0.172 ND	EPA 8260B
1,1-Dichloroethene (µg/l)	0.244 ND	EPA 8260B
1,2-Dichloroethane (µg/l)	0.127 ND	EPA 8260B
cis-1,2-Dichloroethene (µg/l)	0.14 ND	EPA 8260B
trans-1,2-Dichloroethene (µg/l)	0.195 ND	EPA 8260B
Ethylbenzene (µg/l)	0.172 ND	EPA 8260B
Methylene Chloride (µg/l)	0.285 ND	EPA 8260B
Tetrachloroethene (µg/l)	0.179 ND	EPA 8260B
Toluene (µg/l)	0.238 ND	EPA 8260B
1,1,1-Trichloroethane (µg/l)	0.189 ND	EPA 8260B
Trichloroethene (µg/l)	0.182 ND	EPA 8260B
Vinyl chloride (µg/l)	0.219 ND	EPA 8260B
Xylenes (µg/l)	0.549 ND	EPA 8260B

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	17	EPA 200.8
Barium, dissolved (µg/l)	18.3	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1 <	EPA 200.8
Copper, dissolved (µg/l)	1.16	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	1 <	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	5 <	EPA 200.8
Selenium, dissolved (µg/l)	5 <	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	5 <	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	1.12 ND	EPA 200.8
Boron, total (µg/l)	1,630	EPA 200.7
Boron, dissolved (µg/l)	1,630	EPA 200.7
Lithium, total (µg/l)	188	EPA 200.8
Lithium, dissolved (µg/l)	252	EPA 200.8
Molybdenum, total (µg/l)	23.1	EPA 200.8
Molybdenum, dissolved (µg/l)	21.9	EPA 200.8
Strontium, total (µg/l)	354	EPA 200.7
Strontium, dissolved (µg/l)	359	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	10.4	EPA 200.8
Nickel, dissolved (µg/l)	13.7	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	5 <	EPA 200.8
Vanadium, dissolved (µg/l)	5 <	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-10A

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 13.72"

Longitude: 76° 41' 31.84"

Depth to Water Level: 16.45 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.62 ft.

Elevation of Water Level: 260.02 ft./MSL

Sampling Depth: 32.00 ft.

Volume of Water Column: gal.

Total Well Depth: 37.30 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/20/2024

Sample Collection Time: 8:17AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-013

Final Lab Analysis Completion Date: 05/06/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	161	SM 2320
Calcium, total (mg/l)	182	EPA 200.7
Calcium, dissolved (mg/l)	188	EPA 200.7
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	68	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	1.02 ND	EPA 200.7
Magnesium, total (mg/l)	46.5	EPA 200.7
Magnesium, dissolved (mg/l)	47.3	EPA 200.7
Manganese, total (µg/l)	116	EPA 200.7
Manganese, dissolved (µg/l)	86	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.52	SM 4500-H+B
pH, lab (su)	6.77 H	SM 4500-H+B
Potassium, total (mg/l)	3.03	EPA 200.7
Potassium, dissolved (mg/l)	2.83	EPA 200.7
Sodium, total (mg/l)	25.1	EPA 200.7
Sodium, dissolved (mg/l)	24.7	EPA 200.7
Specific Conductance, field (umhos/cm)	1,226	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,240	SM 2510 B
Sulfate, as SO4 (mg/l)	421	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	161	SM 2320 B
Total Dissolved Solids (mg/l)	893	SM 2540 C
Total Organic Carbon (mg/l)	0.571	SM 5310 C
Turbidity, field (n.t.u.)	0.41	Field Meter
Dissolved O2, field (mg/l)	1.41	Field Meter
Redox, field (mv)	320	Field Meter
Temperature, field (°c)	12.93	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	1.36	EPA 200.8
Arsenic, dissolved (µg/l)	1 <	EPA 200.8
Barium, total (µg/l)	30.6	EPA 200.8
Barium, dissolved (µg/l)	26.9	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	2	EPA 200.8
Copper, dissolved (µg/l)	2.7	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	5 <	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	9.98	EPA 200.8
Zinc, dissolved (µg/l)	8.68	EPA 200.8
Boron, total (µg/l)	513	EPA 200.7
Boron, dissolved (µg/l)	510	EPA 200.7
Lithium, total (µg/l)	20.7	EPA 200.8
Lithium, dissolved (µg/l)	19.3	EPA 200.8
Molybdenum, total (µg/l)	25.9	EPA 200.8
Molybdenum, dissolved (µg/l)	21.5	EPA 200.8
Strontium, total (µg/l)	384	EPA 200.7
Strontium, dissolved (µg/l)	368	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	5.53	EPA 200.8
Nickel, dissolved (µg/l)	5.2	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-10B

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 13.72"

Longitude: 76° 41' 31.84"

Depth to Water Level: 16.61 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.44 ft.

Elevation of Water Level: 259.66 ft./MSL

Sampling Depth: 52.00 ft.

Volume of Water Column: gal.

Total Well Depth: 57.00 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/20/2024

Sample Collection Time: 10:53AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-014

Final Lab Analysis Completion Date: 05/07/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	117	SM 2320
Calcium, total (mg/l)	137	EPA 200.7
Calcium, dissolved (mg/l)	137	EPA 200.7
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	115	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	35	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	24.8	EPA 200.7
Magnesium, dissolved (mg/l)	24.5	EPA 200.7
Manganese, total (µg/l)	20 <	EPA 200.7
Manganese, dissolved (µg/l)	20 <	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	7.41	SM 4500-H+B
pH, lab (su)	7.41 H	SM 4500-H+B
Potassium, total (mg/l)	2.34	EPA 200.7
Potassium, dissolved (mg/l)	2.24	EPA 200.7
Sodium, total (mg/l)	8.82	EPA 200.7
Sodium, dissolved (mg/l)	8.54	EPA 200.7
Specific Conductance, field (umhos/cm)	934	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	946	SM 2510 B
Sulfate, as SO4 (mg/l)	189	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	117	SM 2320 B
Total Dissolved Solids (mg/l)	638	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	0.55	Field Meter
Dissolved O2, field (mg/l)	1.18	Field Meter
Redox, field (mv)	246	Field Meter
Temperature, field (°c)	14.98	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	1.65	EPA 200.8
Barium, total (µg/l)	42.3	EPA 200.8
Barium, dissolved (µg/l)	44.7	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1 <	EPA 200.8
Copper, dissolved (µg/l)	1 <	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	5 <	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5 <	EPA 200.8
Zinc, dissolved (µg/l)	1.12 ND	EPA 200.8
Boron, total (µg/l)	294	EPA 200.7
Boron, dissolved (µg/l)	285	EPA 200.7
Lithium, total (µg/l)	13.4	EPA 200.8
Lithium, dissolved (µg/l)	16.5	EPA 200.8
Molybdenum, total (µg/l)	26	EPA 200.8
Molybdenum, dissolved (µg/l)	27	EPA 200.8
Strontium, total (µg/l)	317	EPA 200.7
Strontium, dissolved (µg/l)	330	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	1 <	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	5.55	EPA 200.8
Nickel, dissolved (µg/l)	9.17	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	5 <	EPA 200.8
Vanadium, dissolved (µg/l)	5 <	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-10C

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 13.72"

Longitude: 76° 41' 31.84"

Depth to Water Level: 16.49 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.73 ft.

Elevation of Water Level: 260.04 ft./MSL

Sampling Depth: 72.00 ft.

Volume of Water Column: gal.

Total Well Depth: 75.20 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/20/2024

Sample Collection Time: 12:51PM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-015

Final Lab Analysis Completion Date: 05/07/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-10C
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	156	SM 2320
Calcium, total (mg/l)	91.3	EPA 200.7
Calcium, dissolved (mg/l)	89.3	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	34.4	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	218	EPA 200.7
Iron, dissolved (µg/l)	204	EPA 200.7
Magnesium, total (mg/l)	23.7	EPA 200.7
Magnesium, dissolved (mg/l)	23.4	EPA 200.7
Manganese, total (µg/l)	388	EPA 200.7
Manganese, dissolved (µg/l)	373	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	7.12	SM 4500-H+B
pH, lab (su)	7.11 H	SM 4500-H+B
Potassium, total (mg/l)	1.96	EPA 200.7
Potassium, dissolved (mg/l)	1.93	EPA 200.7
Sodium, total (mg/l)	16.1	EPA 200.7
Sodium, dissolved (mg/l)	15.5	EPA 200.7
Specific Conductance, field (umhos/cm)	695	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	712	SM 2510 B
Sulfate, as SO4 (mg/l)	144	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	156	SM 2320 B
Total Dissolved Solids (mg/l)	435	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	0.25	Field Meter
Dissolved O2, field (mg/l)	1.02	Field Meter
Redox, field (mv)	-89	Field Meter
Temperature, field (°c)	15.81	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10C
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10C
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	82.9	EPA 200.8
Barium, dissolved (µg/l)	82.1	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1 <	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	1.12 ND	EPA 200.8
Boron, total (µg/l)	445	EPA 200.7
Boron, dissolved (µg/l)	431	EPA 200.7
Lithium, total (µg/l)	22	EPA 200.8
Lithium, dissolved (µg/l)	23.4	EPA 200.8
Molybdenum, total (µg/l)	46.7	EPA 200.8
Molybdenum, dissolved (µg/l)	44.3	EPA 200.8
Strontium, total (µg/l)	298	EPA 200.7
Strontium, dissolved (µg/l)	284	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10C
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	1 <	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	3.78	EPA 200.8
Nickel, dissolved (µg/l)	6.15	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-12C

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 7.06"

Longitude: 76° 41' 26.35"

Depth to Water Level: 9.43 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.96 ft.

Elevation of Water Level: 263.849 ft./MSL

Sampling Depth: 72.00 ft.

Volume of Water Column: gal.

Total Well Depth: ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.15 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/22/2024

Sample Collection Time: 9:17AM

Sample Collector's Name: AMC

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-016

Final Lab Analysis Completion Date: 05/09/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-12C
Sample Date	04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.2 <	SM 4500-NH3 F
Bicarbonate (mg/l)	188	SM 2320
Calcium, total (mg/l)	103	EPA 200.7
Calcium, dissolved (mg/l)	101	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	8.97	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	603	EPA 200.7
Iron, dissolved (µg/l)	590	EPA 200.7
Magnesium, total (mg/l)	19.4	EPA 200.7
Magnesium, dissolved (mg/l)	19.6	EPA 200.7
Manganese, total (µg/l)	1,580	EPA 200.7
Manganese, dissolved (µg/l)	1,590	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	7.17	SM 4500-H+B
pH, lab (su)	7.25 H	SM 4500-H+B
Potassium, total (mg/l)	3.53	EPA 200.7
Potassium, dissolved (mg/l)	3.61	EPA 200.7
Sodium, total (mg/l)	8.95	EPA 200.7
Sodium, dissolved (mg/l)	9.06	EPA 200.7
Specific Conductance, field (umhos/cm)	654	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	659	SM 2510 B
Sulfate, as SO4 (mg/l)	133	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	188	SM 2320 B
Total Dissolved Solids (mg/l)	420	SM 2540 C
Total Organic Carbon (mg/l)	0.543	SM 5310 C
Turbidity, field (n.t.u.)	0.57	Field Meter
Dissolved O2, field (mg/l)	3.23	Field Meter
Redox, field (mv)	-112.7	Field Meter
Temperature, field (°c)	12.28	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-12C
Sample Date	04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-12C
Sample Date	04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	1 <	EPA 200.8
Barium, total (µg/l)	61.5	EPA 200.8
Barium, dissolved (µg/l)	63.4	EPA 200.8
Cadmium, total (µg/l)	1 <	EPA 200.8
Cadmium, dissolved (µg/l)	1 <	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	1 <	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	1.12 ND	EPA 200.8
Boron, total (µg/l)	1,100	EPA 200.7
Boron, dissolved (µg/l)	1,100	EPA 200.7
Lithium, total (µg/l)	6.8	EPA 200.8
Lithium, dissolved (µg/l)	7.81	EPA 200.8
Molybdenum, total (µg/l)	401	EPA 200.8
Molybdenum, dissolved (µg/l)	422	EPA 200.8
Strontium, total (µg/l)	286	EPA 200.7
Strontium, dissolved (µg/l)	287	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-12C
Sample Date	04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	5.24	EPA 200.8
Nickel, dissolved (µg/l)	7.89	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-1N

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 4' 59.01"

Longitude: 76° 41' 21.00"

Depth to Water Level: 12 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.95 ft.

Elevation of Water Level: 268.64 ft./MSL

Sampling Depth: 23.00 ft.

Volume of Water Column: gal.

Total Well Depth: 26.30 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/20/2024

Sample Collection Time: 8:00AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-001

Final Lab Analysis Completion Date: 05/17/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.2 <	SM 4500-NH3 F
Bicarbonate (mg/l)	177	SM 2320
Calcium, total (mg/l)	158	EPA 200.7
Calcium, dissolved (mg/l)	161	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	41.5	EPA 300.0
Fluoride, total as F (mg/l)	0.25	EPA 300.0
Iron, total (µg/l)	174	EPA 200.7
Iron, dissolved (µg/l)	82	EPA 200.7
Magnesium, total (mg/l)	27.2	EPA 200.7
Magnesium, dissolved (mg/l)	27.6	EPA 200.7
Manganese, total (µg/l)	1,240	EPA 200.7
Manganese, dissolved (µg/l)	1,310	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	6.93	SM 4500-H+B
pH, lab (su)	6.93 H	SM 4500-H+B
Potassium, total (mg/l)	7.53	EPA 200.7
Potassium, dissolved (mg/l)	7.6	EPA 200.7
Sodium, total (mg/l)	23	EPA 200.7
Sodium, dissolved (mg/l)	23.7	EPA 200.7
Specific Conductance, field (umhos/cm)	1,046	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,030	SM 2510 B
Sulfate, as SO4 (mg/l)	319	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	177	SM 2320 B
Total Dissolved Solids (mg/l)	684	SM 2540 C
Total Organic Carbon (mg/l)	0.5 <	SM 5310 C
Turbidity, field (n.t.u.)	0.81	Field Meter
Dissolved O2, field (mg/l)	0.37	Field Meter
Redox, field (mv)	122.2	Field Meter
Temperature, field (°c)	11.5	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	04/20/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	21.2	EPA 200.8
Barium, dissolved (µg/l)	18.7	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1.2	EPA 200.8
Copper, dissolved (µg/l)	1.81	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	5 <	EPA 200.8
Selenium, dissolved (µg/l)	5 <	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	100 <	EPA 200.7
Boron, dissolved (µg/l)	100 <	EPA 200.7
Lithium, total (µg/l)	0.13 ND	EPA 200.8
Lithium, dissolved (µg/l)	0.13 ND	EPA 200.8
Molybdenum, total (µg/l)	1.13	EPA 200.8
Molybdenum, dissolved (µg/l)	1.16	EPA 200.8
Strontium, total (µg/l)	1,030	EPA 200.7
Strontium, dissolved (µg/l)	1,030	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	04/20/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	5.61	EPA 200.8
Nickel, dissolved (µg/l)	5.43	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.



FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-2

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 4.33"

Longitude: 76° 40' 59.57"

Depth to Water Level: 4.43 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.00 ft.

Elevation of Water Level: 267.07 ft./MSL

Sampling Depth: 15.00 ft.

Volume of Water Column: _____ gal.

Total Well Depth: 22.30 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 5 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: _____ GPM

Sample Date (mm/dd/yy): 04/19/2024

Sample Collection Time: 7:55AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-002

Final Lab Analysis Completion Date: 05/17/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments: _____

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.2 <	SM 4500-NH3 F
Bicarbonate (mg/l)	168	SM 2320
Calcium, total (mg/l)	123	EPA 200.7
Calcium, dissolved (mg/l)	128	EPA 200.7
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	26.4	EPA 300.0
Fluoride, total as F (mg/l)	0.83	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	21.4	EPA 200.7
Magnesium, dissolved (mg/l)	22	EPA 200.7
Manganese, total (µg/l)	551	EPA 200.7
Manganese, dissolved (µg/l)	576	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.91	SM 4500-H+B
pH, lab (su)	6.92 H	SM 4500-H+B
Potassium, total (mg/l)	6.02	EPA 200.7
Potassium, dissolved (mg/l)	5.97	EPA 200.7
Sodium, total (mg/l)	16.7	EPA 200.7
Sodium, dissolved (mg/l)	16.4	EPA 200.7
Specific Conductance, field (umhos/cm)	818	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	831	SM 2510 B
Sulfate, as SO4 (mg/l)	212	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	168	SM 2320 B
Total Dissolved Solids (mg/l)	526	SM 2540 C
Total Organic Carbon (mg/l)	0.94	SM 5310 C
Turbidity, field (n.t.u.)	0.53	Field Meter
Dissolved O2, field (mg/l)	1.53	Field Meter
Redox, field (mv)	449.8	Field Meter
Temperature, field (°c)	10.75	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	39.1	EPA 200.8
Barium, dissolved (µg/l)	38.2	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1.51	EPA 200.8
Copper, dissolved (µg/l)	1.95	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	5 <	EPA 200.8
Selenium, dissolved (µg/l)	5 <	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	392	EPA 200.7
Boron, dissolved (µg/l)	401	EPA 200.7
Lithium, total (µg/l)	24.6	EPA 200.8
Lithium, dissolved (µg/l)	23.8	EPA 200.8
Molybdenum, total (µg/l)	323	EPA 200.8
Molybdenum, dissolved (µg/l)	274	EPA 200.8
Strontium, total (µg/l)	728	EPA 200.7
Strontium, dissolved (µg/l)	716	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	1 <	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	5.25	EPA 200.8
Nickel, dissolved (µg/l)	5.48	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	5 <	EPA 200.8
Vanadium, dissolved (µg/l)	5 <	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-3A

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 12.49"

Longitude: 76° 41' 6.87"

Depth to Water Level: 8.97 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.72 ft.

Elevation of Water Level: 258.41 ft./MSL

Sampling Depth: 20.00 ft.

Volume of Water Column: gal.

Total Well Depth: 26.90 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/19/2024

Sample Collection Time: 9:43AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-003

Final Lab Analysis Completion Date: 05/02/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	202	SM 2320
Calcium, total (mg/l)	174	EPA 200.7
Calcium, dissolved (mg/l)	172	EPA 200.7
Chemical Oxygen Demand (mg/l)	22.5	SM 5220 D
Chloride, total as Cl (mg/l)	87.6	EPA 300.0
Fluoride, total as F (mg/l)	0.41	EPA 300.0
Iron, total (µg/l)	10,800	EPA 200.7
Iron, dissolved (µg/l)	594	EPA 200.7
Magnesium, total (mg/l)	33.7	EPA 200.7
Magnesium, dissolved (mg/l)	34.8	EPA 200.7
Manganese, total (µg/l)	1,610	EPA 200.7
Manganese, dissolved (µg/l)	1,940	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.54	SM 4500-H+B
pH, lab (su)	6.54 H	SM 4500-H+B
Potassium, total (mg/l)	3.25	EPA 200.7
Potassium, dissolved (mg/l)	3.15	EPA 200.7
Sodium, total (mg/l)	36.5	EPA 200.7
Sodium, dissolved (mg/l)	34.8	EPA 200.7
Specific Conductance, field (umhos/cm)	1,209	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,220	SM 2510 B
Sulfate, as SO4 (mg/l)	315	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	202	SM 2320 B
Total Dissolved Solids (mg/l)	800	SM 2540 C
Total Organic Carbon (mg/l)	0.976	SM 5310 C
Turbidity, field (n.t.u.)	114	Field Meter
Dissolved O2, field (mg/l)	0.49	Field Meter
Redox, field (mv)	147.2	Field Meter
Temperature, field (°c)	10.73	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	19.5	EPA 200.8
Arsenic, dissolved (µg/l)	2.08	EPA 200.8
Barium, total (µg/l)	28.9	EPA 200.8
Barium, dissolved (µg/l)	21.9	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1.22	EPA 200.8
Copper, dissolved (µg/l)	1.88	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5 <	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	379	EPA 200.7
Boron, dissolved (µg/l)	393	EPA 200.7
Lithium, total (µg/l)	21.3	EPA 200.8
Lithium, dissolved (µg/l)	21.9	EPA 200.8
Molybdenum, total (µg/l)	40.8	EPA 200.8
Molybdenum, dissolved (µg/l)	32.6	EPA 200.8
Strontium, total (µg/l)	1,010	EPA 200.7
Strontium, dissolved (µg/l)	976	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	1 <	EPA 200.8
Antimony, dissolved (µg/l)	1 <	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	6.84	EPA 200.8
Nickel, dissolved (µg/l)	7.01	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-3B

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 12.49"

Longitude: 76° 41' 6.87"

Depth to Water Level: 10.37 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.90 ft.

Elevation of Water Level: 257.34 ft./MSL

Sampling Depth: 40.00 ft.

Volume of Water Column: gal.

Total Well Depth: 47.00 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/19/2024

Sample Collection Time: 11:39AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-004

Final Lab Analysis Completion Date: 05/02/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	247	SM 2320
Calcium, total (mg/l)	146	EPA 200.7
Calcium, dissolved (mg/l)	147	EPA 200.7
Chemical Oxygen Demand (mg/l)	24.7	SM 5220 D
Chloride, total as Cl (mg/l)	63.1	EPA 300.0
Fluoride, total as F (mg/l)	0.45	EPA 300.0
Iron, total (µg/l)	57	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	26.7	EPA 200.7
Magnesium, dissolved (mg/l)	26.4	EPA 200.7
Manganese, total (µg/l)	76	EPA 200.7
Manganese, dissolved (µg/l)	51	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	7.11	SM 4500-H+B
pH, lab (su)	7.11 H	SM 4500-H+B
Potassium, total (mg/l)	1.76	EPA 200.7
Potassium, dissolved (mg/l)	1.65	EPA 200.7
Sodium, total (mg/l)	8.68	EPA 200.7
Sodium, dissolved (mg/l)	8.25	EPA 200.7
Specific Conductance, field (umhos/cm)	897	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	906	SM 2510 B
Sulfate, as SO4 (mg/l)	132	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	247	SM 2320 B
Total Dissolved Solids (mg/l)	527	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	0.6	Field Meter
Dissolved O2, field (mg/l)	1.21	Field Meter
Redox, field (mv)	258.2	Field Meter
Temperature, field (°c)	11.55	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	3.26	EPA 200.8
Arsenic, dissolved (µg/l)	2.49	EPA 200.8
Barium, total (µg/l)	42.7	EPA 200.8
Barium, dissolved (µg/l)	39.8	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1.05	EPA 200.8
Copper, dissolved (µg/l)	1.31	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	1.12 ND	EPA 200.8
Boron, total (µg/l)	349	EPA 200.7
Boron, dissolved (µg/l)	337	EPA 200.7
Lithium, total (µg/l)	35.7	EPA 200.8
Lithium, dissolved (µg/l)	33.3	EPA 200.8
Molybdenum, total (µg/l)	131	EPA 200.8
Molybdenum, dissolved (µg/l)	112	EPA 200.8
Strontium, total (µg/l)	410	EPA 200.7
Strontium, dissolved (µg/l)	387	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	1 <	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	4.81	EPA 200.8
Nickel, dissolved (µg/l)	4.53	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-4

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 25.61"

Longitude: 76° 41' 13.82"

Depth to Water Level: 12.62 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.81 ft.

Elevation of Water Level: 257.57 ft./MSL

Sampling Depth: 18.00 ft.

Volume of Water Column: gal.

Total Well Depth: 21.70 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/19/2024

Sample Collection Time: 7:52AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-005

Final Lab Analysis Completion Date: 05/02/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	20 <	SM 2320
Calcium, total (mg/l)	36.6	EPA 200.7
Calcium, dissolved (mg/l)	38.1	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	5.34	EPA 300.0
Fluoride, total as F (mg/l)	0.23	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	1.02 ND	EPA 200.7
Magnesium, total (mg/l)	12.2	EPA 200.7
Magnesium, dissolved (mg/l)	12.8	EPA 200.7
Manganese, total (µg/l)	2,590	EPA 200.7
Manganese, dissolved (µg/l)	2,820	EPA 200.7
Nitrate, as N (mg/l)	2.63	EPA 300.0
pH, field (su)	4.92	SM 4500-H+B
pH, lab (su)	5.21 H	SM 4500-H+B
Potassium, total (mg/l)	1	EPA 200.7
Potassium, dissolved (mg/l)	1 <	EPA 200.7
Sodium, total (mg/l)	11.3	EPA 200.7
Sodium, dissolved (mg/l)	11.9	EPA 200.7
Specific Conductance, field (umhos/cm)	387	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	398	SM 2510 B
Sulfate, as SO4 (mg/l)	152	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	20 <	SM 2320 B
Total Dissolved Solids (mg/l)	259	SM 2540 C
Total Organic Carbon (mg/l)	0.5 <	SM 5310 C
Turbidity, field (n.t.u.)	0.28	Field Meter
Dissolved O2, field (mg/l)	2.7	Field Meter
Redox, field (mv)	458	Field Meter
Temperature, field (°c)	10.6	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	04/19/2024

FORM 14 R

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	25.5	EPA 200.8
Barium, dissolved (µg/l)	23	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	2.19	EPA 200.8
Copper, dissolved (µg/l)	2.45	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	5 <	EPA 200.8
Selenium, dissolved (µg/l)	5 <	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	67.8	EPA 200.8
Zinc, dissolved (µg/l)	68.3	EPA 200.8
Boron, total (µg/l)	100 <	EPA 200.7
Boron, dissolved (µg/l)	100 <	EPA 200.7
Lithium, total (µg/l)	8.19	EPA 200.8
Lithium, dissolved (µg/l)	7.73	EPA 200.8
Molybdenum, total (µg/l)	1.46	EPA 200.8
Molybdenum, dissolved (µg/l)	0.78 ND	EPA 200.8
Strontium, total (µg/l)	183	EPA 200.7
Strontium, dissolved (µg/l)	188	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	386	EPA 200.7
Aluminum, dissolved (µg/l)	408	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	1 <	EPA 200.8
Beryllium, dissolved (µg/l)	1 <	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	37.5	EPA 200.8
Nickel, dissolved (µg/l)	38.8	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5.11	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-5A

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 16.91"

Longitude: 76° 41' 31.04"

Depth to Water Level: 23.05 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.97 ft.

Elevation of Water Level: 261.99 ft./MSL

Sampling Depth: 33.00 ft.

Volume of Water Column: gal.

Total Well Depth: 39.20 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/18/2024

Sample Collection Time: 10:41AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-006

Final Lab Analysis Completion Date: 05/03/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	04/18/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.328	SM 4500-NH3 F
Bicarbonate (mg/l)	257	SM 2320
Calcium, total (mg/l)	178	EPA 200.7
Calcium, dissolved (mg/l)	178	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	24.7	EPA 300.0
Fluoride, total as F (mg/l)	1.05	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	37.7	EPA 200.7
Magnesium, dissolved (mg/l)	38.1	EPA 200.7
Manganese, total (µg/l)	356	EPA 200.7
Manganese, dissolved (µg/l)	370	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	7.1	SM 4500-H+B
pH, lab (su)	7.2 H	SM 4500-H+B
Potassium, total (mg/l)	4.3	EPA 200.7
Potassium, dissolved (mg/l)	4.21	EPA 200.7
Sodium, total (mg/l)	11.9	EPA 200.7
Sodium, dissolved (mg/l)	12	EPA 200.7
Specific Conductance, field (umhos/cm)	1,090	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,100	SM 2510 B
Sulfate, as SO4 (mg/l)	311	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	257	SM 2320 B
Total Dissolved Solids (mg/l)	742	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	0.21	Field Meter
Dissolved O2, field (mg/l)	0.82	Field Meter
Redox, field (mv)	188	Field Meter
Temperature, field (°c)	13.49	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	04/18/2024

FORM 14 R

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	04/18/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	97.45	EPA 200.8
Arsenic, dissolved (µg/l)	98.4	EPA 200.8
Barium, total (µg/l)	44.9	EPA 200.8
Barium, dissolved (µg/l)	41.6	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	3.35	EPA 200.8
Copper, dissolved (µg/l)	4.22	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5 <	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	889	EPA 200.7
Boron, dissolved (µg/l)	880	EPA 200.7
Lithium, total (µg/l)	224	EPA 200.8
Lithium, dissolved (µg/l)	177	EPA 200.8
Molybdenum, total (µg/l)	438	EPA 200.8
Molybdenum, dissolved (µg/l)	343	EPA 200.8
Strontium, total (µg/l)	738	EPA 200.7
Strontium, dissolved (µg/l)	742	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	04/18/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.3 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	4.7	EPA 200.8
Nickel, dissolved (µg/l)	4.54	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-5B

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 16.81"

Longitude: 76° 41' 30.96"

Depth to Water Level: 18.15 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.54 ft.

Elevation of Water Level: 266.73 ft./MSL

Sampling Depth: 52.00 ft.

Volume of Water Column: _____ gal.

Total Well Depth: 59.60 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: _____ GPM

Sample Date (mm/dd/yy): 04/18/2024

Sample Collection Time: 12:56PM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-008

Final Lab Analysis Completion Date: 05/04/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	04/18/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.466	SM 4500-NH3 F
Bicarbonate (mg/l)	243	SM 2320
Calcium, total (mg/l)	182	EPA 200.7
Calcium, dissolved (mg/l)	196	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	27.4	EPA 300.0
Fluoride, total as F (mg/l)	0.86	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	34.6	EPA 200.7
Magnesium, dissolved (mg/l)	36.2	EPA 200.7
Manganese, total (µg/l)	452	EPA 200.7
Manganese, dissolved (µg/l)	561	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	7.19	SM 4500-H+B
pH, lab (su)	7.31 H	SM 4500-H+B
Potassium, total (mg/l)	5.36	EPA 200.7
Potassium, dissolved (mg/l)	5.38	EPA 200.7
Sodium, total (mg/l)	12.7	EPA 200.7
Sodium, dissolved (mg/l)	12.9	EPA 200.7
Specific Conductance, field (umhos/cm)	1,133	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,140	SM 2510 B
Sulfate, as SO4 (mg/l)	342	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	243	SM 2320 B
Total Dissolved Solids (mg/l)	786	SM 2540 C
Total Organic Carbon (mg/l)	0.5 <	SM 5310 C
Turbidity, field (n.t.u.)	0.22	Field Meter
Dissolved O2, field (mg/l)	0.78	Field Meter
Redox, field (mv)	203	Field Meter
Temperature, field (°c)	14.04	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	04/18/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	04/18/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	275	EPA 200.8
Arsenic, dissolved (µg/l)	218	EPA 200.8
Barium, total (µg/l)	70.4	EPA 200.8
Barium, dissolved (µg/l)	67.8	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1.69	EPA 200.8
Copper, dissolved (µg/l)	1.81	EPA 200.8
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)	0.08 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	1.12 ND	EPA 200.8
Zinc, dissolved (µg/l)	1.12 ND	EPA 200.8
Boron, total (µg/l)	977	EPA 200.7
Boron, dissolved (µg/l)	1,020	EPA 200.7
Lithium, total (µg/l)	244	EPA 200.8
Lithium, dissolved (µg/l)	217	EPA 200.8
Molybdenum, total (µg/l)	386	EPA 200.8
Molybdenum, dissolved (µg/l)	307	EPA 200.8
Strontium, total (µg/l)	1,090	EPA 200.7
Strontium, dissolved (µg/l)	1,120	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	04/18/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)	1 <	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	4.52	EPA 200.8
Nickel, dissolved (µg/l)	4.7	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5.5	EPA 200.8
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)	0.53 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC -

Site Name:

Facility ID (as issued by DEP):

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-8A

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 15.96"

Longitude: 76° 41' 30.54"

Depth to Water Level: 24.3 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.11 ft.

Elevation of Water Level: 259.9 ft./MSL

Sampling Depth: 46.00 ft.

Volume of Water Column: gal.

Total Well Depth: 52.60 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/19/2024

Sample Collection Time: 10:00AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-009

Final Lab Analysis Completion Date: 05/07/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-8A

Sample Date 04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.487	SM 4500-NH3 F
Bicarbonate (mg/l)	238	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	231	EPA 300.0
Fluoride, total as F (mg/l)	0.66	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	968	EPA 200.7
Manganese, dissolved (µg/l)	1,000	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	7.18	SM 4500-H+B
pH, lab (su)	7.28 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	1,533	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,560	SM 2510 B
Sulfate, as SO4 (mg/l)	261	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	238	SM 2320 B
Total Dissolved Solids (mg/l)	927	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	0.42	Field Meter
Dissolved O2, field (mg/l)	0.88	Field Meter
Redox, field (mv)	252	Field Meter
Temperature, field (°c)	12.61	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8A

Sample Date 04/19/2024

FORM 14 R **QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8A

Sample Date 04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	461	EPA 200.8
Arsenic, dissolved (µg/l)	440	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	272	EPA 200.8
Lithium, dissolved (µg/l)	244	EPA 200.8
Molybdenum, total (µg/l)	390	EPA 200.8
Molybdenum, dissolved (µg/l)	307	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8ASample Date 04/19/2024**FORM 14 R****ANNUAL WATER QUALITY ANALYSES**

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC -

Site Name:

Facility ID (as issued by DEP):

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-8B

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 15.87"

Longitude: 76° 41' 30.60"

Depth to Water Level: 23.61 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.02 ft.

Elevation of Water Level: 260.03 ft./MSL

Sampling Depth: 54.00 ft.

Volume of Water Column: gal.

Total Well Depth: 60.60 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.5 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/19/2024

Sample Collection Time: 12:17PM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-010

Final Lab Analysis Completion Date: 05/04/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 04/19/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	221	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	37.8	SM 5220 D
Chloride, total as Cl (mg/l)	156	EPA 300.0
Fluoride, total as F (mg/l)	0.7	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	20 <	EPA 200.7
Manganese, dissolved (µg/l)	5.31 ND	EPA 200.7
Nitrate, as N (mg/l)	0.77	EPA 300.0
pH, field (su)	7.46	SM 4500-H+B
pH, lab (su)	7.56 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	1,434	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,450	SM 2510 B
Sulfate, as SO4 (mg/l)	301	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	221	SM 2320 B
Total Dissolved Solids (mg/l)	935	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	0.39	Field Meter
Dissolved O2, field (mg/l)	1.94	Field Meter
Redox, field (mv)	269	Field Meter
Temperature, field (°c)	12.58	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 04/19/2024

FORM 14 R

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 04/19/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	366	EPA 200.8
Arsenic, dissolved (µg/l)	304	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	287	EPA 200.8
Lithium, dissolved (µg/l)	276	EPA 200.8
Molybdenum, total (µg/l)	354	EPA 200.8
Molybdenum, dissolved (µg/l)	282	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 04/19/2024

FORM 14 R**ANNUAL WATER QUALITY ANALYSES**

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC -

Site Name:

Facility ID (as issued by DEP):

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-9B

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 14.68"

Longitude: 76° 41' 30.61"

Depth to Water Level: 27.69 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.82 ft.

Elevation of Water Level: 256.65 ft./MSL

Sampling Depth: 64.00 ft.

Volume of Water Column: gal.

Total Well Depth: 68.25 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.2 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/22/2024

Sample Collection Time: 10:25AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-011

Final Lab Analysis Completion Date: 05/09/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.209	SM 4500-NH3 F
Bicarbonate (mg/l)	226	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	159	EPA 300.0
Fluoride, total as F (mg/l)	0.34	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	772	EPA 200.7
Manganese, dissolved (µg/l)	730	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	7.28	SM 4500-H+B
pH, lab (su)	7.16 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	1,380	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,370	SM 2510 B
Sulfate, as SO4 (mg/l)	272	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	226	SM 2320 B
Total Dissolved Solids (mg/l)	843	SM 2540 C
Total Organic Carbon (mg/l)	0.192 ND	SM 5310 C
Turbidity, field (n.t.u.)	0.44	Field Meter
Dissolved O2, field (mg/l)	1.02	Field Meter
Redox, field (mv)	50.3	Field Meter
Temperature, field (°c)	12.38	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 04/22/2024

FORM 14 R

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	234	EPA 200.8
Arsenic, dissolved (µg/l)	265	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	114	EPA 200.8
Lithium, dissolved (µg/l)	153	EPA 200.8
Molybdenum, total (µg/l)	150	EPA 200.8
Molybdenum, dissolved (µg/l)	145	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 04/22/2024

FORM 14 R**ANNUAL WATER QUALITY ANALYSES**

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

Date Prepared/Revised
06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC -

Site Name:

Facility ID (as issued by DEP):

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-9C

☒ Well ☐ Spring ☐ Stream ☐ Other☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 14.60"

Longitude: 76° 41' 30.60"

Depth to Water Level: 22.46 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.69 ft.

Elevation of Water Level: 262.22 ft./MSL

Sampling Depth: 85.00 ft.

Volume of Water Column: gal.

Total Well Depth: 88.10 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.075 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/22/2024

Sample Collection Time: 11:59AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401439-012

Final Lab Analysis Completion Date: 05/09/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-9C

Sample Date 04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.32	SM 4500-NH3 F
Bicarbonate (mg/l)	235	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	19.5	EPA 300.0
Fluoride, total as F (mg/l)	0.8	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	754	EPA 200.7
Manganese, dissolved (µg/l)	720	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	7.31	SM 4500-H+B
pH, lab (su)	7.27 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	801	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	797	SM 2510 B
Sulfate, as SO4 (mg/l)	154	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	235	SM 2320 B
Total Dissolved Solids (mg/l)	486	SM 2540 C
Total Organic Carbon (mg/l)	0.5 <	SM 5310 C
Turbidity, field (n.t.u.)	0.37	Field Meter
Dissolved O2, field (mg/l)	0.96	Field Meter
Redox, field (mv)	-68.2	Field Meter
Temperature, field (°c)	13.59	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9C

Sample Date 04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9C

Sample Date 04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	216	EPA 200.8
Arsenic, dissolved (µg/l)	265	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	110	EPA 200.8
Lithium, dissolved (µg/l)	154	EPA 200.8
Molybdenum, total (µg/l)	292	EPA 200.8
Molybdenum, dissolved (µg/l)	302	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9CSample Date 04/22/2024**FORM 14 R****ANNUAL WATER QUALITY ANALYSES**

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 06/07/2024

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-PT-1

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 55' 26.53"

Longitude: 76° 40' 28.05"

Depth to Water Level: 14.02 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.04 ft.

Elevation of Water Level: 257.746 ft./MSL

Sampling Depth: 19.00 ft.

Volume of Water Column: gal.

Total Well Depth: ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.85 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 04/22/2024

Sample Collection Time: 12:47PM

Sample Collector's Name: AMC

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 240401441-001

Final Lab Analysis Completion Date: 05/10/2024

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Generation, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	36	SM 2320
Calcium, total (mg/l)	146	EPA 200.7
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	4.64	EPA 300.0
Fluoride, total as F (mg/l)	0.24	EPA 300.0
Iron, total (µg/l)	55	EPA 200.7
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)	32.1	EPA 200.7
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	1,610	EPA 200.7
Manganese, dissolved (µg/l)		
Nitrate, as N (mg/l)	5.6	EPA 300.0
pH, field (su)	5.02	SM 4500-H+B
pH, lab (su)	5.4 H	SM 4500-H+B
Potassium, total (mg/l)	2.41	EPA 200.7
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)	4.58	EPA 200.7
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	944	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	933	SM 2510 B
Sulfate, as SO4 (mg/l)	438	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	36	SM 2320 B
Total Dissolved Solids (mg/l)	702	SM 2540 C
Total Organic Carbon (mg/l)	2.17	SM 5310 C
Turbidity, field (n.t.u.)	1.14	Field Meter
Dissolved O2, field (mg/l)	1.98	Field Meter
Redox, field (mv)	317.5	Field Meter
Temperature, field (°c)	14.93	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	04/22/2024

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)		
Barium, total (µg/l)	9.65	EPA 200.8
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)	1 <	EPA 200.8
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)	1.15	EPA 200.8
Chromium, dissolved (µg/l)		
Copper, total (µg/l)	2.37	EPA 200.8
Copper, dissolved (µg/l)		
Lead, total (µg/l)	0.08 ND	EPA 200.8
Lead, dissolved (µg/l)		
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)	5 <	EPA 200.8
Selenium, dissolved (µg/l)		
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)		
Zinc, total (µg/l)	52.4	EPA 200.8
Zinc, dissolved (µg/l)		
Boron, total (µg/l)	100 <	EPA 200.7
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	8.58	EPA 200.8
Lithium, dissolved (µg/l)		
Molybdenum, total (µg/l)	26	EPA 200.8
Molybdenum, dissolved (µg/l)		
Strontium, total (µg/l)	405	EPA 200.7
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	04/22/2024

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	1,600	EPA 200.7
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)	0.3 ND	EPA 200.8
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)	1	EPA 200.8
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	47.8	EPA 200.8
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)	0.53 ND	EPA 200.8
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

Attachment – Statistics Summary

Statistical Analysis

Temporal trends of selected parameters were analyzed using a Theil-Sen estimator, a robust linear regression method. The Theil-Sen estimator is insensitive to outlying spikes in data, making it advantageous over the traditional least squares method of linear regression in identifying significant temporal trends. To comply with proposed RCRA Subtitle D regulations, a nonparametric analysis of variants (ANOVA) of the data is also utilized. The nonparametric ANOVA analysis is a method for comparing medians of two or more groups. In this case, it is utilized to determine if parameter concentrations in downgradient wells are significantly greater than or less than parameter concentrations in the upgradient wells.

An Excel workbook was developed to evaluate historical groundwater monitoring data from Talen sites with the aforementioned statistical tools. This Excel application was used to perform statistical analyses of each site-related groundwater parameter at all monitoring locations for each basin/area of the site. The Excel workbook includes a worksheet containing a summary table of the statistical analyses results for all groundwater parameters and monitoring locations along with other supporting worksheets containing raw data and more detailed statistical information. The most pronounced parameter trends and regulatory exceedances are highlighted on the summary table.

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Up												Down												Up																			
					MW-19												MW-4-10												MW-4-7A																			
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)				
	Iron, dissolved	mg/l	0.3	59.02	NC		NC	0.0	4.9	41	35	0	0	0.1	06/10/14	0.00	> Up	n	NC		NC	0.0	3.9	41	30	0	0	0.1	09/08/14	0.19	n	NC		NC	0.0	2.3	41	37	0	0	0.1	04/18/22	0.00	> Up	n			
	Arsenic, dissolved	µg/l	10	58.53	NC		NC	0.6	6.1	41	32	0	0	1.9	08/26/20	0.34	p	NC		NC	1.4	14.1	41	27	0	1	08/14/18	10.2	08/14/18	0.29	n	NC		NC	0.5	5.2	41	41	0	0	0.6	04/22/24	0.00	< Up	n			
	Manganese, dissolved	µg/l	300	21.44	NC		NC	3.5	1.2	41	41	0	0	20.0	08/16/19	0.00	< Up	n	-36.9	↓	0.00	2284.3	761.4	41	0	0	41	04/23/24	7220.0	06/05/14	0.00	> Up	n	35.6	↑	0.18	205.7	68.6	41	0	0	7	10/14/22	559.0	11/05/20	0.00	> Up	n
	Molybdenum, dissolved	µg/l	40	16.96	NC		NC	0.7	1.7	41	33	0	0	3.9	04/20/22	0.00	< Up	n	-59.0	↓	0.01	554.2	1385.5	41	0	0	40	04/23/24	1360.0	02/12/18	0.00	> Up	n	25.1	↑	0.03	21.5	53.8	41	0	0	0	29.9	07/24/21	0.00	> Up	n	
	Zinc, dissolved	µg/l	2000	8.54	NC		NC	2.8	0.1	41	30	0	0	18.4	08/16/19	0.31	n	1.2	↔	0.46	72.5	3.6	41	0	0	0		488.0	08/14/18	0.00	> Up	n	NC		NC	1.9	0.1	41	36	0	0	11.1	08/21/19	0.18	n			
	Aluminum, dissolved	µg/l	200	5.99	NC		NC	30.2	15.1	41	41	0	0	100.0	04/23/24	NC		NC		NC	2171.5	1085.7	41	25	0	11	04/23/24	28800.0	08/14/18	0.00	> Up	n	NC		NC	73.6	36.8	41	41	0	0	100.0	04/22/24	NC				
	Nickel, dissolved	µg/l	100	5.75	NC		NC	1.0	1.0	41	35	0	0	5.0	08/16/18	0.00	< Up	n	49.5	↑	0.14	38.1	38.1	41	0	0	3	08/14/18	175.0	06/07/16	0.00	> Up	n	NC		NC	3.4	3.4	41	23	0	0	17.2	11/11/19	0.37	n		
	Cadmium, dissolved	µg/l	5	5.15	NC		NC	0.1	1.9	41	41	0	0	0.2	10/13/21	NC		50.3	↑	0.02	1.0	20.6	41	9	0	0		2.4	08/14/18	0.00	> Up	n	NC		NC	0.1	2.3	41	41	0	0	0.2	11/05/18	NC				
	Potassium, dissolved	mg/l	--	5.09	62.0	↑	0.00	0.8	NA	41	20	0	0	1.0	04/23/24	0.00	< Up	n	27.1	↑	0.00	103.8	NA	41	0	0	0		139.0	01/27/22	0.00	> Up	n	9.5	↔	0.03	4.0	NA	41	0	0	0	4.9	10/13/23	0.00	> Up	n	
	Fluoride, total as F	mg/l	2	3.74	NC		NC	0.0	1.8	41	38	0	0	0.2	01/18/23	0.00	< Up	n	NC		NC	0.2	9.4	41	32	0	0		1.8	08/14/18	0.01	> Up	n	8.5	↔	0.06	0.2	8.9	41	11	0	0	0.3	06/04/14	0.49	n		
	Strontium, dissolved	µg/l	4000	2.91	-5.6	↔	0.02	49.7	1.2	41	0	0	0	59.3	03/12/15	0.00	< Up	n	68.5	↑	0.00	1251.4	31.3	41	0	0	0		2190.0	08/25/19	0.00	> Up	n	18.9	↑	0.00	354.9	8.9	41	0	0	0	430.0	11/05/20	0.00	> Up	n	
	Chloride, total as Cl	mg/l	250	2.42	11.9	↑	0.00	8.5	3.4	41	0	0	0	9.9	08/26/20	0.00	< Up	n	-63.0	↓	0.00	11.1	4.4	41	0	0	0		19.1	01/29/24	0.03	< Up	n	-37.3	↓	0.00	16.4	6.6	41	0	0	0	19.9	06/06/17	0.00	> Up	n	
	Beryllium, dissolved	µg/l	4	1.94	NC		NC	0.1	3.6	41	41	0	0	0.5	06/10/14	NC		NC		NC	0.7	17.1	41	36	0	2	08/14/18	5.4	06/05/14	0.00	> Up	n	NC		NC	0.1	3.4	41	41	0	0	0.2	04/22/24	NC				
	Lithium, dissolved	µg/l	83	1.52	-24.8	↓	0.00	3.4	4.1	41	0	0	0	4.4	03/12/15	0.00	< Up	n	-31.0	↓	0.00	1006.9	1213.1	41	0	0	41	04/23/24	1380.0	03/08/17	0.00	> Up	n	252.5	↑	0.00	161.8	194.9	41	0	0	39	04/22/24	330.0	07/21/23	0.00	> Up	n
	Ammonia, as N	mg/l	--	1.28	NC		NC	0.1	NA	41	41	0	0	0.2	01/26/22	0.00	< Up	n	10.1	↑	0.28	0.3	NA	41	12	0	0		0.9	05/19/20	0.01	> Up	n	-1.8	↔	0.21	0.2	NA	41	11	0	0	0.7	06/06/16	0.01	> Up	n	
	Copper, dissolved	µg/l	1000	1.25	NC		NC	1.3	0.1	41	39	0	0	5.0	11/12/18	0.00	< Up	n	0.0	↔	0.24	5.7	0.6	41	18	0	0		32.2	06/05/14	0.00	> Up	n	NC		NC	1.5	0.2	41	33	0	0	5.0	02/11/19	0.05	> Up	n	
	Magnesium, dissolved	mg/l	--	1.24	-13.9	↓	0.00	4.5	NA	41	0	0	0	5.7	03/12/15	0.00	< Up	n	5.7	↔	0.28	15.6	NA	41	0	0	0		27.2	08/14/18	0.50	n	16.8	↑	0.00	39.6	NA	41	0	0	0	53.8	11/05/20	0.00	> Up	n		
	Total Organic Carbon	mg/l	--	1.18	NC		NC	0.2	NA	41	38	0	0	1.1	07/19/22	0.00	< Up	n	-18.7	↓	0.06	0.7	NA	41	7	0	0		2.2	07/20/22	0.16	n	6.5	↔	0.36	1.1	NA	41	1	0	0	3.1	07/19/22	0.00	> Up	n		
	Titanium, dissolved	µg/l	--	1.13	NC		NC	0.8	NA	41	40	0	0	6.1	01/26/22	0.15	n	NC		NC	2.1	NA	41	41	0	0		5.0	04/23/24	0.24	n	NC		NC	2.5	NA	41	41	0	0	5.0	04/22/24	0.24	n				
	Chemical Oxygen Demand	mg/l	--	1.11	NC		NC	2.6	NA	41	40	0	0	25.4	01/26/22	0.15	n	NC		NC	2.5	NA	41	40	0	0		20.7	05/19/20	0.31	n	NC		NC	7.2	NA	41	41	0	0	20.0	04/18/22	0.24	n				
	Vanadium, dissolved	µg/l	170	1.11	NC		NC	1.3	0.8	41	41	0	0	2.3	01/18/23	0.00	< Up	n	NC		NC	1.3	0.7	41	41	0	0		2.3	01/26/23	0.00	< Up	n	NC		NC	1.8	1.1	41	32	0	0	5.0	04/22/24	0.00	> Up	n	
	Specific Conductance, field	umhos/cm	--	1.10	-1.7	↔	0.30	225.2	NA	41	0	0	0	267.0	10/13/21	0.00	< Up	n	0.7	↔	0.46	1534.4	NA	41	0	0	0		1953.0	05/07/19	0.00	> Up	n	17.6	↑	0.00	1474.1	NA	41	0	0	0	1643.0	11/05/20	0.00	> Up	n	
	Chromium, dissolved	µg/l	100	1.05	NC		NC	0.7	0.7	41	41	0	0	1.0	08/26/20	NC		NC		NC	0.7	0.7	41	41	0	0		1.0	05/07/19	NC		NC		NC	0.7	0.7	41	41	0	0	1.0	08/21/19	NC					
	Total Dissolved Solids	mg/l	500	1.03	-9.6	↔	0.00	142.1	28.4	41	0	0	0	173.0	08/16/19	0.00	< Up	n	-3.0	↔	0.31	1149.6	229.9	41	0	0	41	04/23/24	1670.0	05/07/19	0.00	> Up	n	16.0	↑	0.00	1157.8	231.6	41	0	0	41	04/22/24	1300.0	11/05/20	0.00	> Up	n
	Calcium, dissolved	mg/l	--	1.02	-7.1	↔	0.04	26.6	NA	41	0	0	0	32.0	08/26/20	0.00	< Up	n	59.4	↑	0.01	158.3	NA	41	0	0	0		328.0	08/25/19	0.12	n	19.7	↑	0.00	235.7	NA	41	0	0	0	340.0	08/21/19	0.00	> Up	n		
	Antimony, dissolved	µg/l	6	1.00</																																												

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down													Down													Down																		
					MW-8-10A													MW-8-10B													MW-8-10C																		
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)					
	Iron, dissolved	mg/l	0.3	59.02	NC		NC	0.0	5.2	41	34	0		0.1	06/05/14	0.00	> Up	n	NC		NC	0.0	4.6	41	37	0	0		0.1	06/05/14	0.00	> Up	n	111.9	↑	0.32	0.3	106.7	12	2	0	4	04/15/23	1.4	04/15/23	0.00	> Up	n	
	Arsenic, dissolved	µg/l	10	58.53	NC		NC	0.5	5.3	41	41	0	0		1.0	04/20/24	0.00	< Up	n	-22.5	↓	0.00	1.5	15.2	41	5	0	0		2.0	05/12/15	0.00	> Up	p	-42.8	↓	0.13	0.8	8.2	12	6	0	0		1.8	06/08/16	0.07		p
	Manganese, dissolved	µg/l	300	21.44	-94.6	↓	0.00	442.9	147.6	41	6	0	12	10/14/23	1950.0	12/07/16	0.00	> Up	n	NC		NC	3.8	1.3	41	29	0	0		40.0	01/22/24	0.00	< Up	n	184.5	↑	0.06	333.4	111.1	12	2	0	9	04/20/24	826.0	04/15/23	0.00	> Up	n
	Molybdenum, dissolved	µg/l	40	16.96	-61.1	↓	0.00	30.5	76.2	41	0	0	9	02/13/18	78.7	12/07/16	0.00	> Up	n	-25.1	↓	0.00	33.3	83.2	41	0	0	1	08/11/19	41.2	08/11/19	0.00	> Up	n	-21.5	↓	0.04	53.1	132.7	12	0	0	11	04/20/24	67.0	04/24/21	0.00	> Up	n
	Zinc, dissolved	µg/l	2000	8.54	-21.8	↓	0.03	6.6	0.3	41	15	0	0		29.1	11/11/19	0.00	> Up	n	NC		NC	2.3	0.1	41	35	0	0		31.0	11/11/19	0.00	< Up	n	NC		NC	3.7	0.2	12	12	0	0		5.0	04/15/23	0.05	< Up	n
	Aluminum, dissolved	µg/l	200	5.99	NC		NC	70.2	35.1	41	41	0	0		100.0	04/20/24	NC		NC		NC		NC	66.0	33.0	41	41	0	0		100.0	04/20/24	NC		NC		NC	40.9	20.4	12	12	0	0		100.0	04/20/24	NC		
	Nickel, dissolved	µg/l	100	5.75	NC		NC	1.1	1.1	41	33	0	0		9.2	11/11/19	0.00	< Up	n	NC		NC	1.0	1.0	41	36	0	0		9.2	04/20/24	0.00	< Up	n	NC		NC	1.0	1.0	12	10	0	0		6.2	04/20/24	0.00	< Up	n
	Cadmium, dissolved	µg/l	5	5.15	NC		NC	0.2	3.6	41	41	0	0		1.0	10/16/21	NC		NC		NC		NC	0.1	2.5	41	41	0	0		1.0	08/24/20	NC		NC		NC	0.1	2.3	12	12	0	0		0.2	05/08/19	NC		
	Potassium, dissolved	mg/l	--	5.09	0.0	↔	0.46	2.4	NA	41	0	0	0		3.0	10/14/23	0.47		n	10.1	↑	0.10	2.3	NA	41	0	0	0		3.4	06/05/14	0.48		n	-71.6	↓	0.00	2.9	NA	12	1	0	0		6.8	05/12/15	0.23		n
	Fluoride, total as F	mg/l	2	3.74	NC		NC	0.2	7.9	41	27	0	0		0.2	04/20/24	0.00	> Up	n	NC		NC	0.1	6.6	41	25	0	0		0.2	04/20/24	0.00	> Up	n	47.4	↑	0.04	0.1	6.3	12	4	0	0		0.2	04/20/24	0.03	> Up	n
	Strontium, dissolved	µg/l	4000	2.91	-24.6	↓	0.01	295.6	7.4	41	0	0	0		417.0	12/07/16	0.01	> Up	n	38.3	↑	0.00	254.9	6.4	41	0	0	0		362.0	05/19/20	0.30		n	22.7	↑	0.01	212.2	5.3	12	0	0	0		284.0	04/20/24	0.50		n
	Chloride, total as Cl	mg/l	250	2.42	102.0	↑	0.00	39.0	15.6	41	0	0	0		68.0	04/20/24	0.00	> Up	n	906.8	↑	0.00	58.9	23.5	41	0	0	0		116.0	10/14/23	0.00	> Up	n	124.4	↑	0.00	13.3	5.3	12	0	0	0		34.4	04/20/24	0.37		n
	Beryllium, dissolved	µg/l	4	1.94	NC		NC	0.1	3.4	41	41	0	0		0.2	04/20/24	NC		NC		NC		NC	0.1	3.6	41	41	0	0		0.5	09/14/16	NC		NC		NC	0.2	4.3	12	12	0	0		0.5	05/08/19	NC		
	Lithium, dissolved	µg/l	83	1.52	-31.0	↓	0.01	13.2	15.9	41	1	0	0		19.3	04/20/24	0.43		n	-6.9	↔	0.33	14.5	17.4	41	0	0	0		31.6	06/05/14	0.42		n	-73.4	↓	0.01	14.8	17.8	12	0	0	0		35.5	05/12/15	0.32		n
	Ammonia, as N	mg/l	--	1.28	NC		NC	0.1	NA	41	29	0	0		0.4	02/02/20	0.00	< Up	n	NC		NC	0.1	NA	41	41	0	0		0.2	11/05/20	0.00	< Up	n	NC		NC	0.0	NA	12	12	0	0		0.1	04/20/24	0.00	< Up	n
	Copper, dissolved	µg/l	1000	1.25	NC		NC	1.6	0.2	41	36	0	0		5.0	05/08/19	0.00	> Up	n	NC		NC	1.0	0.1	41	37	0	0		5.0	03/07/17	0.00	< Up	n	NC		NC	1.6	0.2	12	10	0	0		14.2	06/09/14	0.26		n
	Magnesium, dissolved	mg/l	--	1.24	-11.6	↓	0.05	37.8	NA	41	0	0	0		47.3	04/20/24	0.00	> Up	n	29.9	↑	0.00	21.7	NA	41	0	0	0		26.1	10/15/22	0.47		n	32.1	↑	0.04	17.5	NA	12	0	0	0		23.4	04/20/24	0.50		n
	Total Organic Carbon	mg/l	--	1.18	-7.6	↔	0.18	0.6	NA	41	16	0	0		3.2	07/16/22	0.01	< Up	n	NC		NC	0.3	NA	41	35	0	0		1.4	07/16/22	0.00	< Up	n	NC		NC	0.5	NA	12	9	0	0		0.8	05/08/19	0.00	< Up	n
	Titanium, dissolved	µg/l	--	1.13	NC		NC	2.2	NA	40	40	0	0		5.0	04/20/24	0.24		n	NC		NC	2.3	NA	40	40	0	0		5.0	04/20/24	0.24		n	NC		NC	2.2	NA	11	11	0	0		5.0	04/20/24	0.36		n
	Chemical Oxygen Demand	mg/l	--	1.11	NC		NC	6.5	NA	41	41	0	0		20.0	04/20/24	0.24		n	NC		NC	7.2	NA	41	41	0	0		20.0	04/20/24	0.24		n	NC		NC	7.2	NA	12	12	0	0		20.0	04/24/21	0.35		n
	Vanadium, dissolved	µg/l	170	1.11	NC		NC	1.3	0.8	41	41	0	0		2.3	01/21/23	0.00	< Up	n	NC		NC	4.3	2.5	41	32	0	0		5.0	04/20/24	0.27		n	NC		NC	1.1	0.7	12	12	0	0		2.3	04/16/22	0.00	< Up	n
	Specific Conductance, field	umhos/cm	--	1.10	5.1	↔	0.27	999.5	NA	41	0	0	0		1226.0	04/20/24	0.50		n	42.8	↑	0.00	775.7	NA	41	0	0	0		934.0	04/20/24	0.50		n	18.6	↑	0.00	531.9	NA	12	0	0	0		695.0	04/20/24	0.49		n
	Chromium, dissolved	µg/l	100	1.05	NC		NC	0.8	0.8	41	41	0	0		1.0	07/22/23	NC		NC		NC		NC	0.7	0.7	41	41	0	0		1.0	08/24/20	NC		NC		NC	1.1	1.1	12	12	0	0		5.0	05/12/15	NC		
	Total Dissolved Solids	mg/l	500	1.03	-6.3	↔	0.29	741.4	148.3	41	0	0	41	04/20/24	949.0	09/19/17	0.49		n	29.8	↑	0.00	531.2	106.2	41	0	0	25	04/20/24	731.0	07/22/23	0.50		n	15.8	↑	0.00	351.8	70.4	12	0	0	0		435.0	04/20/24	0.49		n
	Calcium, dissolved	mg/l	--	1.02	-4.6	↔	0.24	147.0	NA	41	0	0	0		188.0	04/20/24	0.48		n	25.3	↑	0.00	116.9	NA	41	0	0	0		149.0	10/15/22	0.47		n	18.2	↑	0.06	62.0	NA	12	0	0	0		89.3				

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down												Down												Down																				
					MW-8-12C												MW-8-1N												MW-8-2																				
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)					
	Iron, dissolved	mg/l	0.3	59.02	-53.9	↓	0.00	0.8	263.6	12	0	0	11	04/22/24	1.2	06/10/14	0.00	> Up	n	-77.7	↓	0.00	0.7	223.7	41	0	0	25	01/19/24	5.4	09/15/16	0.00	> Up	n	NC		NC	0.0	1.3	41	38	0	0		0.1	01/25/21	0.00	< Up	n
	Arsenic, dissolved	µg/l	10	58.53	79.3	↑	0.22	1.0	10.3	12	4	0	0		2.0	06/10/14	0.02	> Up	p	NC		NC	0.5	5.1	41	41	0	0		0.6	04/20/24	0.00	< Up	n	NC		NC	0.1	1.2	41	40	0	0		1.0	08/24/20	0.00	< Up	n
	Manganese, dissolved	µg/l	300	21.44	7.7	↔	0.05	1427.3	475.8	12	0	0	11	04/22/24	1730.0	04/24/21	0.00	> Up	n	-38.4	↓	0.00	1707.3	569.1	41	0	0	41	04/20/24	3210.0	09/15/16	0.00	> Up	n	34.2	↑	0.01	382.3	127.4	41	0	0	32	04/19/24	727.0	10/12/23	0.00	> Up	n
	Molybdenum, dissolved	µg/l	40	16.96	20.1	↑	0.20	369.8	924.6	12	0	0	12	04/22/24	520.0	04/24/21	0.00	> Up	n	NC		NC	1.4	3.5	41	33	0	0		5.0	11/08/18	0.00	< Up	n	-12.5	↓	0.01	291.1	727.7	41	0	0	41	04/19/24	420.0	07/20/23	0.00	> Up	n
	Zinc, dissolved	µg/l	2000	8.54	NC		NC	2.0	0.1	12	11	0	0		12.8	06/10/14	0.21	n		NC		NC	3.6	0.2	41	37	0	0		45.7	01/19/24	0.08	n		NC		NC	4.0	0.2	41	32	0	0		47.4	01/19/24	0.00	> Up	n
	Aluminum, dissolved	µg/l	200	5.99	NC		NC	73.1	36.5	12	12	0	0		100.0	04/22/24	NC			NC		NC	73.8	36.9	41	41	0	0		100.0	04/20/24	NC			NC		NC	59.9	30.0	41	41	0	0		100.0	04/19/24	NC		
	Nickel, dissolved	µg/l	100	5.75	NC		NC	1.8	1.8	12	7	0	0		7.9	04/22/24	0.35	n		NC		NC	1.6	1.6	41	35	0	0		15.8	11/03/19	0.00	< Up	n	NC		NC	2.0	2.0	41	22	0	0		7.4	11/04/19	0.50	n	
	Cadmium, dissolved	µg/l	5	5.15	NC		NC	0.5	10.7	12	9	0	0		1.0	04/22/24	0.00	> Up	n	NC		NC	0.2	3.4	41	41	0	0		0.2	05/12/19	NC			NC		NC	0.6	11.7	41	28	0	0		1.1	01/19/24	0.00	> Up	n
	Potassium, dissolved	mg/l	--	5.09	-84.9	↓	0.00	7.0	NA	12	0	0	0		12.4	05/11/15	0.00	> Up	n	16.8	↑	0.09	7.9	NA	41	0	0	0		12.1	09/15/16	0.00	> Up	n	15.1	↑	0.00	5.3	NA	41	0	0	0		6.5	10/12/23	0.00	> Up	n
	Fluoride, total as F	mg/l	2	3.74	26.4	↑	0.24	0.2	7.7	12	2	0	0		0.3	05/20/20	0.39	n		6.8	↔	0.17	0.2	11.4	41	11	0	0		0.3	05/19/20	0.00	> Up	n	-8.6	↔	0.06	0.9	47.4	41	0	0	0		1.1	09/08/14	0.00	> Up	n
	Strontium, dissolved	µg/l	4000	2.91	-6.6	↔	0.12	306.0	7.7	12	0	0	0		424.0	05/08/19	0.31	n		15.3	↑	0.03	1116.1	27.9	41	0	0	0		1440.0	10/12/23	0.00	> Up	n	41.5	↑	0.00	487.9	12.2	41	0	0	0		716.0	04/19/24	0.00	> Up	n
	Chloride, total as Cl	mg/l	250	2.42	-2.8	↔	0.25	8.6	3.4	12	0	0	0		9.1	06/10/14	0.01	< Up	n	-66.2	↓	0.00	60.8	24.3	41	0	0	0		164.0	05/13/15	0.00	> Up	n	-0.7	↔	0.47	27.6	11.1	41	0	0	0		34.2	10/12/23	0.00	> Up	n
	Beryllium, dissolved	µg/l	4	1.94	NC		NC	0.2	4.3	12	12	0	0		0.5	06/10/14	NC			NC		NC	0.1	3.4	41	41	0	0		0.2	04/20/24	NC			NC		NC	0.1	3.4	41	41	0	0		0.2	04/19/24	NC		
	Lithium, dissolved	µg/l	83	1.52	-81.1	↓	0.01	15.4	18.6	12	0	0	0		28.7	06/08/16	0.50	n		-84.6	↓	0.00	1.7	2.1	41	13	0	0		4.8	09/15/16	0.00	< Up	n	-14.1	↓	0.02	21.1	25.4	41	0	0	0		26.0	09/14/15	0.49	n	
	Ammonia, as N	mg/l	--	1.28	NC		NC	0.1	NA	12	7	0	0		0.2	04/22/24	0.01	> Up	n	-30.1	↓	0.00	0.2	NA	41	18	0	0		1.1	02/02/20	0.07	n		56.2	↑	0.04	0.1	NA	41	17	0	0		0.3	02/03/20	0.12	n	
	Copper, dissolved	µg/l	1000	1.25	NC		NC	0.8	0.1	12	12	0	0		1.0	04/22/24	0.00	< Up	n	NC		NC	1.2	0.1	41	35	0	0		5.0	05/12/19	0.01	< Up	n	NC		NC	0.8	0.1	41	31	0	0		6.0	07/20/23	0.30	n	
	Magnesium, dissolved	mg/l	--	1.24	5.8	↔	0.10	18.2	NA	12	0	0	0		20.0	04/24/21	0.49	n		-32.2	↓	0.00	34.6	NA	41	0	0	0		48.4	05/13/15	0.02	> Up	n	32.2	↑	0.00	14.7	NA	41	0	0	0		22.0	04/19/24	0.48	n	
	Total Organic Carbon	mg/l	--	1.18	-21.4	↓	0.37	1.2	NA	12	1	0	0		2.2	06/03/22	0.00	> Up	n	-28.2	↓	0.01	1.1	NA	41	2	0	0		4.4	07/16/22	0.00	> Up	n	9.0	↔	0.05	0.8	NA	41	5	0	0		3.7	07/18/22	0.45	n	
	Titanium, dissolved	µg/l	--	1.13	NC		NC	1.9	NA	11	10	0	0		5.0	04/22/24	0.01	> Up	n	NC		NC	1.5	NA	40	40	0	0		5.0	04/20/24	0.24	n		NC		NC	1.7	NA	40	40	0	0		5.0	04/19/24	0.24	n	
	Chemical Oxygen Demand	mg/l	--	1.11	NC		NC	8.4	NA	12	12	0	0		20.0	06/03/22	0.35	n		NC		NC	8.4	NA	41	41	0	0		20.0	10/12/23	0.24	n		NC		NC	7.1	NA	41	41	0	0		20.0	04/19/24	0.24	n	
	Vanadium, dissolved	µg/l	170	1.11	NC		NC	1.1	0.7	12	12	0	0		2.3	06/03/22	0.00	< Up	n	NC		NC	1.3	0.8	41	41	0	0		2.3	01/18/23	0.00	< Up	n	NC		NC	1.5	0.9	41	40	0	0		5.0	04/19/24	0.00	< Up	n
	Specific Conductance, field	umhos/cm	--	1.10	2.8	↔	0.06	626.9	NA	12	0	0	0		663.0	04/18/23	0.50	n		-39.6	↓	0.00	1319.7	NA	41	0	0	0		1886.0	05/13/15	0.01	> Up	n	17.1	↑	0.01	614.9	NA	41	0	0	0		953.0	07/18/22	0.49	n	
	Chromium, dissolved	µg/l	100	1.05	NC		NC	0.8	0.8	12	12	0	0		1.0	05/08/19	NC			NC		NC	0.7	0.7	41	41	0	0		1.0	08/25/20	NC			NC		NC	0.8	0.8	41	41	0	0		1.0	04/19/22	NC		
	Total Dissolved Solids	mg/l	500	1.03	-3.1	↔	0.19	421.1	84.2	12	0	0	0		452.0	05/20/20	0.50	n		-49.0	↓	0.00	969.5	193.9	41	0	0	41	04/20/24	1520.0	09/15/16	0.02	> Up	n	11.9	↑	0.01	387.2	77.4	41	0	0	3	04/19/24	560.0	07/20/23	0.49	n	
	Calcium, dissolved	mg/l	--	1.02	5.3	↔	0.27	93.3	NA	12	0	0	0		109.0	04/24/21	0.50	n		-33.9	↓	0.00	203.3	NA	41	0	0	0		299.0	09/15/16	0.																	

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down													Down													Down															
					MW-8-3A													MW-8-3B													MW-8-4															
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)		
1	Iron, dissolved	mg/l	0.3	59.02	-32.9	↓	0.02	5.4	1812.3	41	0	0	40	04/19/24	11.0	06/06/17	0.00	> Up n	-67.1	↓	0.01	0.3	111.4	41	5	0	19	01/24/22	0.9	09/19/16	0.00	> Up n	NC		NC	0.0	1.2	41	40	0	0		0.1	04/18/22	0.00	< Up n
	Arsenic, dissolved	µg/l	10	58.53	0.3	↔	0.50	10.3	102.8	41	1	0	23	10/12/23	21.1	10/12/23	0.00	> Up n	-32.8	↓	0.03	5.6	56.4	41	0	0	0		9.8	11/08/18	0.00	> Up n	NC		NC	0.9	8.7	41	30	0	0		3.8	09/16/14	0.02	> Up p
	Manganese, dissolved	µg/l	300	21.44	12.1	↑	0.29	6255.1	2085.0	41	0	0	41	04/19/24	9120.0	10/14/21	0.00	> Up n	-9.5	↔	0.31	1292.0	430.7	41	0	0	39	01/20/24	2000.0	07/18/22	0.00	> Up n	-77.1	↓	0.00	11954.4	3984.8	41	0	0	41	04/19/24	31600.0	09/16/14	0.00	> Up n
	Molybdenum, dissolved	µg/l	40	16.96	-10.6	↓	0.27	61.9	154.8	41	0	0	33	10/12/23	94.6	11/04/19	0.00	> Up n	-3.7	↔	0.28	141.7	354.4	41	0	0	41	04/19/24	177.0	07/20/23	0.00	> Up n	NC		NC	1.4	3.4	41	32	0	0		11.1	04/17/23	0.00	< Up n
	Zinc, dissolved	µg/l	2000	8.54	NC		NC	3.0	0.2	41	32	0	0		44.4	01/20/24	0.46	n	NC		NC	3.1	0.2	41	33	0	0		45.4	01/20/24	0.48	n	-84.0	↓	0.00	136.2	6.8	41	0	0	0		467.0	09/24/15	0.00	> Up n
	Aluminum, dissolved	µg/l	200	5.99	NC		NC	71.8	35.9	41	41	0	0		100.0	04/19/24	NC		NC		NC	68.1	34.0	41	41	0	0		100.0	04/19/24	NC		-74.9	↓	0.00	882.4	441.2	41	6	0	17	04/19/24	6260.0	09/16/14	0.00	> Up n
	Nickel, dissolved	µg/l	100	5.75	NC		NC	3.1	3.1	41	23	0	0		11.7	11/04/19	0.29	n	NC		NC	1.1	1.1	41	35	0	0		9.8	11/04/19	0.00	< Up n	-76.1	↓	0.00	97.0	97.0	41	0	0	13	07/19/22	237.0	09/24/15	0.00	> Up n
	Cadmium, dissolved	µg/l	5	5.15	NC		NC	0.1	2.8	41	41	0	0		1.0	08/24/20	NC		NC		NC	0.4	8.1	41	41	0	0		1.0	01/20/23	NC		-67.5	↓	0.00	2.1	41.0	41	10	0	3	09/22/16	6.1	09/24/15	0.00	> Up n
	Potassium, dissolved	mg/l	--	5.09	34.9	↑	0.00	2.9	NA	41	0	0	0		3.5	01/20/24	0.42	n	10.2	↑	0.01	1.7	NA	41	0	0	0		2.0	07/18/22	0.47	n	-45.1	↓	0.00	1.8	NA	41	1	0	0		3.6	09/24/15	0.48	n
	Fluoride, total as F	mg/l	2	3.74	-5.6	↔	0.20	0.4	20.9	41	0	0	0		0.7	02/03/20	0.00	> Up n	-14.7	↓	0.02	0.5	23.5	41	2	0	0		0.9	05/13/15	0.00	> Up n	-40.0	↓	0.10	0.3	17.5	41	6	0	0		0.9	09/16/14	0.00	> Up n
	Strontium, dissolved	µg/l	4000	2.91	60.0	↑	0.00	804.1	20.1	41	0	0	0		1040.0	04/14/23	0.00	> Up n	17.6	↑	0.00	372.3	9.3	41	0	0	0		447.0	10/12/23	0.00	> Up n	-61.0	↓	0.00	357.3	8.9	41	0	0	0		661.0	09/16/14	0.00	> Up n
	Chloride, total as Cl	mg/l	250	2.42	613.6	↑	0.00	47.8	19.1	41	1	0	0		140.0	01/24/22	0.23	n	769.4	↑	0.00	24.0	9.6	41	0	0	0		92.4	11/06/20	0.29	n	-71.4	↓	0.00	30.2	12.1	41	0	0	0		82.5	09/24/15	0.00	> Up n
	Beryllium, dissolved	µg/l	4	1.94	NC		NC	0.1	3.6	41	41	0	0		0.5	08/22/18	NC		NC		NC	0.1	3.4	41	41	0	0		0.2	04/19/24	NC		NC		NC	1.1	28.3	41	26	0	3	09/22/16	5.0	09/24/15	0.01	> Up n
	Lithium, dissolved	µg/l	83	1.52	18.6	↑	0.03	16.5	19.9	41	0	0	0		22.0	07/20/23	0.49	n	-7.0	↔	0.08	25.8	31.1	41	0	0	0		35.8	01/24/22	0.48	n	-58.7	↓	0.00	16.8	20.3	41	1	0	0		37.0	09/24/15	0.42	n
	Ammonia, as N	mg/l	--	1.28	0.0	↔	0.50	0.2	NA	41	10	0	0		0.4	08/24/20	0.00	> Up n	NC		NC	0.0	NA	41	26	0	0		0.3	02/03/20	0.00	< Up n	NC		NC	0.0	NA	41	31	0	0		0.3	05/20/20	0.00	< Up n
	Copper, dissolved	µg/l	1000	1.25	NC		NC	0.7	0.1	41	33	0	0		3.1	04/18/22	0.16	n	NC		NC	0.8	0.1	41	33	0	0		6.1	03/07/17	0.13	n	-94.2	↓	0.00	3.8	0.4	41	19	0	0		16.7	09/24/15	0.00	> Up n
	Magnesium, dissolved	mg/l	--	1.24	40.0	↑	0.00	31.3	NA	41	0	0	0		39.3	01/24/22	0.34	n	25.9	↑	0.00	24.2	NA	41	0	0	0		30.5	01/24/22	0.49	n	-56.4	↓	0.00	44.5	NA	41	0	0	0		65.4	09/16/14	0.00	> Up n
	Total Organic Carbon	mg/l	--	1.18	-37.9	↓	0.00	1.6	NA	41	2	0	0		4.2	07/18/22	0.00	> Up n	-19.5	↓	0.10	0.8	NA	41	9	0	0		2.8	07/18/22	0.32	n	-18.3	↓	0.06	0.7	NA	41	9	0	0		2.6	07/19/22	0.35	n
	Titanium, dissolved	µg/l	--	1.13	NC		NC	2.4	NA	40	40	0	0		5.0	04/19/24	0.24	n	NC		NC	2.3	NA	40	40	0	0		5.0	04/19/24	0.24	n	NC		NC	1.2	NA	40	35	0	0		5.6	01/22/22	0.00	> Up n
	Chemical Oxygen Demand	mg/l	--	1.11	NC		NC	3.0	NA	41	39	0	0		22.5	04/19/24	0.11	n	NC		NC	2.6	NA	41	40	0	0		24.7	04/19/24	0.31	n	NC		NC	2.9	NA	41	39	0	0		21.2	07/23/21	0.11	n
	Vanadium, dissolved	µg/l	170	1.11	NC		NC	1.3	0.8	41	41	0	0		2.3	01/20/23	0.00	< Up n	NC		NC	1.5	0.9	41	35	0	0		5.0	10/12/23	0.00	< Up n	NC		NC	1.3	0.8	41	41	0	0		2.3	01/19/23	0.00	< Up n
	Specific Conductance, field	umhos/cm	--	1.10	76.1	↑	0.00	989.8	NA	41	0	0	0		1315.0	07/18/22	0.41	n	34.9	↑	0.00	792.8	NA	41	0	0	0		1011.0	10/12/23	0.50	n	-50.2	↓	0.00	1039.3	NA	41	0	0	0		1588.0	09/16/14	0.34	n
	Chromium, dissolved	µg/l	100	1.05	NC		NC	0.7	0.7	41	41	0	0		1.0	01/25/21	NC		NC		NC	0.7	0.7	41	41	0	0		1.0	11/04/19	NC		NC		NC	0.7	0.7	41	41	0	0		1.0	02/08/21	NC	
	Total Dissolved Solids	mg/l	500	1.03	49.1	↑	0.00	707.9	141.6	41	0	0	41	04/19/24	886.0	07/18/22	0.50	n	19.1	↑	0.00	521.5	104.3	41	0	0	27	04/19/24	631.0	07/20/23	0.49	n	-58.8	↓	0.00	832.8	166.6	41	0	0	36	07/20/23	1340.0	09/16/14	0.15	n
	Calcium, dissolved	mg/l	--	1.02	57.7	↑	0.00	154.5	NA	41	0	0	0		198.0	04/26/21	0.49	n	31.8	↑	0.00	129.8	NA	41	0	0	0		169.0	10/17/22	0.47	n	-52.4	↓	0.00	127.2	NA									

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down												Down												Down																											
					MW-8-5A												MW-8-5B												MW-8-8A																											
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)												
	Iron, dissolved	mg/l	0.3	59.02	NC		NC	0.0	6.2	41	34	0	0	0.1	06/04/14	0.00	> Up n	NC		NC	0.0	2.0	41	36	0	0	0.1	01/22/22	0.00	> Up n	NC		NC	NC	NC	0	0	0	0	NC		NC	NC	NC	0	0	0	0	NC		NC	NC	NC			
	Arsenic, dissolved	µg/l	10	58.53	-8.9	↔	0.05	121.1	1211.1	41	0	0	41	04/18/24	150.0	04/14/23	0.00	> Up n	-17.7	↓	0.00	254.9	2549.0	41	0	0	41	04/18/24	372.0	07/23/21	0.00	> Up n	-2.3	↔	0.45	482.5	4825.0	8	0	0	8	04/19/24	615.0	01/22/24	0.00	> Up p	NC		NC	NC	NC					
	Manganese, dissolved	µg/l	300	21.44	20.3	↑	0.00	415.2	138.4	41	0	0	41	04/18/24	496.0	01/22/22	0.00	> Up n	-4.5	↔	0.22	415.4	138.5	41	0	0	41	04/18/24	561.0	04/18/24	0.00	> Up n	22.3	↑	0.27	964.8	321.6	8	0	0	8	04/19/24	1130.0	10/15/22	0.00	> Up n	NC		NC	NC	NC					
	Molybdenum, dissolved	µg/l	40	16.96	-10.2	↓	0.02	379.3	948.4	41	0	0	41	04/18/24	529.0	07/20/23	0.00	> Up n	-9.3	↔	0.09	342.3	855.9	41	0	0	41	04/18/24	487.0	07/20/23	0.00	> Up n	-0.7	↔	0.50	319.8	799.4	8	0	0	8	04/19/24	359.0	07/21/23	0.00	> Up n	NC		NC	NC	NC					
	Zinc, dissolved	µg/l	2000	8.54	NC		NC	3.7	0.2	41	35	0	0	51.9	01/20/24	0.23	n	NC		NC	2.5	0.1	41	37	0	0	43.7	01/20/24	0.07	n	NC		NC	NC	NC	0	0	0	0	NC		NC	NC	NC	0	0	0	0	NC		NC	NC	NC			
	Aluminum, dissolved	µg/l	200	5.99	NC		NC	73.6	36.8	41	41	0	0	100.0	04/18/24	NC	NC	NC	77.3	38.7	41	41	0	0	100.0	04/18/24	NC	NC	NC	NC	NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC			
	Nickel, dissolved	µg/l	100	5.75	NC		NC	1.7	1.7	41	35	0	0	14.7	08/25/20	0.00	< Up n	NC		NC	1.4	1.4	41	36	0	0	13.8	08/25/20	0.00	< Up n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Cadmium, dissolved	µg/l	5	5.15	NC		NC	0.5	10.7	41	30	0	0	1.0	10/13/23	0.01	> Up n	NC		NC	0.6	11.0	41	34	0	0	1.0	01/20/24	0.31	n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Potassium, dissolved	mg/l	--	5.09	15.0	↑	0.00	4.2	NA	41	0	0	0	4.7	04/15/22	0.00	> Up n	21.2	↑	0.00	4.0	NA	41	0	0	0	5.4	04/18/24	0.00	> Up n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Fluoride, total as F	mg/l	2	3.74	3.0	↔	0.32	0.9	45.2	41	0	0	0	1.1	05/20/20	0.00	> Up n	0.0	↔	0.50	0.7	35.3	41	0	0	0	0.9	04/18/24	0.00	> Up n	-12.5	↓	0.19	0.7	35.3	8	0	0	0	1.0	04/17/23	0.00	> Up n	NC		NC	NC	NC	NC							
	Strontium, dissolved	µg/l	4000	2.91	19.2	↑	0.00	736.7	18.4	41	0	0	0	844.0	10/13/23	0.00	> Up n	20.5	↑	0.00	856.8	21.4	41	0	0	0	1120.0	04/18/24	0.00	> Up n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Chloride, total as Cl	mg/l	250	2.42	32.6	↑	0.02	22.7	9.1	41	0	0	0	33.0	02/13/19	0.00	> Up n	61.0	↑	0.00	17.3	6.9	41	0	0	0	27.4	04/18/24	0.00	> Up n	38.4	↑	0.19	219.4	87.8	8	0	0	2	10/13/23	284.0	10/13/23	0.00	> Up n	NC		NC	NC	NC	NC						
	Beryllium, dissolved	µg/l	4	1.94	NC		NC	0.1	3.6	41	41	0	0	0.5	09/15/14	NC	NC	NC	0.1	3.4	41	41	0	0	0.2	04/18/24	NC	NC	NC	NC	NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC			
	Lithium, dissolved	µg/l	83	1.52	7.2	↔	0.14	197.6	238.0	41	0	0	41	04/18/24	307.0	04/14/23	0.00	> Up n	17.8	↑	0.04	157.9	190.2	41	0	0	41	04/18/24	229.0	04/14/23	0.00	> Up n	0.7	↔	0.45	243.1	292.9	8	0	0	8	04/19/24	301.0	10/15/22	0.00	> Up n	NC		NC	NC	NC	NC				
	Ammonia, as N	mg/l	--	1.28	5.1	↔	0.31	0.4	NA	41	0	0	0	0.6	11/06/19	0.00	> Up n	-7.5	↔	0.16	0.3	NA	41	3	0	0	1.2	08/25/20	0.00	> Up n	56.6	↑	0.04	0.4	NA	8	0	0	0	0.5	04/19/24	0.00	> Up n	NC		NC	NC	NC	NC							
	Copper, dissolved	µg/l	1000	1.25	NC		NC	1.7	0.2	41	27	0	0	10.4	03/07/17	0.17	n	NC		NC	1.7	0.2	41	34	0	0	5.0	05/07/19	0.01	> Up n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Magnesium, dissolved	mg/l	--	1.24	3.9	↔	0.13	37.9	NA	41	0	0	0	42.8	01/22/22	0.00	> Up n	10.2	↑	0.01	31.5	NA	41	0	0	0	36.2	04/18/24	0.47	n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Total Organic Carbon	mg/l	--	1.18	-14.5	↓	0.15	0.7	NA	41	13	0	0	4.7	07/16/22	0.04	> Up n	-15.4	↓	0.10	0.6	NA	41	13	0	0	4.0	07/16/22	0.02	< Up n	NC		NC	NC	0.5	NA	8	7	0	0	2.5	07/19/22	0.03	< Up n	NC		NC	NC	NC	NC						
	Titanium, dissolved	µg/l	--	1.13	NC		NC	2.0	NA	40	40	0	0	5.0	04/18/24	0.24	n	NC		NC	0.8	NA	40	39	0	0	5.5	04/18/24	0.31	n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Chemical Oxygen Demand	mg/l	--	1.11	NC		NC	4.8	NA	41	41	0	0	20.0	10/15/21	0.24	n	NC		NC	4.8	NA	41	41	0	0	20.0	07/23/21	0.24	n	NC		NC	NC	7.3	NA	8	7	0	0	21.3	07/19/22	0.02	> Up n	NC		NC	NC	NC	NC						
	Vanadium, dissolved	µg/l	170	1.11	NC		NC	3.3	1.9	41	32	0	0	5.0	01/20/24	0.04	> Up n	NC		NC	1.5	0.9	41	38	0	0	5.0	01/20/24	0.00	< Up n	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	
	Specific Conductance, field	umhos/cm	--	1.10	14.9	↑	0.00	1058.2	NA	41	0	0	0	1143.0	01/22/22	0.50	n	17.5	↑	0.00	962.8	NA	41	0	0	0	1133.0	04/18/24	0.50	n	6.5	↔	0.36	1568.8	NA	8	0	0	0	1744.0	10/15/22	0.00	> Up n	NC		NC	NC	NC	NC							
	Chromium, dissolved	µg/l	100	1.05	NC		NC	0.8	0.8	41	39	0	0	1.1	08/14/19	0.02	> Up n	NC		NC	0.8	0.8	41	41	0	0	1.0	08/25/20	NC	NC	NC	NC	NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	NC	0	0	0	0	NC		NC	NC	NC	

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down												Down												Down																	
					MW-8-8B												MW-8-9B												MW-8-9C																	
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)												
	Iron, dissolved	mg/l	0.3	59.02	NC		NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC									
	Arsenic, dissolved	µg/l	10	58.53	30.5	↑	0.16	350.0	3500.0	8	0	0	8	04/19/24	439.0	07/21/23	0.00	> Up p	-12.4	↓	0.27	630.0	6300.0	8	0	0	8	04/22/24	751.0	07/18/22	0.00	> Up n	15.8	↑	0.23	310.6	3106.3	8	0	0	8	04/22/24	375.0	07/21/23	0.00	> Up p
	Manganese, dissolved	µg/l	300	21.44	NC		NC	14.4	4.8	8	7	0	0	78.0	04/17/23	0.01	< Up n	-26.2	↓	0.19	1280.0	426.7	8	0	0	8	04/22/24	1700.0	01/20/23	0.00	> Up n	5.4	↔	0.45	817.0	272.3	8	0	0	8	04/22/24	919.0	10/14/23	0.00	> Up n	
	Molybdenum, dissolved	µg/l	40	16.96	15.5	↑	0.13	288.5	721.3	8	0	0	8	04/19/24	443.0	07/21/23	0.00	> Up n	-33.7	↓	0.09	227.5	568.8	8	0	0	8	04/22/24	319.0	07/21/23	0.00	> Up n	49.4	↑	0.03	260.4	650.9	8	0	0	8	04/22/24	389.0	07/21/23	0.00	> Up n
	Zinc, dissolved	µg/l	2000	8.54	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Aluminum, dissolved	µg/l	200	5.99	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Nickel, dissolved	µg/l	100	5.75	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Cadmium, dissolved	µg/l	5	5.15	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Potassium, dissolved	mg/l	--	5.09	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Fluoride, total as F	mg/l	2	3.74	-10.0	↓	0.03	0.8	41.5	8	0	0	0	1.3	04/17/23	0.00	> Up n	-27.0	↓	0.07	0.4	18.2	8	1	0	0	0.5	10/17/22	0.00	> Up n	8.7	↔	0.31	0.9	45.1	8	0	0	0	0	1.4	01/22/24	0.00	> Up n		
	Strontium, dissolved	µg/l	4000	2.91	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Chloride, total as Cl	mg/l	250	2.42	147.4	↑	0.00	113.4	45.4	8	0	0	0	156.0	04/19/24	0.00	> Up n	-28.9	↓	0.07	140.8	56.3	8	0	0	0	170.0	01/20/23	0.00	> Up n	4.3	↔	0.31	18.6	7.4	8	0	0	0	0	19.9	10/14/23	0.00	> Up n		
	Beryllium, dissolved	µg/l	4	1.94	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Lithium, dissolved	µg/l	83	1.52	26.7	↑	0.13	257.8	310.5	8	0	0	8	04/19/24	372.0	07/21/23	0.00	> Up n	-36.1	↓	0.04	223.6	269.4	8	0	0	8	04/22/24	300.0	07/21/23	0.00	> Up n	2.8	↔	0.45	143.9	173.4	8	0	0	8	04/22/24	204.0	07/21/23	0.01	> Up n
	Ammonia, as N	mg/l	--	1.28	NC		NC	0.1	NA	8	8	0	0	0.1	04/19/24	0.00	< Up n	-26.5	↓	0.27	0.3	NA	8	0	0	0	0.4	07/18/22	0.00	> Up n	-11.2	↓	0.13	0.4	NA	8	0	0	0	0	0.4	04/17/23	0.00	> Up n		
	Copper, dissolved	µg/l	1000	1.25	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Magnesium, dissolved	mg/l	--	1.24	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Total Organic Carbon	mg/l	--	1.18	NC		NC	0.4	NA	8	7	0	0	2.2	07/19/22	0.03	< Up n	NC	NC	0.5	NA	8	7	0	0	2.5	07/18/22	0.03	< Up n	NC		NC	0.8	NA	8	5	0	0	0	0	2.7	07/18/22	0.16	n		
	Titanium, dissolved	µg/l	--	1.13	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Chemical Oxygen Demand	mg/l	--	1.11	NC		NC	9.4	NA	8	7	0	0	37.8	04/19/24	0.02	> Up n	NC	NC	12.7	NA	8	8	0	0	20.0	04/22/24	0.38	n	NC		NC	5.3	NA	8	8	0	0	0	0	5.3	04/22/24	0.38	n		
	Vanadium, dissolved	µg/l	170	1.11	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Specific Conductance, field	umhos/cm	--	1.10	10.7	↑	0.00	1372.4	NA	8	0	0	0	1434.0	04/19/24	0.18	n	-16.0	↓	0.05	1520.3	NA	8	0	0	0	1670.0	01/20/23	0.00	> Up n	-4.8	↔	0.00	815.0	NA	8	0	0	0	0	839.0	07/18/22	0.50	n		
	Chromium, dissolved	µg/l	100	1.05	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Total Dissolved Solids	mg/l	500	1.03	3.7	↔	0.27	928.3	185.7	8	0	0	8	04/19/24	1030.0	07/19/22	0.46	n	-12.9	↓	0.05	959.4	191.9	8	0	0	8	04/22/24	1050.0	07/18/22	0.45	n	-4.3	↔	0.16	504.8	101.0	8	0	0	4	10/14/23	552.0	07/21/23	0.50	n
	Calcium, dissolved	mg/l	--	1.02	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Antimony, dissolved	µg/l	6	1.00	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	pH, field	s.u.	6.5-8.5	0.99	-0.3	↔	0.40	7.5	0.5	8	0	0	0	7.7	10/15/22	0.00	> Up n	0.7	↔	0.36	7.1	38.7	8	0	0	0	7.3	10/17/22	0.00	> Up n	6.7	↔	0.07	7.1	40.1	8	0	0	0	0	7.3	04/22/24	0.00	> Up n		
	Mercury, dissolved	µg/l	2	0.97	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Sulfate, as SO4	mg/l	250	0.96	-32.7	↓	0.01	350.9	140.4	8	0	0	8	04/19/24	435.0	01/20/23	0.50	n	-11.7	↓	0.05	311.8	124.7	8	0	0	8	04/22/24	335.0	01/20/23	0.50	n	-3.8	↔	0.11	153.3	61.3	8	0	0	0	0	157.0	01/21/23	0.50	n
	Silver, dissolved	µg/l	100	0.90	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Lead, dissolved	µg/l	5	0.89	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Boron, dissolved	µg/l	6000	0.78	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC		NC		NC	NC	0	0	0	0	NC		NC		NC						
	Sodium, dissolved	mg/l	--	0.62	NC		NC	NC	NC	0	0	0	0	NC		NC		NC	NC	0	0	0	0	NC		NC																				


Notes:

1. Upgradient vs downgradient represents the ratio of average concentration in all downgradient wells to average concentration of all upgradient wells (i.e. how many times greater is the concentration in downgradient v
2. Rows are sorted according to "Upgradient vs. Downgradient" ratio. Parameters with higher downgradient concentrations are on top (orange formatting indicates greater downgradient concentrations; blue formatting in
3. Sub-headings for each location are as follows:

Trend (%) :	Percent increase/decrease in concentration of the Theil-Sen trendline over 10-year period (red arrow = increase; blue arrow = decrease; arrow size is proportional to increase/decrease).
p :	p-value of Theil-Sen trend.
$\bar{x}$:	Mean measured concentration over time frame.
$\bar{x}$ (%) :	Proportion of $\bar{x}$ to applicable standard (red formatting indicates $\bar{x}$ is 1000% of the standard; orange formatting indicates $\bar{x}$ is 100% of the standard; gradation of orange and red are proportional to
n :	Number of samples over time frame.
ND :	Number of "non-detect" samples over time frame. For concentrations between LOD and LOQ (reported as "< LOQ"), the LOQ is treated as an additional detection limit in the analysis.
J :	Number of samples with estimated concentrations (J-values). Currently concentrations between LOD and LOQ are reported as "< LOQ" instead of estimated values.
> :	Number of exceedances over time frame; date of most recent exceedance.
Max :	Maximum measured concentration over time frame; date of maximum concentration.
p (comparison) :	p-value of two-group comparison analysis (comparison to upgradient wells). Analysis test results based on either: p = parametric (t-test) or n = nonparametric (Wilcoxon test); determined based on number of detections and Shapiro-Wilk (S-W) normality test results. If p-value of normality test for either group is < 0.05 then defaults to nonparametric comparison (Wilcoxon test). If p (comparison) < 0.05 then: < Up means data are statistically less than upgradient data; > Up means data are statistically greater than upgradient data.


4. "NC" refers to not calculated (when there is insufficient data to run statistical analysis).

Alkalinity, total as CaCO3 [mg/l]




NOTE: There are no applicable standards for this parameter


Aluminum, dissolved [$\mu\text{g/l}$]



Aluminum, total [µg/l]




Ammonia, as N [mg/l]




NOTE: There are no applicable standards for this parameter

Antimony, dissolved [$\mu\text{g/l}$]



NOTE: Data does not exceed standard of 6 $\mu\text{g/l}$ during this time frame

Antimony, total [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 6 $\mu\text{g/l}$ during this time frame

Brunner Island - Basin 5

2nd Quarter 2024



Arsenic, dissolved [µg/l]




Brunner Island - Basin 5

2nd Quarter 2024

Arsenic, total [$\mu\text{g}/\text{l}$]




Barium, dissolved [$\mu\text{g/l}$]



NOTE: Data does not exceed standard of 2000 $\mu\text{g/l}$ during this time frame

Barium, total [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 2000 $\mu\text{g/l}$ during this time frame

Brunner Island - Basin 5

2nd Quarter 2024


Beryllium, dissolved [μg/l]




Brunner Island - Basin 5

2nd Quarter 2024

Beryllium, total [μg/l]




Bicarbonate [mg/l]




NOTE: There are no applicable standards for this parameter

Boron, dissolved [$\mu\text{g/l}$]



NOTE: Data does not exceed standard of 6000 $\mu\text{g/l}$ during this time frame

Boron, total [$\mu\text{g/l}$]




2nd Quarter 2024

2nd Quarter 2024

The graph displays the number of active cases for 18 municipalities and a standard threshold over a ten-year period. The municipalities are represented by different colored lines with circular markers. The standard is indicated by a dashed black line at 5.00. The data shows significant fluctuations, particularly in the early years, with several municipalities exceeding the standard at various points. By 2024, the number of active cases for most municipalities has decreased and stabilized, with many falling below the standard.


Municipality	Color	Marker	Standard
MW-19 (Up)	Blue	Circle	5.00
MW-4-7A (Up)	Red	Circle	5.00
MW-4-10	Green	Circle	5.00
MW-8-10A	Purple	Circle	5.00
MW-8-10B	Cyan	Circle	5.00
MW-8-10C	Orange	Circle	5.00
MW-8-12C	Dark Blue	Circle	5.00
MW-8-1N	Brown	Circle	5.00
MW-8-2	Dark Green	Circle	5.00
MW-8-3A	Yellow	Circle	5.00
MW-8-3B	Brown	Circle	5.00
MW-8-4	Pink	Circle	5.00
MW-8-5A	Grey	Circle	5.00
MW-8-5B	Red	Circle	5.00
MW-8-8A	Light Green	Circle	5.00
MW-8-8B	Purple	Circle	5.00
MW-8-9B	Light Blue	Circle	5.00
MW-8-9C	Light Purple	Circle	5.00
MW-8-9C	Light Purple	Circle	5.00
MW-PT-1	Dark Blue	Circle	5.00
Standard	-	-	5.00

Calcium, dissolved [mg/l]




NOTE: There are no applicable standards for this parameter

Calcium, total [mg/l]




NOTE: There are no applicable standards for this parameter

Chemical Oxygen Demand [mg/l]




NOTE: There are no applicable standards for this parameter

Chloride, total as Cl [mg/l]




Chromium, dissolved [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 100 $\mu\text{g/l}$ during this time frame

Chromium, total [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 100 $\mu\text{g/l}$ during this time frame

Copper, dissolved [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 1000 $\mu\text{g/l}$ during this time frame

Copper, total [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 1000 $\mu\text{g/l}$ during this time frame

Depth to Water [ft]




NOTE: There are no applicable standards for this parameter

Dissolved Oxygen, field [mg/l]




NOTE: There are no applicable standards for this parameter

Fluoride, total as F [mg/l]




NOTE: Data does not exceed standard of 2 mg/l during this time frame


Iron, dissolved [mg/l]



Iron, total [mg/l]




Lead, dissolved [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 5 $\mu\text{g/l}$ during this time frame

Lead, total [$\mu\text{g}/\text{l}$]




NOTE: Data does not exceed standard of 5 $\mu\text{g}/\text{l}$ during this time frame


Lithium, dissolved [$\mu\text{g/l}$]



Lithium, total [$\mu\text{g/l}$]




Magnesium, dissolved [mg/l]




NOTE: There are no applicable standards for this parameter

Magnesium, total [mg/l]




NOTE: There are no applicable standards for this parameter


Manganese, dissolved [$\mu\text{g/l}$]



Manganese, total [µg/l]




Mercury, dissolved [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 2 $\mu\text{g/l}$ during this time frame

Mercury, total [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 2 $\mu\text{g/l}$ during this time frame

Molybdenum, dissolved [$\mu\text{g/l}$]



Molybdenum, total [$\mu\text{g/l}$]



2nd Quarter 2024


The chart displays the monthly water consumption for various meters over a ten-year period. The y-axis represents consumption in cubic meters (m³), ranging from 0.00 to 250.00. The x-axis represents the years from 2014 to 2024. A dashed horizontal line at 100.00 m³ indicates the 'Standard' consumption level. The legend identifies the following series:

- MW-19 (Up)
- MW-4-7A (Up)
- MW-4-10
- MW-8-10A
- MW-8-10B
- MW-8-10C
- MW-8-12C
- MW-8-1N
- MW-8-2
- MW-8-3A
- MW-8-3B
- MW-8-4
- MW-8-5A
- MW-8-5B
- MW-8-8A
- MW-8-8B
- MW-8-9B
- MW-8-9C
- MW-PT-1
- Standard


Key observations from the chart include:

- MW-8-4** (pink line) shows the highest consumption, frequently exceeding the 100.00 m³ standard, with peaks near 240.00 m³ in 2016 and 2017.
- MW-4-10** (green line) also shows high consumption, with significant peaks in 2016 and 2019.
- MW-PT-1** (dark blue line) shows a sharp increase in consumption starting in 2018, peaking around 80.00 m³ in 2018 and 2019.
- Most other meters (MW-19, MW-4-7A, MW-8-10A, MW-8-10B, MW-8-10C, MW-8-12C, MW-8-1N, MW-8-2, MW-8-3A, MW-8-3B, MW-8-5A, MW-8-5B, MW-8-8A, MW-8-8B, MW-8-9B, MW-8-9C) maintain consumption levels very close to 0.00 m³ throughout the period.


Nickel, total [µg/l]



Nitrate, as N [mg/l]



pH, field [s.u.]




2nd Quarter 2024

The chart displays the monthly average water level (MW) for 20 different stations from 2014 to 2024. The vertical axis measures the water level in meters, ranging from 0.00 to 9.00. Two horizontal dashed black lines indicate standard levels at approximately 6.5m and 8.5m. The legend identifies the following series:

- MW-19 (Up)
- MW-4-7A (Up)
- MW-4-10
- MW-8-10A
- MW-8-10B
- MW-8-10C
- MW-8-12C
- MW-8-1N
- MW-8-2
- MW-8-3A
- MW-8-3B
- MW-8-4
- MW-8-5A
- MW-8-5B
- MW-8-8A
- MW-8-8B
- MW-8-9C
- MW-PT-1
- Standard
- Standard


The data shows that most stations maintain relatively stable water levels between 6.5m and 8.0m over the decade. Notable fluctuations include a sharp decline in MW-PT-1 around 2019-2020 and several peaks reaching or exceeding the upper standard line.

Potassium, dissolved [mg/l]




NOTE: There are no applicable standards for this parameter

Potassium, total [mg/l]




NOTE: There are no applicable standards for this parameter

Redox, field [mv]



NOTE: There are no applicable standards for this parameter

Selenium, dissolved [$\mu\text{g/l}$]



2nd Quarter 2024

The chart displays the maximum value of the function $f_{\max}$ over time for various monitoring wells. The y-axis represents the value of $f_{\max}$ from 0.00 to 60.00. The x-axis represents the year from 2014 to 2024. A dashed line at 50.00 indicates the 'Standard'.


The legend identifies the following series:

- MW-19 (Up)
- MW-4-7A (Up)
- MW-4-10
- MW-8-10A
- MW-8-10B
- MW-8-10C
- MW-8-12C
- MW-8-1N
- MW-8-2
- MW-8-3A
- MW-8-3B
- MW-8-4
- MW-8-5A
- MW-8-5B
- MW-8-8A
- MW-8-8B
- MW-8-9C
- MW-8-9B
- MW-PT-1
- Standard

Key observations from the chart:


- The 'Standard' is a constant dashed line at 50.00.
- MW-4-10 (green line with circles) shows a significant peak in 2019, reaching approximately 56.00.
- MW-19 (Up) (blue line with circles) shows a peak in 2023, reaching approximately 22.00.
- Most other monitoring wells remain below 10.00 throughout the period.
- Several wells (MW-8-10A, MW-8-10B, MW-8-10C, MW-8-12C, MW-8-1N, MW-8-2, MW-8-3A, MW-8-3B, MW-8-4, MW-8-5A, MW-8-5B, MW-8-8A, MW-8-8B, MW-8-9C, MW-8-9B, MW-PT-1) show values near 0.00 for most of the period, with some spikes in 2020 and 2021.

Silver, dissolved [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 100 $\mu\text{g/l}$ during this time frame

Silver, total [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 100 $\mu\text{g/l}$ during this time frame

Sodium, dissolved [mg/l]




NOTE: There are no applicable standards for this parameter

Sodium, total [mg/l]




NOTE: There are no applicable standards for this parameter

Specific Conductance, field [umhos/cm]




NOTE: There are no applicable standards for this parameter

Specific Conductance, lab [umhos/cm]




NOTE: There are no applicable standards for this parameter

Strontium, dissolved [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 4000 $\mu\text{g/l}$ during this time frame

Strontium, total [$\mu\text{g/l}$]




NOTE: Data does not exceed standard of 4000 $\mu\text{g/l}$ during this time frame

Sulfate, as SO4 [mg/l]




Titanium, dissolved [$\mu\text{g/l}$]




NOTE: There are no applicable standards for this parameter

Titanium, total [µg/l]




NOTE: There are no applicable standards for this parameter

Total Dissolved Solids [mg/l]




Total Organic Carbon [mg/l]




NOTE: There are no applicable standards for this parameter

Turbidity, field [ntu]



NOTE: There are no applicable standards for this parameter

Vanadium, dissolved [$\mu\text{g/l}$]



NOTE: Data does not exceed standard of 170 $\mu\text{g/l}$ during this time frame

2nd Quarter 2024


The chart displays the number of water meters for various categories in the Madrid region from 2014 to 2024. The Y-axis represents the number of meters, ranging from 0.00 to 6.00. The X-axis represents the years. The legend identifies 19 categories: MW-19 (Up), MW-4-7A (Up), MW-4-10, MW-8-10A, MW-8-10B, MW-8-10C, MW-8-12C, MW-8-1N, MW-8-2, MW-8-3A, MW-8-3B, MW-8-4, MW-8-5A, MW-8-5B, MW-8-8A, MW-8-8B, MW-8-9B, MW-8-9C, and MW-PT-1.

Key observations from the chart include:

- Stability (2014-2017):** Most categories maintain a constant value of 5.00 or 1.00 meters.
- Fluctuation (2018-2019):** Several categories show significant changes, with MW-8-3B peaking at 5.00 in 2018 and MW-8-10B reaching 3.00 in 2019.
- Peak and Drop (2020):** A major event occurs in 2020, where many categories drop to 0.00 or 1.00 meters, while others like MW-8-10B and MW-8-12C remain at 2.00.
- Recovery (2021-2024):** Most categories return to their previous levels or show further growth, with MW-8-10B and MW-8-12C remaining at 2.00, and others like MW-8-10B and MW-8-12C returning to 5.00.


NOTE: Data does not exceed standard of 170 µg/l during this time frame

Water Surface Elevation [ft]




NOTE: There are no applicable standards for this parameter

Zinc, dissolved [$\mu\text{g/l}$]



NOTE: Data does not exceed standard of 2000 $\mu\text{g/l}$ during this time frame

Zinc, total [$\mu\text{g/l}$]



NOTE: Data does not exceed standard of 2000 $\mu\text{g/l}$ during this time frame