

Brunner Island, LLC
REGULATORY DELIVERABLE
SUBMITTAL COVER SHEET

Date:		Transmittal No.:	
DOCUMENT DESCRIPTION:			
CONSENT DECREE REFERENCE:		Paragraph No.:	
BRIEF DESCRIPTION OF OUTLINED REQUIREMENT:			
RECIPIENT(S):			
NAME:		ORGANIZATION:	
Brunner Island, LLC Contact Name:			
Brunner Island, LLC Contact Phone:			
Mailing Address: Brunner Island, LLC P. O. Box 221 York Haven, PA 17370		Street Address: Brunner Island, LLC 1400 Wago Road Mt. Wolf, PA 17347	



Martin E. Mengel, PG • Project Manager – Environmental Services
Talen Energy Supply, LLC
600 Hamilton Street, Suite 600 • Allentown, PA 18101
(610) 248-9665 • Martin.Mengel@TalenEnergy.com

September 13, 2022

Mr. Kurt Fritz
Pennsylvania Department of Environmental Protection
Waste Management Program
909 Elmerton Ave.
Harrisburg, Pennsylvania 17110

**RE: Quarterly Groundwater Report: 3rd Quarter 2022
Basin 5, Disposal Area 8, and Pyrite Tomb Area
Brunner Island, LLC**

Dear Mr. Fritz:

Please accept this letter and attachments as the quarterly report for Basin 5 at the Brunner Island Steam Electric Station.

Note that a data table (water depth and pH) and associated trend plots for pyrite tomb standpipe monitoring have been added to this Basin 5 report, beginning with the second quarter 2017 groundwater report.

The analytical results are provided on Form 14Rs (enclosed) in accordance with the Basin 5 closure plan approved by the PADEP in December 2000. A summary table of results, an Excel spreadsheet file (on CD), and maps showing well locations are also enclosed.

Please call or email me with any questions. Thank you.

Sincerely,

A handwritten signature in black ink that reads "M. E. Mengel". The signature is written in a cursive, flowing style.

Martin E. Mengel, PG/CHMM

Attachments: Report, Data Table, Pyrite Tomb Standpipe Monitoring Results, Maps; CD containing LandLinks EDD, trend plots, 14Rs, statistics summary, and a PDF of this report

Cc: Marcia Thiess (w/atts.) – Brunner Island, LLC
Tom Weissinger (w/atts.) – Talen Energy Supply, LLC
Ed Much (w/atts.) – Talen Energy Supply, LLC
Citizens (w/atts.)

Groundwater Monitoring Report – Third Quarter 2022

Brunner Island, LLC - Basin 5

Brunner Island Steam Electric Station

BACKGROUND

The Brunner Island Steam Electric Station (Brunner Island SES) is located in York Haven, York County, Pennsylvania and is owned and operated by Brunner Island, LLC (Brunner). An overall Brunner Island SES map and a basin specific map are attached (Attachments 3 and 4).

The PADEP issued Residual Waste Permit # 301337 on December 28, 2000, approving the Basin 5 closure plan. The residual waste permit expired on December 27, 2007 and was not renewed by the PADEP. Brunner believes that Mandatory Abatement Trigger Levels (MATLs) no longer apply to Basin 5, as a result of the permit expiration, and therefore, Brunner no longer uses MATLs as the primary data screening tool for Basin 5 groundwater results.

Disposal Area 8 (a Class 2 residual waste landfill) was constructed on top of Basin 5. Construction was completed and disposal into the landfill began in late 2008. The permitted area for the landfill encompasses approximately 20 acres, however, currently only 9 acres have been constructed and only 4 acres are actively utilized. The existing groundwater monitoring network for Basin 5 was chosen and approved by the PADEP to serve as the monitoring network for Area 8 as well.

In accordance with Brunner's PADEP-approved *Workplan – Groundwater Risk Evaluation – Ash Basin 4 and Pyrite Tomb* dated September 29, 2016, a downgradient monitoring well MW-PT-1 was installed in January 2017 to help assess potential impacts from the pyrite tomb. Additionally, pH and liquid depth monitoring data and associated trend plots for water within the pyrite tomb standpipe have been added to this Basin 5 report, beginning with the second quarter of 2017.

In accordance with the closure/ post closure use plan, construction of the rail extension on Basin 5 was completed in 2013. As a result, moderate subsurface disturbance has occurred in the area.

Groundwater monitoring in the vicinity of Basin 5 is currently conducted quarterly as required in accordance with the approved Basin 5 closure plan. This groundwater monitoring generally includes sampling wells upgradient and downgradient of Basin 5 for indicator parameters of fly ash such as arsenic, boron, lithium, selenium, strontium, and total dissolved solids. Other parameters are routinely monitored in the vicinity of Basin 5 in accordance with permit requirements and are listed on the attached summary table of quarterly groundwater monitoring results (Attachment 1). Brunner reviews current and historical data (approximately the past 10 years) to identify trends and to compare data with Pennsylvania Act 2 residential Statewide Health Standards for used aquifers and/or EPA National Drinking Water Standards.

GROUNDWATER MONITORING PROGRAM

Monitoring Locations – Basin 5

Downgradient and upgradient monitoring wells for Basin 5 are listed below and shown on the attached Site Plan of Basin 5 (Attachment 4).

- Background monitoring well – MW-19
- Upgradient monitoring well – MW-4-7A
- Downgradient monitoring wells – MW-4-10, MW-8-1N, MW-8-2, MW-8-3A, MW-8-3B, MW-8-4, MW-8-5A, MW-8-5B, MW-8-10A, MW-8-10B, MW-8-10C, MW-8-12C, MW-8-8A, MW-8-8B, MW-8-9B, MW-8-9C, and MW-PT-1
- Pyrite tomb standpipe (lab analytical concluded in 2017; field pH and water elevation monitoring to continue)

Monitoring Schedule

For all the monitoring wells listed above, except MW-8-10C and MW-8-12C, quarterly sampling of field parameters, non-metals, and metals are performed. For MW-8-10C and MW-8-12C, these parameters are only required to be sampled annually during the second calendar quarter. All the monitoring parameters are listed on the attached Summary Table of Basin 5 Groundwater Monitoring Results (Attachment 1). For MW-8-8A, MW-8-8B, MW-8-9B, and MW-8-9C, the only metals analyzed are arsenic, lithium, manganese, and molybdenum (all other Basin 5 field parameters and non-metals are also analyzed). Additionally, for quality assurance/quality control (QA/QC), field blanks and duplicates are routinely collected during each sampling event.

QA/QC Results

For the site-wide monitoring event conducted at Brunner Island SES for the third quarter of 2022, Brunner samplers collected seven field blanks (all groundwater field blanks) and seven duplicate samples. The duplicate samples were collected from seven groundwater wells (including CL-7A, MW-4-7A, MW-8-5B, PZ-6-1B, MW-7-4, EQ-2, and GC-1N). These field blanks and duplicates were analyzed by the laboratory along with the routinely collected groundwater samples. For the seven field blanks, two water quality parameters were detected above respective limits of quantification (iron and molybdenum) for a total of 5 analyses. In Brunner's opinion, analysis of the field blanks indicated no significant evidence of sample contamination related to field sampling procedures or sample containers. For the seven duplicates, a total of 378 paired analyses were performed with thirteen paired analyses exceeding Brunner's acceptable level of less than 20% relative percent difference (RPD) between duplicates. Based on these QA/QC results, Brunner believes that the laboratory precision is reasonable, and the monitoring results are acceptable for reporting to the PADEP.

GROUNDWATER MONITORING RESULTS

The groundwater sampling results for this quarter are summarized on Attachment 1, Summary Table of Basin 5 Groundwater Monitoring Results. Upgradient and downgradient wells are indicated in the headings at the top of this table. Any groundwater concentrations that exceeded

the listed regulatory standards are indicated in red text color. Groundwater monitoring results are also reported on the 14R forms for each well (Attachment 5).

Below are the findings for each Basin 5 monitoring well:

Upgradient Monitoring Well (MW-4-7A)

Upgradient monitoring well MW-4-7A is located near the northwest corner of Basin 5 and serves as an upgradient well to the basin. Key results for this quarter and trends for MW-4-7A are as follows:

- pH is consistently near neutral.
- Total dissolved solids concentration of 1,240 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L, and TDS exhibits a slightly increasing trend.
- Sulfate concentration of 655 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L, and sulfate exhibits a slightly increasing trend.
- Boron concentrations have been relatively stable since 2012 and are far below the Act 2 residential Statewide Health Standard of 6,000 µg/L, although concentrations at MW-4-7A have fluctuated upward slightly since the fourth quarter of 2018.
- Calcium concentrations historically exhibit a stable long-term trend, but concentrations have exhibited increased variability since the fourth quarter of 2018.
- Lithium (dissolved) concentration of 248 µg/L exceeded the Act 2 residential Statewide Health Standard of 69 µg/L. Lithium concentrations at MW-4-7A have exhibited an increasing trend since 2011, and now exceed the Act 2 standard (with increased variability since the first quarter of 2020).
- Manganese (dissolved) concentration of 55 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L but did not exceed the Act 2 residential Statewide Health Standard of 300 µg/L. Manganese concentrations are seasonally variable (within a fairly stable range) at MW-4-7A with peak concentrations typically exceeding the Secondary Drinking Water Standard and occasionally exceeding the Act 2 standard.
- Sodium concentrations demonstrate a gradual long-term increasing trend but appear to be stabilizing at about 60 mg/L. Sodium has also exhibited recent increased variability (similar to boron and calcium). There are no EPA drinking water or PA Act 2 standards for sodium.

Downgradient Monitoring Wells

1. **MW-4-10** - Monitoring well MW-4-10 is located on the dike between Basin 4 and Basin 5 and would be expected to be more representative of basin leachate than the groundwater surrounding the basin. Relatively significant ash-related impact would be expected and is observed, as compared to monitoring wells which are not bounded by ash on both sides. The general area around MW-4-10 has periodically experienced earth disturbance related to wastewater treatment plant construction. This disturbance has apparently impacted

groundwater/leachate quality in MW-4-10. Key results for this quarter and trends for MW-4-10 are as follows:

- Beginning in mid-2018, substantial upward fluctuations (beyond respective historical ranges in many cases) for numerous parameters (including total dissolved solids, sulfate, boron, calcium, specific conductance, and strontium) correlated to increased groundwater elevations. Except for calcium and strontium, these parameters have returned to pre-2018 concentrations.
- Field pH (5.25 S.U.) is below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U. The historical pH range for this well is approximately 4 to 6.5.
- Total dissolved solids concentration of 1,050 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L. Historically, total dissolved solids concentrations typically vary from about 700 to 1,300 mg/L but generally exhibit a long-term stable trend. As noted above, following a period of increased concentrations, total dissolved solids have returned to pre-2018 concentrations.
- Sulfate concentration of 695 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L. Sulfate concentrations typically vary from about 400 to 1,050 mg/L, but generally exhibit a long-term stable trend. As noted above, following a period of increased concentrations, sulfate has returned to pre-2018 concentrations.
- Concentrations of aluminum, arsenic, beryllium, cadmium, fluoride, nickel, and zinc have exhibited similar elevated and variable concentration trends for the past few years, with noticeable peaks in 2011, 2014, 2016, and 2018, resulting in some exceedances of respective regulatory standards. Elevated concentrations of these metals are likely related to low pH occurrences when groundwater elevations are high.
- Boron concentrations are elevated and variable (ranging from about 1,000 to 3,500 µg/L) relative to the other Basin 5 wells but meet the Act 2 residential Statewide Health Standard of 6,000 µg/L. Boron exhibits a general decreasing trend since 2012 (except for upward fluctuations from mid-2018 to 2022 as noted above).
- Iron is present at low concentrations, and typically is below the Secondary Drinking Water Standard. Iron (total) occasionally exceeds the standard.
- Lithium (dissolved) concentration of 1,180 µg/L exceeded the Act 2 residential Statewide Health Standard of 69 µg/L. Lithium concentrations at MW-4-10 are the most elevated of all Basin 5 wells but exhibit a slightly decreasing trend since 2012.
- Manganese (dissolved) concentration of 2,380 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L. Manganese concentrations are elevated and variable but exhibit a relatively stable long-term trend.
- Molybdenum (dissolved) concentration of 178 µg/L exceeded the Act 2 residential Statewide Health Standard of 40 µg/L. Molybdenum concentrations at MW-4-10 are the most elevated and variable of the Basin 5 wells, but the long-term trend is decreasing.

- Potassium and sodium concentrations are elevated relative to the other Basin 5 wells. Potassium demonstrates an increasing trend, while sodium demonstrates a decreasing trend. There are no EPA drinking water or PA Act 2 standards for potassium and sodium.
 - Selenium is variable and demonstrates a long-term increasing trend, similar to the increasing trend at background well MW-19, but more variable since 2014. Concentrations have been below the Act 2 residential Statewide Health Standard of 50 µg/L, except for the fourth quarter of 2018.
- 2. MW-8-1N** - MW-8-1 was decommissioned on March 27, 2013, shortly after first quarter 2013 sampling was conducted, to accommodate the footprint of the railroad extension project. MW-8-1 was replaced by MW-8-1N (as installed on September 17, 2013) and quarterly sampling was initiated in the third quarter of 2013. Key results for this quarter and trends for MW-8-1N are as follows:
- pH is near neutral, but slightly acidic, sometimes below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U.
 - Total dissolved solids concentration of 854 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L. Total dissolved solids concentrations increased after the well was installed (in 2013) until the second quarter of 2015. Since then, concentrations have generally decreased. Specific conductance exhibits a similar trend. These trends for TDS and specific conductance are likely related to similar trends for calcium, magnesium, sodium, strontium, and sulfate at MW-8-1N.
 - Sulfate concentration of 373 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L. Like total dissolved solids, sulfate concentrations had increased until the second quarter of 2015, but concentrations have since decreased and are now below 400 mg/L.
 - Boron concentrations are well below the Act 2 residential Statewide Health Standard of 6,000 mg/L and are the lowest of all Basin 5 wells.
 - Calcium and magnesium concentrations were elevated (compared to most other Basin 5 wells) from 2015 to 2018, but recent concentrations have decreased similar to the trend for total dissolved solids (discussed above). There are no EPA drinking water or PA Act 2 standards for these parameters.
 - Chloride and sodium concentrations have historically been elevated and variable compared to the other Basin 5 wells, but chloride has always been below the Secondary Drinking Water Standard of 250 mg/L. Since 2014 and 2015 respectively, chloride and sodium concentrations have decreased significantly (with variability) and are now comparable to concentrations at several other Basin 5 wells.
 - Iron (total) concentration of 0.66 mg/L exceeded the Secondary Drinking Water Standard of 0.3 mg/L. Iron concentrations are elevated and variable relative to most Basin 5 wells.
 - Manganese (dissolved) concentration of 1,620 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L.

Manganese concentrations are elevated but exhibit a long-term stable trend with some variability.

- Strontium is usually the most elevated of all the Basin 5 wells (except for recent upward fluctuations at MW-4-10) and exhibits a relatively stable trend since 2015. Strontium concentrations are below the Act 2 residential Statewide Health Standard of 4,000 µg/L.

3. MW-8-2 - Key results for this quarter and trends for MW-8-2 are as follows:

- pH is stable and near neutral, but is occasionally below the Secondary Drinking Water range of 6.5 to 8.5 S.U.
- Sulfate and total dissolved solids exhibit relatively stable trends, and concentrations are below respective Secondary Drinking Water Standards of 250 mg/L and 500 mg/L.
- Manganese (dissolved) concentration of 492 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L. Concentrations exhibit a long-term stable trend with some variability.
- Molybdenum (dissolved) concentration of 290 µg/L exceeded the Act 2 residential Statewide Health Standard of 40 µg/L. However, concentrations exhibit a fairly stable trend.
- Strontium concentrations had evidenced a slight long-term increasing trend but are below the Act 2 residential Statewide Health Standard of 4,000 µg/L.

4. MW-8-3A and MW-8-3B - Key results for this quarter and trends for MW-8-3A and MW-8-3B are as follows:

- pH is stable and near neutral at both wells, but slightly lower at MW-8-3A. pH at MW-8-3A is sometimes slightly below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U.
- Total dissolved solids concentrations at both wells exhibit increasing long-term trends with some variability. Concentrations are higher and more variable at MW-8-3A. The total dissolved solids concentration at MW-8-3A typically exceeds the Secondary Drinking Water Standard of 500 mg/L, while concentrations at MW-8-3B typically fluctuate around the standard.
- Sulfate concentrations in both wells exhibit relatively stable long-term trends with some variability. Sulfate concentrations at MW-8-3A typically fluctuate around the Secondary Drinking Water Standard of 250 mg/L, while concentrations at MW-8-3B are typically below the standard.
- Arsenic (dissolved) concentrations at both wells exhibit stable long-term trends with seasonal variability. Peak concentrations exceed the Primary Drinking Water Standard of 10 µg/L (not since 2011 at MW-8-3B). Dissolved arsenic concentrations at MW-8-3A typically range from 3 to 20 µg/L over the past 10 years. Since 2019, total arsenic at MW-8-3A exhibits increased variability. At MW-8-3B, arsenic concentrations exhibit a decreasing trend since approximately 2019. Brunner believes that relatively permeable material is

associated with relic stream channels existing beneath Basin 5, potentially accounting for arsenic detections at wells MW-8-3A and MW-8-3B.

- Iron concentrations at MW-8-3A are variable and exceed the Secondary Drinking Water Standard of 0.3 mg/L (possibly due to impacts from historical pyritic material handling). Iron is present in MW-8-3B, but at a much lower concentrations than at MW-8-3A, suggesting possibly more impact in the upper part of the water-bearing zone (and/or possibly a higher iron concentration related to the high turbidity within MW-8-3A groundwater). Peak iron concentrations in MW-8-3B exceed the standard.
- Manganese concentrations in both wells exceed the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L but exhibit long-term stable trends with some variability. Since 2019, manganese at MW-8-3A exhibits increased variability.
- Molybdenum concentrations in both wells normally exceed the Act 2 residential Statewide Health Standard of 40 µg/L but exhibit long-term stable/slight decreasing trends.

5. MW-8-4 - Key results for this quarter and trends for MW-8-4 are as follows:

- Field pH (5.30 S.U.) remains below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U. The historical pH range for this well is approximately 4.5 to 6.0. Buffering capacity is typically minimal.
- Sulfate and total dissolved solids concentrations are elevated and variable at MW-8-4 and exceed Secondary Drinking Water Standards, but exhibit decreasing long-term trends.
- Aluminum concentrations are elevated and variable relative to most other Basin 5 wells, sometimes exceeding the Secondary Drinking Water Standard of 200 µg/L.
- Beryllium, cadmium, nickel, and zinc concentrations had been variable and elevated relative to other Basin 5 wells. However, since 2012, concentrations have generally decreased and have been less variable. These parameters now meet respective regulatory standards, except for nickel which is fluctuating around the standard.
- Chloride concentrations are seasonally variable but remain well below the Secondary Drinking Water Standard of 250 mg/L. Peak chloride concentrations have decreased since 2015.
- Manganese concentrations remain elevated at 9,340 µg/L compared to the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L. Manganese concentrations at MW-8-4 are the most elevated and variable of all the Basin 5 wells, but concentrations exhibit a long-term downward trend with decreasing variability.

6. MW-8-5A and MW-8-5B - These wells are located at the northwestern corner of Basin 5. Key results for this quarter and trends for MW-8-5A and MW-8-5B are as follows:

- pH is stable and near neutral at both wells.

- Total dissolved solids concentrations are elevated in excess of the Secondary Drinking Water Standard in both wells, with increasing trends (current concentrations of 801 and 697 µg/L for MW-8-5A and MW-8-5B, respectively). These increasing TDS trends are likely related to similar increasing trends for calcium, magnesium, and specific conductivity in both wells.
- Sulfate concentrations demonstrate slight increasing/stable long-term trends in MW-8-5A and MW-8-5B with current concentrations of 333 mg/L and 286 mg/L, respectively, compared to the Secondary Drinking Water Standard of 250 mg/L. Sulfate concentrations in these two wells appear to be stabilizing since 2015.
- Arsenic (dissolved) concentrations in MW-8-5A and MW-8-5B are elevated (current concentrations of 128 µg/L and 240 µg/L, respectively) in excess of the Primary Drinking Water Standard of 10 µg/L. Arsenic concentrations at MW-8-5B exhibit a slight decreasing trend, but concentrations have exhibited increased variability since 2019. Concentrations at MW-8-5A exhibit a slight decreasing trend.

Note: PPL's groundwater consultant, Ish Inc., confirmed that Basin 5 is the source of arsenic identified in MW-8-5A and MW-8-5B. As part of the assessment conducted to investigate the elevated arsenic in MW 8-5 area, Ish Inc. established that arsenic attenuates quickly and is not elevated in the new point of compliance wells MW-8-10A and MW 8-10B.

- Lithium concentrations exceed the Act 2 residential Statewide Health Standard of 69 µg/L but demonstrate fairly stable long-term trends at both wells (current concentrations of 195 µg/L and 150 µg/L for MW-8-5A and MW-8-5B, respectively), but concentrations have exhibited increased variability since the fourth quarter of 2019.
 - Manganese concentrations exceed the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L in both wells (current concentrations of 445 and 373 µg/L for MW-8-5A and MW-8-5B respectively). Manganese exhibits a stable trend at MW-8-5A and a slight decreasing trend at MW-8-5B.
 - Molybdenum concentrations exceed the Act 2 residential Statewide Health Standard of 40 µg/L in both wells (current concentrations of 400 and 351 µg/L for MW-8-5A and MW-8-5B respectively) but exhibit slightly decreasing long-term concentration trends with increased variability since the third quarter of 2019.
 - Strontium concentrations exhibit increasing trends in both wells. Strontium concentrations are below the Act 2 residential Statewide Health Standard of 4,000 µg/L.
- 7. MW-8-10A, MW-8-10B, and MW-8-10C** - Monitoring wells MW-8-10A, MW-8-10B, and MW-8-10C were added to the monitoring program as part of Area 8 monitoring system located within Basin 5. These wells also serve as the point of compliance wells, downgradient of MW-8-5A and MW-8-5B. MW-8-10A and MW-8-10B are sampled quarterly while MW-8-10C is sampled annually during the second calendar quarter. Most importantly, arsenic concentrations in MW-8-10A, MW-8-10B, and MW-8-10C continue to meet the Primary

Drinking Water Standard of 10 µg/L and exhibit stable/decreasing trends. Other key results and trends for these wells for this quarter are as follows:

- MW-8-10B demonstrates typically slightly alkaline pH and overall better and more stable water quality than MW-8-10A and MW-8-10C. pH at MW-8-10C is also slightly alkaline.
- pH at MW-8-10A is near neutral, but lower than pH at MW-8-10B and MW-8-10C. pH at MW-8-10A is sometimes slightly below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U.
- Sulfate and total dissolved solids concentrations at MW-8-10A are fluctuating around/slightly above Secondary Drinking Water Standards. Sulfate and total dissolved solids concentrations have been stable/decreasing since 2015 with a prominent drop occurring during 2018 and are now only slightly above the respective standards. These trends appear to be related to trends for calcium, magnesium, specific conductivity, and strontium (which have also generally decreased since early 2018 following long-term increasing trends). At MW-8-10B, total dissolved solids concentrations are fairly stable and fluctuate around the 500 mg/L standard. Sulfate concentrations at MW-8-10B are below the 250 mg/L standard and exhibit a slight decreasing trend.
- Iron concentrations at MW-8-10C are variable and occasionally exceed the Secondary Drinking Water Standard of 0.3 mg/L.
- Manganese concentrations at MW-8-10A are elevated and seasonally variable, exceeding the Secondary Drinking Water Standard of 50 µg/L and historically had exceeded the Act 2 residential Statewide Health Standard of 300 µg/L. However, peak manganese concentrations at MW-8-10A have decreased significantly since 2018 (below the Act 2 standard). Manganese concentrations at MW-8-10C normally exceed both standards but are less variable than at MW-8-10A.
- Molybdenum concentrations at MW-8-10C exceed the Act 2 residential Statewide Health Standard of 40 µg/L, while concentrations at MW-8-10A and MW-8-10B sometimes exceed the standard. Similar to manganese, peak molybdenum concentrations at MW-8-10A have decreased significantly since 2018 and have not exceeded the standard since the first quarter of 2018.
- Vanadium concentrations at MW-8-10B fluctuate around the Act 2 residential Statewide Health Standard of 2.9 µg/L, which was lowered in 2016 along with the analytical limit of quantification.

8. MW-8-12C - Sampling is required at MW-8-12C annually in the second calendar quarter. Key results and trends for the second quarter of 2022 were as follows:

- Iron (dissolved) concentration of 0.66 mg/L exceeded the Secondary Drinking Water Standard of 0.3 mg/L. Iron concentrations have generally decreased with variability since 2016.

- Manganese (dissolved) concentration of 1,550 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and the Act 2 residential Statewide Health Standard of 300 µg/L.
 - Molybdenum (dissolved) concentration of 387 µg/L exceeded the Act 2 residential Statewide Health Standard of 40 µg/L. Molybdenum concentrations have fluctuated between approximately 150 and 450 µg/L over the past ten years.
 - Several parameters fluctuated downward during the second quarter of 2019 at MW-8-12C including boron, calcium, iron, magnesium, manganese, molybdenum, potassium, specific conductivity, sulfate, total dissolved solids, and total organic carbon. Barium and strontium fluctuated upward. Since the second quarter of 2020, each of these parameters returned to concentrations consistent with respective historical trends.
9. **MW-8-8A, MW-8-8B, MW-8-9B, and MW-8-9C** – These wells were added to the sampling schedule beginning with the third quarter of 2022. For these wells, the only metals analyzed are arsenic, lithium, manganese, and molybdenum (all other Basin 5 field parameters and non-metals are also analyzed). Key results for this quarter are as follows:
- Arsenic (dissolved) concentrations at these wells ranged from 249 to 751 µg/L, exceeding the Primary Drinking Water Standard of 10 µg/L for each of these wells. Generally arsenic concentration decreases with depth at the locations of paired wells; for example, the concentration is lower at MW-8-9C, which has a deeper screened depth, than at MW-8-9B.
 - Lithium (dissolved) concentrations at these wells ranged from 153 to 249 µg/L, exceeding the Act 2 residential Statewide Health Standard of 69 µg/L for each of these wells.
 - Manganese (dissolved) concentrations at these wells ranged from non-detect (MW-8-8B) to 1,350 µg/L, exceeding the Act 2 residential Statewide Health Standard of 300 µg/L for three of these wells.
 - Molybdenum (dissolved) concentrations at these wells ranged from 153 to 306 µg/L, exceeding the Act 2 residential Statewide Health Standard of 40 µg/L for each of these wells.
 - Sulfate concentrations at these wells ranged from 155 (MW-8-9C) to 435 mg/L, exceeding the Secondary Water Standard of 250 mg/L for three of these wells.
 - Total dissolved solids concentrations at these wells ranged from 545 to 1,050 mg/L, exceeding the Secondary Drinking Water Standard of 500 mg/L for three of these wells.

Pyrite Tomb Monitoring

1. **Pyrite Tomb Standpipe** – The pyrite tomb is monitored at least monthly for water depth and field pH, and quarterly reporting (via this quarterly groundwater report) began in the 2nd quarter of 2017. Brunner planned to collect two additional (last) samples from the pyrite tomb standpipe during the 3rd and 4th quarters of 2017 for laboratory analysis (as previously). However, on both quarterly sampling occasions, the standpipe contained too little water to sample (lack of water is a favorable condition). A summary table of the field monitoring results for 2017 thru current is provided in Attachment 2. Trend plots for the field parameters (pH, water depths, water elevations) are provided on the enclosed CD.

2. **MW-PT-1** – Downgradient monitoring well MW-PT-1 was installed in January 2017 to help assess the Pyrite Tomb area. This well is located outside of the Basin 5 berm material in native alluvial sediments. Since monitoring of MW-PT-1 commenced, many parameters have exhibited significant variability with no defined trends yet. Analytical results for the pyrite tomb monitoring well MW-PT-1 are included on Attachment 1, *Summary Table of Basin 5 Groundwater Monitoring Results*, and trend plots for these parameters (as applicable) are provided on the enclosed CD. Key results for this quarter are as follows:

- pH 5.80 S.U.) was below the Secondary Drinking Water Standard range of 6.5 to 8.5 S.U. Lower pH and alkalinity values at MW-PT-1 appear to correlate with higher groundwater elevations.
- Total dissolved solids concentration of 782 mg/L exceeded the Secondary Drinking Water Standard of 500 mg/L.
- Sulfate concentration of 449 mg/L exceeded the Secondary Drinking Water Standard of 250 mg/L.
- Lithium (total) concentration of 485 µg/L exceeded the Act 2 residential Statewide Health Standard of 69 µg/L.
- Manganese (total) concentration of 7,350 µg/L exceeded the Secondary Drinking Water Standard of 50 µg/L and Act 2 residential Statewide Health Standard of 300 µg/L.
- Molybdenum (total) concentration of 236 µg/L exceeded the Act 2 residential Statewide Health Standard of 40 µg/L.

ATTACHMENTS

1. Summary Table of Groundwater Monitoring Results
2. Pyrite Tomb Standpipe Monitoring Results
3. Site Plan – Overall Map – Brunner Island SES
4. Site Plan – Brunner Island Basin 5
5. PADEP Form 14Rs (on CD for PADEP)
6. Statistics Summary (on CD for PADEP)

Brunner Island, LLC
Basin No. 5 Groundwater Monitoring Results

PARAMETER		UNITS	REGULATORY CRITERIA LIMIT	GROUNDWATER MONITORING WELLS																		Pyrite Tomb Monitoring	Upgradient	
				Downgradient																				
Location ID			MW-4-10	MW-8-1N	MW-8-2	MW-8-3A	MW-8-3B	MW-8-4	MW-8-5A	MW-8-5B	MW-8-10A	MW-8-10B	MW-8-10C	MW-8-12C	MW-8-8A	MW-8-8B	MW-8-9B	MW-8-9C	MW-PT-1	MW-4-7A	MW-19			
Sampling Date			7/20/2022	7/16/2022	7/18/2022	7/18/2022	7/18/2022	7/19/2022	7/16/2022	7/16/2022	7/16/2022	7/16/2022			7/19/2022	7/19/2022	7/18/2022	7/18/2022	7/18/2022	7/19/2022	7/19/2022			
Field Parameters (monitored quarterly)																								
Well Depth	FT		38.70	26.30	46.80	26.60	22.30	21.80	39.10	59.16	37.30	56.90			52.50	60.50	69.90	90.00	21.20	39.50	45.40			
Sampling Depth	FT		34.00	23.00	40.00	20.00	15.00	18.00	33.00	52.00	32.00	52.00			46.00	54.00	64.00	85.00	19.00	35.00	33.00			
Well Purge Volume	L		3.20	3.00	3.20	3.00	3.50	3.50	3.20	3.25	3.00	3.00			3.20	3.00	3.15	3.00	4.50	3.00	1.65			
Depth to Water	FT		24.28	13.08	12.80	9.68	6.67	13.14	23.66	17.58	17.20	17.08			24.37	23.60	22.91	22.61	13.57	26.48	18.94			
Water Surface Elevation	FT		268.43	267.56	258.70	257.70	261.04	257.05	261.38	267.30	259.27	259.19			259.83	260.04	261.43	262.07	258.20	261.53	286.86			
Temperature, field	°C		15.94	18.20	17.70	16.30	16.85	15.40	15.37	17.32	18.05	18.09			15.21	16.93	15.58	18.07	17.52	19.20	13.90			
pH, field	S.U.	6.5 - 8.5 S	5.25	6.87	6.96	6.60	6.97	5.30	6.78	6.95	6.81	7.70			6.87	7.35	6.78	6.80	5.80	7.05	6.55			
pH, lab	S.U.	6.5 - 8.5 S	5.38	6.98	6.79	6.62	7.10	5.78	7.47	7.53	7.14	7.72			7.34	7.74	7.45	7.38	6.41	7.19	6.97			
Specific Conductance, field	umhos/cm		1,461.00	1,210.00	953.00	1,315.00	669.00	905.00	1,138.00	1,008.00	1,000.00	860.00			1,446.00	1,313.00	1,635.00	839.00	1,116.00	1,557.00	229.00			
Specific Conductance, lab	umhos/cm		1,470.00	1,200.00	667.00	1,290.00	937.00	899.00	1,110.00	998.00	990.00	850.00			1,440.00	1,310.00	1,600.00	823.00	1,100.00	1,550.00	235.00			
Turbidity, field	NTU		1.05	1.59	0.84	1.77	0.65	2.14	0.83	0.49	0.42	0.41			0.60	0.85	0.33	0.86	1.00	0.55	3.01			
Dissolved Oxygen, field	mg/L		0.31	0.56	0.39	0.51	1.32	0.91	0.81	0.84	0.77	0.84			0.66	6.71	1.23	1.07	0.59	0.41	3.53			
Redox, field	mV		300.40	93.00	59.40	295.00	257.90	190.40	148.40	110.40	270.00	279.00			118.10	185.20	21.20	-60.30	142.80	286.00	304.00			
Non-Metals (monitored quarterly)																								
Alkalinity, total as CaCO3	mg/L		< 20	180.00	143.00	214.00	244.00	25.60	255.00	230.00	142.00	103.00			235.00	176.00	280.00	248.00	97.60	231.00	51.60			
Total Organic Carbon	mg/L		2.23	4.37	3.66	4.21	2.85	2.60	4.67	4.02	3.15	1.43			2.49	2.22	2.55	2.68	2.27	3.11	1.13			
Total Dissolved Solids	mg/L	500 S	1,050.00	854.00	418.00	886.00	591.00	686.00	801.00	697.00	749.00	610.00			935.00	1,030.00	1,050.00	545.00	782.00	1,240.00	149.00			
Chemical Oxygen Demand	mg/L		5.3 ND	< 20	5.3 ND	22.10	5.3 ND	< 20	5.3 ND	5.3 ND	< 20	5.3 ND			21.30	5.3 ND	5.3 ND	5.3 ND	< 20	5.3 ND	5.3 ND			
Bicarbonate	mg/L		< 20	180.00	143.00	214.00	244.00	25.60	255.00	230.00	142.00	103.00			235.00	176.00	280.00	248.00	97.60	231.00	51.60			
Chloride, total as Cl	mg/L	250 S	10.10	62.40	24.70	123.00	13.10	24.40	19.00	15.90	45.40	88.50			167.00	64.50	170.00	16.90	6.19	13.10	8.52			
Fluoride, total as F	mg/L	2 S, 4 M	0.62	0.25	0.87	0.36	< 0.2	0.46	0.89	0.66	< 0.2	< 0.2			0.71	0.78	0.45	0.76	0.27	< 0.2	< 0.2			
Ammonia, as N	mg/L		0.33	< 0.2	< 0.2	0.31	0.07	0.066 ND	0.52	0.34	0.066 ND	0.066 ND			0.29	0.066 ND	0.37	0.38	0.066 ND	< 0.2	0.066 ND			
Nitrate, as N	mg/L	10 M	3.52	< 0.5	< 0.5	2.42	2.23	1.52	< 0.5	< 0.5	< 0.5	< 0.5			< 0.5	1.01	< 0.5	0.0218 ND	< 0.5	< 0.5	3.74			
Sulfate, as SO4	mg/L	250 S	695.00	373.00	152.00	281.00	168.00	389.00	333.00	286.00	314.00	182.00			258.00	435.00	331.00	155.00	449.00	655.00	26.30			
Metals (monitored quarterly)																								
Aluminum, total	ug/L	200 S	1,170.00	26.8 ND	26.8 ND	26.8 ND	26.8 ND	1,730.00	26.8 ND	26.8 ND	26.8 ND	26.8 ND							< 100	< 100	26.8 ND			
Aluminum, dissolved	ug/L	200 S	995.00	26.8 ND	26.8 ND	26.8 ND	26.8 ND	767.00	26.8 ND	26.8 ND	26.8 ND	26.8 ND								< 100	26.8 ND			
Antimony, total	ug/L	6 M	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND							0.39 ND	0.39 ND	0.39 ND			
Antimony, dissolved	ug/L	6 M	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND	0.39 ND								0.39 ND	0.39 ND			
Arsenic, total	ug/L	10 M	3.62	0.55 ND	0.55 ND	41.80	4.36	3.08	132.00	247.00	0.55 ND	1.40			628.00	346.00	725.00	299.00	0.55 ND	0.55 ND	0.55 ND			
Arsenic, dissolved	ug/L	10 M	1.59	0.55 ND	0.55 ND	18.90	3.55	0.55 ND	128.00	240.00	0.55 ND	1.43			459.00	271.00	751.00	249.00		0.55 ND	0.55 ND			
Barium, total	ug/L	2,000 M	15.40	24.50	35.00	72.60	72.40	15.10	46.60	67.60	26.80	45.80							19.20	18.80	253.00			
Barium, dissolved	ug/L	2,000 M	14.50	24.00	32.10	65.90	70.20	17.10	44.00	64.80	25.00	43.90								21.70	263.00			
Beryllium, total	ug/L	4 M	< 1	0.19 ND	0.19 ND	0.19 ND	0.19 ND	1.16	0.19 ND	0.19 ND	0.19 ND	0.19 ND							0.19 ND	0.19 ND	0.19 ND			
Beryllium, dissolved	ug/L	4 M	< 1	0.19 ND	0.19 ND	0.19 ND	0.19 ND	1.53	0.19 ND	0.19 ND	0.19 ND	0.19 ND								0.19 ND	0.19 ND			
Boron, total	ug/L	6,000 A	2,090.00	< 100	455.00	419.00	351.00	225.00	900.00	846.00	357.00	255.00							1,460.00	1,740.00	< 100			
Boron, dissolved	ug/L	6,000 A	1,510.00	< 100	421.00	407.00	330.00	189.00	862.00	812.00	329.00	234.00								1,560.00	< 100			
Cadmium, total	ug/L	5 M	1.05	0.15 ND	< 1	0.15 ND	0.15 ND	1.82	< 1	< 1	0.15 ND	0.15 ND							< 1	0.15 ND	0.15 ND			
Cadmium, dissolved	ug/L	5 M	1.62	0.15 ND	< 1	0.15 ND	0.15 ND	2.56	< 1	< 1	0.15 ND	0.15 ND								0.15 ND	0.15 ND			
Calcium, total	mg/L		165.00	188.00	99.60	187.00	152.00	99.80	180.00	160.00	140.00	121.00							124.00	258.00	25.80			
Calcium, dissolved	mg/L		143.00	191.00	91.70	181.00	145.00	96.00	173.00	157.00	135.00	124.00								226.00	27.20			
Chromium, total	ug/L	100 M	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND							< 1	0.41 ND	0.41 ND			
Chromium, dissolved	ug/L	100 M	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND	0.41 ND								0.41 ND	0.41 ND			
Copper, total	ug/L	1,000 S, 1,300 M	7.47	< 1	0.39 ND	0.39 ND	0.39 ND	2.39	2.83	< 1	0.39 ND	0.39 ND							1.99	0.39 ND	0.39 ND			
Copper, dissolved	ug/L	1,000 S, 1,300 M	9.77	0.39 ND	< 1	0.39 ND	< 1	5.25	2.20	< 1	0.39 ND	0.39 ND								0.39 ND	0.39 ND			
Iron, total	mg/L	0.3 S	0.04	0.66	0.02	16.70	0.26	0.0122 ND	0.0122 ND	0.0122 ND	0.03	0.0122 ND							0.05	0.0122 ND	0.04			
Iron, dissolved	mg/L	0.3 S	< 0.02	0.29	< 0.02	8.08	0.15	< 0.02	0.001 ND	0.001 ND	0.001 ND	0.03								0.001 ND	0.001 ND			
Lead, total	ug/L	5 A, 15 M	0.23 ND	0.23 ND	0.23 ND	0.23 ND	0.23 ND	0.23 ND	0.23 ND	0.23 ND	0.23 ND	0.23 ND							0.23 ND	0.23 ND	0.23 ND			
Lead, dissolved	ug/L																							

Brunner Island, LLC
Basin No. 5 Groundwater Monitoring Results

PARAMETER	UNITS	REGULATORY CRITERIA LIMIT	GROUNDWATER MONITORING WELLS																		
			Downgradient															Pyrite Tomb Monitoring	Upgradient		
Location ID			MW-4-10	MW-8-1N	MW-8-2	MW-8-3A	MW-8-3B	MW-8-4	MW-8-5A	MW-8-5B	MW-8-10A	MW-8-10B	MW-8-10C	MW-8-12C	MW-8-8A	MW-8-8B	MW-8-9B	MW-8-9C	MW-PT-1	MW-4-7A	MW-19
Sampling Date			7/20/2022	7/16/2022	7/18/2022	7/18/2022	7/18/2022	7/19/2022	7/16/2022	7/16/2022	7/16/2022	7/16/2022			7/19/2022	7/19/2022	7/18/2022	7/18/2022	7/18/2022	7/19/2022	7/19/2022
Molybdenum, total	µg/L	40 A	160.00	2.11	300.00	82.40	136.00	0.3 ND	436.00	365.00	17.40	33.50			339.00	242.00	244.00	224.00	236.00	23.90	0.3 ND
Molybdenum, dissolved	µg/L	40 A	178.00	1.04	290.00	79.60	136.00	< 1	400.00	351.00	14.70	32.10			306.00	237.00	255.00	153.00		27.50	< 1
Nickel, total	ug/L	100 A	69.30	< 1	1.22	2.14	< 1	76.40	< 1	< 1	< 1	0.28 ND							35.60	< 1	0.28 ND
Nickel, dissolved	ug/L	100 A	91.20	< 1	1.26	2.38	< 1	109.00	0.28 ND	< 1	0.28 ND	0.28 ND								< 1	0.28 ND
Potassium, total	mg/L		106.00	8.74	5.39	2.76	1.74	1.74	4.25	1.74	2.13	2.18							39.30	4.50	< 1
Potassium, dissolved	mg/L		89.70	9.79	5.75	3.42	2.04	1.72	4.68	4.38	2.71	2.66								3.91	< 1
Selenium, total	µg/L	50 M	13.50	0.63 ND	0.63 ND	0.63 ND	0.63 ND	< 5	0.63 ND	0.63 ND	0.63 ND	0.63 ND							0.63 ND	0.63 ND	18.20
Selenium, dissolved	µg/L	50 M	19.80	0.63 ND	0.63 ND	0.63 ND	0.63 ND	< 5	0.63 ND	0.63 ND	0.63 ND	0.63 ND								< 5	17.80
Silver, total	µg/L	100 A	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND							0.13 ND	0.13 ND	0.13 ND
Silver, dissolved	µg/L	100 A	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND	0.13 ND								0.13 ND	0.13 ND
Sodium, total	mg/L		62.70	29.00	14.50	25.70	9.16	20.10	12.50	10.50	15.90	7.29							40.40	60.60	8.39
Sodium, dissolved	mg/L		56.70	31.90	14.70	26.60	9.27	19.80	13.60	10.50	16.20	7.74								55.50	8.72
Strontium, total	µg/L	4,000 A	1,220.00	1,280.00	583.00	966.00	453.00	333.00	819.00	899.00	258.00	301.00							900.00	398.00	51.00
Strontium, dissolved	µg/L	4,000 A	1,110.00	1,300.00	559.00	978.00	443.00	323.00	797.00	884.00	260.00	315.00								360.00	51.00
Titanium, total	µg/L		1.45 ND	1.45 ND	1.45 ND	1.45 ND	1.45 ND	< 5	1.45 ND	1.45 ND	1.45 ND	1.45 ND							1.45 ND	1.45 ND	1.45 ND
Titanium, dissolved	µg/L		< 5	1.45 ND	1.45 ND	1.45 ND	1.45 ND	5.06	1.45 ND	1.45 ND	1.45 ND	1.45 ND								< 5	1.45 ND
Vanadium, total	µg/L	2.9 A	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND							2.35 ND	2.35 ND	2.35 ND
Vanadium, dissolved	µg/L	2.9 A	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	2.35 ND	< 5								2.35 ND	2.35 ND
Zinc, total	µg/L	2,000 A, 5,000 S	155.00	< 5	< 5	< 5	< 5	155.00	2.24 ND	2.24 ND	5.43	2.24 ND							29.70	2.24 ND	2.24 ND
Zinc, dissolved	µg/L	2,000 A, 5,000 S	142.00	2.24 ND	< 5	< 5	< 5	153.00	2.24 ND	2.24 ND	< 5	2.24 ND								5.43	2.24 ND

- Notes:**
- Regulatory qualifier codes: M = EPA Primary Drinking Water MCL/TT, S = EPA Secondary Drinking Water MCL, and A = Pennsylvania Act 2 residential Statewide Health Standard for used aquifers.
 - MW-19 was sampled for additional parameters (Ga, Ge, Rb, Y) pursuant to Basin No. 7 sampling requirements.
 - MW-4-7A, MW-4-10, and MW-19 are additionally sampled for organic parameters during the second and third calendar quarters pursuant to Basin No. 4 South sampling requirements.
 - MW-8-10C and MW-8-12C are sampled annually during the second calendar quarter.

Pyrite Tomb Standpipe Monitoring Results


Pyrite Tomb Standpipe				
Date	Water Depth (ft)	Water Surface Elevation (ft)	pH (S.U.)	Comments
1/3/2017	25.85	269.60	7.61	
1/12/2017	26.00	269.45	7.54	
1/18/2017	29.03	266.42	8.88	Standpipe cleanout 1/17/2017
1/25/2017	28.79	266.66	7.84	Sampled the tomb (with bailer)
1/31/2017	28.79	266.66	8.25	
2/7/2017	28.78	266.67	7.97	
2/13/2017	28.85	266.60	7.41	
3/6/2017	28.70	266.75	7.11	
4/4/2017	28.62	266.83	7.49	
4/15/2017	28.57	266.88	7.11	
4/20/2017	30.71	264.74	7.70	
5/9/2017	29.08	266.37	7.77	
6/22/2017	27.72	267.73	7.43	Purged 24.5 gal.
6/23/2017	30.92	264.53	7.97	Sampled the tomb after recharging (17.5 hours)
8/3/2017	28.41	267.04	7.53	
9/1/2017	28.18	267.27	7.15	
9/21/2017	30.80	264.65	N/A	Sample attempted, but not enough water in standpipe.
9/28/2017	30.70	264.75	N/A	Sample attempted again, but not enough water in standpipe.
10/2/2017	30.65	264.80	7.18	
12/5/2017	30.21	265.24	7.48	
12/14/2017	N/A	N/A	N/A	Sample attempted again, but not enough water in standpipe.
<i>Lab analytical attempts discontinued in 2018; Attempts to purge water continuing quarterly.</i>				
1/25/2018	N/A	N/A	N/A	Water elevation not high enough to record depth to water.
2/19/2018	30.57	264.88	6.94	
3/4/2018	30.33	265.12	6.48	Purged 5.25 Liters
4/12/2018	31.20	264.25	7.24	
5/14/2018	31.16	264.29	6.96	Purged 1.7 liters. Wouldn't purge further.
5/29/2018	31.24	264.21	N/A	Not enough water in tomb to get a pH reading
6/7/2018	31.32	264.13	N/A	Not enough water in tomb to get a pH reading
7/7/2018	29.40	266.05	7.38	
8/2/2018	28.64	266.81	7.42	
8/13/2018	27.93	267.52	N/A	
9/13/2018	23.56	271.89	7.76	Pumped tomb down to 31.43'. Purged 35.25 L.
10/5/2018	22.22	273.23	7.69	
11/5/2018	22.15	273.30	8.2	Purged 52.5 L.
12/10/2018	19.55	275.90	7.95	

Pyrite Tomb Standpipe Monitoring Results

	Pyrite Tomb Standpipe			
Date	Water Depth (ft)	Water Surface Elevation (ft)	pH (S.U.)	Comments
1/10/19	19.75	275.70	7.62	
2/22/19	19.22	276.23	7.46	Purged 20 L. Water level was not dropping.
3/13/19	18.80	276.65	7.43	
4/2/2019	18.18	277.27	7.4	
5/16/2019	18.20	277.25	8.22	
6/18/2019	18.55	276.90	7.28	Purged 45 L. Water level was not dropping.
7/23/2019	18.58	276.87	7.35	
8/13/2019	19.00	276.45	7.39	Water level did not drop after 7 hours of pumping. Purged 91 L.
9/5/2019	19.71	275.74	7.24	
10/1/2019	20.32	275.13	7.43	
11/19/2019	21.14	274.31	7.88	Purged 42.5 L. Temp = 13.45°C, SpC = 2465 µmhos/cm, Redox = -85.5 mV, DO = 2.01 mg/L, Turb = 1.00 NTU.
12/19/2019	21.65	273.80	7.39	
1/16/2020	21.47	273.98	7.42	
2/24/2020	21.11	274.34	7.66	Purged 53.5 L. Water level did not drop during purge.
3/11/2020	21.21	274.24	7.07	
4/1/2020	21.37	274.08	6.85	
5/28/2020	21.20	274.25	6.88	Purged 24 L.
6/1/2020	21.38	274.07	7.45	
7/17/2020	22.05	273.40	7.17	
8/20/2020	22.66	272.79	7.12	
9/30/2020	23.44	272.01	6.92	Purged 36 L on 10/6/2020. Did not drop.
10/13/2020	23.63	271.82	7.18	
11/5/2020	24.06	271.39	7.05	Purged 24 L. Temp = 14.7°C, Recharge rate = 0.00165 L/min
12/22/2020	24.67	270.78	7.23	
1/12/2021	24.67	270.78	7.22	Temp = 13.1°C
2/25/2021	24.82	270.63	7.42	Temp = 12.8°C
3/10/2021	24.75	270.70	7.11	Temp = 13.9°C
4/30/2021	23.90	271.55	7.31	Purged 27 L. Temp = 14.1°C
5/4/2021	23.88	271.57	7.22	
6/10/2021	24.16	271.29	7.54	Temp = 15.0°C
7/28/2021	25.53	269.92	7.06	Purged 20 L. Temp = 15.0°C
8/16/2021	24.63	270.82	7.32	Temp = 15.5°C
9/22/2021	24.48	270.97	7.02	
10/23/2021	23.75	271.10	6.82	Purged 84 L
11/30/2021	23.86	271.59	7.28	Temp = 11.6°C
12/1/2021	23.80	271.65	7.31	
1/29/2022	24.52	270.93	7.62	Purged 66 L

Pyrite Tomb Standpipe Monitoring Results


	Pyrite Tomb Standpipe			
Date	Water Depth (ft)	Water Surface Elevation (ft)	pH (S.U.)	Comments
2/2/2022	24.54	270.91	7.62	Temp = 12.6°C
3/23/2022	24.71	270.74	6.97	Temp = 12.5°C
4/25/2022	24.65	270.80	7.29	Purged 30 L. Temp = 13.7°C
5/12/2022	24.73	290.72	7.09	
6/18/2022	23.96	271.49	7.08	Temp = 14.5°C
7/27/2022	24.35	271.10	6.87	Purged 40 L. Temp = 16.1°C
8/3/2022	24.60	270.85	6.58	



Talen Energy
Brunner Island SES

**OVERALL
MAP**

North American Datum of 1983 (NAD83)
State Plane Pennsylvania South
0 0.125 0.25 0.5
Miles




 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-19

☒ Well ☐ Spring ☐ Stream ☐ Other

☒ Upgradient/Upstream ☐ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 26.55"

Longitude: 76° 41' 55.87"

Depth to Water Level: 18.94 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.60 ft.

Elevation of Water Level: 286.86 ft./MSL

Sampling Depth: 33.00 ft.

Volume of Water Column: gal.

Total Well Depth: 45.40 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 1.65 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/19/2022

Sample Collection Time: 9:40AM

Sample Collector's Name: NL

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701342-001

Final Lab Analysis Completion Date: 08/28/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	51.6	SM 2320
Calcium, total (mg/l)	25.8	EPA 200.7
Calcium, dissolved (mg/l)	27.2	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	8.52	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	38	EPA 200.7
Iron, dissolved (µg/l)	1.02 ND	EPA 200.7
Magnesium, total (mg/l)	4.32	EPA 200.7
Magnesium, dissolved (mg/l)	4.19	EPA 200.7
Manganese, total (µg/l)	1.77 ND	EPA 200.7
Manganese, dissolved (µg/l)	6.39 ND	EPA 200.7
Nitrate, as N (mg/l)	3.74	EPA 300.0
pH, field (su)	6.55	SM 4500-H+B
pH, lab (su)	6.97 H	SM 4500-H+B
Potassium, total (mg/l)	1 <	EPA 200.7
Potassium, dissolved (mg/l)	1 <	EPA 200.7
Sodium, total (mg/l)	8.39	EPA 200.7
Sodium, dissolved (mg/l)	8.72	EPA 200.7
Specific Conductance, field (umhos/cm)	229	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	235	SM 2510 B
Sulfate, as SO4 (mg/l)	26.3	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	51.6	SM 2320 B
Total Dissolved Solids (mg/l)	149	SM 2540 C
Total Organic Carbon (mg/l)	1.13	SM 5310 C
Turbidity, field (n.t.u.)	3.01	
Dissolved O2, field (mg/l)	3.53	Field Meter
Redox, field (mv)	304	Field Meter
Temperature, field (°c)	13.9	Field Meter
Acidity, total as CaCO3 (mg/l)	-43.9	SM 2310 B

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	253	EPA 200.8
Barium, dissolved (µg/l)	263	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	18.2	EPA 200.8
Selenium, dissolved (µg/l)	17.8	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	2.24 ND	EPA 200.8
Zinc, dissolved (µg/l)	2.24 ND	EPA 200.8
Boron, total (µg/l)	100 <	EPA 200.7
Boron, dissolved (µg/l)	100 <	EPA 200.7
Lithium, total (µg/l)	3.91	EPA 200.8
Lithium, dissolved (µg/l)	3.2	EPA 200.8
Molybdenum, total (µg/l)	0.3 ND	EPA 200.8
Molybdenum, dissolved (µg/l)	1 <	EPA 200.8
Strontium, total (µg/l)	51	EPA 200.7
Strontium, dissolved (µg/l)	51	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-19
Sample Date	07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)	6.56	EPA 200.8
Gallium, dissolved (µg/l)	6.47	EPA 200.8
Germanium, total (µg/l)	1 ND	EPA 200.8
Germanium, dissolved (µg/l)	1 ND	EPA 200.8
Nickel, total (µg/l)	0.28 ND	EPA 200.8
Nickel, dissolved (µg/l)	0.28 ND	EPA 200.8
Rubidium, total (µg/l)	1 ND	EPA 200.8
Rubidium, dissolved (µg/l)	1 ND	EPA 200.8
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)	1 ND	EPA 200.8
Yttrium, dissolved (µg/l)	1 ND	EPA 200.8

T Please indicate detection limit if analyte is not detected.

Date Prepared/Revised
09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-4-10

☒ Well ☐ Spring ☐ Stream ☐ Other☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 25.84"

Longitude: 76° 41' 25.83"

Depth to Water Level: 24.28 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.26 ft.

Elevation of Water Level: 268.43 ft./MSL

Sampling Depth: 34.00 ft.

Volume of Water Column: gal.

Total Well Depth: 38.60 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.2 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/20/2022

Sample Collection Time: 10:33AM

Sample Collector's Name: AF

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701335-006

Final Lab Analysis Completion Date: 08/19/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	07/20/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.327	SM 4500-NH3 F
Bicarbonate (mg/l)	20 <	SM 2320
Calcium, total (mg/l)	165	EPA 200.7
Calcium, dissolved (mg/l)	143	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	10.1	EPA 300.0
Fluoride, total as F (mg/l)	0.618	EPA 300.0
Iron, total (µg/l)	41	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	17.7	EPA 200.7
Magnesium, dissolved (mg/l)	16.7	EPA 200.7
Manganese, total (µg/l)	2,590	EPA 200.7
Manganese, dissolved (µg/l)	2,380	EPA 200.7
Nitrate, as N (mg/l)	3.52	EPA 300.0
pH, field (su)	5.25	SM 4500-H+B
pH, lab (su)	5.38 H	SM 4500-H+B
Potassium, total (mg/l)	106	EPA 200.7
Potassium, dissolved (mg/l)	89.7	EPA 200.7
Sodium, total (mg/l)	62.7	EPA 200.7
Sodium, dissolved (mg/l)	56.7	EPA 200.7
Specific Conductance, field (umhos/cm)	1,461	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,470	SM 2510 B
Sulfate, as SO4 (mg/l)	695	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	20 <	SM 2320 B
Total Dissolved Solids (mg/l)	1,050	SM 2540 C
Total Organic Carbon (mg/l)	2.23	SM 5310 C
Turbidity, field (n.t.u.)	1.05	
Dissolved O2, field (mg/l)	0.31	Field Meter
Redox, field (mv)	300.4	Field Meter
Temperature, field (°c)	15.94	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	07/20/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	07/20/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	3.62	EPA 200.8
Arsenic, dissolved (µg/l)	1.59	EPA 200.8
Barium, total (µg/l)	15.4	EPA 200.8
Barium, dissolved (µg/l)	14.5	EPA 200.8
Cadmium, total (µg/l)	1.05	EPA 200.8
Cadmium, dissolved (µg/l)	1.62	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	7.47	EPA 200.8
Copper, dissolved (µg/l)	9.77	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	13.5	EPA 200.8
Selenium, dissolved (µg/l)	19.8	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	155	EPA 200.8
Zinc, dissolved (µg/l)	142	EPA 200.8
Boron, total (µg/l)	2,090	EPA 200.7
Boron, dissolved (µg/l)	1,510	EPA 200.7
Lithium, total (µg/l)	896	EPA 200.8
Lithium, dissolved (µg/l)	1,180	EPA 200.8
Molybdenum, total (µg/l)	160	EPA 200.8
Molybdenum, dissolved (µg/l)	178	EPA 200.8
Strontium, total (µg/l)	1,220	EPA 200.7
Strontium, dissolved (µg/l)	1,110	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-10
Sample Date	07/20/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	1,170	EPA 200.7
Aluminum, dissolved (µg/l)	995	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	1 <	EPA 200.8
Beryllium, dissolved (µg/l)	1 <	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	69.3	EPA 200.8
Nickel, dissolved (µg/l)	91.2	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-4-7A

☒ Well ☐ Spring ☐ Stream ☐ Other

☒ Upgradient/Upstream ☐ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 20.84"

Longitude: 76° 41' 34.11"

Depth to Water Level: 26.48 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.23 ft.

Elevation of Water Level: 261.53 ft./MSL

Sampling Depth: 35.00 ft.

Volume of Water Column: gal.

Total Well Depth: 39.90 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/19/2022

Sample Collection Time: 10:16AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701335-002

Final Lab Analysis Completion Date: 08/28/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.2 <	SM 4500-NH3 F
Bicarbonate (mg/l)	231	SM 2320
Calcium, total (mg/l)	258	EPA 200.7
Calcium, dissolved (mg/l)	226	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	13.1	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	1.02 ND	EPA 200.7
Magnesium, total (mg/l)	42.8	EPA 200.7
Magnesium, dissolved (mg/l)	38.2	EPA 200.7
Manganese, total (µg/l)	32	EPA 200.7
Manganese, dissolved (µg/l)	55	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	7.05	SM 4500-H+B
pH, lab (su)	7.19 H	SM 4500-H+B
Potassium, total (mg/l)	4.5	EPA 200.7
Potassium, dissolved (mg/l)	3.91	EPA 200.7
Sodium, total (mg/l)	60.6	EPA 200.7
Sodium, dissolved (mg/l)	55.5	EPA 200.7
Specific Conductance, field (umhos/cm)	1,557	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,550	SM 2510 B
Sulfate, as SO4 (mg/l)	655	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	231	SM 2320 B
Total Dissolved Solids (mg/l)	1,240	SM 2540 C
Total Organic Carbon (mg/l)	3.11	SM 5310 C
Turbidity, field (n.t.u.)	0.55	
Dissolved O2, field (mg/l)	0.41	Field Meter
Redox, field (mv)	286	Field Meter
Temperature, field (°c)	19.2	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	18.8	EPA 200.8
Barium, dissolved (µg/l)	21.7	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	5 <	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	2.24 ND	EPA 200.8
Zinc, dissolved (µg/l)	5.43	EPA 200.8
Boron, total (µg/l)	1,740	EPA 200.7
Boron, dissolved (µg/l)	1,560	EPA 200.7
Lithium, total (µg/l)	207	EPA 200.8
Lithium, dissolved (µg/l)	248	EPA 200.8
Molybdenum, total (µg/l)	23.9	EPA 200.8
Molybdenum, dissolved (µg/l)	27.5	EPA 200.8
Strontium, total (µg/l)	398	EPA 200.7
Strontium, dissolved (µg/l)	360	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-4-7A
Sample Date	07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)	100 <	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	1 <	EPA 200.8
Nickel, dissolved (µg/l)	1 <	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	5 <	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-10A

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 13.72"

Longitude: 76° 41' 31.84"

Depth to Water Level: 17.2 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.62 ft.

Elevation of Water Level: 259.27 ft./MSL

Sampling Depth: 32.00 ft.

Volume of Water Column: gal.

Total Well Depth: 37.30 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/16/2022

Sample Collection Time: 9:35AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-013

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	142	SM 2320
Calcium, total (mg/l)	140	EPA 200.7
Calcium, dissolved (mg/l)	135	EPA 200.7
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	45.4	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	26	EPA 200.7
Iron, dissolved (µg/l)	1.02 ND	EPA 200.7
Magnesium, total (mg/l)	37.7	EPA 200.7
Magnesium, dissolved (mg/l)	34	EPA 200.7
Manganese, total (µg/l)	72	EPA 200.7
Manganese, dissolved (µg/l)	20 <	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.81	SM 4500-H+B
pH, lab (su)	7.14 H	SM 4500-H+B
Potassium, total (mg/l)	2.13	EPA 200.7
Potassium, dissolved (mg/l)	2.71	EPA 200.7
Sodium, total (mg/l)	15.9	EPA 200.7
Sodium, dissolved (mg/l)	16.2	EPA 200.7
Specific Conductance, field (umhos/cm)	1,000	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	990	SM 2510 B
Sulfate, as SO4 (mg/l)	314	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	142	SM 2320 B
Total Dissolved Solids (mg/l)	749	SM 2540 C
Total Organic Carbon (mg/l)	3.15	SM 5310 C
Turbidity, field (n.t.u.)	0.42	
Dissolved O2, field (mg/l)	0.77	Field Meter
Redox, field (mv)	270	Field Meter
Temperature, field (°c)	18.05	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	26.8	EPA 200.8
Barium, dissolved (µg/l)	25	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5.43	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	357	EPA 200.7
Boron, dissolved (µg/l)	329	EPA 200.7
Lithium, total (µg/l)	11.9	EPA 200.8
Lithium, dissolved (µg/l)	10.7	EPA 200.8
Molybdenum, total (µg/l)	17.4	EPA 200.8
Molybdenum, dissolved (µg/l)	14.7	EPA 200.8
Strontium, total (µg/l)	258	EPA 200.7
Strontium, dissolved (µg/l)	260	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10A
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	1 <	EPA 200.8
Nickel, dissolved (µg/l)	0.28 ND	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-10B

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 13.72"

Longitude: 76° 41' 31.84"

Depth to Water Level: 17.08 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.44 ft.

Elevation of Water Level: 259.19 ft./MSL

Sampling Depth: 52.00 ft.

Volume of Water Column: gal.

Total Well Depth: 57.00 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/16/2022

Sample Collection Time: 12:36PM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-014

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	103	SM 2320
Calcium, total (mg/l)	121	EPA 200.7
Calcium, dissolved (mg/l)	124	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	88.5	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	25	EPA 200.7
Magnesium, total (mg/l)	22.7	EPA 200.7
Magnesium, dissolved (mg/l)	21.7	EPA 200.7
Manganese, total (µg/l)	20 <	EPA 200.7
Manganese, dissolved (µg/l)	6.39 ND	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	7.7	SM 4500-H+B
pH, lab (su)	7.72 H	SM 4500-H+B
Potassium, total (mg/l)	2.18	EPA 200.7
Potassium, dissolved (mg/l)	2.66	EPA 200.7
Sodium, total (mg/l)	7.29	EPA 200.7
Sodium, dissolved (mg/l)	7.74	EPA 200.7
Specific Conductance, field (umhos/cm)	860	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	850	SM 2510 B
Sulfate, as SO4 (mg/l)	182	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	103	SM 2320 B
Total Dissolved Solids (mg/l)	610	SM 2540 C
Total Organic Carbon (mg/l)	1.43	SM 5310 C
Turbidity, field (n.t.u.)	0.41	
Dissolved O2, field (mg/l)	0.84	Field Meter
Redox, field (mv)	279	Field Meter
Temperature, field (°c)	18.09	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	1.4	EPA 200.8
Arsenic, dissolved (µg/l)	1.43	EPA 200.8
Barium, total (µg/l)	45.8	EPA 200.8
Barium, dissolved (µg/l)	43.9	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	2.24 ND	EPA 200.8
Zinc, dissolved (µg/l)	2.24 ND	EPA 200.8
Boron, total (µg/l)	255	EPA 200.7
Boron, dissolved (µg/l)	234	EPA 200.7
Lithium, total (µg/l)	15.7	EPA 200.8
Lithium, dissolved (µg/l)	14.7	EPA 200.8
Molybdenum, total (µg/l)	33.5	EPA 200.8
Molybdenum, dissolved (µg/l)	32.1	EPA 200.8
Strontium, total (µg/l)	301	EPA 200.7
Strontium, dissolved (µg/l)	315	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-10B
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	0.28 ND	EPA 200.8
Nickel, dissolved (µg/l)	0.28 ND	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	5 <	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-1N

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 4' 59.01"

Longitude: 76° 41' 21.00"

Depth to Water Level: 13.08 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.95 ft.

Elevation of Water Level: 267.56 ft./MSL

Sampling Depth: 23.00 ft.

Volume of Water Column: gal.

Total Well Depth: 26.30 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/16/2022

Sample Collection Time: 6:49AM

Sample Collector's Name: JO

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-001

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.2 <	SM 4500-NH3 F
Bicarbonate (mg/l)	180	SM 2320
Calcium, total (mg/l)	188	EPA 200.7
Calcium, dissolved (mg/l)	191	EPA 200.7
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	62.4	EPA 300.0
Fluoride, total as F (mg/l)	0.245	EPA 300.0
Iron, total (µg/l)	662	EPA 200.7
Iron, dissolved (µg/l)	286	EPA 200.7
Magnesium, total (mg/l)	32.9	EPA 200.7
Magnesium, dissolved (mg/l)	32.1	EPA 200.7
Manganese, total (µg/l)	1,690	EPA 200.7
Manganese, dissolved (µg/l)	1,620	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.87	SM 4500-H+B
pH, lab (su)	6.98 H	SM 4500-H+B
Potassium, total (mg/l)	8.74	EPA 200.7
Potassium, dissolved (mg/l)	9.79	EPA 200.7
Sodium, total (mg/l)	29	EPA 200.7
Sodium, dissolved (mg/l)	31.9	EPA 200.7
Specific Conductance, field (umhos/cm)	1,210	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,200	SM 2510 B
Sulfate, as SO4 (mg/l)	373	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	180	SM 2320 B
Total Dissolved Solids (mg/l)	854	SM 2540 C
Total Organic Carbon (mg/l)	4.37	SM 5310 C
Turbidity, field (n.t.u.)	1.59	
Dissolved O2, field (mg/l)	0.56	Field Meter
Redox, field (mv)	93	Field Meter
Temperature, field (°c)	18.2	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	24.5	EPA 200.8
Barium, dissolved (µg/l)	24	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1 <	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5 <	EPA 200.8
Zinc, dissolved (µg/l)	2.24 ND	EPA 200.8
Boron, total (µg/l)	100 <	EPA 200.7
Boron, dissolved (µg/l)	100 <	EPA 200.7
Lithium, total (µg/l)	1 <	EPA 200.8
Lithium, dissolved (µg/l)	1 <	EPA 200.8
Molybdenum, total (µg/l)	2.11	EPA 200.8
Molybdenum, dissolved (µg/l)	1.04	EPA 200.8
Strontium, total (µg/l)	1,280	EPA 200.7
Strontium, dissolved (µg/l)	1,300	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-1N
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	1 <	EPA 200.8
Nickel, dissolved (µg/l)	1 <	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-2

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 4.33"

Longitude: 76° 40' 59.57"

Depth to Water Level: 12.8 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.00 ft.

Elevation of Water Level: 258.7 ft./MSL

Sampling Depth: 40.00 ft.

Volume of Water Column: gal.

Total Well Depth: 22.30 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.2 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/18/2022

Sample Collection Time: 11:31AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-002

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.2 <	SM 4500-NH3 F
Bicarbonate (mg/l)	143	SM 2320
Calcium, total (mg/l)	99.6	EPA 200.7
Calcium, dissolved (mg/l)	91.7	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	24.7	EPA 300.0
Fluoride, total as F (mg/l)	0.87	EPA 300.0
Iron, total (µg/l)	20	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	17.2	EPA 200.7
Magnesium, dissolved (mg/l)	14.8	EPA 200.7
Manganese, total (µg/l)	543	EPA 200.7
Manganese, dissolved (µg/l)	492	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.96	SM 4500-H+B
pH, lab (su)	6.79 H	SM 4500-H+B
Potassium, total (mg/l)	5.39	EPA 200.7
Potassium, dissolved (mg/l)	5.75	EPA 200.7
Sodium, total (mg/l)	14.5	EPA 200.7
Sodium, dissolved (mg/l)	14.7	EPA 200.7
Specific Conductance, field (umhos/cm)	953	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	667	SM 2510 B
Sulfate, as SO4 (mg/l)	152	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	143	SM 2320 B
Total Dissolved Solids (mg/l)	418	SM 2540 C
Total Organic Carbon (mg/l)	3.66	SM 5310 C
Turbidity, field (n.t.u.)	0.84	
Dissolved O2, field (mg/l)	0.39	Field Meter
Redox, field (mv)	59.4	Field Meter
Temperature, field (°c)	17.7	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	35	EPA 200.8
Barium, dissolved (µg/l)	32.1	EPA 200.8
Cadmium, total (µg/l)	1 <	EPA 200.8
Cadmium, dissolved (µg/l)	1 <	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	1 <	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5 <	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	455	EPA 200.7
Boron, dissolved (µg/l)	421	EPA 200.7
Lithium, total (µg/l)	20.8	EPA 200.8
Lithium, dissolved (µg/l)	19.4	EPA 200.8
Molybdenum, total (µg/l)	300	EPA 200.8
Molybdenum, dissolved (µg/l)	290	EPA 200.8
Strontium, total (µg/l)	583	EPA 200.7
Strontium, dissolved (µg/l)	559	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-2
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	1.22	EPA 200.8
Nickel, dissolved (µg/l)	1.26	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-3A

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 12.49"

Longitude: 76° 41' 6.87"

Depth to Water Level: 9.68 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.72 ft.

Elevation of Water Level: 257.7 ft./MSL

Sampling Depth: 20.00 ft.

Volume of Water Column: gal.

Total Well Depth: 26.90 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/18/2022

Sample Collection Time: 8:51AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-003

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.305	SM 4500-NH3 F
Bicarbonate (mg/l)	214	SM 2320
Calcium, total (mg/l)	187	EPA 200.7
Calcium, dissolved (mg/l)	181	EPA 200.7
Chemical Oxygen Demand (mg/l)	22.1	SM 5220 D
Chloride, total as Cl (mg/l)	123	EPA 300.0
Fluoride, total as F (mg/l)	0.356	EPA 300.0
Iron, total (µg/l)	16,700	EPA 200.7
Iron, dissolved (µg/l)	8,080	EPA 200.7
Magnesium, total (mg/l)	38.3	EPA 200.7
Magnesium, dissolved (mg/l)	35.2	EPA 200.7
Manganese, total (µg/l)	8,820	EPA 200.7
Manganese, dissolved (µg/l)	8,820	EPA 200.7
Nitrate, as N (mg/l)	2.42	EPA 300.0
pH, field (su)	6.6	SM 4500-H+B
pH, lab (su)	6.62 H	SM 4500-H+B
Potassium, total (mg/l)	2.76	EPA 200.7
Potassium, dissolved (mg/l)	3.42	EPA 200.7
Sodium, total (mg/l)	25.7	EPA 200.7
Sodium, dissolved (mg/l)	26.6	EPA 200.7
Specific Conductance, field (umhos/cm)	1,315	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,290	SM 2510 B
Sulfate, as SO4 (mg/l)	281	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	214	SM 2320 B
Total Dissolved Solids (mg/l)	886	SM 2540 C
Total Organic Carbon (mg/l)	4.21	SM 5310 C
Turbidity, field (n.t.u.)	1.77	
Dissolved O2, field (mg/l)	0.51	Field Meter
Redox, field (mv)	295	Field Meter
Temperature, field (°c)	16.3	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	41.8	EPA 200.8
Arsenic, dissolved (µg/l)	18.9	EPA 200.8
Barium, total (µg/l)	72.6	EPA 200.8
Barium, dissolved (µg/l)	65.9	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	0.39 ND	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5 <	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	419	EPA 200.7
Boron, dissolved (µg/l)	407	EPA 200.7
Lithium, total (µg/l)	19.9	EPA 200.8
Lithium, dissolved (µg/l)	20.2	EPA 200.8
Molybdenum, total (µg/l)	82.4	EPA 200.8
Molybdenum, dissolved (µg/l)	79.6	EPA 200.8
Strontium, total (µg/l)	966	EPA 200.7
Strontium, dissolved (µg/l)	978	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3A
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	2.14	EPA 200.8
Nickel, dissolved (µg/l)	2.38	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-3B

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 12.49"

Longitude: 76° 41' 6.87"

Depth to Water Level: 6.67 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.90 ft.

Elevation of Water Level: 261.04 ft./MSL

Sampling Depth: 15.00 ft.

Volume of Water Column: gal.

Total Well Depth: 47.00 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.5 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/18/2022

Sample Collection Time: 7:25AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-004

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066	SM 4500-NH3 F
Bicarbonate (mg/l)	244	SM 2320
Calcium, total (mg/l)	152	EPA 200.7
Calcium, dissolved (mg/l)	145	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	13.1	EPA 300.0
Fluoride, total as F (mg/l)	0.2 <	EPA 300.0
Iron, total (µg/l)	259	EPA 200.7
Iron, dissolved (µg/l)	147	EPA 200.7
Magnesium, total (mg/l)	29.1	EPA 200.7
Magnesium, dissolved (mg/l)	25.9	EPA 200.7
Manganese, total (µg/l)	2,120	EPA 200.7
Manganese, dissolved (µg/l)	2,000	EPA 200.7
Nitrate, as N (mg/l)	2.23	EPA 300.0
pH, field (su)	6.97	SM 4500-H+B
pH, lab (su)	7.1 H	SM 4500-H+B
Potassium, total (mg/l)	1.74	EPA 200.7
Potassium, dissolved (mg/l)	2.04	EPA 200.7
Sodium, total (mg/l)	9.16	EPA 200.7
Sodium, dissolved (mg/l)	9.27	EPA 200.7
Specific Conductance, field (umhos/cm)	669	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	937	SM 2510 B
Sulfate, as SO4 (mg/l)	168	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	244	SM 2320 B
Total Dissolved Solids (mg/l)	591	SM 2540 C
Total Organic Carbon (mg/l)	2.85	SM 5310 C
Turbidity, field (n.t.u.)	0.65	
Dissolved O2, field (mg/l)	1.32	Field Meter
Redox, field (mv)	257.9	Field Meter
Temperature, field (°c)	16.85	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	4.36	EPA 200.8
Arsenic, dissolved (µg/l)	3.55	EPA 200.8
Barium, total (µg/l)	72.4	EPA 200.8
Barium, dissolved (µg/l)	70.2	EPA 200.8
Cadmium, total (µg/l)	0.15 ND	EPA 200.8
Cadmium, dissolved (µg/l)	0.15 ND	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	0.39 ND	EPA 200.8
Copper, dissolved (µg/l)	1 <	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	5 <	EPA 200.8
Zinc, dissolved (µg/l)	5 <	EPA 200.8
Boron, total (µg/l)	351	EPA 200.7
Boron, dissolved (µg/l)	330	EPA 200.7
Lithium, total (µg/l)	26.1	EPA 200.8
Lithium, dissolved (µg/l)	24.6	EPA 200.8
Molybdenum, total (µg/l)	136	EPA 200.8
Molybdenum, dissolved (µg/l)	136	EPA 200.8
Strontium, total (µg/l)	453	EPA 200.7
Strontium, dissolved (µg/l)	443	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-3B
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	1 <	EPA 200.8
Nickel, dissolved (µg/l)	1 <	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-4

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 25.61"

Longitude: 76° 41' 13.82"

Depth to Water Level: 13.14 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.81 ft.

Elevation of Water Level: 257.05 ft./MSL

Sampling Depth: 18.00 ft.

Volume of Water Column: gal.

Total Well Depth: 21.70 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.5 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/19/2022

Sample Collection Time: 10:58AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-005

Final Lab Analysis Completion Date: 08/19/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	25.6	SM 2320
Calcium, total (mg/l)	99.8	EPA 200.7
Calcium, dissolved (mg/l)	96	EPA 200.7
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	24.4	EPA 300.0
Fluoride, total as F (mg/l)	0.46	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	20 <	EPA 200.7
Magnesium, total (mg/l)	31.8	EPA 200.7
Magnesium, dissolved (mg/l)	31.6	EPA 200.7
Manganese, total (µg/l)	10,100	EPA 200.7
Manganese, dissolved (µg/l)	9,340	EPA 200.7
Nitrate, as N (mg/l)	1.52	EPA 300.0
pH, field (su)	5.3	SM 4500-H+B
pH, lab (su)	5.78 H	SM 4500-H+B
Potassium, total (mg/l)	1.74	EPA 200.7
Potassium, dissolved (mg/l)	1.72	EPA 200.7
Sodium, total (mg/l)	20.1	EPA 200.7
Sodium, dissolved (mg/l)	19.8	EPA 200.7
Specific Conductance, field (umhos/cm)	905	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	899	SM 2510 B
Sulfate, as SO4 (mg/l)	389	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	25.6	SM 2320 B
Total Dissolved Solids (mg/l)	686	SM 2540 C
Total Organic Carbon (mg/l)	2.6	SM 5310 C
Turbidity, field (n.t.u.)	2.14	
Dissolved O2, field (mg/l)	0.91	Field Meter
Redox, field (mv)	190.4	Field Meter
Temperature, field (°c)	15.4	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	3.08	EPA 200.8
Arsenic, dissolved (µg/l)	0.55 ND	EPA 200.8
Barium, total (µg/l)	15.1	EPA 200.8
Barium, dissolved (µg/l)	17.1	EPA 200.8
Cadmium, total (µg/l)	1.82	EPA 200.8
Cadmium, dissolved (µg/l)	2.56	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	2.39	EPA 200.8
Copper, dissolved (µg/l)	5.25	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	5 <	EPA 200.8
Selenium, dissolved (µg/l)	5 <	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	155	EPA 200.8
Zinc, dissolved (µg/l)	153	EPA 200.8
Boron, total (µg/l)	225	EPA 200.7
Boron, dissolved (µg/l)	189	EPA 200.7
Lithium, total (µg/l)	13.6	EPA 200.8
Lithium, dissolved (µg/l)	15.2	EPA 200.8
Molybdenum, total (µg/l)	0.3 ND	EPA 200.8
Molybdenum, dissolved (µg/l)	1 <	EPA 200.8
Strontium, total (µg/l)	333	EPA 200.7
Strontium, dissolved (µg/l)	323	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-4
Sample Date	07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	1,730	EPA 200.7
Aluminum, dissolved (µg/l)	767	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	1.16	EPA 200.8
Beryllium, dissolved (µg/l)	1.53	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	76.4	EPA 200.8
Nickel, dissolved (µg/l)	109	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	5 <	EPA 200.8
Titanium, dissolved (µg/l)	5.06	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-5A

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 16.91"

Longitude: 76° 41' 31.04"

Depth to Water Level: 23.66 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.97 ft.

Elevation of Water Level: 261.38 ft./MSL

Sampling Depth: 33.00 ft.

Volume of Water Column: gal.

Total Well Depth: 39.20 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.2 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/16/2022

Sample Collection Time: 10:30AM

Sample Collector's Name: AF

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-006

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.517	SM 4500-NH3 F
Bicarbonate (mg/l)	255	SM 2320
Calcium, total (mg/l)	180	EPA 200.7
Calcium, dissolved (mg/l)	173	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	19	EPA 300.0
Fluoride, total as F (mg/l)	0.89	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	1.02 ND	EPA 200.7
Magnesium, total (mg/l)	41.7	EPA 200.7
Magnesium, dissolved (mg/l)	37.8	EPA 200.7
Manganese, total (µg/l)	456	EPA 200.7
Manganese, dissolved (µg/l)	445	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.78	SM 4500-H+B
pH, lab (su)	7.47 H	SM 4500-H+B
Potassium, total (mg/l)	4.25	EPA 200.7
Potassium, dissolved (mg/l)	4.68	EPA 200.7
Sodium, total (mg/l)	12.5	EPA 200.7
Sodium, dissolved (mg/l)	13.6	EPA 200.7
Specific Conductance, field (umhos/cm)	1,138	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,110	SM 2510 B
Sulfate, as SO4 (mg/l)	333	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	255	SM 2320 B
Total Dissolved Solids (mg/l)	801	SM 2540 C
Total Organic Carbon (mg/l)	4.67	SM 5310 C
Turbidity, field (n.t.u.)	0.83	
Dissolved O2, field (mg/l)	0.81	Field Meter
Redox, field (mv)	148.4	Field Meter
Temperature, field (°c)	15.37	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	132	EPA 200.8
Arsenic, dissolved (µg/l)	128	EPA 200.8
Barium, total (µg/l)	46.6	EPA 200.8
Barium, dissolved (µg/l)	44	EPA 200.8
Cadmium, total (µg/l)	1 <	EPA 200.8
Cadmium, dissolved (µg/l)	1 <	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	2.83	EPA 200.8
Copper, dissolved (µg/l)	2.2	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	2.24 ND	EPA 200.8
Zinc, dissolved (µg/l)	2.24 ND	EPA 200.8
Boron, total (µg/l)	900	EPA 200.7
Boron, dissolved (µg/l)	862	EPA 200.7
Lithium, total (µg/l)	207	EPA 200.8
Lithium, dissolved (µg/l)	195	EPA 200.8
Molybdenum, total (µg/l)	436	EPA 200.8
Molybdenum, dissolved (µg/l)	400	EPA 200.8
Strontium, total (µg/l)	819	EPA 200.7
Strontium, dissolved (µg/l)	797	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5A
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	1 <	EPA 200.8
Nickel, dissolved (µg/l)	0.28 ND	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-5B

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 16.81"

Longitude: 76° 41' 30.96"

Depth to Water Level: 17.58 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.54 ft.

Elevation of Water Level: 267.3 ft./MSL

Sampling Depth: 52.00 ft.

Volume of Water Column: gal.

Total Well Depth: 59.60 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.25 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/16/2022

Sample Collection Time: 1:23PM

Sample Collector's Name: AF

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-007

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.344	SM 4500-NH3 F
Bicarbonate (mg/l)	230	SM 2320
Calcium, total (mg/l)	160	EPA 200.7
Calcium, dissolved (mg/l)	157	EPA 200.7
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	15.9	EPA 300.0
Fluoride, total as F (mg/l)	0.656	EPA 300.0
Iron, total (µg/l)	12.2 ND	EPA 200.7
Iron, dissolved (µg/l)	1.02 ND	EPA 200.7
Magnesium, total (mg/l)	32.4	EPA 200.7
Magnesium, dissolved (mg/l)	30.2	EPA 200.7
Manganese, total (µg/l)	407	EPA 200.7
Manganese, dissolved (µg/l)	373	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.95	SM 4500-H+B
pH, lab (su)	7.53 H	SM 4500-H+B
Potassium, total (mg/l)	1.74	EPA 200.7
Potassium, dissolved (mg/l)	4.38	EPA 200.7
Sodium, total (mg/l)	10.5	EPA 200.7
Sodium, dissolved (mg/l)	10.5	EPA 200.7
Specific Conductance, field (umhos/cm)	1,008	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	998	SM 2510 B
Sulfate, as SO4 (mg/l)	286	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	230	SM 2320 B
Total Dissolved Solids (mg/l)	697	SM 2540 C
Total Organic Carbon (mg/l)	4.02	SM 5310 C
Turbidity, field (n.t.u.)	0.49	
Dissolved O2, field (mg/l)	0.84	Field Meter
Redox, field (mv)	110.4	Field Meter
Temperature, field (°c)	17.32	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	07/16/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	247	EPA 200.8
Arsenic, dissolved (µg/l)	240	EPA 200.8
Barium, total (µg/l)	67.6	EPA 200.8
Barium, dissolved (µg/l)	64.8	EPA 200.8
Cadmium, total (µg/l)	1 <	EPA 200.8
Cadmium, dissolved (µg/l)	1 <	EPA 200.8
Chromium, total (µg/l)	0.41 ND	EPA 200.8
Chromium, dissolved (µg/l)	0.41 ND	EPA 200.8
Copper, total (µg/l)	1 <	EPA 200.8
Copper, dissolved (µg/l)	1 <	EPA 200.8
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)	0.23 ND	EPA 200.8
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)	0.72 ND	EPA 200.8
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)	0.63 ND	EPA 200.8
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)	0.13 ND	EPA 200.8
Zinc, total (µg/l)	2.24 ND	EPA 200.8
Zinc, dissolved (µg/l)	2.24 ND	EPA 200.8
Boron, total (µg/l)	846	EPA 200.7
Boron, dissolved (µg/l)	812	EPA 200.7
Lithium, total (µg/l)	146	EPA 200.8
Lithium, dissolved (µg/l)	150	EPA 200.8
Molybdenum, total (µg/l)	365	EPA 200.8
Molybdenum, dissolved (µg/l)	351	EPA 200.8
Strontium, total (µg/l)	899	EPA 200.7
Strontium, dissolved (µg/l)	884	EPA 200.7

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-8-5B
Sample Date	07/16/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	26.8 ND	EPA 200.7
Aluminum, dissolved (µg/l)	26.8 ND	EPA 200.7
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)	0.39 ND	EPA 200.8
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)	0.19 ND	EPA 200.8
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	1 <	EPA 200.8
Nickel, dissolved (µg/l)	1 <	EPA 200.8
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)	1.45 ND	EPA 200.8
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)	2.35 ND	EPA 200.8
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-8A

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 15.96"

Longitude: 76° 41' 30.54"

Depth to Water Level: 24.37 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.11 ft.

Elevation of Water Level: 259.83 ft./MSL

Sampling Depth: 46.00 ft.

Volume of Water Column: gal.

Total Well Depth: 52.60 ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.2 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/19/2022

Sample Collection Time: 7:19AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-009

Final Lab Analysis Completion Date: 08/19/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-8A

Sample Date 07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.293	SM 4500-NH3 F
Bicarbonate (mg/l)	235	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	21.3	SM 5220 D
Chloride, total as Cl (mg/l)	167	EPA 300.0
Fluoride, total as F (mg/l)	0.712	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	849	EPA 200.7
Manganese, dissolved (µg/l)	738	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.87	SM 4500-H+B
pH, lab (su)	7.34 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	1,446	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,440	SM 2510 B
Sulfate, as SO4 (mg/l)	258	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	235	SM 2320 B
Total Dissolved Solids (mg/l)	935	SM 2540 C
Total Organic Carbon (mg/l)	2.49	SM 5310 C
Turbidity, field (n.t.u.)	0.6	
Dissolved O2, field (mg/l)	0.66	Field Meter
Redox, field (mv)	118.1	Field Meter
Temperature, field (°c)	15.21	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8A

Sample Date 07/19/2022

FORM 14 R **QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8A

Sample Date 07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	628	EPA 200.8
Arsenic, dissolved (µg/l)	459	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	238	EPA 200.8
Lithium, dissolved (µg/l)	232	EPA 200.8
Molybdenum, total (µg/l)	339	EPA 200.8
Molybdenum, dissolved (µg/l)	306	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8A

Sample Date 07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

Date Prepared/Revised
09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-8B

☒ Well ☐ Spring ☐ Stream ☐ Other☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 15.87"

Longitude: 76° 41' 30.60"

Depth to Water Level: 23.6 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.02 ft.

Elevation of Water Level: 260.04 ft./MSL

Sampling Depth: 54.00 ft.

Volume of Water Column: gal.

Total Well Depth: 60.60 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/19/2022

Sample Collection Time: 9:05AM

Sample Collector's Name: ST

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-010

Final Lab Analysis Completion Date: 08/19/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 07/19/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	176	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	64.5	EPA 300.0
Fluoride, total as F (mg/l)	0.782	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	20 <	EPA 200.7
Manganese, dissolved (µg/l)	6.39 ND	EPA 200.7
Nitrate, as N (mg/l)	1.01	EPA 300.0
pH, field (su)	7.35	SM 4500-H+B
pH, lab (su)	7.74 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	1,313	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,310	SM 2510 B
Sulfate, as SO4 (mg/l)	435	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	176	SM 2320 B
Total Dissolved Solids (mg/l)	1,030	SM 2540 C
Total Organic Carbon (mg/l)	2.22	SM 5310 C
Turbidity, field (n.t.u.)	0.85	
Dissolved O2, field (mg/l)	6.71	Field Meter
Redox, field (mv)	185.2	Field Meter
Temperature, field (°c)	16.93	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 07/19/2022

FORM 14 R **QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	346	EPA 200.8
Arsenic, dissolved (µg/l)	271	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	201	EPA 200.8
Lithium, dissolved (µg/l)	212	EPA 200.8
Molybdenum, total (µg/l)	242	EPA 200.8
Molybdenum, dissolved (µg/l)	237	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-8B

Sample Date 07/19/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

Date Prepared/Revised
09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-9B

☒ Well ☐ Spring ☐ Stream ☐ Other☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 14.68"

Longitude: 76° 41' 30.61"

Depth to Water Level: 22.91 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.82 ft.

Elevation of Water Level: 261.43 ft./MSL

Sampling Depth: 64.00 ft.

Volume of Water Column: gal.

Total Well Depth: 68.25 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3.15 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/18/2022

Sample Collection Time: 8:38AM

Sample Collector's Name: AM

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-011

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.366	SM 4500-NH3 F
Bicarbonate (mg/l)	280	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	170	EPA 300.0
Fluoride, total as F (mg/l)	0.446	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	1,390	EPA 200.7
Manganese, dissolved (µg/l)	1,350	EPA 200.7
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	6.78	SM 4500-H+B
pH, lab (su)	7.45 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	1,635	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,600	SM 2510 B
Sulfate, as SO4 (mg/l)	331	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	280	SM 2320 B
Total Dissolved Solids (mg/l)	1,050	SM 2540 C
Total Organic Carbon (mg/l)	2.55	SM 5310 C
Turbidity, field (n.t.u.)	0.33	
Dissolved O2, field (mg/l)	1.23	Field Meter
Redox, field (mv)	21.2	Field Meter
Temperature, field (°c)	15.58	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	725	EPA 200.8
Arsenic, dissolved (µg/l)	751	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	228	EPA 200.8
Lithium, dissolved (µg/l)	249	EPA 200.8
Molybdenum, total (µg/l)	244	EPA 200.8
Molybdenum, dissolved (µg/l)	255	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9B

Sample Date 07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-8-9C

☒ Well
 ☐ Spring
 ☐ Stream
 ☐ Other

☐ Upgradient/Upstream
 ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 5' 14.60"

Longitude: 76° 41' 30.60"

Depth to Water Level: 22.61 ft.

Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 1.69 ft.

Elevation of Water Level: 262.07 ft./MSL

Sampling Depth: 85.00 ft.

Volume of Water Column: gal.

Total Well Depth: 88.10 ft.

Sampling Method: ☒ Pumped ☐ Bailed ☐ GrabWell Purged: ☒ Yes ☐ No

Well Volumes Purged: 3 L

Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/18/2022

Sample Collection Time: 10:35AM

Sample Collector's Name: AM

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701339-012

Final Lab Analysis Completion Date: 08/09/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No. _____

Monitoring Point No. MW-8-9C

Sample Date 07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.384	SM 4500-NH3 F
Bicarbonate (mg/l)	248	SM 2320
Calcium, total (mg/l)		
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	5.3 ND	SM 5220 D
Chloride, total as Cl (mg/l)	16.9	EPA 300.0
Fluoride, total as F (mg/l)	0.76	EPA 300.0
Iron, total (µg/l)		
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)		
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	729	EPA 200.7
Manganese, dissolved (µg/l)	710	EPA 200.7
Nitrate, as N (mg/l)	0.022 ND	EPA 300.0
pH, field (su)	6.8	SM 4500-H+B
pH, lab (su)	7.38 H	SM 4500-H+B
Potassium, total (mg/l)		
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)		
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	839	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	823	SM 2510 B
Sulfate, as SO4 (mg/l)	155	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	248	SM 2320 B
Total Dissolved Solids (mg/l)	545	SM 2540 C
Total Organic Carbon (mg/l)	2.68	SM 5310 C
Turbidity, field (n.t.u.)	0.86	
Dissolved O2, field (mg/l)	1.07	Field Meter
Redox, field (mv)	-60.3	Field Meter
Temperature, field (°c)	18.07	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9C

Sample Date 07/18/2022

FORM 14 R **QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9C

Sample Date 07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	299	EPA 200.8
Arsenic, dissolved (µg/l)	249	EPA 200.8
Barium, total (µg/l)		
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)		
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)		
Chromium, dissolved (µg/l)		
Copper, total (µg/l)		
Copper, dissolved (µg/l)		
Lead, total (µg/l)		
Lead, dissolved (µg/l)		
Mercury, total (µg/l)		
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)		
Selenium, dissolved (µg/l)		
Silver, total (µg/l)		
Silver, dissolved (µg/l)		
Zinc, total (µg/l)		
Zinc, dissolved (µg/l)		
Boron, total (µg/l)		
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	156	EPA 200.8
Lithium, dissolved (µg/l)	153	EPA 200.8
Molybdenum, total (µg/l)	224	EPA 200.8
Molybdenum, dissolved (µg/l)	153	EPA 200.8
Strontium, total (µg/l)		
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No. _____

Monitoring Point No. MW-8-9C

Sample Date 07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)		
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)		
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)		
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)		
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)		
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)		
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.


 Date Prepared/Revised
 09/07/2022

DEP USE ONLY

Date Received

FORM 14R

RESIDUAL WASTE LANDFILLS AND DISPOSAL IMPOUNDMENTS

QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 14R, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

General References: Section 288.254, 289.264

SECTION A. SITE IDENTIFIER

Applicant/permittee: Brunner Island, LLC - Basin No. 5

Site Name: Basin No. 5

Facility ID (as issued by DEP): 301309

SECTION B. FACILITY INFORMATION

Monitoring wells must be designed and constructed in accordance with Department standards. **INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.S").**

Monitoring Point Number: MW-PT-1

☒ Well ☐ Spring ☐ Stream ☐ Other

☐ Upgradient/Upstream ☒ Downgradient/Downstream

Location: County York

Municipality: East Manchester Township

Sampling Point: Latitude: 40° 55' 26.53"

Longitude: 76° 40' 28.05"

Depth to Water Level: 13.57 ft.

 Measured from: ☐ Land Surface ☒ TOC

Casing Stick Up: 2.04 ft.

Elevation of Water Level: 258.196 ft./MSL

Sampling Depth: 19.00 ft.

Volume of Water Column: gal.

Total Well Depth: ft.

 Sampling Method: ☒ Pumped ☐ Bailed ☐ Grab

 Well Purged: ☒ Yes ☐ No

Well Volumes Purged: 4.5 L

 Sample Field Filtered (must be 0.45 micron)? ☒ Yes ☐ No

Spring Flow Rate: GPM

Sample Date (mm/dd/yy): 07/18/2022

Sample Collection Time: 12:31PM

Sample Collector's Name: AM

Sample Collector's Affiliation: Talen Generation, LLC

Laboratory(ies) Performing Analysis: Hawk Mtn Labs, Inc.

 Were any holding times exceeded? ☐ Yes ☒ No. If yes, please explain in comments field.

Lab Certification Number(s): 40-417

Lab Sample Number(s): 220701340-001

Final Lab Analysis Completion Date: 08/05/2022

Name/Affiliation of Person who Filled out Form Martin Mengel / Talen Energy Supply, LLC

Comments:

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES
ANALYTES

1-Q. Inorganics (Enter all data in mg/l except as noted)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Ammonia, as N (mg/l)	0.066 ND	SM 4500-NH3 F
Bicarbonate (mg/l)	97.6	SM 2320
Calcium, total (mg/l)	124	EPA 200.7
Calcium, dissolved (mg/l)		
Chemical Oxygen Demand (mg/l)	20 <	SM 5220 D
Chloride, total as Cl (mg/l)	6.19	EPA 300.0
Fluoride, total as F (mg/l)	0.272	EPA 300.0
Iron, total (µg/l)	46	EPA 200.7
Iron, dissolved (µg/l)		
Magnesium, total (mg/l)	29	EPA 200.7
Magnesium, dissolved (mg/l)		
Manganese, total (µg/l)	7,350	EPA 200.7
Manganese, dissolved (µg/l)		
Nitrate, as N (mg/l)	0.5 <	EPA 300.0
pH, field (su)	5.8	SM 4500-H+B
pH, lab (su)	6.41 H	SM 4500-H+B
Potassium, total (mg/l)	39.3	EPA 200.7
Potassium, dissolved (mg/l)		
Sodium, total (mg/l)	40.4	EPA 200.7
Sodium, dissolved (mg/l)		
Specific Conductance, field (umhos/cm)	1,116	EPA 120.1, FIELD
Specific Conductance, lab (umhos/cm)	1,100	SM 2510 B
Sulfate, as SO4 (mg/l)	449	EPA 300.0
Alkalinity, total as CaCO3 (mg/l)	97.6	SM 2320 B
Total Dissolved Solids (mg/l)	782	SM 2540 C
Total Organic Carbon (mg/l)	2.27	SM 5310 C
Turbidity, field (n.t.u.)	1	
Dissolved O2, field (mg/l)	0.59	Field Meter
Redox, field (mv)	142.8	Field Meter
Temperature, field (°c)	17.52	Field Meter
Acidity, total as CaCO3 (mg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	07/18/2022

FORM 14 R
QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

1-A. Organics (Enter all data in ug/l)

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Benzene (µg/l)		
1,2-Dibromoethane (µg/l)		
1,1-Dichloroethane (µg/l)		
1,1-Dichloroethene (µg/l)		
1,2-Dichloroethane (µg/l)		
cis-1,2-Dichloroethene (µg/l)		
trans-1,2-Dichloroethene (µg/l)		
Ethylbenzene (µg/l)		
Methylene Chloride (µg/l)		
Tetrachloroethene (µg/l)		
Toluene (µg/l)		
1,1,1-Trichloroethane (µg/l)		
Trichloroethene (µg/l)		
Vinyl chloride (µg/l)		
Xylenes (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Arsenic, total (µg/l)	0.55 ND	EPA 200.8
Arsenic, dissolved (µg/l)		
Barium, total (µg/l)	19.2	EPA 200.8
Barium, dissolved (µg/l)		
Cadmium, total (µg/l)	1 <	EPA 200.8
Cadmium, dissolved (µg/l)		
Chromium, total (µg/l)	1 <	EPA 200.8
Chromium, dissolved (µg/l)		
Copper, total (µg/l)	1.99	EPA 200.8
Copper, dissolved (µg/l)		
Lead, total (µg/l)	0.23 ND	EPA 200.8
Lead, dissolved (µg/l)		
Mercury, total (µg/l)	0.72 ND	EPA 200.8
Mercury, dissolved (µg/l)		
Selenium, total (µg/l)	0.63 ND	EPA 200.8
Selenium, dissolved (µg/l)		
Silver, total (µg/l)	0.13 ND	EPA 200.8
Silver, dissolved (µg/l)		
Zinc, total (µg/l)	29.7	EPA 200.8
Zinc, dissolved (µg/l)		
Boron, total (µg/l)	1,460	EPA 200.7
Boron, dissolved (µg/l)		
Lithium, total (µg/l)	485	EPA 200.8
Lithium, dissolved (µg/l)		
Molybdenum, total (µg/l)	236	EPA 200.8
Molybdenum, dissolved (µg/l)		
Strontium, total (µg/l)	900	EPA 200.7
Strontium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

I.D. No.	301309
Monitoring Point No.	MW-PT-1
Sample Date	07/18/2022

FORM 14 R

ANNUAL WATER QUALITY ANALYSES

2-A. Metals (Enter all data in ug/l) If initial background analyses of four consecutive analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

ANALYTE	VALUE (T)	ANALYSIS METHOD NUMBER
Aluminum, total (µg/l)	100 <	EPA 200.7
Aluminum, dissolved (µg/l)		
Antimony, total (µg/l)	0.39 ND	EPA 200.8
Antimony, dissolved (µg/l)		
Beryllium, total (µg/l)	0.19 ND	EPA 200.8
Beryllium, dissolved (µg/l)		
Cobalt, total (µg/l)		
Cobalt, dissolved (µg/l)		
Gallium, total (µg/l)		
Gallium, dissolved (µg/l)		
Germanium, total (µg/l)		
Germanium, dissolved (µg/l)		
Nickel, total (µg/l)	35.6	EPA 200.8
Nickel, dissolved (µg/l)		
Rubidium, total (µg/l)		
Rubidium, dissolved (µg/l)		
Titanium, total (µg/l)	1.45 ND	EPA 200.8
Titanium, dissolved (µg/l)		
Vanadium, total (µg/l)	2.35 ND	EPA 200.8
Vanadium, dissolved (µg/l)		
Yttrium, total (µg/l)		
Yttrium, dissolved (µg/l)		

T Please indicate detection limit if analyte is not detected.

Attachment – Statistics Summary

Statistical Analysis

Temporal trends of selected parameters were analyzed using a Theil-Sen estimator, a robust linear regression method. The Theil-Sen estimator is insensitive to outlying spikes in data, making it advantageous over the traditional least squares method of linear regression in identifying significant temporal trends. To comply with proposed RCRA Subtitle D regulations, a nonparametric analysis of variants (ANOVA) of the data is also utilized. The nonparametric ANOVA analysis is a method for comparing medians of two or more groups. In this case, it is utilized to determine if parameter concentrations in downgradient wells are significantly greater than or less than parameter concentrations in the upgradient wells.

An Excel workbook was developed to evaluate historical groundwater monitoring data from Talen sites with the aforementioned statistical tools. This Excel application was used to perform statistical analyses of each site-related groundwater parameter at all monitoring locations for each basin/area of the site. The Excel workbook includes a worksheet containing a summary table of the statistical analyses results for all groundwater parameters and monitoring locations along with other supporting worksheets containing raw data and more detailed statistical information. The most pronounced parameter trends and regulatory exceedances are highlighted on the summary table.

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Up												Down												Up																					
					MW-19												MW-4-10												MW-4-7A																					
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max		p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max		p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max		p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max		p (comparison)		
Parameter	Iron, dissolved	mg/l	0.3	67.86	NC		NC	0.0	4.6	41	34	0	0		0.1	06/10/14	0.01	> Up	n	NC		NC	0.0	4.7	41	27	0	0		0.1	09/08/14	0.33	n	NC		NC	0.0	2.1	41	38	0	0		0.1	04/18/22	0.00	> Up	n		
	Arsenic, dissolved	µg/l	10	56.71	NC		NC	0.8	7.9	41	32	0	0		2.0	12/10/13	0.00	> Up	n	NC		NC	1.2	11.8	41	30	0	1	08/14/18	10.2	08/14/18	0.20	n	NC		NC	0.4	4.1	41	40	0	0		0.6	03/03/14	0.00	< Up	n		
	Manganese, dissolved	µg/l	300	23.84	NC		NC	2.8	0.9	41	40	0	0		20.0	08/16/19	0.00	< Up	n	-23.2	↓	0.06	2513.2	837.7	41	0	0	41	07/20/22	7220.0	06/05/14	0.00	> Up	n	27.8	↑	0.23	212.1	70.7	41	0	0	7	01/24/22	559.0	11/05/20	0.00	> Up	n	
	Molybdenum, dissolved	µg/l	40	17.17	NC		NC	1.5	3.7	41	38	0	0		4.0	12/10/13	0.00	< Up	n	-22.7	↓	0.21	602.9	1507.1	41	0	0	40	07/20/22	1740.0	09/18/13	0.00	> Up	n	-3.5	↔	0.33	21.1	52.7	41	1	0	0		29.9	07/24/21	0.00	> Up	n	
	Aluminum, dissolved	µg/l	200	9.27	NC		NC	23.5	11.7	41	41	0	0		100.0	08/16/19	NC		NC		NC		NC	2464.4	1232.2	41	26	0	9	07/20/22	28800.0	08/14/18	0.00	> Up	n	NC		NC	59.7	29.8	41	41	0	0		100.0	07/19/22	NC		
	Nickel, dissolved	µg/l	100	6.25	NC		NC	1.5	1.5	41	36	0	0		5.0	08/16/18	0.00	> Up	n	-9.5	↔	0.37	36.9	36.9	41	3	0	4	08/14/18	175.0	06/07/16	0.00	> Up	n	NC		NC	3.2	3.2	41	29	0	0		17.2	11/11/19	0.25	n		
	Potassium, dissolved	mg/l	--	5.17	49.4	↑	0.00	0.8	NA	41	13	0	0		1.0	07/19/22	0.00	< Up	n	57.8	↑	0.00	102.4	NA	41	0	0	0		139.0	01/27/22	0.00	> Up	n	-3.5	↔	0.13	3.9	NA	41	0	0	0		4.5	08/17/20	0.00	> Up	n	
	Cadmium, dissolved	µg/l	5	4.90	NC		NC	0.1	2.0	41	41	0	0		0.2	12/10/13	NC		10.5	↑	0.17	1.0	20.5	41	9	0	0		2.4	08/14/18	0.00	> Up	n	NC		NC	0.1	2.4	41	41	0	0		0.2	11/05/18	NC				
	Zinc, dissolved	µg/l	2000	4.23	NC		NC	6.2	0.3	41	30	0	0		20.0	12/10/13	0.20	n	-33.4	↓	0.16	78.0	3.9	41	0	0	0		488.0	08/14/18	0.00	> Up	n	NC		NC	6.1	0.3	41	36	0	0		20.0	12/02/13	0.01	< Up	n		
	Strontium, dissolved	µg/l	4000	2.85	-6.1	↔	0.01	50.4	1.3	41	0	0	0		59.3	03/12/15	0.00	< Up	n	141.9	↑	0.00	1192.7	29.8	41	0	0	0		2190.0	08/25/19	0.00	> Up	n	8.2	↔	0.03	349.7	8.7	41	0	0	0		430.0	11/05/20	0.00	> Up	n	
	Fluoride, total as F	mg/l	2	2.82	NC		NC	0.1	5.1	41	38	0	0		0.2	07/19/22	0.00	< Up	n	NC		NC	0.2	8.4	41	32	0	0		1.8	08/14/18	0.01	> Up	n	0.0	↔	0.46	0.2	9.4	41	6	0	0		0.3	06/04/14	0.06	n		
	Beryllium, dissolved	µg/l	4	2.29	NC		NC	0.1	3.6	41	41	0	0		0.5	06/10/14	NC		NC		NC		NC	0.7	17.5	41	35	0	2	08/14/18	5.4	06/05/14	0.00	> Up	n	NC		NC	0.1	3.4	41	41	0	0		0.2	12/02/13	NC		
	Chloride, total as Cl	mg/l	250	2.06	6.7	↔	0.02	8.4	3.4	41	0	0	0		9.9	08/26/20	0.00	< Up	n	-67.8	↓	0.00	12.9	5.2	41	0	0	0		24.7	12/03/12	0.47	n	-26.8	↓	0.00	17.4	6.9	41	0	0	0		19.9	06/06/17	0.00	> Up	n		
	Lithium, dissolved	µg/l	83	1.96	-31.9	↓	0.00	3.8	4.6	41	6	0	0		10.0	12/10/13	0.00	< Up	n	-15.2	↓	0.05	1099.8	1325.1	41	0	0	41	07/20/22	1550.0	09/18/13	0.00	> Up	n	293.3	↑	0.00	130.9	157.8	41	0	0	32	07/19/22	278.0	01/24/22	0.00	> Up	n	
	Chemical Oxygen Demand	mg/l	--	1.92	NC		NC	2.6	NA	41	40	0	0		25.4	01/26/22	0.42	n	NC		NC	2.5	NA	41	40	0	0		20.7	05/19/20	0.49	n	NC		NC	3.2	NA	41	40	0	0		53.2	06/03/13	0.07	n				
	Ammonia, as N	mg/l	--	1.31	NC		NC	0.0	NA	41	41	0	0		0.2	01/26/22	0.00	< Up	n	56.4	↑	0.09	0.4	NA	41	6	0	0		1.1	06/04/13	0.00	> Up	n	-25.4	↓	0.05	0.2	NA	41	8	0	0		0.7	06/06/16	0.00	> Up	n	
	Vanadium, dissolved	µg/l	2.9	1.30	NC		NC	1.5	50.5	41	41	0	0		2.3	07/19/22	0.00	< Up	n	NC		NC	1.4	48.1	41	41	0	0		2.3	07/20/22	0.00	< Up	n	NC		NC	1.5	52.3	41	32	0	0		2.3	07/19/22	0.00	> Up	n	
	Magnesium, dissolved	mg/l	--	1.26	-4.8	↔	0.10	4.6	NA	41	0	0	0		5.7	03/12/15	0.00	< Up	n	10.8	↑	0.21	15.6	NA	41	0	0	0		27.2	08/14/18	0.49	n	14.5	↑	0.00	39.1	NA	41	0	0	0		53.8	11/05/20	0.00	> Up	n		
	Silver, dissolved	µg/l	100	1.23	NC		NC	0.4	0.4	41	41	0	0		2.0	12/10/13	NC		NC		NC		NC	1.2	1.2	41	41	0	0		10.0	12/11/13	NC		NC		NC	1.4	1.4	41	41	0	0		10.0	12/02/13	NC			
	Copper, dissolved	µg/l	1000	1.15	NC		NC	1.9	0.2	41	39	0	0		5.0	11/12/18	0.00	< Up	n	NC		NC	5.9	0.6	41	23	0	0		32.2	06/05/14	0.02	> Up	n	NC		NC	2.0	0.2	41	35	0	0		5.0	02/11/19	0.00	> Up	n	
	Specific Conductance, field	umhos/cm	--	1.10	2.7	↔	0.26	225.9	NA	41	0	0	0		267.0	10/13/21	0.00	< Up	n	16.9	↑	0.00	1541.7	NA	41	0	0	0		1953.0	05/07/19	0.00	> Up	n	19.2	↑	0.00	1450.4	NA	41	0	0	0		1643.0	11/05/20	0.00	> Up	n	
	Total Organic Carbon	mg/l	--	1.06	NC		NC	0.5	NA	41	38	0	0		1.1	07/19/22	0.00	< Up	n	8.2	↔	0.23	0.7	NA	41	1	0	0		2.2	07/20/22	0.21	n	41.1	↑	0.00	1.2	NA	41	0	0	0		3.1	07/19/22	0.00	> Up	n		
	Titanium, dissolved	µg/l	--	1.04	NC		NC	1.1	NA	41	40	0	0		6.1	01/26/22	0.15	n	NC		NC		1.8	NA	41	41	0	0		5.0	07/20/22	0.24	n	NC		NC	2.1	NA	41	41	0	0		5.0	07/19/22	0.24	n			
	Total Dissolved Solids	mg/l	500	1.04	-1.6	↔	0.31	142.3	28.5	41	0	0	0		173.0	08/16/19	0.00	< Up	n	19.5	↑	0.01	1160.0	232.0	41	0	0	41	07/20/22	1670.0	05/07/19	0.00	> Up	n	22.7	↑	0.00	1142.5	228.5	41	0	0	41	07/19/22	1300.0	11/05/20	0.00	> Up	n	
	Calcium, dissolved	mg/l	--	1.02	-5.5	↔	0.07	26.9	NA	41	0	0	0		32.0	08/26/20	0.00	< Up	n	120.2	↑	0.00																												

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down												Down												Down																						
					MW-8-10A												MW-8-10B												MW-8-10C																						
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	o (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	o (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	o (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	o (comparison)							
	Iron, dissolved	mg/l	0.3	67.86	NC		NC	0.0	5.5	41	33	0	0	0.1	06/05/14	0.02	> Up	n	NC		NC	0.0	4.6	41	36	0	0	0.1	06/05/14	0.00	> Up	n	-16.8	↓	0.50	0.2	78.5	11	2	0	4	05/09/18	0.4	06/07/17	0.00	> Up	n				
	Arsenic, dissolved	µg/l	10	56.71	NC		NC	0.5	5.0	41	41	0	0	0.6	07/16/22	0.00	< Up	n	-32.6	↓	0.00	1.5	15.2	41	11	0	0	2.0	05/12/15	0.00	> Up	n	-58.7	↓	0.11	1.0	10.3	11	5	0	0		2.0	06/03/13	0.01	> Up	n				
	Manganese, dissolved	µg/l	300	23.84	-96.3	↓	0.00	575.8	191.9	41	5	0	14	11/06/18	1950.0	12/07/16	0.00	> Up	n	NC		NC	5.2	1.7	41	26	0	0	20.0	08/24/20	0.00	< Up	n	10.0	↔	0.27	284.9	95.0	11	2	0	8	04/16/22	658.0	06/08/16	0.00	> Up	n			
	Molybdenum, dissolved	µg/l	40	17.17	-70.2	↓	0.00	35.4	88.5	41	0	0	13	02/13/18	78.7	12/07/16	0.00	> Up	n	-23.1	↓	0.00	35.3	88.3	41	0	0	6	08/11/19	43.5	03/13/13	0.00	> Up	n	-8.7	↔	0.18	58.9	147.3	11	0	0	11	04/16/22	67.0	04/24/21	0.00	> Up	n		
	Aluminum, dissolved	µg/l	200	9.27	NC		NC	56.3	28.1	41	41	0	0	100.0	07/23/21	NC		NC		NC	52.1	26.0	41	41	0	0	100.0	01/25/22	NC		NC		NC	34.9	17.4	11	11	0	0	100.0	04/24/21	NC		NC		NC		NC		NC	
	Nickel, dissolved	µg/l	100	6.25	NC		NC	1.0	1.0	41	36	0	0	9.2	11/11/19	0.00	< Up	n	NC		NC	0.8	0.8	41	37	0	0	8.2	11/11/19	0.00	< Up	n	NC		NC	1.1	1.1	11	11	0	0	4.0	06/03/13	0.00	< Up	n					
	Potassium, dissolved	mg/l	--	5.17	-13.5	↓	0.00	2.4	NA	41	0	0	0	2.7	07/16/22	0.48	n	-0.9	↔	0.46	2.4	NA	41	0	0	0	3.8	06/03/13	0.45	n	-48.5	↓	0.02	3.1	NA	11	0	0	0	6.8	05/12/15	0.15	n	n							
	Cadmium, dissolved	µg/l	5	4.90	NC		NC	0.2	3.7	41	41	0	0	1.0	10/16/21	NC		NC		NC	0.1	2.5	41	41	0	0	1.0	08/24/20	NC		NC		NC	0.1	2.3	11	11	0	0	0.2	05/08/19	NC		NC		NC		NC		NC	
	Zinc, dissolved	µg/l	2000	4.23	-39.1	↓	0.01	6.1	0.3	41	18	0	0	29.1	11/11/19	0.00	< Up	n	NC		NC	3.3	0.2	41	36	0	0	31.0	11/11/19	0.01	< Up	n	NC		NC	3.8	0.2	11	11	0	0	5.0	05/08/19	0.01	< Up	n	< Up	n			
	Strontium, dissolved	µg/l	4000	2.85	-36.2	↓	0.00	294.8	7.4	41	0	0	0	417.0	12/07/16	0.01	> Up	n	30.2	↑	0.00	247.9	6.2	41	0	0	0	362.0	05/19/20	0.28	n	20.6	↑	0.00	211.4	5.3	11	0	0	0	240.0	04/24/21	0.50	n	n						
	Fluoride, total as F	mg/l	2	2.82	NC		NC	0.1	7.2	41	21	0	0	0.2	07/16/22	0.00	> Up	n	235.1	↑	0.00	0.1	5.7	41	18	0	0	0.2	07/16/22	0.00	> Up	n	45.0	↑	0.17	0.1	6.4	11	2	0	0	0.2	04/16/22	0.10	n	n					
	Beryllium, dissolved	µg/l	4	2.29	NC		NC	0.1	3.4	41	41	0	0	0.2	12/11/13	NC		NC		NC	0.1	3.6	41	41	0	0	0.5	09/14/16	NC		NC		NC	0.2	4.2	11	11	0	0	0.5	05/08/19	NC		NC		NC		NC		NC	
	Chloride, total as Cl	mg/l	250	2.06	138.6	↑	0.00	32.1	12.9	41	0	0	0	53.6	02/13/18	0.00	> Up	n	35121.5	↑	0.00	42.6	17.0	41	0	0	0	88.5	07/16/22	0.00	> Up	n	98.1	↑	0.00	10.8	4.3	11	0	0	0	14.3	04/24/21	0.04	< Up	n	< Up	n			
	Lithium, dissolved	µg/l	83	1.96	-38.1	↓	0.00	13.4	16.1	41	1	0	0	19.3	12/07/16	0.40	n	-11.5	↓	0.22	15.2	18.3	41	1	0	0	31.6	06/05/14	0.35	n	-52.8	↓	0.01	14.7	17.8	11	1	0	0	35.5	05/12/15	0.35	n	n							
	Chemical Oxygen Demand	mg/l	--	1.92	NC		NC	6.3	NA	41	41	0	0	20.0	07/16/22	0.16	n	NC		NC	6.3	NA	41	41	0	0	20.0	07/23/21	0.16	n	NC		NC	7.8	NA	11	11	0	0	20.0	04/24/21	0.30	n	n							
	Ammonia, as N	mg/l	--	1.31	NC		NC	0.1	NA	41	29	0	0	0.4	02/02/20	0.00	< Up	n	NC		NC	0.0	NA	41	41	0	0	0.2	11/05/20	0.00	< Up	n	NC		NC	0.0	NA	11	11	0	0	0.1	04/16/22	0.00	< Up	n	< Up	n			
	Vanadium, dissolved	µg/l	2.9	1.30	NC		NC	1.6	56.9	41	41	0	1	09/11/13	10.0	09/11/13	0.00	> Up	n	NC		NC	4.4	152.2	41	32	0	29	07/16/22	10.0	09/11/13	0.22	n	NC		NC	1.3	45.6	11	11	0	0	2.3	04/16/22	0.01	< Up	n	< Up	n		
	Magnesium, dissolved	mg/l	--	1.26	-22.7	↓	0.00	37.5	NA	41	0	0	0	44.1	09/16/15	0.00	> Up	n	22.0	↑	0.00	20.8	NA	41	0	0	0	24.3	01/25/22	0.47	n	26.8	↑	0.01	17.7	NA	11	0	0	0	20.7	04/24/21	0.50	n	n						
	Silver, dissolved	µg/l	100	1.23	NC		NC	1.4	1.4	41	41	0	0	10.0	12/11/13	NC		NC		NC	1.0	1.0	41	41	0	0	10.0	12/11/13	NC		NC		NC	1.1	1.1	11	11	0	0	10.0	06/03/13	NC		NC		NC		NC		NC	
	Copper, dissolved	µg/l	1000	1.15	NC		NC	2.4	0.2	41	37	0	0	20.0	09/11/13	0.00	> Up	n	NC		NC	1.9	0.2	41	37	0	0	20.0	09/11/13	0.00	< Up	n	NC		NC	1.6	0.2	11	10	0	0	14.2	06/09/14	0.02	< Up	n	< Up	n			
	Specific Conductance, field	umhos/cm	--	1.10	-7.6	↔	0.10	971.7	NA	41	0	0	0	1132.0	02/13/18	0.50	n	31.9	↑	0.00	734.8	NA	41	0	0	0	860.0	07/16/22	0.49	n	16.8	↑	0.00	510.0	NA	11	0	0	0	553.0	04/24/21	0.49	n	n							
	Total Organic Carbon	mg/l	--	1.06	35.6	↑	0.03	0.6	NA	41	12	0	0	3.2	07/16/22	0.02	< Up	n	NC		NC	0.6	NA	41	33	0	0	1.4	07/16/22	0.00	< Up	n	NC		NC	0.6	NA	11	7	0	0	0.8	05/08/19	0.01	< Up	n	< Up	n			
	Titanium, dissolved	µg/l	--	1.04	NC		NC	1.9	NA	39	39	0	0	5.0	04/16/22	0.25	n	NC		NC	2.0	NA	39	39	0	0	5.0	04/16/22	0.25	n	NC		NC	1.5	NA	10	10	0	0	5.0	04/16/22	0.36	n	n							
	Total Dissolved Solids	mg/l	500	1.04	-15.7	↓	0.06	729.6	145.9	41	0	0	41	07/16/22	949.0	09/19/17	0.50	n	17.0	↑	0.00	500.1	100.0	41	0	0	18	07/16/22	610.0	07/16/22	0.49	n	13.5	↑	0.00	342.5	68.5	11	0	0	0	363.0	04/16/22	0.49	n	n					
	Calcium, dissolved	mg/l	--	1.02	-14.3	↓	0.00	143.6	NA	41	0	0	0	163.0	03/09/15	0.47	n	16.0	↑	0.00	111.6	NA	41	0	0	0	139.0	08/11/19	0.44	n	12.7	↑	0.02	61.6	NA	11	0	0	0	69.1	04/24/21	0.50									

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down												Down												Down																						
					MW-8-12C												MW-8-1N												MW-8-2																						
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)							
	Iron, dissolved	mg/l	0.3	67.86	-50.7	↓	0.01	0.8	280.2	11	0	0	10	06/03/22	1.2	06/10/14	0.00	> Up	n	-67.4	↓	0.01	0.8	263.7	37	0	0	24	04/24/21	5.4	09/15/16	0.00	> Up	n	NC		NC	0.0	1.0	41	40	0	0		0.1	01/25/21	0.00	< Up	n		
	Arsenic, dissolved	µg/l	10	56.71	179.3	↑	0.16	0.9	9.1	11	4	0	0		2.0	06/10/14	0.05	n	NC		NC	0.5	5.0	37	37	0	0		0.6	07/16/22	0.00	< Up	n	NC		NC	0.1	1.2	41	40	0	0		1.0	08/24/20	0.00	< Up	n			
	Manganese, dissolved	µg/l	300	23.84	1.7	↔	0.41	1407.9	469.3	11	0	0	10	06/03/22	1730.0	04/24/21	0.00	> Up	n	-41.2	↓	0.00	1768.4	589.5	37	0	0	37	07/16/22	3210.0	09/15/16	0.00	> Up	n	13.6	↑	0.08	352.9	117.6	41	0	0	31	07/18/22	492.0	07/18/22	0.00	> Up	n		
	Molybdenum, dissolved	µg/l	40	17.17	28.8	↑	0.24	351.0	877.5	11	0	0	11	06/03/22	520.0	04/24/21	0.00	> Up	n	NC		NC	1.6	3.9	37	32	0	0		5.0	11/08/18	0.00	< Up	n	-18.6	↓	0.00	292.9	732.3	41	0	0	41	07/18/22	346.0	09/10/12	0.00	> Up	n		
	Aluminum, dissolved	µg/l	200	9.27	NC		NC	63.3	31.7	11	11	0	0		100.0	06/03/22	NC		NC		NC		NC	64.2	32.1	37	37	0	0		100.0	04/16/22	NC		NC		NC		NC	46.0	23.0	41	41	0	0		100.0	04/19/22	NC		
	Nickel, dissolved	µg/l	100	6.25	NC		NC	3.5	3.5	11	8	0	0		5.0	05/09/18	0.10	n	NC		NC		NC	1.7	1.7	37	32	0	0		15.8	11/03/19	0.00	> Up	n	NC		NC	1.9	1.9	41	29	0	0		7.4	11/04/19	0.37	n		
	Potassium, dissolved	mg/l	--	5.17	-75.7	↓	0.01	7.9	NA	11	0	0	0		12.4	05/11/15	0.00	> Up	n	-0.5	↔	0.47	7.6	NA	37	0	0	0		12.1	09/15/16	0.00	> Up	n	9.8	↔	0.07	5.0	NA	41	0	0	0		5.9	09/11/17	0.00	> Up	n		
	Cadmium, dissolved	µg/l	5	4.90	NC		NC	0.4	8.4	11	8	0	0		1.0	06/03/22	0.00	> Up	n	NC		NC	0.2	3.6	37	37	0	0		0.2	05/12/19	NC		NC		NC		NC	0.5	9.3	41	28	0	0		1.1	08/24/20	0.00	> Up	n	
	Zinc, dissolved	µg/l	2000	4.23	NC		NC	2.1	0.1	11	10	0	0		12.8	06/10/14	0.07	n	NC		NC		NC	4.8	0.2	37	35	0	0		20.0	09/30/13	0.00	< Up	n	NC		NC	5.5	0.3	41	33	0	0		20.0	09/18/13	0.00	< Up	n	
	Strontium, dissolved	µg/l	4000	2.85	-6.3	↔	0.18	308.5	7.7	11	0	0	0		424.0	05/08/19	0.30	n	14.4	↑	0.05	1060.9	26.5	37	0	0	0		1320.0	09/15/16	0.00	> Up	n	12.0	↑	0.02	453.9	11.3	41	0	0	0		559.0	07/18/22	0.00	> Up	n			
	Fluoride, total as F	mg/l	2	2.82	27.6	↑	0.44	0.2	7.6	11	1	0	0		0.3	05/20/20	0.44	n	0.0	↔	0.34	0.2	11.2	37	12	0	0		0.4	12/05/13	0.00	> Up	n	-10.1	↓	0.03	1.0	48.7	41	0	0	0		1.1	09/08/14	0.00	> Up	n			
	Beryllium, dissolved	µg/l	4	2.29	NC		NC	0.2	4.2	11	11	0	0		0.5	06/10/14	NC		NC		NC		NC	0.1	3.2	37	37	0	0		0.2	12/05/13	NC		NC		NC		NC	0.1	3.4	41	41	0	0		0.2	12/02/13	NC		
	Chloride, total as Cl	mg/l	250	2.06	-12.4	↓	0.03	8.8	3.5	11	0	0	0		11.4	06/05/13	0.04	< Up	n	-95.7	↓	0.00	68.1	27.3	37	0	0	0		209.0	03/06/14	0.00	> Up	n	3.3	↔	0.26	27.5	11.0	41	0	0	0		31.9	11/04/19	0.00	> Up	n		
	Lithium, dissolved	µg/l	83	1.96	-74.1	↓	0.02	16.8	20.2	11	0	0	0		28.7	06/08/16	0.46	n	-70.9	↓	0.00	2.0	2.4	37	12	0	0		4.8	09/15/16	0.00	< Up	n	-1.8	↔	0.36	21.3	25.6	41	0	0	0		26.8	09/10/12	0.49	n				
	Chemical Oxygen Demand	mg/l	--	1.92	NC		NC	9.1	NA	11	11	0	0		20.0	06/03/22	0.30	n	NC		NC		NC	8.3	NA	37	37	0	0		20.0	07/16/22	0.17	n	NC		NC	6.4	NA	41	41	0	0		20.0	10/14/21	0.16	n			
	Ammonia, as N	mg/l	--	1.31	NC		NC	0.1	NA	11	6	0	0		0.2	05/20/20	0.02	< Up	n	-64.4	↓	0.00	0.3	NA	37	11	0	0		1.1	02/02/20	0.00	> Up	n	0.0	↔	0.37	0.1	NA	41	15	0	0		0.3	02/03/20	0.18	n			
	Vanadium, dissolved	µg/l	2.9	1.30	NC		NC	1.3	45.6	11	11	0	0		2.3	06/03/22	0.01	< Up	n	NC		NC	1.4	46.6	37	37	0	0		2.3	07/16/22	0.00	< Up	n	NC		NC	1.9	64.0	41	40	0	2	11/26/12	10.0	11/26/12	0.00	> Up	n		
	Magnesium, dissolved	mg/l	--	1.26	0.0	↔	0.47	18.0	NA	11	0	0	0		20.0	04/24/21	0.49	n	-25.2	↓	0.03	34.6	NA	37	0	0	0		48.4	05/13/15	0.01	> Up	n	8.1	↔	0.08	13.8	NA	41	0	0	0		17.1	04/19/22	0.46	n				
	Silver, dissolved	µg/l	100	1.23	NC		NC	1.3	1.3	11	10	0	0		10.0	06/05/13	0.00	> Up	n	NC		NC	0.5	0.5	37	37	0	0		10.0	09/30/13	NC		NC		NC		NC	1.0	1.0	41	41	0	0		10.0	12/02/13	NC			
	Copper, dissolved	µg/l	1000	1.15	NC		NC	1.2	0.1	11	11	0	0		4.0	06/05/13	0.00	< Up	n	NC		NC	1.4	0.1	37	33	0	0		5.0	05/12/19	0.00	< Up	n	NC		NC	1.8	0.2	41	36	0	0		5.0	02/11/19	0.00	< Up	n		
	Specific Conductance, field	umhos/cm	--	1.10	1.4	↔	0.38	622.3	NA	11	0	0	0		651.0	04/24/21	0.50	n	-39.4	↓	0.00	1341.5	NA	37	0	0	0		1886.0	05/13/15	0.00	> Up	n	0.0	↔	0.50	585.2	NA	41	0	0	0		953.0	07/18/22	0.48	n				
	Total Organic Carbon	mg/l	--	1.06	7.3	↔	0.20	1.3	NA	11	1	0	0		2.2	06/03/22	0.00	> Up	n	11.7	↑	0.08	1.2	NA	37	0	0	0		4.4	07/16/22	0.00	> Up	n	19.8	↑	0.00	0.8	NA	41	5	0	0		3.7	07/18/22	0.19	n			
	Titanium, dissolved	µg/l	--	1.04	NC		NC	1.1	NA	10	9	0	0		2.4	06/03/22	0.04	> Up	n	NC		NC	1.5	NA	35	35	0	0		5.0	08/25/20	0.26	n	NC		NC	1.5	NA	39	39	0	0		5.0	04/19/22	0.25	n				
	Total Dissolved Solids	mg/l	500	1.04	-1.6	↔	0.38	423.5	84.7	11	0	0	0		452.0	05/20/20	0.50	n	-45.8	↓	0.00	989.5	197.9	37	0	0	37	07/16/22	1520.0	09/15/16	0.01	> Up	n	-0.8	↔	0.36	369.6	73.9	41	0	0	0		418.0	07/18/22	0.48	n				
	Calcium, dissolved	mg/l	--	1.02	-3.5	↔	0.38	91.8	NA	11	0	0	0		109.0	04/24/21	0.50	n	-31.8	↓	0.00	203.4	NA	37	0	0																									

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down												Down												Down																	
					MW-8-3A												MW-8-3B												MW-8-4																	
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)		
	Iron, dissolved	mg/l	0.3	67.86	-6.9	↔	0.39	5.8	1947.8	41	0	0	40	07/18/22	11.0	06/06/17	0.00	> Up n	-29.9	↓	0.10	0.4	125.6	41	4	0	24	01/24/22	0.9	09/19/16	0.00	> Up n	NC		NC	0.0	1.2	41	40	0	0		0.1	04/18/22	0.00	< Up n
	Arsenic, dissolved	µg/l	10	56.71	3.1	↔	0.43	10.4	104.4	41	1	0	25	07/18/22	19.6	10/14/21	0.00	> Up n	-31.7	↓	0.02	6.0	60.1	41	0	0	0		9.8	12/03/12	0.00	> Up n	NC		NC	0.8	8.0	41	30	0	0		3.8	09/16/14	0.23	n
	Manganese, dissolved	µg/l	300	23.84	24.4	↑	0.06	6380.2	2126.7	41	0	0	41	07/18/22	9120.0	10/14/21	0.00	> Up n	0.9	↔	0.49	1316.3	438.8	41	0	0	40	07/18/22	2000.0	07/18/22	0.00	> Up n	-63.0	↓	0.00	15313.7	5104.6	41	0	0	41	07/19/22	42600.0	12/06/12	0.00	> Up n
	Molybdenum, dissolved	µg/l	40	17.17	-4.2	↔	0.36	64.8	162.1	41	0	0	37	07/18/22	94.6	11/04/19	0.00	> Up n	-11.9	↓	0.01	145.1	362.7	41	0	0	41	07/18/22	170.0	11/04/19	0.00	> Up n	NC		NC	0.6	1.5	41	37	0	0		5.1	07/23/21	0.00	< Up n
	Aluminum, dissolved	µg/l	200	9.27	NC		NC	59.9	29.9	41	41	0	0		100.0	01/24/22	NC		NC		NC	54.2	27.1	41	41	0	0		100.0	04/18/22	NC		-94.4	↓	0.00	1605.3	802.6	41	1	0	22	07/19/22	11900.0	12/06/12	0.00	> Up n
	Nickel, dissolved	µg/l	100	6.25	NC		NC	3.1	3.1	41	29	0	0		11.7	11/04/19	0.39	n	NC		NC	1.0	1.0	41	37	0	0		9.8	11/04/19	0.00	< Up n	-60.9	↓	0.00	123.0	123.0	41	0	0	19	07/19/22	330.0	12/06/12	0.00	> Up n
	Potassium, dissolved	mg/l	--	5.17	21.5	↑	0.00	2.8	NA	41	0	0	0		3.4	07/18/22	0.46	n	4.1	↔	0.13	1.6	NA	41	0	0	0		2.0	07/18/22	0.46	n	-40.0	↓	0.00	2.1	NA	41	0	0	0		4.5	09/18/12	0.44	n
	Cadmium, dissolved	µg/l	5	4.90	NC		NC	0.1	2.9	41	41	0	0		1.0	08/24/20	NC		NC		NC	0.4	7.4	41	41	0	0		1.0	04/18/22	NC		-67.5	↓	0.00	2.6	51.8	41	3	0	5	09/22/16	8.2	12/06/12	0.00	> Up n
	Zinc, dissolved	µg/l	2000	4.23	NC		NC	5.8	0.3	41	33	0	0		20.0	12/12/13	0.04	< Up n	NC		NC	5.6	0.3	41	35	0	0		20.0	12/12/13	0.01	< Up n	-84.0	↓	0.00	186.3	9.3	41	0	0	0		678.0	12/06/12	0.00	> Up n
	Strontium, dissolved	µg/l	4000	2.85	45.4	↑	0.00	756.8	18.9	41	0	0	0		1010.0	04/18/22	0.00	> Up n	14.0	↑	0.00	362.6	9.1	41	0	0	0		443.0	07/18/22	0.00	> Up n	-52.3	↓	0.00	411.8	10.3	41	0	0	0		751.0	12/06/12	0.00	> Up n
	Fluoride, total as F	mg/l	2	2.82	-11.7	↓	0.07	0.4	21.4	41	0	0	0		0.7	02/03/20	0.00	> Up n	-13.8	↓	0.02	0.5	24.6	41	2	0	0		0.9	05/13/15	0.00	> Up n	-24.3	↓	0.22	0.4	21.2	41	6	0	0		1.3	12/06/12	0.00	> Up n
	Beryllium, dissolved	µg/l	4	2.29	NC		NC	0.1	3.6	41	41	0	0		0.5	08/22/18	NC		NC		NC	0.1	3.4	41	41	0	0		0.2	12/12/13	NC		NC		NC	1.7	42.3	41	22	0	6	09/22/16	8.4	09/18/12	0.00	> Up n
	Chloride, total as Cl	mg/l	250	2.06	717.7	↑	0.00	28.6	11.4	41	1	0	0		140.0	01/24/22	0.01	> Up n	443.5	↑	0.00	14.6	5.9	41	0	0	0		92.4	11/06/20	0.00	> Up n	-49.1	↓	0.00	35.5	14.2	41	0	0	0		82.5	09/24/15	0.00	> Up n
	Lithium, dissolved	µg/l	83	1.96	-6.7	↔	0.24	16.2	19.6	41	0	0	0		22.0	10/14/21	0.49	n	-9.1	↔	0.02	26.0	31.3	41	0	0	0		35.8	01/24/22	0.48	n	-54.9	↓	0.00	20.1	24.2	41	1	0	0		56.8	09/18/12	0.41	n
	Chemical Oxygen Demand	mg/l	--	1.92	NC		NC	2.5	NA	41	40	0	0		22.1	07/18/22	0.49	n	NC		NC	5.8	NA	41	41	0	0		20.0	01/25/21	0.16	n	NC		NC	2.9	NA	41	39	0	0		21.2	07/23/21	0.25	n
	Ammonia, as N	mg/l	--	1.31	-1.1	↔	0.42	0.2	NA	41	6	0	0		0.4	08/24/20	0.00	> Up n	NC		NC	0.0	NA	41	26	0	0		0.3	02/03/20	0.00	< Up n	NC		NC	0.0	NA	41	30	0	0		0.3	05/20/20	0.00	< Up n
	Vanadium, dissolved	µg/l	2.9	1.30	NC		NC	1.4	49.5	41	41	0	0		2.3	07/18/22	0.00	< Up n	NC		NC	1.5	52.8	41	35	0	0		2.3	07/18/22	0.00	> Up n	NC		NC	1.6	56.2	41	41	0	1	06/16/13	10.0	06/16/13	0.00	> Up n
	Magnesium, dissolved	mg/l	--	1.26	36.5	↑	0.00	30.0	NA	41	0	0	0		39.3	01/24/22	0.37	n	18.1	↑	0.00	23.3	NA	41	0	0	0		30.5	01/24/22	0.48	n	-43.8	↓	0.00	50.5	NA	41	0	0	0		67.4	03/20/13	0.00	> Up n
	Silver, dissolved	µg/l	100	1.23	NC		NC	1.0	1.0	41	41	0	0		10.0	12/12/13	NC		NC		NC	1.7	1.7	41	40	0	0		34.3	09/21/15	0.08	n	NC		NC	1.2	1.2	41	41	0	0		10.0	12/12/13	NC	
	Copper, dissolved	µg/l	1000	1.15	NC		NC	1.5	0.1	41	36	0	0		4.0	12/12/13	0.00	< Up n	NC		NC	0.7	0.1	41	37	0	0		6.1	03/07/17	0.00	< Up n	-74.7	↓	0.00	4.6	0.5	41	20	0	0		20.1	09/18/12	0.00	> Up n
	Specific Conductance, field	umhos/cm	--	1.10	50.7	↑	0.00	911.0	NA	41	0	0	0		1315.0	07/18/22	0.42	n	19.2	↑	0.00	752.2	NA	41	0	0	0		930.0	01/24/22	0.50	n	-37.7	↓	0.00	1166.2	NA	41	0	0	0		1660.0	12/06/12	0.14	n
	Total Organic Carbon	mg/l	--	1.06	5.8	↔	0.35	1.7	NA	41	0	0	0		4.2	07/18/22	0.00	> Up n	21.8	↑	0.03	0.9	NA	41	3	0	0		2.8	07/18/22	0.21	n	10.0	↑	0.26	0.9	NA	41	4	0	0		2.6	07/19/22	0.43	n
	Titanium, dissolved	µg/l	--	1.04	NC		NC	2.1	NA	39	39	0	0		5.0	04/18/22	0.25	n	NC		NC	1.9	NA	39	39	0	0		5.0	04/18/22	0.25	n	NC		NC	1.3	NA	39	35	0	0		5.6	01/22/22	0.00	> Up n
	Total Dissolved Solids	mg/l	500	1.04	47.7	↑	0.00	668.5	133.7	41	0	0	41	07/18/22	886.0	07/18/22	0.50	n	17.5	↑	0.00	503.8	100.8	41	0	0	20	07/18/22	591.0	07/18/22	0.49	n	-41.2	↓	0.00	947.7	189.5	41	0	0	41	07/19/22	1380.0	12/06/12	0.03	> Up n
	Calcium, dissolved	mg/l	--	1.02	40.7	↑	0.00	144.8	NA	41	0	0	0		198.0	04/26/21	0.48	n	19.2	↑	0.00	123.5	NA	41	0	0																				

PARAMETER		UNITS	STD.	UPGRADIENT VS DOWNGRADIENT	Down												Down																			
					MW-8-5A												MW-8-5B																			
					Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)	Trend (%)	p	$\bar{x}$	$\bar{x}$ (%)	n	ND	J	>	Max	p (comparison)												
	Iron, dissolved	mg/l	0.3	67.86	NC		NC	0.0	5.7	41	35	0		0.1	06/04/14	0.00	> Up	n	NC		NC	0.0	2.2	41	35	0		0.1	01/22/22	0.00	> Up	n				
	Arsenic, dissolved	μg/l	10	56.71	-20.1	↓	0.00	124.1	1241.3	41	0	0	41	07/16/22	146.0	09/18/12	0.00	> Up	n	-13.9	↓	0.00	259.5	2595.4	41	0	0	41	07/16/22	372.0	07/23/21	0.00	> Up	n		
	Manganese, dissolved	μg/l	300	23.84	22.3	↑	0.00	400.3	133.4	41	0	0	41	07/16/22	496.0	01/22/22	0.00	> Up	n	-18.9	↓	0.00	422.9	141.0	41	0	0	41	07/16/22	532.0	09/12/13	0.00	> Up	n		
	Molybdenum, dissolved	μg/l	40	17.17	-9.5	↔	0.01	389.8	974.6	41	0	0	41	07/16/22	453.0	08/25/20	0.00	> Up	n	-9.1	↔	0.04	346.0	865.1	41	0	0	41	07/16/22	412.0	08/25/20	0.00	> Up	n		
	Aluminum, dissolved	μg/l	200	9.27	NC		NC	59.7	29.8	41	41	0	0		100.0	04/15/22	NC		NC		NC		NC	63.4	31.7	41	41	0	0		100.0	01/22/22	NC			
	Nickel, dissolved	μg/l	100	6.25	NC		NC	1.5	1.5	41	36	0	0		14.7	08/25/20	0.00	> Up	n	NC		NC	1.3	1.3	41	37	0	0		13.8	08/25/20	0.00	< Up	n		
	Potassium, dissolved	mg/l	--	5.17	13.8	↑	0.00	4.1	NA	41	0	0	0		4.7	04/15/22	0.00	> Up	n	15.7	↑	0.00	3.9	NA	41	0	0	0		4.6	11/05/20	0.00	> Up	n		
	Cadmium, dissolved	μg/l	5	4.90	NC		NC	0.4	8.8	41	30	0	0		1.0	07/16/22	0.00	> Up	n	NC		NC	0.4	8.7	41	34	0	0		1.0	07/16/22	0.18	n			
	Zinc, dissolved	μg/l	2000	4.23	NC		NC	5.4	0.3	41	36	0	0		20.0	09/12/13	0.00	< Up	n	NC		NC	5.3	0.3	41	38	0	0		20.0	09/12/13	0.00	< Up	n		
	Strontium, dissolved	μg/l	4000	2.85	24.0	↑	0.00	709.7	17.7	41	0	0	0		811.0	04/15/22	0.00	> Up	n	14.8	↑	0.00	836.3	20.9	41	0	0	0		991.0	11/05/20	0.00	> Up	n		
	Fluoride, total as F	mg/l	2	2.82	-11.6	↓	0.02	0.9	46.4	41	0	0	0		1.1	11/28/12	0.00	> Up	n	-18.6	↓	0.00	0.7	36.3	41	0	0	0		0.9	11/28/12	0.00	> Up	n		
	Beryllium, dissolved	μg/l	4	2.29	NC		NC	0.1	3.6	41	41	0	0		0.5	09/15/14	NC		NC		NC		NC	0.1	3.4	41	41	0	0		0.2	12/02/13	NC			
	Chloride, total as Cl	mg/l	250	2.06	189.6	↑	0.00	20.6	8.2	41	0	0	0		33.0	02/13/19	0.00	> Up	n	95.7	↑	0.00	15.3	6.1	41	0	0	0		24.0	08/15/18	0.01	> Up	n		
	Lithium, dissolved	μg/l	83	1.96	5.3	↔	0.17	191.5	230.7	41	0	0	41	07/16/22	260.0	01/22/22	0.00	> Up	n	-1.0	↔	0.42	151.7	182.8	41	0	0	41	07/16/22	217.0	10/15/21	0.00	> Up	n		
	Chemical Oxygen Demand	mg/l	--	1.92	NC		NC	4.4	NA	41	41	0	0		20.0	10/15/21	0.16	n	NC		NC		NC	4.6	NA	41	41	0	0		20.0	07/23/21	0.16	n		
	Ammonia, as N	mg/l	--	1.31	-11.5	↓	0.13	0.4	NA	41	0	0	0		0.6	11/06/19	0.00	> Up	n	-22.5	↓	0.01	0.3	NA	41	2	0	0		1.2	08/25/20	0.00	> Up	n		
	Vanadium, dissolved	μg/l	2.9	1.30	NC		NC	3.6	125.7	41	32	0	17	02/13/19	10.0	03/13/13	0.05	n	NC		NC		NC	1.7	57.4	41	38	0	1	03/13/13	10.0	03/13/13	0.00	> Up	n	
	Magnesium, dissolved	mg/l	--	1.26	9.9	↔	0.00	37.3	NA	41	0	0	0		42.8	01/22/22	0.00	> Up	n	8.1	↔	0.01	31.0	NA	41	0	0	0		36.1	11/05/20	0.47	n			
	Silver, dissolved	μg/l	100	1.23	NC		NC	1.2	1.2	41	41	0	0		10.0	12/02/13	NC		NC		NC		NC	1.0	1.0	41	41	0	0		10.0	12/02/13	NC			
	Copper, dissolved	μg/l	1000	1.15	NC		NC	1.6	0.2	41	31	0	0		10.4	03/07/17	0.05	< Up	n	NC		NC		NC	2.1	0.2	41	36	0	0		5.0	05/07/19	0.00	> Up	n
	Specific Conductance, field	umhos/cm	--	1.10	20.7	↑	0.00	1027.2	NA	41	0	0	0		1143.0	01/22/22	0.49	n	16.2	↑	0.00	938.8	NA	41	0	0	0		1075.0	07/23/21	0.50	n				
	Total Organic Carbon	mg/l	--	1.06	28.1	↑	0.01	0.8	NA	41	7	0	0		4.7	07/16/22	0.08	n	24.8	↑	0.03	0.7	NA	41	7	0	0		4.0	07/16/22	0.05	< Up	n			
	Titanium, dissolved	μg/l	--	1.04	NC		NC	1.8	NA	39	39	0	0		5.0	04/15/22	0.25	n	NC		NC		NC	1.8	NA	39	39	0	0		5.0	01/22/22	0.25	n		
	Total Dissolved Solids	mg/l	500	1.04	17.2	↑	0.00	742.6	148.5	41	0	0	41	07/16/22	828.0	09/12/17	0.49	n	12.0	↑	0.00	668.5	133.7	41	0	0	41	07/16/22	754.0	07/23/21	0.49	n				
	Calcium, dissolved	mg/l	--	1.02	17.3	↑	0.00	164.9	NA	41	0	0	0		203.0	04/26/21	0.47	n	13.4	↑	0.00	153.1	NA	41	0	0	0		193.0	07/23/21	0.46	n				
	Chromium, dissolved	μg/l	100	1.02	NC		NC	1.0	1.0	41	39	0	0		2.0	12/02/13	0.00	> Up	n	NC		NC		NC	1.0	1.0	41	41	0	0		2.0	12/02/13	NC		
	Antimony, dissolved	μg/l	6	1.00	NC		NC	NC	NC	0	0	0	0		NC		NC		NC		NC		NC	NC	NC	0	0	0	0		NC		NC			
	pH, field	s.u.	6.5-8.5	0.99	-5.2	↔	0.00	7.0	50.8	41	0	0	1	02/13/19	7.4	12/07/15	0.00	> Up	n	-4.7	↔	0.00	7.1	36.0	41	0	0	0		7.6	12/02/13	0.00	> Up	n		
	Sulfate, as SO4	mg/l	250	0.99	16.6	↑	0.00	297.9	119.1	41	0	0	40	07/16/22	340.0	05/11/15	0.49	n	11.5	↑	0.02	266.7	106.7	41	0	0	29	07/16/22	325.0	07/23/21	0.48	n				
	Mercury, dissolved	μg/l	2	0.98	NC		NC	0.3	13.1	41	41	0	0		0.7	07/16/22	0.00	> Up	n	NC		NC		NC	0.3	13.5	41	28	0	0		0.7	07/16/22	0.01	> Up	n
	Lead, dissolved	μg/l	5	0.95	NC		NC	0.3	5.6	41	41	0	0		1.0	12/02/13	NC		NC		NC		NC	0.3	6.8	41	41	0	0		1.0	12/02/13	NC			
	Boron, dissolved	μg/l	6000	0.83	-6.1	↔	0.03	866.0	14.4	41	0	0	0		965.0	04/15/22	0.49	n	-11.8	↓	0.00	828.2	13.8	41	0	0	0		943.0	12/04/14	0.49	n				
	Sodium, dissolved	mg/l	--	0.65	89.7	↑	0.00	9.3	NA	41	0	0	0		13.6	07/16/22	0.00	< Up	n	48.3	↑	0.00	8.3	NA	41	0	0	0		10.5	07/16/22	0.00	< Up	n		
	Barium, dissolved	μg/l	2000	0.32	4.3	↔	0.15	43.9	2.2	41	0	0	0		50.0	05/11/15	0.48	n	-3.0	↔	0.22	67.5	3.4	41	0	0	0		80.6	12/04/14	0.50	n				
	Selenium, dissolved	μg/l	50	0.25	NC		NC	0.4	0.8	41	41	0	0		0.8	12/02/13	0.00	< Up	n	NC		NC		NC	0.4	0.7	41	41	0	0		0.8	12/02/13	0.00	< Up	n
	Nitrate, as N	mg/l	10	0.10	NC		NC	0.0	0.3	41	40	0	0		0.9	06/14/16	0.00	< Up	n	NC		NC		NC	0.1	0.9	41	41	0	0		0.5	07/16/22	0.00	< Up	n

Notes:

1. Upgradient vs downgradient represents the ratio of average concentration in all downgradient wells to average concentration of all upgradient wells (i.e. how many times greater is the concentration in downgradient v
2. Rows are sorted according to "Upgradient vs. Downgradient" ratio. Parameters with higher downgradient concentrations are on top (orange formatting indicates greater downgradient concentrations; blue formatting in
3. Sub-headings for each location are as follows:

Trend (%) :	Percent increase/decrease in concentration of the Theil-Sen trendline over 10-year period (red arrow = increase; blue arrow = decrease; arrow size is proportional to increase/decrease).
p :	p-value of Theil-Sen trend.
$\bar{x}$:	Mean measured concentration over time frame.
$\bar{x}$ (%)	Proportion of $\bar{x}$ to applicable standard (red formatting indicates $\bar{x}$ is 1000% of the standard; orange formatting indicates $\bar{x}$ is 100% of the standard; gradation of orange and red are proportional to
n :	Number of samples over time frame.
ND :	Number of "non-detect" samples over time frame. For concentrations between LOD and LOQ (reported as "< LOQ"), the LOQ is treated as an additional detection limit in the analysis.
J :	Number of samples with estimated concentrations (J-values). Currently concentrations between LOD and LOQ are reported as "< LOQ" instead of estimated values.
> :	Number of exceedances over time frame; date of most recent exceedance.
Max :	Maximum measured concentration over time frame; date of maximum concentration.
p (comparison) :	p-value of two-group comparison analysis (comparison to upgradient wells). Analysis test results based on either: p = parametric (t-test) or n = nonparametric (Wilcoxon test); determined based on number of detections and Shapiro-Wilk (S-W) normality test results. If p-value of normality test for either group is < 0.05 then defaults to nonparametric comparison (Wilcoxon test). If p (comparison) < 0.05 then: < Up means data are statistically less than upgradient data; > Up means data are statistically greater than upgradient data.

4. "NC" refers to not calculated (when there is insufficient data to run statistical analysis).