



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF WATER PROGRAMS
OFFICE OF OIL AND GAS MANAGEMENT

OFFICIAL USE ONLY

ID # _____
Date Received _____
AUTH _____
SITE _____
CLNT _____
APS _____
Fee _____
Check No. _____
Check Date _____

**NOTICE OF INTENT (NOI) FOR COVERAGE UNDER THE EROSION AND SEDIMENT CONTROL
GENERAL PERMIT (ESCGP-3) FOR EARTH DISTURBANCE ASSOCIATED WITH OIL AND GAS
EXPLORATION, PRODUCTION, PROCESSING, OR TREATMENT OPERATIONS OR
TRANSMISSION FACILITIES**

READ THE INSTRUCTIONS PROVIDED IN THIS PERMIT APPLICATION PACKAGE BEFORE COMPLETING THIS FORM. PLEASE PRINT OR TYPE INFORMATION IN BLACK OR BLUE INK.

SECTION A. APPLICATION TYPE

Check one:

NEW RENEWAL MAJOR MODIFICATIONS (Provide ESCGP number) ESG010019001

PHASED (check only if applicable; *note: Most projects are not submitted as phased projects*)

Check one: EXPEDITED STANDARD

If an Expedited Review Process being requested, be advised that the Expedited Review is not available for all projects. Refer to Section D - Expedited Review Process of the ESCGP-3 NOI Instructions to determine if the project is eligible.

SECTION B. CLIENT INFORMATION

Applicant's Last Name (If applicable) Valori	First Name Mark	MI	Telephone No. 732-938-1169
Organization Name or Registered Fictitious Name Adelphia Gateway, LLC			Telephone No.
DEP Client ID No.			
Headquarters Mailing Address 1415 Wyckoff Road	City Wall	State NJ	ZIP Code 07719
Email Address mvalori@njresources.com			
Co-Applicant's Last Name (If applicable)	First Name	MI	Telephone No.
Organization Name or Registered Fictitious Name			Telephone No.
Address	City	State	ZIP Code
Email Address			

SECTION C. SITE INFORMATION

Is there an existing ESCGP associated with this site? Yes No If yes, Permit No. ESG010019001

Has a well permit application been submitted for this site? Yes No If yes, Permit No. _____

Does this site have a 911 address? Yes No If yes, provide site location address.

Site Name
 see attachment on next page

Site Location see attachment on next page	Site No. (if another permit has been issued for the site)
--	---

Site Location – City see attachment on next page	State	ZIP Code
---	-------	----------

Detailed Written Directions to Site
 see attachment on next page

Primary Location	County see attachment	Municipality see attachment on next page	City <input type="checkbox"/>	Boro <input type="checkbox"/>	Twp. <input type="checkbox"/>
------------------	--------------------------	---	----------------------------------	----------------------------------	----------------------------------

SECTION D. EXPEDITED REVIEW

I. Expedited Review Eligibility

1. Is any part of the project in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, or in the watershed of an impaired surface water where the cause of the impairment is identified as siltation?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
2. Will the project in which the well pad will be constructed be in or on a floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
3. Is any earth disturbance located or proposed to be located on land known to be contaminated by the release of regulated substances as defined in Section 103 of Act 2, 35 P.S. § 6026.103?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
4. Will naturally occurring geologic formations or soil conditions provide hazards to the project or surrounding environment or have the potential to cause or contribute to pollution when disturbed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
5. Do any unresolved non-compliance issues exist with the applicant or the facility?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
6. Is the project a transmission project?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Site #	Site Name	Site Address	Latitude	Longitude	City	State	Zip Code	County	Municipality	Directions To Site
1	Quakertown Compressor Station	Unknown	40°24'15.39"N	75°20'53.13"W	Quakertown	Pennsylvania	18951	Bucks	Richland Township & West Rockhill Township (split)	<u>From Allentown Road & Camp Rock Hill Road</u> Head east on Camp Rock Hill Rd toward Schukraft Rd 1.2 mi Continue onto Scholls School Rd approximately 1,125' Turn right onto Rich Hill Rd approximately 525' Turn left and travel approximately 1,250' Destination will be on the right
2	Skippack Pike Meter Station	Unknown	40°14'32.70"N	75°26'48.26"W	Schwenksville	Pennsylvania	19473	Montgomery	Skippack Township	<u>From West Skippack Pike & Cross Road</u> Head northwest on PA-73 W/W Skippack Pike toward Cressman Rd 2.5 mi Destination will be on the right
3	Schuylkill River Blowdown	Unknown	40° 9'38.76"N	75°31'42.05"W	Spring City	Pennsylvania	19475	Chester	East Pikeland Township	<u>From Cromby Road & Township Line Road</u> Head north approximately 400' on Cromby Rd Turn left into private drive at Cromby Station Travel approximately 875' along private drive Turn left and travel approximately 600' to west gravel parking lot of Cromby Station Turn right onto schuylkill River Trail Continue approximately 3,625' Destination will be on the right
4	Cromby Blowdown	Unknown	40° 9'7.01"N	75°31'58.89"W	Phoenixville	Pennsylvania	19460	Chester	East Pikeland Township	<u>From Cromby Road & Township Line Road</u> Head north approximately 400' on Cromby Rd Turn left into private drive at Cromby Station Travel approximately 875' along private drive Turn left and travel approximately 600' to west gravel parking lot of Cromby Station Destination will be on the right
5	French Creek Blowdown	Unknown	40° 8'0.21"N	75°32'56.35"W	Phoenixville	Pennsylvania	19460	Chester	East Pikeland Township	<u>From Kimberton Rd & Powder Mill Dr</u> Head east approximately 125' Turn left and travel approximately 1,500' through private property Destination will be directly ahead
6	Mainline Valve 2	Unknown	40° 1'49.95"N	75°35'1.78"W	Malvern	Pennsylvania	19355	Chester	East Whiteland Township	<u>From Lincoln Highway & Phoenixville Pike</u> Head south on Phoenixville Pike toward Mystic Ln approximately 2,900' Turn left into private drive Travel approximately 515' Destination will be on the left
7	Chester Creek Blowdown	Unknown	39°55'54.06"N	75°30'40.35"W	Glen Mills	Pennsylvania	19342	Delaware	Thornbury Township	<u>From Creek Road & Locksley Road</u> Head south on Locksley Rd approximately 415' Turn right onto private drive Travel approximately 1,600' Destination will be on the right
8	Transco Meter Station	Unknown	39°49'7.46"N	75°26'5.59"W	Marcus Hook	Pennsylvania	19061	Delaware	Lower Chichester Township	<u>From Naamans Road and Ridge Road</u> Head northeast on Ridge Rd toward Virginia Ave approximately 3,700' Turn left onto private drive (Fed Ex Drive) Travel approximately 200' Destination will be on the left
9	Marcus Hook Compressor Station	Unknown	39°48'53.17"N	75°26'19.12"W	Marcus Hook	Pennsylvania	19061	Delaware	Lower Chichester Township	<u>From Naamans Road and Ridge Road</u> Head northeast on Ridge Rd toward Virginia Ave approximately 1,900' Destination will be on the Right

If yes to any of the above questions the project is not eligible for Expedited Review; If the project is eligible for Expedited Review, all the following items must be completed.

II. Expedited Review Process

1. Is the technically and administratively complete and accurate NOI package prepared and certified by a licensed professional?	<input type="checkbox"/> Yes <input type="checkbox"/> No
2. Are E&S and PCSM/Site Restoration Plan drawings and narrative prepared and sealed by a licensed professional? <i>(Include interim restoration details when needed)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No
3. Include a Resource Delineation Report and answer the following questions: (If the answer to question a. is "Yes" then skip to #4. If the answer to a. is "No" the applicant must answer "Yes" to at least one of the questions, b. through d. to be eligible for expedited review.)	
a. Were all wetland resources delineated during the growing season?	<input type="checkbox"/> Yes <input type="checkbox"/> No
b. If not during the growing season, was a follow-up visit conducted during the growing season to verify/adjust boundaries and look for potentially missed resources?	<input type="checkbox"/> Yes <input type="checkbox"/> No
c. Was a quality assurance field review conducted at a later date by an independent qualified wetland professional to verify boundaries and look for potentially missed resources? (If yes, attach Quality Assurance Field Review Report)	<input type="checkbox"/> Yes <input type="checkbox"/> No
d. Was a Jurisdictional Determination (JD) or Preliminary JD conducted by the US Army Corps of Engineers on the whole project? (If yes, attach Preliminary or Jurisdictional Determination Report)	<input type="checkbox"/> Yes <input type="checkbox"/> No
4. If applicable, have you included PNDI clearance letters or other documentation from applicable resource agencies?	<input type="checkbox"/> Yes <input type="checkbox"/> No
5. If the project site contains, is along, or within 100 feet of a river, stream, creek, lake, pond or reservoir, will you establish new or preserve existing riparian forest buffer at least 100 feet in width between the top of streambank or normal pool elevation of a lake, pond or reservoir and areas of earth disturbances. If no, will a waiver be obtained? <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No
6. Name of Licensed Professional	
Company	
Address	
Phone	

The approved LOD for Phase 1 was **13.9 AC** which includes 13 sites. This major amendment is for 9 out of the 13 sites, totaling **13.35 AC** of disturbance per the permit approval. The remaining 4 out of the 13 site, are not included within this amendment, totals **0.49 AC** of disturbance per the permit approval.
 Per the updates noted in the Project Description below, the revised LOD area for this major amendment (9 sites) is **17.22 AC**, providing an increased disturbed acreage of **3.87 AC**. Therefore, the revised Total Project Area/ Project Site/ Total Disturbed Area for all 13 sites will be **17.72 AC**.

SECTION E. PROJECT INFORMATION

1. Total Project Area/Project Site (Ac):	17.72	Total Disturbed Area (Ac):	17.22
--	-------	----------------------------	-------

Increased disturbed acreage (for permit modification only)		3.87
--	--	------

Fee: (For additional information regarding fees, refer to NOI Instructions #3 Permit NOI Filing Fees.)	\$ 900
--	--------

2. Project Name: Adelphia Gateway Project

3. Project Type (Check all that apply)

<input type="checkbox"/> Oil/Gas Well ¹	<input type="checkbox"/> Transmission Facility
<input type="checkbox"/> Gathering Facility	<input type="checkbox"/> Processing Facility
<input type="checkbox"/> Treatment Facility	<input type="checkbox"/> Well Development Impoundment
<input checked="" type="checkbox"/> Compressor Station	<input type="checkbox"/> Non-FERC regulated Transmission Facility
<input checked="" type="checkbox"/> Pipeline	<input type="checkbox"/> Ground/Surface Water Withdrawal Site
<input checked="" type="checkbox"/> Storage Field Facility	
<input type="checkbox"/> Other	

¹ If Oil/Gas Well; is the well conventional or unconventional? Conventional Unconventional

Project Description

The Adelphia Gateway Pipeline is an 84-mile pipeline that runs from Martins Creek to Marcus Hook. Revisions to the following sites are included in this Amendment: Quakertown Compressor Station, Skippack Meter Station, Cromby Blowdown, Mainline Valve 2, Chester Creek Blowdown, Transco Meter Station, and Marcus Hook Compressor Station. Site revisions are highlighted below:

Quakertown Compressor Station: Proposed impervious coverage increased from 0.326 AC to 0.390 AC (+0.064 AC) due to addition of several equipment buildings and concrete pads. The footprint of the PCSM BMP was revised due to conflict with proposed equipment buildings. The limit of disturbance (LOD) increased from 4.15 AC to 6.93 AC (+2.78 AC) due to additional and revised temporary workspaces adjacent to the Quakertown Compressor Station.

Skippack Pike Meter Station: The LOD increased from 0.267 AC to 0.365 AC (+0.098 AC). The LOD was increased to extend the driveway access to Skippack Pike. The entire LOD will be restored to existing conditions.

Schulkyill River Blowdown: The LOD increased from 0.931 AC to 1.454 AC (+0.523 AC). The LOD was increased to shift the access along the existing Schulkyill River Trail, from Cromby Blowdown to the valve site. The entire LOD will be restored to existing conditions.

Cromby Blowdown: The LOD increased from 0.137 AC to 0.385 AC (+0.248 AC). The LOD was increased to extend for site access along a stabilized gravel drive. The entire LOD will be restored to existing conditions.

French Creek Blowdown: The LOD was decreased from 0.588 AC to 0.217 AC (-0.371 ac). The LOD was decreased to provide site access from a driveway off the cul-de-sac of Powder Mill Drive. The entire LOD will be restored to existing conditions.

Main Line Valve 2: The LOD increased from 0.084 AC to 0.117 AC (+0.033 AC). The LOD was increased to extend the site for access. The entire LOD will be restored to existing conditions.

Chester Creek Blowdown: The LOD increased from 0.094 AC to 0.526 AC (+0.432 AC). The LOD was increased to extend the site access along a stabilized gravel drive. The entire LOD will be restored to existing conditions.

Transco Meter Station: Proposed impervious coverage increased from 0.10 AC to 0.15 AC (+0.05 AC) due to addition of several equipment buildings and concrete pads. The footprint of the PCSM BMP was revised due to conflict with proposed equipment buildings. The LOD increased 0.01 AC.

Marcus Hook Compressor Station: Proposed impervious coverage increased from 1.16 AC to 1.22 AC (+0.06 AC) due to addition of several equipment buildings and concrete pads. The limit of disturbance (LOD) increased from 6.24 AC to 6.34 AC (+0.10 AC) due to the replacement of curbing along Ridge Road.

Provide the date of pre-application meeting (if conducted with the Department) 2/21/2019

4. Provide the latitude and longitude coordinates for the center of the project. The coordinates should be in Decimal degrees and North American Datum 1983. The coordinates must meet the current DEP policy regarding locational accuracy. For linear projects provide the project's termini.

Latitude (DD) 39.8147	Longitude (DD) - 75.4383
Latitude (DD) 40.7933	Longitude (DD) - 75.1313
Horizontal Collection Method: <input checked="" type="checkbox"/> GPS <input type="checkbox"/> Interpolated from U.S.G.S. Topographic Map <input type="checkbox"/> DEP's eMAP	

5. U.S.G.S. 7.5 min. topographic quadrangle Name Quakertown, Collegville, Phoenixville, Malvern, West Chester, Marcus Hook

(Include a copy of the project area on the 7.5 min quad map) **Refer to PCSM Report, Appendix A**

6. Will the project be conducted as a phased permit project? Yes No
 If Yes, Include Master Site Plan Estimated Timetable for Phased Projects. Additional sheet(s) attached.

Phase No. or Name	Description	Total Area	Disturbed Area	Start Date	End Date
1	Adelphia Gateway	17.72 AC	17.72 AC	09/15/20	06/01/21
2A	Tilghman & Parkway Laterals (Transco to DE/PA State Line)	0.15 AC	0.15 AC	09/15/20	06/01/21
2B	Tilghman Lateral	24.76 AC	24.76 AC	01/01/21	06/01/21

7. List existing and previous land use for a minimum of the previous 5 years.
 The existing use for the Quakertown Compressor Station is a partially developed meter site with gravel and brush.
 Skippack Pike Meter Station, Cromby Blowdown, Mainline Valve 2 and Chester Creek Blowdown are existing valve sites with gravel and grass.
 The existing use for the Quakertown Compressor Station is a partially developed site with an adjacent meter site. The area to be distributed is primarily meadow.
 Marcus Hook Compressor Station is a fully developed compressor site that is primarily gravel in existing conditions.

8. Other Pollutants: Will the stormwater discharge contain polluttional substances other than sediment? Yes No
 If yes, explain and provide any available quantitative data.

9. Will fuels, chemicals, solvents, other hazardous waste or materials be used or stored on site during earth disturbance activities or will Horizontal Directional Drilling (HDD) activities be conducted?
 Yes No **(If yes, Preparedness, Prevention and Contingency (PPC) Plan must be maintained on site during earth disturbance. See NOI Instructions, E.9 PPC Plan Guidance for further information.)**

10. Is the project in the watershed of an impaired surface water where the cause of the impairment is identified as siltation?
 Yes No **(If yes, show how the project will not result in a net change in volume, rate or water quality. See section I below, and E.10 of NOI instructions.)**

11. Are there potentially hazardous naturally occurring geological or soil conditions in any portion of the project or surrounding area? Yes No
 If yes, do the potentially hazardous geologic or soil conditions have the potential to cause or contribute to pollution as a result of the proposed earth disturbance activities?
 If no, provide an explanation. **Refer to PCSM Narrative, Section VII**
 If yes, Geologic Hazard Mitigation Plan must be attached and explain where in this application details are provided.

12. Has the Act 14 Municipal Notification and proof of receipt of notification been attached to the NOI?
 Yes No **(If not, the NOI is not complete, see E.12 and #4 Municipal Notification in the NOI Instructions for additional guidance.)**

13. Has the PNDI receipt been attached to the NOI?
 Yes No **(If not, the NOI is not complete, see E.13 and #5 PNHP in the NOI Instructions for additional guidance.)**

14. Have the E&S Plan and PCSM/SR Plan been planned and designed to be consistent?
 Yes No

15. Have existing and/or proposed Riparian Forest Buffers been identified?
 Yes N/A **(If yes, they must be shown on the E&S Plan as well as the PCSM/SR Plans.)**

16. Have antidegradation implementation requirements for special protection waters been addressed?
 Yes No N/A **(If yes, antidegradation requirements must be included in the plan.)**

17. Has the seasonal high groundwater level been identified and 20-inch separation established at all excavation locations for pits for conventional operations and Well Development Impoundments for unconventional operations?
 Yes No N/A

18. Receiving Waters	Chapter 93, Designated Use Stream Classification	Chapter 93, Existing Use Stream Classification
<u>Tohickon Creek</u>	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>TSF</u> <input checked="" type="checkbox"/> Siltation-impaired	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>TSF</u> <input checked="" type="checkbox"/> Siltation-impaired
<u>Perkiomen Creek</u>	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>WWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>WWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired
<u>Stony Run</u>	<input checked="" type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>HQ-TSF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired	<input checked="" type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>HQ-TSF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired
<u>Chester Creek</u>	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>TSF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>TSF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired

Secondary Receiving Water	Secondary Chapter 93, Designated Use	Secondary Existing Use
---------------------------	--------------------------------------	------------------------

Name of Municipal or Private Separate Storm Sewer Operator, if applicable.

Non-Surface Receiving Water: (include off-site discharges)

17. Has the seasonal high groundwater level been identified and 20-inch separation established at all excavation locations for pits for conventional operations and Well Development Impoundments for unconventional operations?
 Yes No N/A

18. Receiving Waters	Chapter 93, Designated Use Stream Classification	Chapter 93, Existing Use Stream Classification
<u>Valley Creek</u>	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>CWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>CWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired
<u>Naamans Creek</u>	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>WWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>WWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired
<u>French Creek</u>	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>TSF, MF</u> <input type="checkbox"/> Siltation-impaired	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>TSF, MF</u> <input type="checkbox"/> Siltation-impaired
<u>Schuylkill River</u>	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>WWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired	<input type="checkbox"/> HQ <input type="checkbox"/> EV <input checked="" type="checkbox"/> Other <u>WWF, MF</u> <input checked="" type="checkbox"/> Siltation-impaired

Secondary Receiving Water	Secondary Chapter 93, Designated Use	Secondary Existing Use
---------------------------	--------------------------------------	------------------------

Name of Municipal or Private Separate Storm Sewer Operator, if applicable.

Non-Surface Receiving Water: (include off-site discharges)

SECTION F. EROSION AND SEDIMENT CONTROL (E&S) PLAN
See the attached Instructions for additional guidance with E&S Plans

Erosion and Sediment Control Plan BMPs should be designed to minimize accelerated erosion and sedimentation through limiting the extent and duration of earth disturbance, protection of existing drainage and vegetation, limiting soil compaction and controlling the generation of increased runoff. The Department recommends the use of the *Pennsylvania Erosion & Sedimentation Pollution Control Program Manual (E&S Manual)* (363-2134-008) to achieve this goal. The E&S Plan must meet the requirements of Pa. Code § 102.4(b) and submitted with the NOI. Also, see section 2. of the NOI instruction for detailed information on completing the E&S plan and additional requirements.

a. E&S Plan Summary

Provide a summary of proposed E&S BMPs and their performance to manage E&S for the project.

The following measures are aimed at controlling accelerated erosion and sedimentation during construction. Temporary erosion and sediment control will be accomplished by utilizing Best Management Practices, such as Rock Construction Entrance, Compost Filter Sock, Inlet Protection, Compost Sock Washout Facility, Pumped Water Filter Bags, Erosion Control Blanket, Temporary Wetland Crossings and Rock Filters. The extent and duration of earth disturbance is to be minimized to limit impacts of erosion and sedimentation to neighboring and downstream properties.

For project site in HQ watersheds, the E&S Design includes ABACT measures to ensure limited erosion and sedimentation.

b. E&S Plan BMP Design

Check those that apply:

- E&S Plan is designed using BMPs in the *E&S Manual*.
- E&S Plan is designed using an alternative BMP or design standard approved by DEP.

Note: NOI packages submitted with alternate BMPs not approved by the Department will be returned to the Applicant.

c. Do you have any information regarding riparian buffer which differs from Section G, Riparian Buffer?

Yes No

Explain:

d. Thermal Impacts Analysis

Explain how thermal impacts associated with this project were avoided, minimized, or mitigated.

Thermal impacts associated with the project will be minimized and/or mitigated through the incorporation of various BMPs, which include a subsurface and subsurface MRC basins and a subsurface infiltration bed. Runoff from the impervious areas will be directed to the BMPs where the travel time is increased to infiltrate and/or store runoff, reducing the quantity and temperature of the runoff.

The surface basin at Marcus Hook Compressor Station will be vegetated. Landscaping and vegetative cover will mimic natural ecosystems, resulting in a system that is resistant to climatic stresses. Additionally, the basin's outlet structure is designed to promote the slow release of outflow to the surface waters.

The subsurface basin at Transco Meter Station will temporarily store stormwater runoff beneath the surface, away from direct sunlight and will promote infiltration which will release water into the groundwater instead of discharging to the surface waters.

The subsurface basin at Quakertown Compressor Station will temporarily store stormwater runoff beneath the surface, away from direct sunlight and will promote the slow release of outflow to the surface waters.

At the main line valve sites, thermal impacts will be avoided by site restoration activities. The disturbed areas will be restored and seeded as soon as practicable and /or directing runoff to vegetated areas to reduce the temperature of runoff prior to discharge into the streams.

e. Off-Site Discharge Analysis

Does the activity propose any off-site discharges to areas other than surface waters? Yes No

If yes, it is the applicant's responsibility to ensure that they have legal authority for any off-site discharge to neighboring properties.

The applicant must provide a demonstration in both E&S and PCSM/SR plans that the discharge will not cause erosion, damage, or a nuisance to off-site properties.

SECTION G. RIPARIAN BUFFER

1. Will you be protecting, converting or establishing a voluntary riparian forest buffer as part of this project? Yes No
If yes, as part of the PCSM/SR Plan, provide a Buffer Management Plan.

2. Will proposed earth disturbance activities be conducted in an EV or HQ watershed AND within 150 feet of a perennial or intermittent river, stream, or creek, or lake, pond, or reservoir? Yes No

If no, proceed to the next section/module.

3. Does this project qualify for an exception (see § 102.14(d)(1))? Yes No

If yes, indicate below the type of project for which the exception applies by marking the appropriate box.

Oil and gas activities for which site reclamation or restoration is part of the permit authorization in Chapter 78 and 78a.

Road maintenance activities.

The repair or maintenance of existing pipelines and utilities.

Other (see §102.14(d)(1))

If exceptions are checked, explain how existing riparian buffer will be undisturbed to the extent practicable. Provide a demonstration that the requirements of §102.14(b) are met, or provide the necessary information to request a riparian buffer waiver.

4. Are you requesting a riparian buffer waiver for this project (see § 102.14(d)(2))? Yes No

If yes, indicate below the type of project for which you are requesting a waiver by marking the appropriate box.

Linear project that may include pipelines, public roadways, rail lines, or utility lines.

Project is of a temporary nature where the site will be fully restored to its preexisting conditions during the ESCGP permit term.

Project where compliance with mandatory riparian buffers is not appropriate or feasible due to site characteristics or existing structures at the project site.

Other (see §102.14(d)(2)):

If waivers are checked, explain how existing riparian buffers will be undisturbed to the extent practicable.

Note: If "Yes" to #2 **AND** "No" to #3 and #4, provide an attachment to demonstrate how the requirements of §102.14 are met.

Refer to PCSM Report, Section XII

SECTION H. POST CONSTRUCTION STORMWATER MANAGEMENT (PCSM) AND/OR SITE RESTORATION(SR) PLAN

See NOI Instructions for additional guidance with PCSM Plans

PCSM/SR BMPs should be designed to use natural measures to eliminate pollution, infiltrate runoff, not require extensive construction/maintenance, promote pollutant reduction, and preserve the integrity of stream channels. All PCSM/SR BMPs proposed in the PCSM/SR Plan must be designed in accordance with Ch. 102, Ch. 78a for unconventional operations, Ch. 78 for conventional operations and the *Pennsylvania Stormwater Best Management Practices Manual (Stormwater BMP Manual)* (363-0300-002). If alternate design criteria are utilized for the proposed project, they must have prior approval by the Department, or the NOI Application will be returned to the Applicant.

After construction is completed, how much of the entire disturbed area will be restored to meadow in good condition or better, or existing conditions? All Partial None

Include PCSM narrative and drawings for remaining impervious area. Also include a map showing the proposed contours of the site restoration plan.

If there are additional stages of the project prior to permit termination or expiration, list the stages and provide the documents required by subsection 'a' to section 'g' for each stage (e.g. partial restoration or changes to the amount of compacted areas, gravel, and/or impervious areas). Upload a narrative for each additional stage in addition to the drawings.

EXAMPLE

Stage No	Stage Name	PCSM Plan	SR Plan
Stage 1	Phase 1: Adelphia Gateway	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 2	Phase 2A: Tilghman & Parkway Laterals (PA/DE State line to Transco)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 3	Phase 2B: Tilghman Lateral	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 4		<input type="checkbox"/>	<input type="checkbox"/>

Act 167 Consistency. Check those that apply.

Site:

Is there an Act 167 Plan? Yes No

Chester Creek Blowdown

The attached PCSM/SR Plan is consistent with an applicable approved Act 167 Plan.

Complete the following for all approved Act 167 Stormwater Management Plans. (Use additional sheets if necessary)

Act 167 Plan Name	Date Adopted	Consistency Letter Included	<input type="checkbox"/>
<u>Chester Creek Watershed</u>	<u>June 2002</u>	Verification Report Included	<input checked="" type="checkbox"/>

Note: A consistency letter is not required if a verification report is provided. See NOI Instructions. The PCSM/SR Plan must satisfy either sub paragraph 1, 2, or 3 below. Check those that apply.

- Act 167 Plan approvals on or after January 2005 – The attached PCSM/SR Plan, in its entirety, is consistent with all requirements pertaining to rate, volume, and water quality from an Act 167 Stormwater Management Plan approved by DEP on or after January 2005. Box 1 must be checked if a current, DEP approved Act 167 plan exists.
- The PCSM/SR Plan meets the standard design criteria from sections 102.8(g)(2) and (3) and the *Stormwater BMP Manual*. For projects involving oil and gas activities authorized by a permit issued under Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure, post construction stormwater management requirements are met for all areas that are restored to preconstruction conditions or to a condition of meadow in good condition or better. [Note: PCSM plans must meet both the volume and rate requirements in the regulations, which are provided in the 2 sections mentioned in this paragraph].
- Alternative Design Standard – The attached PCSM/SR Plan was developed using approaches as provided in 102.8(g)(2)(iv) and 102.8(g)(3)(iii). Demonstrate/explain in the space provided below how this standard will be either more protective than what is required in 102.8(g)(2) and 102.8(g)(3) or will maintain and protect existing water quality and existing and designated uses.

PCSM/SR BMP Alternative Standards:

Has the alternative BMP or design standard been approved by the Department?

Yes

No – Do not submit the ESCGP-3 application and see Section (H) of the NOI Instructions concerning the alternative BMP approval process.

Water Quality Compliance:

Does the PCSM/SR plan comply with requirements for volume control? Yes No

If yes, is at least 90% of the disturbed area controlled by a PCSM BMP? Yes No

If yes, do you have the Standard PCSM Worksheet # 10 attached to show water quality compliance has achieved?

Yes No → **SITE RESTORATION ONLY - MEET SECTION 102.8(g)(2) and (3),
WORKSHEET #10, #12 & #13 ARE NOT APPLICABLE**

If no, attach Standard PCSM Worksheets # 12 and #13 to show water quality compliance has achieved.

If PCSM/SR plan is not complying with the requirements for volume control, attach Standard PCSM Worksheets # 11, # 12 and #13 to show water quality compliance has achieved.

a. PCSM/SR Plan Summary

Provide a summary of proposed BMPs and their performance to manage PCSM/SR for the project.

All sites will be restored to pre-existing conditions. By limiting the disturbed areas, limiting extent and duration of disturbance and performing site restoration, these practices will eliminate the net change in rate, volume and water quality after construction.

Check all that apply PCSM BMPs SR BMPs

b. Do you have any information regarding riparian buffer which differs from what was submitted in the Section G, Riparian Buffer?

Yes No

Explain:

c. Thermal Impacts Analysis

Explain how thermal impacts associated with this project were avoided, minimized, or mitigated.

Thermal impacts have been minimized by limiting the disturbed area to the maximum extent practicable. By minimizing the extent of the disturbed area, vegetative clearing has been minimized. Thermal impacts will also be minimizing the duration of disturbance and reseeding and restoring vegetative growth as soon as possible.

d. Off-Site Discharge Analysis.

Does the activity propose any off-site discharges to areas other than surface waters? Yes No

If yes, it is the applicant's responsibility to ensure that they have legal authority for any off-site discharge to neighboring properties.

The Applicant must provide a demonstration in both the E&S and PCSM/SR Plans that the discharge will not cause erosion, damage, or a nuisance to off-site properties.

See PCSM Narrative, Section XI, Page 15

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)
 The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Chester Creek			
Volume Control design storm frequency <u>N/A</u> Rainfall amount <u>N/A</u> inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		N/A	N/A
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	N/A	N/A	N/A
2) 10-Year/24-Hour	N/A	N/A	N/A
3) 50-year/24-Hour	N/A	N/A	N/A
4) 100-year/24-Hour	N/A	N/A	N/A

f. Summary Description of PCSM/SR BMPs SITE RESTORATION ONLY

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input checked="" type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

License professional to be present during the site restoration activities as noted the in Site Restoration Schedule.

SECTION H. POST CONSTRUCTION STORMWATER MANAGEMENT (PCSM) AND/OR SITE RESTORATION(SR) PLAN

See NOI Instructions for additional guidance with PCSM Plans

PCSM/SR BMPs should be designed to use natural measures to eliminate pollution, infiltrate runoff, not require extensive construction/maintenance, promote pollutant reduction, and preserve the integrity of stream channels. All PCSM/SR BMPs proposed in the PCSM/SR Plan must be designed in accordance with Ch. 102, Ch. 78a for unconventional operations, Ch. 78 for conventional operations and the *Pennsylvania Stormwater Best Management Practices Manual (Stormwater BMP Manual)* (363-0300-002). If alternate design criteria are utilized for the proposed project, they must have prior approval by the Department, or the NOI Application will be returned to the Applicant.

After construction is completed, how much of the entire disturbed area will be restored to meadow in good condition or better, or existing conditions? All Partial None

Include PCSM narrative and drawings for remaining impervious area. Also include a map showing the proposed contours of the site restoration plan.

If there are additional stages of the project prior to permit termination or expiration, list the stages and provide the documents required by subsection 'a' to section 'g' for each stage (e.g. partial restoration or changes to the amount of compacted areas, gravel, and/or impervious areas). Upload a narrative for each additional stage in addition to the drawings.

EXAMPLE

Stage No	Stage Name	PCSM Plan	SR Plan
Stage 1	Phase 1: Adelphia Gateway	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 2	Phase 2A: Tilghman & Parkway Laterals (PA/DE State line to Transco)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 3	Phase 2B: Tilghman Lateral	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 4		<input type="checkbox"/>	<input type="checkbox"/>

Act 167 Consistency. Check those that apply.

Is there an Act 167 Plan? Yes No

The attached PCSM/SR Plan is consistent with an applicable approved Act 167 Plan.

Site:
Schuylkill River Blowdown
Cromby Blowdown
French Creek Blowdown

Complete the following for all approved Act 167 Stormwater Management Plans. (Use additional sheets if necessary)

Act 167 Plan Name	Date Adopted	Consistency Letter Included	<input type="checkbox"/>
<u>Chester County-wide</u>	<u>March 27, 2013</u>	Verification Report Included	<input checked="" type="checkbox"/>

Note: A consistency letter is not required if a verification report is provided. See NOI Instructions. The PCSM/SR Plan must satisfy either sub paragraph 1, 2, or 3 below. Check those that apply.

- Act 167 Plan approvals on or after January 2005 – The attached PCSM/SR Plan, in its entirety, is consistent with all requirements pertaining to rate, volume, and water quality from an Act 167 Stormwater Management Plan approved by DEP on or after January 2005. Box 1 must be checked if a current, DEP approved Act 167 plan exists.
- The PCSM/SR Plan meets the standard design criteria from sections 102.8(g)(2) and (3) and the *Stormwater BMP Manual*. For projects involving oil and gas activities authorized by a permit issued under Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure, post construction stormwater management requirements are met for all areas that are restored to preconstruction conditions or to a condition of meadow in good condition or better. [Note: PCSM plans must meet both the volume and rate requirements in the regulations, which are provided in the 2 sections mentioned in this paragraph].
- Alternative Design Standard – The attached PCSM/SR Plan was developed using approaches as provided in 102.8(g)(2)(iv) and 102.8(g)(3)(iii). Demonstrate/explain in the space provided below how this standard will be either more protective than what is required in 102.8(g)(2) and 102.8(g)(3) or will maintain and protect existing water quality and existing and designated uses.

PCSM/SR BMP Alternative Standards:

Has the alternative BMP or design standard been approved by the Department?

Yes

No – Do not submit the ESCGP-3 application and see Section (H) of the NOI Instructions concerning the alternative BMP approval process.

Water Quality Compliance:

Does the PCSM/SR plan comply with requirements for volume control? Yes No

If yes, is at least 90% of the disturbed area controlled by a PCSM BMP? Yes No

If yes, do you have the Standard PCSM Worksheet # 10 attached to show water quality compliance has achieved?

Yes No → **SITE RESTORATION ONLY - MEET SECTION 102.8(g)(2) and (3). Per 102.8(n), WORKSHEET #10, #12 & #13 ARE NOT APPLICABLE**

If no, attach Standard PCSM Worksheets # 12 and #13 to show water quality compliance has achieved.

If PCSM/SR plan is not complying with the requirements for volume control, attach Standard PCSM Worksheets # 11, # 12 and #13 to show water quality compliance has achieved.

a. PCSM/SR Plan Summary

Provide a summary of proposed BMPs and their performance to manage PCSM/SR for the project.

All sites will be restored to pre-existing conditions. By limiting the disturbed areas, limiting extent and duration of disturbance and performing site restoration, these practices will eliminate the net change in rate, volume and water quality after construction.

Check all that apply PCSM BMPs SR BMPs

b. Do you have any information regarding riparian buffer which differs from what was submitted in the Section G, Riparian Buffer?

Yes No

Explain:

c. Thermal Impacts Analysis

Explain how thermal impacts associated with this project were avoided, minimized, or mitigated.

Thermal impacts have been minimized by limiting the disturbed area to the maximum extent practicable. By minimizing the extent of the disturbed area, vegetative clearing has been minimized. Thermal impacts will also be minimizing the duration of disturbance and reseeding and restoring vegetative growth as soon as possible.

d. Off-Site Discharge Analysis.

Does the activity propose any off-site discharges to areas other than surface waters? Yes No

If yes, it is the applicant's responsibility to ensure that they have legal authority for any off-site discharge to neighboring properties.

The Applicant must provide a demonstration in both the E&S and PCSM/SR Plans that the discharge will not cause erosion, damage, or a nuisance to off-site properties.

See PCSM Narrative, Section XI, Page 15

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)
 The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Schuylkill River			
Volume Control design storm frequency <u>N/A</u> Rainfall amount <u>N/A</u> inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		N/A	N/A
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	N/A	N/A	N/A
2) 10-Year/24-Hour	N/A	N/A	N/A
3) 50-year/24-Hour	N/A	N/A	N/A
4) 100-year/24-Hour	N/A	N/A	N/A

f. Summary Description of PCSM/SR BMPs SITE RESTORATION ONLY

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input checked="" type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

License professional to be present during the site restoration activities as noted the in Site Restoration Schedule.

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)
 The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Stony Run			
Volume Control design storm frequency <u>N/A</u> Rainfall amount <u>N/A</u> inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		N/A	N/A
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	N/A	N/A	N/A
2) 10-Year/24-Hour	N/A	N/A	N/A
3) 50-year/24-Hour	N/A	N/A	N/A
4) 100-year/24-Hour	N/A	N/A	N/A

f. Summary Description of PCSM/SR BMPs SITE RESTORATION ONLY

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.
 For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input checked="" type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

License professional to be present during the site restoration activities as noted the in Site Restoration Schedule.

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)
 The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: French Creek			
Volume Control design storm frequency <u>N/A</u> Rainfall amount <u>N/A</u> inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		N/A	N/A
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	N/A	N/A	N/A
2) 10-Year/24-Hour	N/A	N/A	N/A
3) 50-year/24-Hour	N/A	N/A	N/A
4) 100-year/24-Hour	N/A	N/A	N/A

f. Summary Description of PCSM/SR BMPs SITE RESTORATION ONLY

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input checked="" type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

License professional to be present during the site restoration activities as noted the in Site Restoration Schedule.

SECTION H. POST CONSTRUCTION STORMWATER MANAGEMENT (PCSM) AND/OR SITE RESTORATION(SR) PLAN

See NOI Instructions for additional guidance with PCSM Plans

PCSM/SR BMPs should be designed to use natural measures to eliminate pollution, infiltrate runoff, not require extensive construction/maintenance, promote pollutant reduction, and preserve the integrity of stream channels. All PCSM/SR BMPs proposed in the PCSM/SR Plan must be designed in accordance with Ch. 102, Ch. 78a for unconventional operations, Ch. 78 for conventional operations and the *Pennsylvania Stormwater Best Management Practices Manual (Stormwater BMP Manual)* (363-0300-002). If alternate design criteria are utilized for the proposed project, they must have prior approval by the Department, or the NOI Application will be returned to the Applicant.

After construction is completed, how much of the entire disturbed area will be restored to meadow in good condition or better, or existing conditions? All Partial None

Include PCSM narrative and drawings for remaining impervious area. Also include a map showing the proposed contours of the site restoration plan.

If there are additional stages of the project prior to permit termination or expiration, list the stages and provide the documents required by subsection 'a' to section 'g' for each stage (e.g. partial restoration or changes to the amount of compacted areas, gravel, and/or impervious areas). Upload a narrative for each additional stage in addition to the drawings.

EXAMPLE

Stage No	Stage Name	PCSM Plan	SR Plan
Stage 1	Phase 1: Adelphia Gateway	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 2	Phase 2A: Tilghman & Parkway Laterals (PA/DE State line to Transco)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 3	Phase 2B: Tilghman Lateral	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 4		<input type="checkbox"/>	<input type="checkbox"/>

Act 167 Consistency. Check those that apply. **Sites:**
 Is there an Act 167 Plan? Yes No **Transco Meter Station**
Marcus Hook Compressor Station

The attached PCSM/SR Plan is consistent with an applicable approved Act 167 Plan.

Complete the following for all approved Act 167 Stormwater Management Plans. (Use additional sheets if necessary)

Act 167 Plan Name	Date Adopted	Consistency Letter Included	<input type="checkbox"/>
<u>Naaman's Creek</u>	<u>N/A</u>	Verification Report Included	<input type="checkbox"/>

Note: A consistency letter is not required if a verification report is provided. See NOI Instructions. The PCSM/SR Plan must satisfy either sub paragraph 1, 2, or 3 below. Check those that apply.

- Act 167 Plan approvals on or after January 2005 – The attached PCSM/SR Plan, in its entirety, is consistent with all requirements pertaining to rate, volume, and water quality from an Act 167 Stormwater Management Plan approved by DEP on or after January 2005. Box 1 must be checked if a current, DEP approved Act 167 plan exists.
- The PCSM/SR Plan meets the standard design criteria from sections 102.8(g)(2) and (3) and the *Stormwater BMP Manual*. For projects involving oil and gas activities authorized by a permit issued under Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure, post construction stormwater management requirements are met for all areas that are restored to preconstruction conditions or to a condition of meadow in good condition or better. [Note: PCSM plans must meet both the volume and rate requirements in the regulations, which are provided in the 2 sections mentioned in this paragraph].
- Alternative Design Standard – The attached PCSM/SR Plan was developed using approaches as provided in 102.8(g)(2)(iv) and 102.8(g)(3)(iii). Demonstrate/explain in the space provided below how this standard will be either more protective than what is required in 102.8(g)(2) and 102.8(g)(3) or will maintain and protect existing water quality and existing and designated uses.

PCSM/SR BMP Alternative Standards:

Has the alternative BMP or design standard been approved by the Department?

Yes

No – Do not submit the ESCGP-3 application and see Section (H) of the NOI Instructions concerning the alternative BMP approval process.

Water Quality Compliance:

Does the PCSM/SR plan comply with requirements for volume control? Yes No

If yes, is at least 90% of the disturbed area controlled by a PCSM BMP? Yes No

If yes, do you have the Standard PCSM Worksheet # 10 attached to show water quality compliance has achieved?

Yes No

If no, attach Standard PCSM Worksheets # 12 and #13 to show water quality compliance has achieved.

If PCSM/SR plan is not complying with the requirements for volume control, attach Standard PCSM Worksheets # 11, # 12 and #13 to show water quality compliance has achieved. **See PCSM Narrative, Section VII & App. D.1**

a. PCSM/SR Plan Summary

Provide a summary of proposed BMPs and their performance to manage PCSM/SR for the project.

The following Best Management Practices (BMP), in accordance with Pennsylvania Stormwater BMP Manual, dated December 2006, have been integrated into the design to reduce runoff volume, reduce peak rates and improve water quality. These structural BMPs will result in the prevention or minimization of increased stormwater runoff rate, volume and/or changes in stormwater runoff. Implementing these controls will preserve the integrity of stream channels and maintain and protect the physical, biological and chemical qualities of the receiving stream.

A vegetated MRC BMP will be constructed at Marcus Hook Compressor Station. This structural BMP serves the functions of volume reduction, runoff quality and peak rate reduction. A subsurface infiltration bed (BMP 6.4.3, StormTank) will be constructed at Transco Meter Station. This structural BMP serves the functions of volume reduction, runoff quality and peak rate reduction.

Check all that apply PCSM BMPs SR BMPs

b. Do you have any information regarding riparian buffer which differs from what was submitted in the Section G, Riparian Buffer?

Yes No

Explain:

c. Thermal Impacts Analysis

Explain how thermal impacts associated with this project were avoided, minimized, or mitigated.

Thermal impacts associated with the project will be minimized and/or mitigated through the incorporation of a vegetated MRC BMP. Runoff from the impervious areas will be directed to the BMPs where the travel time is increased to infiltrate and/or store runoff, reducing the quantity and temperature of the runoff.

The subsurface basin at Transco Meter Station will temporarily store stormwater runoff beneath the surface, away from direct sunlight and will promote infiltration which will release water into the groundwater instead of discharging to the surface waters. The surface basin at Marcus Hook Compressor Station will be vegetated. Landscaping and vegetative cover will mimic natural ecosystems, resulting in a system that is resistant to climatic stresses. Additionally, the basin's outlet structure is designed to promote the slow release of outflow to the surface waters.

d. Off-Site Discharge Analysis.

Does the activity propose any off-site discharges to areas other than surface waters? Yes No

If yes, it is the applicant's responsibility to ensure that they have legal authority for any off-site discharge to neighboring properties.

The Applicant must provide a demonstration in both the E&S and PCSM/SR Plans that the discharge will not cause erosion, damage, or a nuisance to off-site properties.

See PCSM Narrative, Section XI, Page 15

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)
 The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Naamans Creek (Site - Marcus Hook Compressor Site)			
Volume Control design storm frequency 2-yr Rainfall amount 3.4 inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	0.80	1.44	0.64
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	1.220	1.320	+0.100
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		0.427	+0.327
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	24.85	16.66	-8.19
2) 10-Year/24-Hour	39.80	25.84	-13.99
3) 50-year/24-Hour	60.98	43.13	-17.85
4) 100-year/24-Hour	73.05	51.46	-21.59

f. Summary Description of PCSM/SR BMPs

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input checked="" type="checkbox"/> Rain Garden/ Bioretention(MRC) <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ <u>0.377</u> _____	_____ _____ _____ <u>2.20</u> _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

A licensed professional should be present and witness the following stages in construction:

Excavation and final grading of the BMP.

Placement of geotextile and aggregate within the BMP.

Construction of the outlet structure and discharging of piping from the BMP.

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)
 The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Naamans Creek (Site - Transco Meter Station Site)			
Volume Control design storm frequency 2-yr Rainfall amount 3.4 inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	0.000	0.152	0.152
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	0.070	0.143	+0.073
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		0.073	0.000
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	1.22	0.35	-0.87
2) 10-Year/24-Hour	2.70	1.04	-1.66
3) 50-year/24-Hour	5.10	3.87	-1.23
4) 100-year/24-Hour	6.55	4.86	-1.69

f. Summary Description of PCSM/SR BMPs

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input checked="" type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ <u>0.105</u> _____ _____ _____	_____ <u>0.64</u> _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

A licensed professional should be present and witness the following stages in construction:

Excavation and final grading of the BMP.

Placement of geotextile and aggregate within the BMP.

Construction of the outlet structure and discharging of piping from the BMP.

SECTION H. POST CONSTRUCTION STORMWATER MANAGEMENT (PCSM) AND/OR SITE RESTORATION(SR) PLAN

See NOI Instructions for additional guidance with PCSM Plans

PCSM/SR BMPs should be designed to use natural measures to eliminate pollution, infiltrate runoff, not require extensive construction/maintenance, promote pollutant reduction, and preserve the integrity of stream channels. All PCSM/SR BMPs proposed in the PCSM/SR Plan must be designed in accordance with Ch. 102, Ch. 78a for unconventional operations, Ch. 78 for conventional operations and the *Pennsylvania Stormwater Best Management Practices Manual (Stormwater BMP Manual)* (363-0300-002). If alternate design criteria are utilized for the proposed project, they must have prior approval by the Department, or the NOI Application will be returned to the Applicant.

After construction is completed, how much of the entire disturbed area will be restored to meadow in good condition or better, or existing conditions? All Partial None

Include PCSM narrative and drawings for remaining impervious area. Also include a map showing the proposed contours of the site restoration plan.

If there are additional stages of the project prior to permit termination or expiration, list the stages and provide the documents required by subsection 'a' to section 'g' for each stage (e.g. partial restoration or changes to the amount of compacted areas, gravel, and/or impervious areas). Upload a narrative for each additional stage in addition to the drawings.

EXAMPLE

Stage No	Stage Name	PCSM Plan	SR Plan
Stage 1	Phase 1: Adelphia Gateway	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 2	Phase 2A: Tilghman & Parkway Laterals (PA/DE State line to Transco)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 3	Phase 2B: Tilghman Lateral	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 4		<input type="checkbox"/>	<input type="checkbox"/>

Act 167 Consistency. Check those that apply.

Site:

Is there an Act 167 Plan? Yes No

Skippack Pike Meter Blowdown

The attached PCSM/SR Plan is consistent with an applicable approved Act 167 Plan.

Complete the following for all approved Act 167 Stormwater Management Plans. (Use additional sheets if necessary)

Act 167 Plan Name	Date Adopted	Consistency Letter Included	<input type="checkbox"/>
<u>East Branch of Perkiomen Creek</u>	<u>May 5, 2004</u>	Verification Report Included	<input checked="" type="checkbox"/>

Note: A consistency letter is not required if a verification report is provided. See NOI Instructions. The PCSM/SR Plan must satisfy either sub paragraph 1, 2, or 3 below. Check those that apply.

- Act 167 Plan approvals on or after January 2005 – The attached PCSM/SR Plan, in its entirety, is consistent with all requirements pertaining to rate, volume, and water quality from an Act 167 Stormwater Management Plan approved by DEP on or after January 2005. Box 1 must be checked if a current, DEP approved Act 167 plan exists.
- The PCSM/SR Plan meets the standard design criteria from sections 102.8(g)(2) and (3) and the *Stormwater BMP Manual*. For projects involving oil and gas activities authorized by a permit issued under Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure, post construction stormwater management requirements are met for all areas that are restored to preconstruction conditions or to a condition of meadow in good condition or better. [Note: PCSM plans must meet both the volume and rate requirements in the regulations, which are provided in the 2 sections mentioned in this paragraph].
- Alternative Design Standard – The attached PCSM/SR Plan was developed using approaches as provided in 102.8(g)(2)(iv) and 102.8(g)(3)(iii). Demonstrate/explain in the space provided below how this standard will be either more protective than what is required in 102.8(g)(2) and 102.8(g)(3) or will maintain and protect existing water quality and existing and designated uses.

PCSM/SR BMP Alternative Standards:

Has the alternative BMP or design standard been approved by the Department?

Yes

No – Do not submit the ESCGP-3 application and see Section (H) of the NOI Instructions concerning the alternative BMP approval process.

Water Quality Compliance:

Does the PCSM/SR plan comply with requirements for volume control? Yes No

If yes, is at least 90% of the disturbed area controlled by a PCSM BMP? Yes No

If yes, do you have the Standard PCSM Worksheet # 10 attached to show water quality compliance has achieved?

Yes No

SITE RESTORATION ONLY - MEET SECTION 102.8(g)(2) and (3). Per 102.8(n), WORKSHEET #10, #12 & #13 ARE NOT APPLICABLE

If no, attach Standard PCSM Worksheets # 12 and #13 to show water quality compliance has achieved.

If PCSM/SR plan is not complying with the requirements for volume control, attach Standard PCSM Worksheets # 11, # 12 and #13 to show water quality compliance has achieved.

a. PCSM/SR Plan Summary

Provide a summary of proposed BMPs and their performance to manage PCSM/SR for the project.

All sites will be restored to pre-existing conditions. By limiting the disturbed areas, limiting extent and duration of disturbance and performing site restoration, these practices will eliminate the net change in rate, volume and water quality after construction.

Check all that apply PCSM BMPs SR BMPs

b. Do you have any information regarding riparian buffer which differs from what was submitted in the Section G, Riparian Buffer?

Yes No

Explain:

c. Thermal Impacts Analysis

Explain how thermal impacts associated with this project were avoided, minimized, or mitigated.

Thermal impacts have been minimized by limiting the disturbed area to the maximum extent practicable. By minimizing the extent of the disturbed area, vegetative clearing has been minimized. Thermal impacts will also be minimizing the duration of disturbance and reseeding and restoring vegetative growth as soon as possible.

d. Off-Site Discharge Analysis.

Does the activity propose any off-site discharges to areas other than surface waters? Yes No

If yes, it is the applicant's responsibility to ensure that they have legal authority for any off-site discharge to neighboring properties.

The Applicant must provide a demonstration in both the E&S and PCSM/SR Plans that the discharge will not cause erosion, damage, or a nuisance to off-site properties.

See PCSM Narrative, Section XI, Page 15

e. Summary Table for Supporting Calculation and Measurement Data
(See NOI Instructions for additional guidance with this section)

The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Perkiomen Creek			
Volume Control design storm frequency <u>N/A</u> Rainfall amount <u>N/A</u> inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		N/A	N/A
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	N/A	N/A	N/A
2) 10-Year/24-Hour	N/A	N/A	N/A
3) 50-year/24-Hour	N/A	N/A	N/A
4) 100-year/24-Hour	N/A	N/A	N/A

f. Summary Description of PCSM/SR BMPs **SITE RESTORATION ONLY**

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

License professional to be present during the site restoration activities as noted the in Site Restoration Schedule.

SECTION H. POST CONSTRUCTION STORMWATER MANAGEMENT (PCSM) AND/OR SITE RESTORATION(SR) PLAN

See NOI Instructions for additional guidance with PCSM Plans

PCSM/SR BMPs should be designed to use natural measures to eliminate pollution, infiltrate runoff, not require extensive construction/maintenance, promote pollutant reduction, and preserve the integrity of stream channels. All PCSM/SR BMPs proposed in the PCSM/SR Plan must be designed in accordance with Ch. 102, Ch. 78a for unconventional operations, Ch. 78 for conventional operations and the *Pennsylvania Stormwater Best Management Practices Manual (Stormwater BMP Manual)* (363-0300-002). If alternate design criteria are utilized for the proposed project, they must have prior approval by the Department, or the NOI Application will be returned to the Applicant.

After construction is completed, how much of the entire disturbed area will be restored to meadow in good condition or better, or existing conditions? All Partial None

Include PCSM narrative and drawings for remaining impervious area. Also include a map showing the proposed contours of the site restoration plan.

If there are additional stages of the project prior to permit termination or expiration, list the stages and provide the documents required by subsection 'a' to section 'g' for each stage (e.g. partial restoration or changes to the amount of compacted areas, gravel, and/or impervious areas). Upload a narrative for each additional stage in addition to the drawings.

EXAMPLE

Stage No	Stage Name	PCSM Plan	SR Plan
Stage 1	Phase 1: Adelphia Gateway	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 2	Phase 2A: Tilghman & Parkway Laterals (PA/DE State line to Transco)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 3	Phase 2B: Tilghman Lateral	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 4		<input type="checkbox"/>	<input type="checkbox"/>

Act 167 Consistency. Check those that apply.

Site:

Is there an Act 167 Plan? Yes No

Quakertown Compressor Station

The attached PCSM/SR Plan is consistent with an applicable approved Act 167 Plan.

Complete the following for all approved Act 167 Stormwater Management Plans. (Use additional sheets if necessary)

Act 167 Plan Name	Date Adopted	Consistency Letter Included	<input type="checkbox"/>
<u>Tohickon Creek</u>	<u>February 28, 2002</u>	Verification Report Included	<input checked="" type="checkbox"/>

Note: A consistency letter is not required if a verification report is provided. See NOI Instructions. The PCSM/SR Plan must satisfy either sub paragraph 1, 2, or 3 below. Check those that apply.

- Act 167 Plan approvals on or after January 2005 – The attached PCSM/SR Plan, in its entirety, is consistent with all requirements pertaining to rate, volume, and water quality from an Act 167 Stormwater Management Plan approved by DEP on or after January 2005. Box 1 must be checked if a current, DEP approved Act 167 plan exists.
- The PCSM/SR Plan meets the standard design criteria from sections 102.8(g)(2) and (3) and the *Stormwater BMP Manual*. For projects involving oil and gas activities authorized by a permit issued under Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure, post construction stormwater management requirements are met for all areas that are restored to preconstruction conditions or to a condition of meadow in good condition or better. [Note: PCSM plans must meet both the volume and rate requirements in the regulations, which are provided in the 2 sections mentioned in this paragraph].
- Alternative Design Standard – The attached PCSM/SR Plan was developed using approaches as provided in 102.8(g)(2)(iv) and 102.8(g)(3)(iii). Demonstrate/explain in the space provided below how this standard will be either more protective than what is required in 102.8(g)(2) and 102.8(g)(3) or will maintain and protect existing water quality and existing and designated uses.

PCSM/SR BMP Alternative Standards:

Has the alternative BMP or design standard been approved by the Department?

Yes

No – Do not submit the ESCGP-3 application and see Section (H) of the NOI Instructions concerning the alternative BMP approval process.

Water Quality Compliance:

Does the PCSM/SR plan comply with requirements for volume control? Yes No

If yes, is at least 90% of the disturbed area controlled by a PCSM BMP? Yes No

If yes, do you have the Standard PCSM Worksheet # 10 attached to show water quality compliance has achieved?

Yes No

If no, attach Standard PCSM Worksheets # 12 and #13 to show water quality compliance has achieved.

If PCSM/SR plan is not complying with the requirements for volume control, attach Standard PCSM Worksheets # 11, # 12 and #13 to show water quality compliance has achieved.

See PCSM Narrative, Section VII & App. D.1

a. PCSM/SR Plan Summary

Provide a summary of proposed BMPs and their performance to manage PCSM/SR for the project.

The following Best Management Practices (BMP), in accordance with Pennsylvania Stormwater BMP Manual, dated December 2006, have been integrated into the design to reduce runoff volume, reduce peak rates and improve water quality. These structural BMPs will result in the prevention or minimization of increased stormwater runoff rate, volume and/or changes in stormwater runoff. Implementing these controls will preserve the integrity of stream channels and maintain and protect the physical, biological and chemical qualities of the receiving stream.

A non-vegetated managed release concept (MRC) BMP will be installed at Quakertown Compressor Station. The MRC BMP will be non-vegetated with underground storage chambers (Storm-tank). A stormwater swale with check dams will be installed upstream of the MRC BMP. This combination of structural BMPs serves the functions of volume reduction, runoff quality and peak rate reduction.

Check all that apply PCSM BMPs SR BMPs

b. Do you have any information regarding riparian buffer which differs from what was submitted in the Section G, Riparian Buffer?

Yes No

Explain:

c. Thermal Impacts Analysis

Explain how thermal impacts associated with this project were avoided, minimized, or mitigated.

Thermal impacts associated with the project will be minimized and/or mitigated through the incorporation a subsurface MRC basin and a stormwater swale with check dams. Runoff from the impervious areas will be directed to the BMPs where the travel time is increased to store runoff, reducing the quantity and temperature of the runoff.

The subsurface basin at Quakertown Compressor Station will temporarily store stormwater runoff beneath the surface, away from direct sunlight and will promote the slow release of outflow to the surface waters.

d. Off-Site Discharge Analysis.

Does the activity propose any off-site discharges to areas other than surface waters? Yes No

If yes, it is the applicant's responsibility to ensure that they have legal authority for any off-site discharge to neighboring properties.

The Applicant must provide a demonstration in both the E&S and PCSM/SR Plans that the discharge will not cause erosion, damage, or a nuisance to off-site properties.

See PCSM Narrative, Section XI, Page 15

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)

The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Tohickon Creek (Site - Quakertown Compressor Site)

Volume Control design storm frequency 2-yr Rainfall amount 3.16 inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	0.006	0.390	0.384
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	0.203	0.295	+0.092
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		0.148	-0.056
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	3.32	2.38	-0.94
2) 10-Year/24-Hour	5.85	3.67	-2.18
3) 50-year/24-Hour	9.48	5.44	-4.04
4) 100-year/24-Hour	11.54	6.67	-4.87

f. Summary Description of PCSM/SR BMPs

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input checked="" type="checkbox"/> Retention Basin (MRC)	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ	_____ _____ <u>0.192</u>	_____ _____ <u>1.09</u>
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

A licensed professional should be present and witness the following stages in construction:

Excavation and final grading of the BMP.

Placement of geotextile and aggregate within the BMP.

Construction of the outlet structure and discharging of piping from the BMP.

SECTION H. POST CONSTRUCTION STORMWATER MANAGEMENT (PCSM) AND/OR SITE RESTORATION(SR) PLAN

See NOI Instructions for additional guidance with PCSM Plans

PCSM/SR BMPs should be designed to use natural measures to eliminate pollution, infiltrate runoff, not require extensive construction/maintenance, promote pollutant reduction, and preserve the integrity of stream channels. All PCSM/SR BMPs proposed in the PCSM/SR Plan must be designed in accordance with Ch. 102, Ch. 78a for unconventional operations, Ch. 78 for conventional operations and the *Pennsylvania Stormwater Best Management Practices Manual (Stormwater BMP Manual)* (363-0300-002). If alternate design criteria are utilized for the proposed project, they must have prior approval by the Department, or the NOI Application will be returned to the Applicant.

After construction is completed, how much of the entire disturbed area will be restored to meadow in good condition or better, or existing conditions? All Partial None

Include PCSM narrative and drawings for remaining impervious area. Also include a map showing the proposed contours of the site restoration plan.

If there are additional stages of the project prior to permit termination or expiration, list the stages and provide the documents required by subsection 'a' to section 'g' for each stage (e.g. partial restoration or changes to the amount of compacted areas, gravel, and/or impervious areas). Upload a narrative for each additional stage in addition to the drawings.

EXAMPLE

Stage No	Stage Name	PCSM Plan	SR Plan
Stage 1	Phase 1: Adelphia Gateway	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 2	Phase 2A: Tilghman & Parkway Laterals (PA/DE State line to Transco)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 3	Phase 2B: Tilghman Lateral	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage 4		<input type="checkbox"/>	<input type="checkbox"/>

Act 167 Consistency. Check those that apply.

Site:

Mainline Valve 2

Is there an Act 167 Plan? Yes No

The attached PCSM/SR Plan is consistent with an applicable approved Act 167 Plan.

Complete the following for all approved Act 167 Stormwater Management Plans. (Use additional sheets if necessary)

Act 167 Plan Name	Date Adopted	Consistency Letter Included	<input type="checkbox"/>
<u>Valley Creek</u>	<u>July 30, 2010</u>	Verification Report Included	<input checked="" type="checkbox"/>

Note: A consistency letter is not required if a verification report is provided. See NOI Instructions. The PCSM/SR Plan must satisfy either sub paragraph 1, 2, or 3 below. Check those that apply.

- Act 167 Plan approvals on or after January 2005 – The attached PCSM/SR Plan, in its entirety, is consistent with all requirements pertaining to rate, volume, and water quality from an Act 167 Stormwater Management Plan approved by DEP on or after January 2005. Box 1 must be checked if a current, DEP approved Act 167 plan exists.
- The PCSM/SR Plan meets the standard design criteria from sections 102.8(g)(2) and (3) and the *Stormwater BMP Manual*. For projects involving oil and gas activities authorized by a permit issued under Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure, post construction stormwater management requirements are met for all areas that are restored to preconstruction conditions or to a condition of meadow in good condition or better. [Note: PCSM plans must meet both the volume and rate requirements in the regulations, which are provided in the 2 sections mentioned in this paragraph].
- Alternative Design Standard – The attached PCSM/SR Plan was developed using approaches as provided in 102.8(g)(2)(iv) and 102.8(g)(3)(iii). Demonstrate/explain in the space provided below how this standard will be either more protective than what is required in 102.8(g)(2) and 102.8(g)(3) or will maintain and protect existing water quality and existing and designated uses.

PCSM/SR BMP Alternative Standards:

Has the alternative BMP or design standard been approved by the Department?

Yes

No – Do not submit the ESCGP-3 application and see Section (H) of the NOI Instructions concerning the alternative BMP approval process.

Water Quality Compliance:

Does the PCSM/SR plan comply with requirements for volume control? Yes No

If yes, is at least 90% of the disturbed area controlled by a PCSM BMP? Yes No

If yes, do you have the Standard PCSM Worksheet # 10 attached to show water quality compliance has achieved?

Yes No

SITE RESTORATION ONLY - MEET SECTION 102.8(g)(2) and (3). Per 102.8(n), WORKSHEET #10, #12 & #13 ARE NOT APPLICABLE

If no, attach Standard PCSM Worksheets # 12 and #13 to show water quality compliance has achieved.

If PCSM/SR plan is not complying with the requirements for volume control, attach Standard PCSM Worksheets # 11, # 12 and #13 to show water quality compliance has achieved.

a. PCSM/SR Plan Summary

Provide a summary of proposed BMPs and their performance to manage PCSM/SR for the project.

All sites will be restored to pre-existing conditions. By limiting the disturbed areas, limiting extent and duration of disturbance and performing site restoration, these practices will eliminate the net change in rate, volume and water quality after construction.

Check all that apply PCSM BMPs SR BMPs

b. Do you have any information regarding riparian buffer which differs from what was submitted in the Section G, Riparian Buffer?

Yes No

Explain:

c. Thermal Impacts Analysis

Explain how thermal impacts associated with this project were avoided, minimized, or mitigated.

Thermal impacts have been minimized by limiting the disturbed area to the maximum extent practicable. By minimizing the extent of the disturbed area, vegetative clearing has been minimized. Thermal impacts will also be minimizing the duration of disturbance and reseeding and restoring vegetative growth as soon as possible.

d. Off-Site Discharge Analysis.

Does the activity propose any off-site discharges to areas other than surface waters? Yes No

If yes, it is the applicant's responsibility to ensure that they have legal authority for any off-site discharge to neighboring properties.

The Applicant must provide a demonstration in both the E&S and PCSM/SR Plans that the discharge will not cause erosion, damage, or a nuisance to off-site properties.

See PCSM Narrative, Section XI, Page 15

e. Summary Table for Supporting Calculation and Measurement Data
 (See NOI Instructions for additional guidance with this section)

The remainder of this section (Summary Table for Calculation and Measurement Data) does not need to be completed for areas of projects involving oil and gas activities authorized by Chapter 78 or Chapter 78a (well pads) or pipelines and other similar utility infrastructure which will be restored to meadow in good condition or better or existing conditions.

Watershed Name: Valley Creek			
Volume Control design storm frequency <u>N/A</u> Rainfall amount <u>N/A</u> inches	Pre-construction	Post Construction	Net Change
Impervious area (acres)	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) without planned stormwater BMPs	N/A	N/A	N/A
Volume of stormwater runoff (acre-feet) with planned stormwater BMPs		N/A	N/A
Stormwater discharge rate for the design frequency storm	Pre-construction	Post Construction	Net Change
1) 2-Year/24-Hour	N/A	N/A	N/A
2) 10-Year/24-Hour	N/A	N/A	N/A
3) 50-year/24-Hour	N/A	N/A	N/A
4) 100-year/24-Hour	N/A	N/A	N/A

f. Summary Description of PCSM/SR BMPs SITE RESTORATION ONLY

In the lists below, check the BMPs identified in the PCSM Plan. The primary function(s) of the BMP listed in the functions column (infiltration/recharge; detention/retention; water quality). Additional functions may be added if applicable to that BMP. List the stormwater volume and area of runoff to be treated by each BMP type when calculations are required. If any BMP in the PCSM/SR Plan is not listed below, describe it in the space provided after "Other". A summary table with infiltration testing information (Attachment E, included in the NOI Instructions) must be submitted for all Bio-infiltration BMPs included in PCSM/SR plan.

For Rate control provide the volume of stormwater treated and acres treated for the 100-year/24-hour storm event.

For volume control and water quality provide the volume of stormwater treated and acres treated for the 2-year/24-hour storm event.

Key for BMP purpose(s): VC = Volume Control; RC = Rate Control; and WQ = Water Quality

BMP	Function(s)	Purpose(s)	Volume of stormwater treated	Acres treated
Site Restoration ONLY <input checked="" type="checkbox"/> Restore Site to Meadow in Good Condition or Better, or Existing Conditions	Infiltration/Recharge Detention/WQ Treatment	<input checked="" type="checkbox"/> VC <input checked="" type="checkbox"/> RC <input checked="" type="checkbox"/> WQ	_____	_____
Bio-infiltration areas <input type="checkbox"/> Infiltration Trench <input type="checkbox"/> Infiltration Bed <input type="checkbox"/> Infiltration Basin <input type="checkbox"/> Rain Garden/ Bioretention <input type="checkbox"/> Infiltration Berm	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____

Natural Area Conservation <input type="checkbox"/> Streamside Buffer Zone <input type="checkbox"/> Wetland Buffer Zone <input type="checkbox"/> Sensitive Area Buffer Zone <input type="checkbox"/> Pre-Construction Drainage Pattern Intact	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____
Stormwater Retention <input type="checkbox"/> Constructed Wetlands <input type="checkbox"/> Wet Ponds <input type="checkbox"/> Retention Basin	Detention/Retention	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Sediment and Pollutant Removal <input type="checkbox"/> Vegetated Filter Strips <input type="checkbox"/> Compost Filter Sock <input type="checkbox"/> Detention Basins	Water Quality Treatment	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____	_____ _____ _____
Access Road Design <input type="checkbox"/> Road Crowning <input type="checkbox"/> Ditches <input type="checkbox"/> Turnouts <input type="checkbox"/> Culverts <input type="checkbox"/> Roadside Vegetated Filter Strips	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____ _____	_____ _____ _____ _____ _____
Stormwater Energy Dissipaters <input type="checkbox"/> Level Spreaders <input type="checkbox"/> Riprap Aprons <input type="checkbox"/> Upslope Diversions <input type="checkbox"/> Other _____	Infiltration/Recharge	<input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ <input type="checkbox"/> VC <input type="checkbox"/> RC <input type="checkbox"/> WQ	_____ _____ _____ _____	_____ _____ _____ _____

g. Critical PCSM Plan stages

Identify and list critical stages of implementation of the PCSM Plan for which a licensed professional or designee shall be present on site.

License professional to be present during the site restoration activities as noted the in Site Restoration Schedule.

CHESTER CREEK

SECTION I. ANTIDegradation ANALYSIS

This section must be completed where earth disturbance activities will be conducted in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), projects where any part is located in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, and projects where any part is located in the watershed of an impaired surface water where the cause of impairment is identified as siltation.

Part 1 - NONDISCHARGE ALTERNATIVES EVALUATION

The applicant must consider and describe any and all non-discharge alternatives for the entire project area which are environmentally sound and will:

- Minimize accelerated erosion and sedimentation during the earth disturbance activity
- Achieve no net change from pre-development to post-development volume, rate and concentration of pollutants in water quality

E & S Plan

PCSM/SR Plan

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used prior to, during, and after earth disturbance activities that have been incorporated into your E & S Plan based on the site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used after construction that have been incorporated into the PCSM/SR Plan based on your site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian forest buffer due to proximity to site.

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian forest buffer due to proximity to site. No BMPs proposed, therefore no infiltration and water reuse is applicable .

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Limited Disturbed Area
- Limiting Extent & Duration of Disturbance (Phasing, Sequencing)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Other _____

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Low Impact Development (LID / BSD)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Infiltration
- Water Reuse
- Other Site Restoration _____

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality during construction?
 Yes No

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality after construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

NAAMANS CREEK

SECTION I. ANTIDegradation ANALYSIS

This section must be completed where earth disturbance activities will be conducted in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), projects where any part is located in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, and projects where any part is located in the watershed of an impaired surface water where the cause of impairment is identified as siltation.

Part 1 - NONDISCHARGE ALTERNATIVES EVALUATION

The applicant must consider and describe any and all non-discharge alternatives for the entire project area which are environmentally sound and will:

- Minimize accelerated erosion and sedimentation during the earth disturbance activity
- Achieve no net change from pre-development to post-development volume, rate and concentration of pollutants in water quality

E & S Plan

PCSM/SR Plan

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used prior to, during, and after earth disturbance activities that have been incorporated into your E & S Plan based on the site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used after construction that have been incorporated into the PCSM/SR Plan based on your site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Limited Disturbed Area
- Limiting Extent & Duration of Disturbance (Phasing, Sequencing)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Other _____

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Low Impact Development (LID / BSD)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Infiltration
- Water Reuse
- Other Site Restoration _____

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality during construction?

- Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality after construction?

- Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

NAAMANS CREEK

PART 2 - ANTIDEGRADATION BEST AVAILABLE COMBINATION OF TECHNOLOGIES (ABACT)

If the net change in stormwater discharge from or after construction is not fully managed by nondischarge BMPs, the applicant must utilize ABACT BMPs to manage the difference. The Applicant must specify whether the discharge will occur during construction, post-construction or both, and identify the technologies that will be used to ensure that the discharge will be a non-degrading discharge. ABACT BMPs include but are not limited to:

E & S Plan	PCSM/SR Plan
<p><input checked="" type="checkbox"/> Treatment BMPs:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Sediment basin with skimmer <input type="checkbox"/> Sediment basin ratio of 4:1 or greater (flow length to basin width) <input type="checkbox"/> Sediment basin with 4-7 day detention <input type="checkbox"/> Flocculants <input checked="" type="checkbox"/> Compost Filter Socks <input type="checkbox"/> Compost Filter Sock Sediment Basin <input checked="" type="checkbox"/> RCE w/ Wash Rack <p><input type="checkbox"/> Land disposal:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Vegetated filters <input type="checkbox"/> Riparian buffers <150ft. <input type="checkbox"/> Riparian Forest Buffer <150ft. <input type="checkbox"/> Immediate stabilization <p><input checked="" type="checkbox"/> Pollution prevention:</p> <ul style="list-style-type: none"> <input type="checkbox"/> PPC Plans <input type="checkbox"/> Street sweeping <input checked="" type="checkbox"/> Channels, collectors and diversions lined with permanent vegetation, rock, geotextile or other non-erosive materials <p><input type="checkbox"/> Stormwater reuse technologies:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Sediment basin water for dust control <input type="checkbox"/> Sediment basin water for irrigation <p><input type="checkbox"/> Other _____</p>	<p><input checked="" type="checkbox"/> Treatment BMPs:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Infiltration Practices <input type="checkbox"/> Wet ponds <input type="checkbox"/> Created wetland treatment systems <input type="checkbox"/> Vegetated swales <input type="checkbox"/> Manufactured devices <input checked="" type="checkbox"/> Bio-retention/infiltration <input type="checkbox"/> Green Roofs <p><input checked="" type="checkbox"/> Land disposal:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Vegetated filters <input type="checkbox"/> Riparian Buffers <150ft. <input type="checkbox"/> Riparian Forest Buffer <150ft. <input type="checkbox"/> Disconnection of roof drainage <input checked="" type="checkbox"/> Bio-retention/bio-infiltration <p><input checked="" type="checkbox"/> Pollution prevention:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Street sweeping <input type="checkbox"/> Nutrient, pesticide, herbicide or other chemical application plan alternatives <input type="checkbox"/> PPC Plans <input type="checkbox"/> Non-structural Practices <input checked="" type="checkbox"/> Restoration BMPs <p><input type="checkbox"/> Stormwater reuse technologies:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Divert rainwater into impoundment <input type="checkbox"/> Underground storage <p><input type="checkbox"/> Spray/Drip Irrigation</p> <p><input type="checkbox"/> Other _____</p>
<p>Are the ABACT BMPs selected sufficient to minimize E&S discharges to the extent that existing or designated surface water uses are protected?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If yes, Antidegradation analysis is complete. If no, NOI Application will be returned to the Applicant.</p>	<p>Are the ABACT BMPs selected sufficient to achieve no net change and assure that existing or designated surface water uses are protected?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If yes, Antidegradation analysis is complete. If no, NOI Application will be returned to the Applicant.</p>

PERKIOMEN CREEK

SECTION I. ANTIDegradation ANALYSIS

This section must be completed where earth disturbance activities will be conducted in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), projects where any part is located in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, and projects where any part is located in the watershed of an impaired surface water where the cause of impairment is identified as siltation.

Part 1 - NONDISCHARGE ALTERNATIVES EVALUATION

The applicant must consider and describe any and all non-discharge alternatives for the entire project area which are environmentally sound and will:

- Minimize accelerated erosion and sedimentation during the earth disturbance activity
- Achieve no net change from pre-development to post-development volume, rate and concentration of pollutants in water quality

E & S Plan

PCSM/SR Plan

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used prior to, during, and after earth disturbance activities that have been incorporated into your E & S Plan based on the site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used after construction that have been incorporated into the PCSM/SR Plan based on your site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site. No BMPS proposed, therefore no infiltration and water reuse is applicable .

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Limited Disturbed Area
- Limiting Extent & Duration of Disturbance (Phasing, Sequencing)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Other _____

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Low Impact Development (LID / BSD)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Infiltration
- Water Reuse
- Other Site Restoration _____

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality during construction?
 Yes No

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality after construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

SCHUYLKILL RIVER

SECTION I. ANTIDegradation ANALYSIS

This section must be completed where earth disturbance activities will be conducted in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), projects where any part is located in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, and projects where any part is located in the watershed of an impaired surface water where the cause of impairment is identified as siltation.

Part 1 - NONDISCHARGE ALTERNATIVES EVALUATION

The applicant must consider and describe any and all non-discharge alternatives for the entire project area which are environmentally sound and will:

- Minimize accelerated erosion and sedimentation during the earth disturbance activity
- Achieve no net change from pre-development to post-development volume, rate and concentration of pollutants in water quality

E & S Plan

PCSM/SR Plan

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used prior to, during, and after earth disturbance activities that have been incorporated into your E & S Plan based on the site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used after construction that have been incorporated into the PCSM/SR Plan based on your site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site. No BMPS proposed, therefore no infiltration and water reuse is applicable .

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Limited Disturbed Area
- Limiting Extent & Duration of Disturbance (Phasing, Sequencing)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Other _____

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Low Impact Development (LID / BSD)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Infiltration
- Water Reuse
- Other Site Restoration _____

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality during construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality after construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

STONY RUN

SECTION I. ANTIDegradation ANALYSIS

This section must be completed where earth disturbance activities will be conducted in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), projects where any part is located in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, and projects where any part is located in the watershed of an impaired surface water where the cause of impairment is identified as siltation.

Part 1 - NONDISCHARGE ALTERNATIVES EVALUATION

The applicant must consider and describe any and all non-discharge alternatives for the entire project area which are environmentally sound and will:

- Minimize accelerated erosion and sedimentation during the earth disturbance activity
- Achieve no net change from pre-development to post-development volume, rate and concentration of pollutants in water quality

E & S Plan

PCSM/SR Plan

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used prior to, during, and after earth disturbance activities that have been incorporated into your E & S Plan based on the site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used after construction that have been incorporated into the PCSM/SR Plan based on your site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site. No BMPS proposed, therefore no infiltration and water reuse is applicable .

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Limited Disturbed Area
- Limiting Extent & Duration of Disturbance (Phasing, Sequencing)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Other _____

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Low Impact Development (LID / BSD)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Infiltration
- Water Reuse
- Other Site Restoration _____

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality during construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality after construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

TOHICKON CREEK

SECTION I. ANTIDegradation ANALYSIS

This section must be completed where earth disturbance activities will be conducted in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), projects where any part is located in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, and projects where any part is located in the watershed of an impaired surface water where the cause of impairment is identified as siltation.

Part 1 - NONDISCHARGE ALTERNATIVES EVALUATION

The applicant must consider and describe any and all non-discharge alternatives for the entire project area which are environmentally sound and will:

- Minimize accelerated erosion and sedimentation during the earth disturbance activity
- Achieve no net change from pre-development to post-development volume, rate and concentration of pollutants in water quality

E & S Plan

PCSM/SR Plan

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used prior to, during, and after earth disturbance activities that have been incorporated into your E & S Plan based on the site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used after construction that have been incorporated into the PCSM/SR Plan based on your site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Limited Disturbed Area
- Limiting Extent & Duration of Disturbance (Phasing, Sequencing)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Other _____

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Low Impact Development (LID / BSD)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Infiltration
- Water Reuse
- Other Site Restoration _____

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality during construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality after construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

TOHICKON CREEK

PART 2 - ANTIDEGRADATION BEST AVAILABLE COMBINATION OF TECHNOLOGIES (ABACT)

If the net change in stormwater discharge from or after construction is not fully managed by nondischarge BMPs, the applicant must utilize ABACT BMPs to manage the difference. The Applicant must specify whether the discharge will occur during construction, post-construction or both, and identify the technologies that will be used to ensure that the discharge will be a non-degrading discharge. ABACT BMPs include but are not limited to:

E & S Plan	PCSM/SR Plan
<p><input checked="" type="checkbox"/> Treatment BMPs:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Sediment basin with skimmer <input type="checkbox"/> Sediment basin ratio of 4:1 or greater (flow length to basin width) <input type="checkbox"/> Sediment basin with 4-7 day detention <input type="checkbox"/> Flocculants <input checked="" type="checkbox"/> Compost Filter Socks <input type="checkbox"/> Compost Filter Sock Sediment Basin <input checked="" type="checkbox"/> RCE w/ Wash Rack <p><input type="checkbox"/> Land disposal:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Vegetated filters <input type="checkbox"/> Riparian buffers <150ft. <input type="checkbox"/> Riparian Forest Buffer <150ft. <input type="checkbox"/> Immediate stabilization <p><input checked="" type="checkbox"/> Pollution prevention:</p> <ul style="list-style-type: none"> <input type="checkbox"/> PPC Plans <input type="checkbox"/> Street sweeping <input checked="" type="checkbox"/> Channels, collectors and diversions lined with permanent vegetation, rock, geotextile or other non-erosive materials <p><input type="checkbox"/> Stormwater reuse technologies:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Sediment basin water for dust control <input type="checkbox"/> Sediment basin water for irrigation <p><input type="checkbox"/> Other _____</p>	<p><input checked="" type="checkbox"/> Treatment BMPs:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Infiltration Practices <input type="checkbox"/> Wet ponds <input type="checkbox"/> Created wetland treatment systems <input type="checkbox"/> Vegetated swales <input type="checkbox"/> Manufactured devices <input checked="" type="checkbox"/> Bio-retention/infiltration <input type="checkbox"/> Green Roofs <p><input checked="" type="checkbox"/> Land disposal:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Vegetated filters <input type="checkbox"/> Riparian Buffers <150ft. <input type="checkbox"/> Riparian Forest Buffer <150ft. <input type="checkbox"/> Disconnection of roof drainage <input checked="" type="checkbox"/> Bio-retention/bio-infiltration <p><input checked="" type="checkbox"/> Pollution prevention:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Street sweeping <input type="checkbox"/> Nutrient, pesticide, herbicide or other chemical application plan alternatives <input type="checkbox"/> PPC Plans <input type="checkbox"/> Non-structural Practices <input checked="" type="checkbox"/> Restoration BMPs <p><input type="checkbox"/> Stormwater reuse technologies:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Divert rainwater into impoundment <input type="checkbox"/> Underground storage <p><input type="checkbox"/> Spray/Drip Irrigation</p> <p><input type="checkbox"/> Other _____</p>
<p>Are the ABACT BMPs selected sufficient to minimize E&S discharges to the extent that existing or designated surface water uses are protected?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If yes, Antidegradation analysis is complete. If no, NOI Application will be returned to the Applicant.</p>	<p>Are the ABACT BMPs selected sufficient to achieve no net change and assure that existing or designated surface water uses are protected?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If yes, Antidegradation analysis is complete. If no, NOI Application will be returned to the Applicant.</p>

VALLEY CREEK

SECTION I. ANTIDegradation ANALYSIS

This section must be completed where earth disturbance activities will be conducted in the watershed of a surface water with an existing or designated use of exceptional value or high quality pursuant to Chapter 93 (relating to water quality standards), projects where any part is located in an exceptional value wetland in accordance with 25 Pa. Code § 105.17, and projects where any part is located in the watershed of an impaired surface water where the cause of impairment is identified as siltation.

Part 1 - NONDISCHARGE ALTERNATIVES EVALUATION

The applicant must consider and describe any and all non-discharge alternatives for the entire project area which are environmentally sound and will:

- Minimize accelerated erosion and sedimentation during the earth disturbance activity
- Achieve no net change from pre-development to post-development volume, rate and concentration of pollutants in water quality

E & S Plan

PCSM/SR Plan

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used prior to, during, and after earth disturbance activities that have been incorporated into your E & S Plan based on the site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site.

Check off the environmentally sound nondischarge Best Management Practices (BMPs) listed below to be used after construction that have been incorporated into the PCSM/SR Plan based on your site analysis. For non-discharge BMPs not checked, provide an explanation of why they were not utilized. Also for BMPs checked, provide an explanation of why they were utilized. (Provide the analysis and attach additional sheets if necessary)

An alternative location, configuration or location of discharge was not utilized since upgrades are required at these existing sites; however, LOD is minimized. Regulations do not require a riparian buffer or riparian forest buffer due to proximity to site. No BMPS proposed, therefore no infiltration and water reuse is applicable .

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Limited Disturbed Area
- Limiting Extent & Duration of Disturbance (Phasing, Sequencing)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Other _____

Nondischarge BMPs

- Alternative Siting
 - Alternative location
 - Alternative configuration
 - Alternative location of discharge
- Low Impact Development (LID / BSD)
- Riparian Buffers (150 ft. min.)
- Riparian Forest Buffer (150 ft. min.)
- Infiltration
- Water Reuse
- Other Site Restoration _____

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality during construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

Will the non-discharge alternative BMPs eliminate the net change in rate, volume and quality after construction?
 Yes No

If yes, antidegradation analysis is complete.
 If no, proceed to Part 2.

SECTION J. COMPLIANCE HISTORY REVIEW

Is/was the applicant(s) in violation of any Department regulation, order, schedule of compliance or permit or in violation of any department regulated activities within the past five years?

Yes No

If yes, provide the permit number or facility name, a brief description of the violation, the compliance schedule (including dates and steps to achieve compliance) and the current compliance status. (Attach additional information on a separate sheet, when necessary)

Permit Program or Activity: _____ **Permit Number (if applicable):** _____

Brief Description of non-compliance:

Steps taken to achieve compliance


Date(s) compliance achieved

Current Compliance Status: In-Compliance In Non-Compliance

If in non-compliance, attach schedule for achieving compliance.

SECTION K. CERTIFICATION BY PERSON PREPARING E&S AND PCSM/SR PLANS

I do hereby certify to the best of my knowledge, information, and belief, that the Erosion and Sediment Control and PCSM/Site Restoration Plans are true and correct, represent actual field conditions, and are in accordance with the 25 Pa. Code Chapters 78/78a and 102 of the Department's rules and regulations. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Print Name Shiny Mathew	Signature	Professional Seal 	
Company JMT			
Address 1600 Market Street, Suite 520			
Phone 215-496-4780			
Most Recent DEP Training Attended NDPES Workshop	Location Monroe County		Date 02/20
e-Mail Address smathew@jmt.com			

EXPEDITED REVIEW PROCESS

In addition to the certification required above, applicants using the expedited permit review process must attach an E&S and PCSM/Site Restoration Plans developed and sealed by a licensed professional engineer, surveyor or professional geologist. The plans shall contain the following certification:

I do hereby certify to the best of my knowledge, information, and belief, that the E & S Control and PCSM/SR BMPs are true and correct, represent actual field conditions and are in accordance with the 25 Pa. Code Chapters 78 / 78a and 102 of the Department's rules and regulations. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

SECTION L. APPLICANT CERTIFICATION

Applicant Certification

I certify under penalty of law, as provided by 18 Pa. C.S.A. § 4904, that this application and all related attachments were prepared by me or under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my own knowledge and on inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. The responsible official's signature also verifies that the activity is eligible to participate in the ESCGP, and that the applicant agrees to abide by the terms and conditions of the permit. BMP's, E&S Plan, PPC Plan, PCSM Plan, and other controls are being or will be, implemented to ensure that water quality standards and effluent limits are attained.

I grant permission to the agencies responsible for the permitting of this work, or their duly authorized representative to enter the project site for inspection purposes. I will abide by the conditions of the permit if issued and will not begin work prior to permit issuance.

(For individuals no indication of title is necessary, choose the box below. All others proceed to the next paragraph)

Individual; proceed to signature portion.

I hereby certify under penalty of law, as provided by 18 Pa. C.S.A. § 4904, that I am the person who is responsible for decision-making regarding environmental compliance functions for Adelphia Gateway, LLC, the manager of one or more manufacturing, production, or operating facilities of the applicant and am authorized to make management decisions which govern the operation of regulated facility including having explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure the applicant's long term environmental compliance with environmental laws and regulations; and I am responsible for ensuring that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements.

(choose one of the following; not applicable for individuals):

- The responsible corporate officer president vice president secretary
 treasure of _____ Corporation/Company
Entity name
- The member or manager of _____ LLC
Entity name
- The general partner of _____ partnership/LP/LLP
Entity name
- The principal executive officer or ranking elected official of _____ Municipality/State/Federal/other public agency
Entity name
- Power of Attorney/delegation of contractual authority (documentation supporting delegation of contracting authority must be provided) for _____
Entity name

Mark F. Valori, Vice President

Print Name and Title of Applicant

Print Name and Title of Co-Applicant (if applicable)

Signature of Applicant

Signature of Co-Applicant

03/11/2019

Date Application Signed

Date Application Signed

Notarization

Sworn to and subscribed to before me this

Commonwealth of Pennsylvania

11th day of March, 2019

County of _____

Lori S. Castello

My Commission expires _____

Notary Public

AFFIX SEAL

LORI S. CASTELLO
ID# 2353137
NOTARY PUBLIC
STATE OF NEW JERSEY
MY COMMISSION EXPIRES 12-4-21

SECTION M. ADDITIONAL CONTACT INFORMATION				
Contact's Last Name	First Name	MI	Phone	
			FAX	
Mailing Address	City		State	ZIP + 4
e-Mail Address				

Summary of Bio-Infiltration BMPs														
Proposed Structural bio-Infiltration BMPs (site specific)	Infiltration Information					Drainage Information				BMP Information				
	Measured Infiltration Rate ¹ (in./hr)	Factor of safety (min. of 2)	Design Infiltration rate (in./hr)	De-watering time ² (hr)	Elevation of limiting zone-water table bedrock, etc. ³	Total drainage area to BMP (sq. ft)	Total impervious drainage area to BMP (sq. ft)	Infiltration BMP Surface area (sq. ft)	Volume of runoff tributary to BMP during the 2yr/24 hr design storm ⁴ (cf)	Calculated removed volume (cf)	Maximum water surface elevation in BMP from 2yr storm ⁶	Infiltration elevation bottom of bed/basin ⁶	Elevation of infiltration test ⁷	Elevation of E&S sediment basin bottom (if applies)
Transco: Subsurface Infiltration Bed	0.26	2	0.13	71	N/A	33,410	6,446	4,385	3,233	N/A	N/A	N/A	N/A	N/A
Marcus Hook: Vegetated MRC BMP	N/A	N/A	N/A	N/A	N/A	95,997	22,777	16,833	18,619	N/A	N/A	N/A	N/A	N/A
Quakertown: Non-vegetated MRC BMP	N/A	N/A	N/A	N/A	N/A	47,481	15,068	3,755	6,451	N/A	N/A	N/A	N/A	N/A

All information should be based on the 2-yr/24-hr storm.

Provide page numbers from the stormwater narrative identifying the location of the above information.

¹The infiltration testing information should be located on the plan view of the PCSM plan and should include infiltration test elevation and rate

²Can include active infiltration time-dewatering time should not exceed 72 hours after the 2-yr/24-hr storm

³Depth to limiting zone is recommended to be at least 2 ft below infiltration

⁴The value should be greater than or equal to the volume to be infiltrated or managed by the BMP

⁶A maximum of 2 ft hydraulic head is recommended

⁷Provide supporting field notes/documentation from soil evaluation

Any deviation from the recommendations above should be adequately justified by a qualified professional and included with the application.

Note: This chart is for summary purposes only and should be consistent with all design calculations and worksheets.