GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

Related	ID#s (If Known)	DEP USE ONLY					
Client ID#	APS ID#		eived & General Notes				
Site ID#	Auth ID#						
Facility ID#							
	CLIENT INFORMA	TION					
DEP Client ID#	Client Type / Code						
0	NPACO						
Organization Name or Regist	ered Fictitious Name	Employer ID# (EIN)	Dun & Bradstreet ID#				
Sunoco Pipeline,L.P. (SPLP)		23-3102656	11-339-2331				
Individual Last Name	First Name	MI Suff	ix SSN				
NA							
Additional Individual Last Na	me First Name	MI Suff	ix SSN				
NA							
Mailing Address Line 1	Mailin	g Address Line 2					
535 Fritztown Road							
Address Last Line – City	State		Country				
Sinking Spring	PA		JSA				
Client Contact Last Name Gordon	First Name Matthew	MI	Suffix				
Client Contact Title	Maulew	 Phone	Ext				
Project Manager		610-670					
Email Address		FAX	0204				
MLGordon@sunocologistics.co	m	1700					
	SITE INFORMAT	ION					
DEP Site ID# Site Name							
	nia Pipeline Project						
EPA ID#	Estimated Number of Emplo	oyees to be Present at	Site NA				
Description of Site							
	ural gas liquid pipelines through Che						
County Name Chester	Municipality Refer to attached Supplemental In	formation City	Boro Twp State				
County Name	Municipality	City	Boro Twp State				
	manopanty						
Site Location Line 1	Site Lo	cation Line 2					
Refer to Attachment 8 (Location							
Site Location Last Line – City		ZIP+4					
Detailed Written Directions to	Site						
	st Main St. (Route 23) and South Ch	estnut St. (Route 82) ir	the borough of Elverson,				
Pennsylvania. Travel for appro	ximately 0.55 mile west on West Ma						
This location is also the Cheste							
Site Contact Last Name	First Name	MI	Suffix				
Gordon	Matthew	L					
Site Contact Title		ntact Firm					
Project Manager		Pipeline, L.P.					
Mailing Address Line 1	Mailing	Address Line 2					

535 Fritztown Road

	ng Address Last Line – City ng Spring			State PA		ZIP+4 19608			
Phor		AX			Addr				
	670-3284	•^					logistics.con	•	
				VILGO			-Digit Code		
	Codes (Two- & Three-Digit Codes – nd 493190	LIST AII THAT P	(рргу)				-	· · /	
						Ζ	37120, 4862	10	
	t to Site Relationship								
OWN	IOP								
Ma al	Geotion of Evicting Escility	FACILIT	y inf	ORN	ΙΤΑΝ	ON		Vaa	Na
	ification of Existing Facility							Yes	No
1.	Will this project modify an existin								
2.	Will this project involve an additi								
	If "Yes", check all relevant facility ty						ation number		
_	Facility Type Air Emission Plant	DEP Fac I	D#			y Type	Mining Onerati		DEP Fac ID#
H	Beneficial Use (water)					ory Location	Mining Operati	<u> </u>	
H	Blasting Operation					-	leanup Location		
H	Captive Hazardous Waste Operation		<u> </u>				t/LandRecyProj		
H	Coal Ash Beneficial Use Operation					al Waste (
H	Coal Mining Operation						chment Location	. –	
H	Coal Pillar Location					as Location			Unknown
H	Commercial Hazardous Waste Operation						Poll Control Faci		onanown
H	Dam Location						oly System	· _	
П	Deep Mine Safety Operation -Anthracite			Radiation Facility					
	Deep Mine Safety Operation -Bituminous			Residual Waste Operation					
	Deep Mine Safety Operation -Ind Minerals				Storage	Tank Loc	ation		
	Encroachment Location (water, wetland)				Nater F	Pollution Co	ontrol Facility		
	Erosion & Sediment Control Facility			<u>۱</u>	Nater F	Resource			
	Explosive Storage Location				Other:				
	Latitude/Longitude			tude				Longitud	e
	Point of Origin	Degrees	Min	utes	Se	conds	Degrees	Minutes	Seconds
Enter	rs County at	40	9		20		75	50	34
Horiz	zontal Accuracy Measure	Feet N/	Ą			or	· Me	ters	
Horiz	zontal Reference Datum Code	Nort	h Ame	erican	Datu	m of 192	27		
		🛛 Nort	h Ame	erican	Datu	m of 198	33		
		🗌 Wor	ld Geo	odetic	Syste	em of 19	84		
Horiz	zontal Collection Method Code	SURVY, G	PSDF	, GISI	DR,				
Refe	rence Point Code	CTROD							
Altitu	ıde	Feet N	Ą			or	· Me	ters	
Altitu	ude Datum Name	The	Natio	nal Ge	eodeti	ic Vertica	al Datum of 1		
		The	North	Ame	rican '	Vertical I	Datum of 198	38 (NAVD88	8)
Altitu	de (Vertical) Location Datum Coll	ection Meth	od Co	ode	١	١A		·	•
Geor	netric Type Code	POINT							
	Collection Date	2014 and 2	015						
	ce Map Scale Number	NA	Inch	(es)		=		Feet	
	0r			timete	er(s)	=		Mete	
		PROJEC						mote	
Droid	ect Name								
	sylvania Pipeline Project								
	ayiyana i ipenne ritujeut								

Project Description

Installation of two parallel natural gas liquid pipelines within an approximately 306-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline would be installed within the ROW from Houston to Marcus Hook (306 miles) and a second, up to 20-inch diameter pipeline, would also be installed in the same ROW from SPLP's Delmont Station to Marcus Hook (for approximately 255 miles). Approximately 23.6 miles are located in Chester County in southeast PA. Please refer to Attachment 9 of the Joint Application.

Project Consultant Las Schaeffer	st Name	First Name Brad	MI	ę	Suffix	
Project Consultant Title		Consulting Firm	•			
Environmental Project N		Tetra Tech, Inc.				
Mailing Address Line 1		Mailing Address	s Lino 2			<u> </u>
285 Ellicott Street		Manny Address	5 LINE 2			
Address Last Line – Ci		State	71	P+4		<u> </u>
Buffalo	(y	NY		203		
Phone	Ext FAX	Email Addres		203		
716-849-9419	117 716-849-94		-	m		
Time Schedules	Project Milestone (O		Stellateon.ce	/111		
March 2016	Water Crossing and E	Erosion Control Permit Sub	omittals			
April 2016	State T&E Clearances	5				
May 2016	USFWS Clearance					
Summer 2016	Construction					
1. Have you infor	med the surrounding	community and addres	ssed any 🛛	🛛 Yes		No
		ation to the Department?	-			
2. Is your project fu	inded by state or federa	al grants?		Yes	\boxtimes	No
Note: If "Yes", sp	ecify what aspect of the pro	ject is related to the grant and p	provide the gran	t source, co	ntact perse	on
and grant e	expiration date.					
	Project Related to Grant					
	rce:					
	tact Person:					
	ration Date:					
		n on Appendix A of the l		🛛 Yes		No
		pendix A of the Land U	se Policy			
attached to GIF i						
		not subject to the Land Use Po				
		s subject to this policy and the A	Applicant should	answer the	e additiona	ıl
questions i	in the Land Use Informatio					
		USE INFORMATION				
		ies of local land use approva	als or other ev	vidence of	complian	ce with
	ns and zoning ordinance		N			
		nty comprehensive plan?		Yes		No
		nunicipal comprehensive p		Yes Yes		No
		ning ordinance, municipa	al zoning 🛛	🛛 Yes		No
	nt municipal zoning ord					
	Note: If the Applicant answers "No" to either Questions 1, 2 or 3, the provisions of the PA MPC are not applicable and					
		d to questions 4 and 5 below.				alaw
		tions 1, 2 and 3, the Applicant s				
		ovisions of the zoning ord		Yes		No
		approval? If zoning approva	ai nas been			
received, attach doo		v l and llag l attans for the			<u> </u>	
5. Have you attache	eu municipal and Count	y Land Use Letters for the	project?	🛛 Yes	LI ľ	No

COORDINATION INFORMATION

<u>Note</u>: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

		•			
1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.		Yes	\boxtimes	No
1.1	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?		Yes		No
1.2	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?		Yes		No
1.3	Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?		Yes		No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?		Yes		No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.		Yes	\boxtimes	No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?		Yes		No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?		Yes		No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?		Yes		No
2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?		Yes		No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?		Yes		No

100011					
3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string		Yes	\boxtimes	No
	power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No", skip to Question 4.0.				
3.1	Does the oil- or gas-related project involve any of the following:		Yes		No
	placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of				
	water (including wetlands)?				
3.2	Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> .		Yes		No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities?		Yes		No
4.0	Will the project involve a construction activity that results in earth	\boxtimes	Yes		No
	disturbance? If "Yes", specify the total disturbed acreage.4.0.1 Total Disturbed Acreage 180 acres	_			
5.0	Does the project involve any of the following?	\boxtimes	Yes		No
	If "Yes", respond to 5.1-5.3. If "No", skip to Question 6.0.				
5.1	Water Obstruction and Encroachment Projects - Does the project	\boxtimes	Yes		No
	involve any of the following: placement of fill, excavation within or				
	placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water?				
5.2	Wetland Impacts – Does the project involve any of the following:	\boxtimes	Yes		No
0.2	placement of fill, excavation within or placement of a structure, located		100		
	in, along, across or projecting into a wetland?				
5.3	Floodplain Projects by the commonwealth, a Political Subdivision of the	\boxtimes	Yes		No
	commonwealth or a Public Utility – Does the project involve any of the				
	following: placement of fill, excavation within or placement of a				
6.0	structure, located in, along, across or projecting into a floodplain?		Yes	\boxtimes	No
0.0	Will the project involve discharge of stormwater or wastewater from an industrial activity to a dry swale, surface water, ground water or an		165		INU
	existing sanitary sewer system or separate storm water system?				
7.0	Will the project involve the construction and operation of industrial		Yes	\boxtimes	No
8.0	waste treatment facilities? Will the project involve construction of sewage treatment facilities,		Yes	\boxtimes	No
0.0	sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated		100		110
	proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the				
	number of pumping stations/treatment facilities/name of downstream sewage				
	facilities in the Project Description, where applicable.				
	8.0.1 Estimated Proposed Flow (gal/day)			57	
9.0	Will the project involve the subdivision of land, or the generation of 800		Yes	\boxtimes	No
	gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the				
	generation of 800 gpd or more of industrial wastewater that would be				
	discharged to an existing sanitary sewer system?				
	9.0.1 Was Act 537 sewage facilities planning submitted and		Yes	\boxtimes	No
	approved by DEP? If "Yes" attach the approval letter. Approval				
40.0	required prior to 105/NPDES approval.		Vac	N 7	N -
10.0	Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per		Yes	\boxtimes	No
	year). 10.0.1 Gallons Per Year (residential septage)				
	10.0.2 Dry Tons Per Year (biosolids)				• •
	Does the project involve construction, modification or removal of a dam?		Yes	\boxtimes	No
11.0	If "Yes", identify the dam.				

12.0	Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam.		Yes	\boxtimes	No
	12.0.1 Dam Name				
13.0	 Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission. 13.0.1 Enter all types & amounts To Be Determined of emissions; separate each ext with experied on the second secon		Yes		No
4.0	each set with semicolons.		Vaa		No
14.0	Does the project include the construction or modification of a drinking water supply to serve 15 or more connections or 25 or more people, at least 60 days out of the year? If "Yes", check all proposed sub-facilities.14.0.1Number of Persons Served 14.0.214.0.2Number of Employee/Guests		Yes		No
	14.0.3 Number of Connections				
	14.0.4 Sub-Fac: Distribution System		Yes		No
	14.0.5 Sub-Fac: Water Treatment Plant		Yes		No
	14.0.6 Sub-Fac: Source		Yes		No
	14.0.7 Sub-Fac: Pump Station		Yes	H	No
	14.0.8 Sub Fac: Transmission Main	Н	Yes	H	No
	14.0.9 Sub-Fac: Storage Facility		Yes		No
15.0	Will your project include infiltration of storm water or waste water to		Yes		No
13.0	ground water within one-half mile of a public water supply well, spring or infiltration gallery?		105		
6.0	Is your project to be served by an existing public water supply? If "Yes", indicate name of supplier and attach letter from supplier stating that it will serve the project.		Yes		No
	16.0.1 Supplier's Name Aqua Pennsylvania Downingtown Municipal Water Authority Chester Water Authority				
	16.0.2 Letter of Approval from Supplier is Attached		Yes	\boxtimes	No
7.0	 Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name 		Yes		Nc
18.0	 Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste 		Yes		No
	Amount Unknown.		be dispu	Jseu,	
19.0	Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?		Yes		No
20.0	Does your project involve installation of a field constructed undergroundstorage tank? If "Yes", list each Substance & its Capacity.Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote:Mote: <td< td=""><td></td><td>Yes</td><td></td><td>Nc</td></td<>		Yes		Nc
21.0	Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 21.0.1 Enter all substances & capacity of each; separate each set with semicolons.		Yes		No

1300-PM-BIT0001 5/2012

22.0	Does your project involve installation of a tank greater than 1,100 gallons	Yes		No
22.0	which will contain a highly hazardous substance as defined in DEP's			
	Regulated Substances List, 2570-BK-DEP2724? If "Yes", list each			
	Substance & its Capacity. <u>Note</u> : Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	22.0.1 Enter all substances & capacity of each; separate each set with semicolons.			
23.0	Does your project involve installation of a storage tank at a new facility with a total AST capacity greater than 21,000 gallons? If "Yes", list each	Yes	\boxtimes	No
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	23.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
24.0	Will the intended activity involve the use of a radiation source?	Yes	\boxtimes	No
Sur le	CERTIFICATION			

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

Type or Print Name Matthew Gordon

Project Manager 3 Title

Signature

2016 Date

Page 7 of 7

Pennsylvania Pipeline Project

Municipality	City	Borough	Township	Municipal Comprehensive Plan	Municipal Zoning Ordinance
West Nantmeal			X	Y	Y
East Nantmeal			X	Y	Y
Wallace			Х	Y	Y
Upper Uwchlan			X	Y	Y
Uwchlan			X	Y	Y
West Whiteland			X	Y	Y
East Whiteland			X	Ν	Y
West Goshen			Х	Y	Y
Elverson		Х		Y	Y
East Goshen			Х	Y	Y
Westtown			X	Y	Y

Chester County: General Information Form Supplemental Information