

If Interim report, Subject to Change as Additional Information Becomes Available If Interim Report, this Report is cumulative, containing information from previous reports in addition to new information and may change SPLP PENNSYLVANIA PIPELINE PROJECT

HORIZONTAL DIRECTIONAL DRILLING – INADVERTENT RETURN REPORT FORM

INTERIM REPORT	IF INTERIM, SEE NOTE ABOVE.		Interim Report 17: On 8/10/2020 at approximately 1530 hours, drilling fluid emerged within wetland WL-H17, and entered streams S-H11 and S-H10. The drilling fluid continued to flow down S-H10 and entered pond H3 (Marsh Creek Reservoir). The drill was in the ream phase at the time of release, with a volume of 7,712 gallons of drilling fluid released (The initial notification of the inadvertent return was estimated to be 1.000 gallons. This estimate was provided by the onsite PG and was based on the surface dimensions of the emergence, approximately 10° x 20° and several inches deep. The number was revised after discussion with the driller and collection of survey data). Drilling was immediately stopped upon discovery of the IR. Two turbidity curtains were installed at the confluence of S-H10 (UNT to Marsh Creek) and pond H3 (Marsh Creek Reservoir). Ten sand bag and silt fence dams were constructed within S-H10 (UNT to Marsh Creek). Crew members began clean up and recovery of the drilling fluid starting at the location of the IR release point working their way towards pond H3 (Marsh Creek Reservoir). Crew members used pumps and hand tools to recover the drilling fluid and transport it to onsite storage tanks. Stream water was pumped and used to spray remaining bentonite pockets within stream S-H10 (UNT to Marsh Creek). On 8/11/2020, a subsidence feature was discovered at the location of the inadvertent return, within wetland WL-H17. On 8/12/2020 the subsidence was filled with approximately 26 cubic yards of flowable fill. As of 8/17/2020, one containment dam remains within S-H10, the containment structure remains in place at the initial IR location, and two turbidity curtains remain at the confluence of stream S-H10 and pond H3. Drilling fluid has been recovered from WL-H17, S-H11 and S-H10. As of 12/8/2020, additional survey is in progress to implement a recovery plan for drilling fluid within pond H3. Drilling fluid has been recovered from WL-H17, S-H11, and S-H10. As of 12/8/2020, additional environmental surv									
REPORT DATE:	Current as of 12/8/2020			HDD ALIGNMENT # PA-CH-100.0000-RD								
PROJECT SITE:	ga Rd	HDD COMPA		Michels Directional Crossing								
DATE	AND TIME WHEN IR	WAS INITIALLY I	DISCOVERED	DATE:		8/10/2020	TIME:	1530				
LOCATION: 427-423 Green Valley Rd, Downingtown, PA			19335 MUN		ICIPALITY:	Upper Uwchlan	COUNTY:	Chester				
STREET 40.0794 LONGITUDE:			-75.7104	FROM S		14824+00	TO STATION	14824+00				
STREAM NAME: S-H10 (UNT to Marsh Creek), S-H11 (UNT			to Marsh Creek)	POND /	LAKE NAME:	Pond H3 (Marsh Creek Reservoir)	WETLAND NAME:	WL-H17 (PEM, PFO)				
DED DEDMIT Nos	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \											
(102 AND 105) CORPS PERMIT	(102 AND 105) E&S Permit # ESG0100015001, water Obstruction Permit E15-862											
NO.	PASPGP-5 (issued April	12, 2017)										
	PPP6_PA-CH-0100.000	0-RD_MilfordRd_IR	Interim_17_120920									
IS AUGUST 8, 2017 ORDER APPLICABLE?	EXHIBIT?			DESCRIPT	ION IN EXHIBIT	HDDs for Reevaluation						
			COMP	LETE THE F	OLLOWING QUES	STIONS IF APPLICABLE:						
1. IS THE IR ON-GO of all IRs.	1. IS THE IR ON-GOING? Provide dates, times, and duration of all IRs.				On 8/10/20 at approximately 1530 hours, approximately 7,712 gallons of drilling fluid emerged within WL-H17, and entered and S-H10. The drilling fluid continued to flow down S-H10 and entered pond H3 (Marsh Creek Reservoir). The IR ceased drilling was stopped.							
2. HAS THE IR CEASED? Provide date and time for each IR.			YES	NOTE:		ximately 1530 hours, approximately 7,712 gallons of drilling fluid emerged within WL-H17, and entered streams S-H11 ling fluid continued to flow down S-H10 and entered pond H3 (Marsh Creek Reservoir). The IR ceased emerging after						
3. WHEN WAS DRI time for each IR.	ILLING STOPPED? Pı	rovide date and	Drilling was immediately stop	ped on 8/10/20	20 at approximately 1	530 hours.						
4. VOLUME OF IR	4. VOLUME OF IR (CURRENT ESTIMATE)? Approximately 7,712 gallons											
4A. DOES THIS VOLUME RELEASE REPRESENT A TOTAL VOLUME RELEASED SINCE THE RELEASE BEGAN?			YES	NOTE:	Approximately 7,712 gallons of drilling fluid emerged on 8/10/2020.							
5. HAS THIS VOLUME CHANGED SINCE THE LAST REPORT? IF SO, HOW?			NO	NOTE:								
6. WHAT IS THE Dand times.	URATION OF EACH I	IR? Provide dates	The IR ceased emerging on 8/	10/2020 at 153	0 hours after the IR w	as discovered and drilling was stopped.						
7. WHAT STEPS W Provide dates and tin	ERE TAKEN TO STO mes.	P EACH IR?	H10 (UNT to Marsh Creek).	Crew members pers used pumps	began clean up and res s and hand tools to rec	JNT to Marsh Creek) and pond H3 (Marsh Crecovery of the drilling fluid starting at the locatover the drilling fluid and transport it to onsite	ation of the IR release point wor	king their way towards pond H3 (Marsh				
	NS TO THE DRILLING RIOR TO EACH RESU											
8a. What was the tec	chnical basis for resumin	ng drilling?										
9. WAS THE DRILI and duration for each	LING RESUMED? Proch IR.	ovide dates, times,	NO	NOTE:								
9A. IF SO, HAS ANd dates and times for e	OTHER IR OCCURRE	ED? If YES, provide	NO	NOTE:								
10. HAS IR BEEN CONTAINED? If YES, Provide dates, times, and measures for each IR.			YES		_	s were installed at the confluence of S-H10 (Uvere constructed within S-H10 (UNT to Marsh	H3 (Marsh Creek Reservoir). Ten sand bag					
11. HAS A FISH KILL OCCURRED? If YES, Provide dates, times, and measures for each IR.			NO	NOTE:								
12. ARE FISH AND OR OTHER AQUATIC LIFE IN DISTRESS?			NO	NOTE:								
13. AS OF THE DATE OF THIS REPORT, DOES DRILLING FLUID REMAIN IN THE WETLAND OR WATERCOURSE?			YES	NOTE:	Drilling fluid remains							
14. IS THERE NOTICEABLE HIGH LEVELS OF TURBIDITY IN THE WATERCOURSE? If YES, Provide dates, times, and duration for each IR.			YES	NOTE:	Drilling fluid remains							
15. HAS FLUID LOSS OCCURRED? (IF KNOWN) If YES, Provide dates, times, and duration for each loss of fluid.			YES	NOTE:	E: 500 gallon loss on 3/3/2020.							
	MEASURES IMPLEM FED ABOVE? Provide											

17. DESCRIPTION OF IMPACTS INCLUDING TIMES, DATES, AND DURATION OF EACH IMPACT.

Drilling fluid emerged within wetland WL-H17, and entered streams S-H11 and S-H10. The drilling fluid continued to flow down S-H10 and entered pond H3 (Marsh Creek Reservoir) on 8/10/20.

	LIST AN	NY NOTIFICATIONS OF INCIDENT MAI	DE TO WATER INTAKES,	WATER WE	LL OWNERS AND	LANDOWNER	S, INCLUDIN	G DATE AND	TIME WHEN EACH NO	OTIFICATION OCCURRED:	
	NAME:	2 Private Well Owners	DATE:	8/11/2020	TIME:		PUBLIC OR PRIVATE:	Private	NOTE:	Letters sent.	
	NAME:	1 Public Water Supply	DATE:	8/10/2020	TIME:	1625	PUBLIC OR PRIVATE:	Public	NOTE:	Informed of release on 8/10, letter sent on 8/11.	
	NAME:		DATE:		TIME:		PUBLIC OR PRIVATE:		NOTE:		
	NAME:		DATE:		TIME:		PUBLIC OR PRIVATE:		NOTE:		
	NAME:		DATE:		TIME:		PUBLIC OR PRIVATE:		NOTE:		
	NAME:		DATE:		TIME:		PUBLIC OR PRIVATE:		NOTE:		
NAME:		DATE:	TIME:			PUBLIC OR PRIVATE:		NOTE:			
NAME OF ALL PERSON(S) PROVIDING INFORMATION FOR THIS REPORT AND CONTACT INFORMATION											
	NAME:	Josh Prosceno	PHONE: 570-336-9606			EMAIL: josh.prosceno@tetratech.com TITL			TITLE:	LEI	
	NAME: Chris Cable		PHONE: 518-533-9847		EMAIL:	chris.cable@tetratech.com TITLE:		TITLE:	Environmental Inspection Manager		
	NAME:		PHONE:	PHONE:		EMAIL:	TITLE:		TITLE:		
	NAME:		PHONE:			EMAIL:			TITLE:		
	NAME:		PHONE:			EMAIL:			TITLE:		
				I	MPACTED RESOU	JRCE(S)					
	RESOURCE:	WETLAND WL-H17	SURFACE WATER CLASSIFICATION OR	PEM/PFO		ELIMINATE O	NATE OR MITIGATE THE		Sandbag and silt fence conditions of the Drilling fluid recovered using	tainment constructed at release point. ing hand tools and pumps.	
	RESOURCE:	STREAM S-H10	WETLAND TYPE: SURFACE WATER CLASSIFICATION OR	DRAINS TO HQ-TSF		ELIMINATE O	STEPS HAVE BEEN TAKEN TO NATE OR MITIGATE THE		Sandbag and silt fence con Drilling fluid recovered usi	tainments constructed within stream. ing hand tools and pumps.	
	RESOURCE:	STREAM S-H11	WETLAND TYPE: SURFACE WATER CLASSIFICATION OR	DRAINS TO HQ-TSF		ELIMINATE O	TEPS HAVE BEEN TAKEN TO ATE OR MITIGATE THE		Sandbag and silt fence conditions of the conditi	tainments constructed within stream. ing hand tools and pumps.	
	RESOURCE: POND H3		WETLAND TYPE: SURFACE WATER CLASSIFICATION OR WETLAND TYPE:	HQ-TSF		WHAT STEPS I ELIMINATE O	WHAT STEPS HAVE BEEN TAKEN TO ELIMINATE OR MITIGATE THE IMPACTS? Two turbidity curtains were installed at 1 pond H3.			e installed at the confluence of S-H10 and	
	RESOURCE:		SURFACE WATER CLASSIFICATION OR WETLAND TYPE:			WHAT STEPS HAVE BEEN TAKEN TO ELIMINATE OR MITIGATE THE IMPACTS?					
	RESOURCE:		SURFACE WATER CLASSIFICATION OR WETLAND TYPE:			WHAT STEPS HAVE BEEN TAKEN TO ELIMINATE OR MITIGATE THE IMPACTS?					
	RESOURCE:		SURFACE WATER CLASSIFICATION OR			WHAT STEPS I ELIMINATE O					
			WETLAND TYPE:	AD	DITIONAL INFOR	IMPACTS? RMATION					
		SUMED DOES IT INVOLVE A CHANGE	NO	NOTE:							
IN EQUIPMENT, DEPTH OR ALIGNMENT? PUBLIC OR PRIVATE WATER SUPPLY - PROXIMITY TO			NOTE:								
DOWNSTREAM WATER INTAKES? PROXIMITY TO PUBLIC OR PRIVATE WATER		YES	NOTE:								
		SCRIBE MATERIAL(S) RELEASED:	A mixture of bentonite clay an		native cuttings						
HAS THE ESTIMATED QUANTITY OF THE RELEASE			VES NOTE: Approximately 7.712 gallons of drilling fluid emerged on 8/10/2020								
INCREASED SINCE THE LAST REPORT? IF SO, HOW? ESTIMATED AERIAL EXTENT OF RELEASE		8/10/2020 - 25'x25' at initial I					 _				
ESTIMATED AERIAL EXTENT OF RELEASE EXTENT (LINEAR FEET/MILES) OF DOWNSTREAM			IR traveled approximately 1,800 feet downstream from S-H10 (UNT to Marsh Creek) into pond H3 (Marsh Creek Reservoir). Extent into pond H3 (Marsh Creek Reservoir) unknown.								
_		OIRE POOT CAUSE(S) OF ID	in havered approximately 1,8	oo reet uowiisti		vi wiaisii Clee	a, mo pona no	(1v1a1311 CICCK)	reservon). Eatent into poli	a 115 (1viaisii Cicer Nesei voii) ulikiiowii.	
		NTS: NOTE ANY MATERIAL CHANGE									
		MATION FROM PRIOR REPORTS)									
HAVE THE IMPACTS FROM THE IR BEEN REMEDIATED? Please provide date of remediation. 8/10/2020 - Sandbag and silt fence containment set up at IR location. Ten sandbag and silt fence containments constructed within stream S-H10. Two turbidity curtains installed at the confluence of S-H10 and pond H3. Drilling fluid recovered using hand tools and pumps. As of 12/8/2020, drilling fluid remains in pond H3.											
PRINTED NAME, TITLE AND SIGNATURE OF PERSON(s) COMPLETING THIS REPORT											
	NAME:	Chris Cable TITLE:	Environmental Inspection Man	nager	SIGNATURE:	Christophe	of Cable	DATE:	12/9/2020		
	PADEP USE ONLY										
	AUTHORIZATIO	N FROM PADEP OR CCD TO RESUME		NOTE:							
	DI	HDD REQUIRED? ERMIT AMENDMENT?		NOTE:							
PERMIT AMENDMENT?				NUIE:							
PADEP / CCD REVIEWER NAME:					DATE:						



SPLP PENNSYLVANIA PIPELINE PROJECT HORIZONTAL DIRECTIONAL DRILLING – INADVERTENT RETURN REPORT FORM

IV. PHOTO DOCUMENTATION






View of drilling fluid within WL-H17 at location of IR release point.

Notes:

View of drilling fluid flowing downstream within stream S-H10 (UNT to Marsh Creek).

8/10/2020





Notes:

View of drilling fluid within stream S-H10 (UNT to Marsh Creek).

8/10/2020

8/10/2020

Notes:

View of drilling fluid entering pond H3 (Marsh Creek Reservoir).

8/10/2020





Notes:

View of contractor crew members installing two turbidity curtains at the confluence of stream S-H10 (UNT to Marsh Creek) and pond H3 (Marsh Creek Reservoir).

View of IR release location within WL-H17.

8/17/2020

Notes:

Notes:





Notes:

View of sandbag containment within S-H10 (UNT to Marsh Creek).

8/17/2020

View of stream S-H10 (UNT to Marsh Creek) following cleanup.

8/17/2020



SPLP PENNSYLVANIA PIPELINE PROJECT HORIZONTAL DIRECTIONAL DRILLING – INADVERTENT RETURN REPORT FORM





View of stream S-H10 (UNT to Marsh Creek) following cleanup. View of stream S-H10 (UNT to Marsh Creek) following cleanup. 8/17/2020

8/17/2020

Notes:





Notes: View of turbidity curtain at the confluence of stream S-H10 (UNT to Marsh Creek) and pond H3 (Marsh Creek Reservoir).

View of pond H3 (Marsh Creek Reservoir).

Notes:

8/17/2020

Notes:

Notes:





Notes: View of IR release location within WL-H17.

View of turbidity curtain at the confluence of stream S-H10 (UNT to Marsh Creek) and pond H3 (Marsh Creek Reservoir). 8/22/2020

8/22/2020

8/24/2020

8/17/2020





Notes: View of pond H3 (Marsh Creek Reservoir).

View of stream S-H10 (UNT to Marsh Creek) 8/24/2020



SPLP PENNSYLVANIA PIPELINE PROJECT HORIZONTAL DIRECTIONAL DRILLING – INADVERTENT RETURN REPORT FORM





View of IR release location and containment within WL-H17.

View of stream S-H10 (UNT to Marsh Creek)

8/31/2020

Notes:

8/28/2020



Notes: View of stream S-H10 (UNT to Marsh Creek)

View of pond H3 (Marsh Creek Reservoir).

8/31/2020

Notes:

Notes:

9/5/2020





Notes:

9/4/2020

8/31/2020

View of stream S-H10 (UNT to Marsh Creek) View of IR release location and containment within WL-H17.





View of turbidity curtain at the confluence of stream S-H10 (UNT to Marsh Creek) and pond H3 (Marsh Creek

Reservoir). 9/14/2020

View of stream S-H10 (UNT to Marsh Creek) 9/14/2020

Notes:



SPLP PENNSYLVANIA PIPELINE PROJECT HORIZONTAL DIRECTIONAL DRILLING – INADVERTENT RETURN REPORT FORM





View of IR release location and containment within WL-H17.

View of stream S-H10 (UNT to Marsh Creek)

9/21/2020

9/21/2020

Notes:





View of IR release location and containment within WL-H17.

Notes:

View of turbidity curtain at the confluence of stream S-H10 (UNT to Marsh Creek) and pond H3 (Marsh Creek Reservoir).

9/28/2020

9/28/2020





View of IR release location and containment within WL-H17.

Notes:

10/5/2020

10/19/2020

View of IR release location and containment within WL-H17.

10/12/2020

Notes:





View of turbidity curtain at the confluence of stream S-H10 (UNT to Marsh Creek) and pond H3 (Marsh Creek Reservoir).



Notes: View of IR release location and containment within WL-H17. 10/26/2020




View of IR release location and containment within WL-H17.

12/1/2020

If Interim report, Subject to Change as Additional Information Becomes Available

SPLP PENNSYLVANIA PIPELINE PROJECT HORIZONTAL DIRECTIONAL DRILLING – INADVERTENT RETURN REPORT FORM





Notes:

11/2/2020

11/9/2020

View of IR release location and containment within WL-H17.





Notes: Notes: View of IR release location and containment within WL-H17. View of IR release location and containment within WL-H17.

11/16/2020 11/23/2020





Notes: Notes: View of IR release location and containment within WL-H17. View of IR release location and containment within WL-H17.

PRINTED NAME, TITLE AND SIGNATURE OF PERSON(s) COMPLETING THIS REPORT

Environmental Inspection Chris Cable 12/9/2020 NAME: TITLE: SIGNATURE: DATE: Manager

12/8/2020

