

+ MATERIAL SAFETY DATA SHEET +

MAGMA FIBER

SECTION I: IDENTIFICATION OF PRODUCT

| COMPANY: | Diversity Technologies Corp. | DATE: | March 11, 2016 |
|----------|------------------------------|--------|----------------|
| | 8750 – 53 rd Ave. | PHONE: | 780-440-4923 |
| | Edmonton, AB T6E 5G2 | FAX: | 780-469-1899 |
| | | | |

PRODUCT NAME: MAGMA FIBER

| PRODUCT USE: | Oilwell drilling fluid additive | | |
|------------------|---------------------------------|--------|------------|
| CHEMICAL FAMILY: | Mineral fiber | CAS #: | 65997-17-3 |

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

| WHMIS CLASSIFICATION: | Not WHMIS controlled |
|-----------------------|--------------------------|
| WORKPLACE HAZARD: | Treat as a nuisance dust |

TRANSPORTATION OF DANGEROUS GOODS (TDG)

| PROPER SHIPPING NAME: | Not regulated under TDG |
|-----------------------|-------------------------|
| TDG CLASSIFICATION: | Not applicable |
| UN NUMBER (PIN): | Not applicable |
| PACKING GROUP: | Not applicable |

SECTION II: HAZARDOUS INGREDIENTS

| INGREDIENT | % (w/w) | CAS NUMBER | LD₅₀Oral-Rat | LC₅₀Inhal-Rat | ACGIH-TLV |
|------------|---------|-----------------|-------------------|---------------|-----------|
| | | No hazardous in | gredients listed. | | |

SECTION III: HEALTH HAZARDS

| ROUTE OF ENTRY: | □ EYE CONTACT □ SKIN CONTACT □ INHALATION □ INGESTION | | |
|------------------------|---|--|--|
| EYE CONTACT: | Mechanical irritant. | | |
| SKIN CONTACT: | May cause transitory irritation. | | |
| INGESTION: | No adverse effects expected. | | |
| INHALATION: | May cause transitory irritation of the upper respiratory tract. | | |
| CARCINOGENICITY: | IARC; Class 2B: NTP; Not classified: ACGIH; Not classified | | |
| TERATOGENICITY: | No information available. | | |
| REPRODUCTIVE TOXICITY: | No information available. | | |
| MUTAGENICITY: | No information available. | | |
| SYNERGISTIC PRODUCTS: | No information available. | | |



🕂 MATERIAL SAFETY DATA SHEET 🕂

MAGMA FIBER

SECTION IV: FIRST AID MEASURES

| SKIN CONTACT: | If irritation occurs, or when shift ends, wash with soap and water until clean. |
|---------------|--|
| EYE CONTACT: | Flush with gently flowing warm water until irritation ceases. If irritation persists, contact a physician. |
| INGESTION: | If large amounts ingested, get immediate medical attention. |
| INHALATION: | Move to area free from dust. If symptoms or irritation persist contact physician. Inhalation may aggravate existing respiratory illness. |

SECTION V: PHYSICAL DATA

APPEARANCE AND ODOUR: SPECIFIC GRAVITY: BOILING POINT (°C): MELTING POINT (°C): SOLUBILITY IN WATER: PERCENT VOLATILE BY VOLUME: EVAPORATION RATE: VAPOUR PRESSURE (mmHg): VAPOUR DENSITY (air = 1): BULK DENSITY: White-gray/tan powder; odourless 2.6 Not determined 1315 Insoluble pH: Not available Not applicable Not applicable Not applicable Not applicable Not applicable Not available

SECTION VI: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: FLAMMABLE LIMITS: EXTINGUISHING MEDIA:

SPECIAL FIRE FIGHTING PROCEDURES:

UNUSUAL FIRE AND EXPLOSION HAZARDS: HAZARDOUS COMBUSTION PRODUCTS:

SECTION VII: REACTIVITY DATA

STABILITY: INCOMPATIBILITY (CONDITIONS TO AVOID):

CONDITIONS OF REACTIVITY: HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS POLYMERIZATION: Not flammable Not applicable Use media suitable for surrounding materials and packaging. Self-contained breathing apparatus required for fire fighting personnel. Not known. No information available.

☑ STABLE
□ UNSTABLE
Avoid contact with strong acids; may give off
hydrogen sulphide gas.
Not available.
Not available.
☑ WILL NOT OCCUR
□ MAY OCCUR



MATERIAL SAFETY DATA SHEET +

MAGMA FIBER

SECTION VIII: PREVENTIVE MEASURES

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

VENTILATION:

PROTECTIVE GLOVES: EYE PROTECTION: OTHER PROTECTIVE EQUIPMENT (SPECIFY): NIOSH approved dust masks or respirators recommended. Use local exhaust ventilation, process enclosure or other engineering controls to maintain PEL's/TLV's Personal preference. Safety glasses or goggles recommended. Ensure eyewash station and emergency shower are available.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Avoid creating dust. Avoid breathing dust; wear an approved respirator. Practice reasonable caution and personal cleanliness. Launder contaminated clothing before reuse. Avoid eye contact. Store in cool, dry area.

STEPS TO BE TAKEN IN CASE THE MATERIAL IS SPILLED OR RELEASED

Avoid breathing dust; wear an approved respirator. Vacuum up, if possible, to avoid generating airborne dust. Collect uncontaminated material for repackaging. Collect contaminated material in approved containers for disposal. Wash spill area with water.

WASTE DISPOSAL METHOD

Dispose of in accordance with federal, provincial and local regulations. This product may be suitable for disposal in landfills; check with local operator. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal.

SECTION IX: PREPARATION

The information contains herein is given in good faith, but no warranty, expressed or implied, is made.

| DATE ISSUED: | March 11, 2016 | |
|--------------|--------------------|--|
| SUPERSEDES: | March 13, 2013 | |
| BY: | Regulatory Affairs | |
| PHONE: | 780-440-4923 | |