


Date 2/28/18

## EXPLOSIVES INSPECTION REPORT

(TYPE: EXPLO)

<b>Name:</b> Hanson Aggregates, LLC.	<b>Municipality/Township:</b> East Rockhill Twp	<b>License/Permit</b>	<b>Program</b>	<b>Inspected Entity</b>	<b>ENF Type</b>	<b>IRC</b>
<b>Address:</b> 7660 Imperial Way Allentown, PA 18195-1040	<b>County:</b> Bucks	BAP				
	<b>Blaster's Name:</b> Jeff Magnuson	SMP 7974SM1	MIM	PF		NOVIO
<b>Telephone:</b> 717-571-7746	<b>Blasters License:</b> BL-9669	BL				
	<b>Weather:</b> windy-cold	SP				
<b>Contract Blaster:</b> Maine Drilling & Blasting, Inc.	<b>Wind Direction:</b>	PP				
<b>Address:</b> 61 Brown Rd Bethel, PA 19507	<b>Site Name:</b> Rockhill Quarry		<b>Longitude:</b>	<b>Permit Status:</b> active		
	<b>Complaint ID:</b>		<b>Latitude:</b>	<b>Inspection Result:</b> NOVIO - inspection of blasting practices.		

**Remarks:** I was on site March 9, 2018 for inspection of blasting practices for a scheduled shot in the process of being loaded. Upon arrival Maine was in the process of loading a shot that appeared to be secured from non essential equipment not necessary for the loading process. Signs were posted at the entrance road to the shot warning of blasting. Once the shot was loaded Maine had all non essential personal and equipment retreat to a safe location for the wiring of the shot. The shot fired at 2:05 pm without incident. Multiple discretionary seismographs were used for this shot in addition to the compliance seismograph to ensure compliance with the U.S.B.M.Z-Curve. Review of the shot record and seismic data show compliance with the Departments regulations and their approved module 16 blast plan. It appears all pre and post blast measures were done in a safe manner. No violations.

<b>Person contacted (please print)</b> Jeff Magnuson	<b>Title</b> blaster	<b>Times-On-Site</b> _____ to _____	<b>Page 1 of 1</b>				
<b>Blasting Inspector</b> Michael Duke 	<b>ID#</b>	6	4	4	1	3	6
<b>Accompanied By</b>	<b>ID#</b>						

The responsible party signature acknowledges that he/she has read the report, including the reverse side, and that he/she was given the opportunity to discuss it with the investigator. The signature does not necessarily mean he/she agrees with the report.

- White - District File     
  Yellow - Operator     
  Pink - Blasting Insp.     
  Goldenrod - SMCI/Other