OrderID: 041830600



Asbestos Chain of Custody EMSL Order Number (Lab Use Only):

041830600

PHONE: FAX:

Forth								
Company Name : EarthRes Group				EMSL Customer ID:				
Street: 6913 Old Easton Road			ICA .	City: Pipersville		State/Provi	nce: PA	
Zip/Postal Code: 18947 Country: USA			SA	Telephone #: 2157661211				
Report To (Name): Louis Vittorio				Please Provide Results: Fax Email				
Email Address: Lvittorio@earthres.com				Purchase Order:				
Project Name/Number: 061003.051 U.S. State Samples Taken:			EMSL Project ID (Internal Use Only): CT Samples: Commercial/Taxable Residential/Tax Exempt					
EMSL-Bill to: ☐ Same ☑ Different - If Bill to is Different note instructions in Comments**								
Third Party Billing requires written authorization from third party Turnaround Time (TAT) Options* – Please Check								
□ 3 Hour □ 6 Hour □ 24 Hour □ 48 Hour □ 72 Hour □ 96 Hour □ 1 Week □ 2 Week							2 Week	
*For TEM Air 3 hr through 6 hr, please call ahead to schedule. *There is a premium charge for 3 Hour TEM AHERA or EPA Level II TAT. You will be asked to sign an authorization form for this service. Analysis completed in accordance with EMSL's Terms and Conditions located in the Analytical Price Guide								
PCM - Air Check if samples are						Price Guide		
from NY		TEM - Air 44.5hr TAT (AHERA			70			
NIOSH 7400		AHERA 40 CFR, Part 763			☐Microvac - ASTM D 5755			
☐ w/ OSHA 8hr. TWA		NIOSH 7402			Wipe - ASTM D6480 S ₹			
PLM - Bulk (reporting limit) PLM EPA 600/R-93/116 (<1%)		EPA Level II ISO 10312			Carpet Sonication (EPA 600/J-937167)			
PLM EPA NOB (<1%)	TEM - Bulk			Soil/Rock/Vermiculite 0 元分 PLM EPA 600/R-93/116 with milling peep (程)				
Point Count	TEM EPA NOB			PLM EPA 600/R-93/116 with militing prep (49.25%)				
☐400 (<0.25%) ☐1000	NYS NOB 198.4 (non-friable-NY)			TEM EPA 600/R-93/116 with maling prep (<0.1%)				
Point Count w/Gravimetric	l =	Chatfield SOP			TEM Qualitative via Filtration Prep			
400 (<0.25%) 1000		TEM Mass Analysis-EPA 600 sec. 2.5			TEM Qualitative via Drop MountPrep Cincinnati Method EPA 600/R-04/004 – PLM/TEM			
NYS 198.1 (friable in N	TEM – Water: EPA 100.2			(BC only)				
NYS 198.6 NOB (non-friable-NY)		Fibers >10µm ☐ Waste ☐ Drinkin		Drinking				
NYS 198.8 SOF-V		All Fiber Sizes Waste Drin		Drinking	PLM Carb 435 Level B Reporting Limit			
☐ NiOSH 9002 (<1%)					(<0.1%) (See Order #041817020)			
						<u>μm [_]0.45μm</u>		
Samplers Name: CJD				Samplers Signature: Em Sulla				
Sample #	Sample Descripti			on		Volume/Area (Air) HA # (Bulk)	Date/Time Sampled	
<u> </u>							10/10/18	
S-1	Drill Cuttings					1 Gallon	1336	
S-2	Drill Cuttings					1 Gallon	10/10/18	
Composite 1	Drill Cuttings Composite					1 Gallon	10/10/13	
		-:						
				-				
Client Sample # (s): - Total # of Samples:								
Relinquished (Client): Date: Time:								
Received (Lab): Date: 10/10/18								
Comments/Special Instructions:								
Bill to Andrew J Gutshall, Arga Environmental Manager -ECPA/NJ Company: Lehigh Hanson, Inc. Address: 7660 Inperial Way Allentown, PA 18195 Office phone (610) 366-4819								
L								

Page 1 of ____ pages

3RIV





EMSL Order: 041830600 Customer ID: ERG51

Customer PO: Project ID:

 Attention:
 Louis Vittorio
 Phone:
 (215) 766-1211

 ERG (EARTHRES GROUP,INC.)
 Fax:
 (215) 766-1245

ERG (EARTHRES GROUP,INC.) Fax: (215) 766-1245
P.O. BOX 468
Received: 10/10/2018 6:20 PM

PIPERSVILLE, PA 18947 Analysis Date: 10/11/2018

Collected:

Project: 061003.051

Test Report: Asbestos Analysis of Bulk Building Materials via EPA 600/R-93/116 Method using PLM and Milling Prep. Quantitation using 1000 Point Count Procedure

Non-Asbestos **Asbestos** % Type Sample Description Appearance % Fibrous % Non-Fibrous **Drill Cuttings Composite** Composite 1 Gray 100% Non-fibrous (Other) **None Detected** 041830600-0001 Non-Fibrous Homogeneous

Analyst(s)	
Benjamin Verghese (1)	

Benjamin Ellis, Laboratory Manager or other approved signatory

Some samples may contain asbestos fibers present in dimensions below PLM resolution limits. The limit of detection as stated in the method is 0.1%. EMSL Analytical Inc suggests that samples reported as <0.1% or none detected undergo additional analysis via TEM. The above test report relates only to the items tested. This report may not be reproduced, except in full, without written approval EMSL Analytical Inc. This test report must not be used by the client to claim product endorsement by NVLAP or any agency of the United States Government. EMSL Analytical Inc. bears no responsibility for sample collection activities, analytical method limitations, or the accuracy of results when requested to separate layered samples. EMSL Analytical Inc liability is limited to the cost of sample analysis. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AIHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036, PA ID# 68-00367

Initial report from: 10/11/2018 10:20:59