OrderID: 041832561




Asbestos Chain of Custody EMSL Order Number (Lab Use Only):

PHOME PART	RECEIVED
FAX.CZ	SON
	<u> </u>

								30 34	
Company Name : EarthRes Group			EMSL Customer ID:				S S		
Street: 6912 Old Easton Road			City: Pipersville			State/Provi	nce: PA ゲン。		
Zip/Postal Code: 18947 Country: USA			Telephone #: 2157661211 Fax #:						
Report To (Name): Louis Vittorio			Please Provide Results: Fax Email						
1. ittaria @ a authora a a su				Purchase Or)rder:				
					ject ID (Internal, Use Only):				
U.S. State Samples Taken: CT Sa					CT Samples: Commercial/Taxable Residential/Tax Exempt				
EMSL-Bill to: ☐ Same ☑ Different - If Bill to is Different note instructions in Comments** Third Party Billing requires written authorization from third party									
			d Time (TAT)				I =		
*For TEM Air 3 hr through 6 hr, please call ahead to schedule.*There is a premium charge for 3 Hour TEM AHERA or EPA Level II TAT. You will be asked to sign an authorization form for this service. Analysis completed in accordance with EMSL's Terms and Conditions located in the Analytical Price Guide.									
PCM - Air Check if sar from NY	PCM - Air ☐ Check if samples are from NY ☐ TEM – Air ☐ 4-4.5hr TAT (AHERA only)	TEM- Dust				
☐ NIOSH 7400	AHERA 40 CFR, Part 763			3	∭Microvac - ASTM D 5755				
w/ OSHA 8hr. TWA	w/ OSHA 8hr. TWA NIOSH 7402				∭Wipe - /	ASTM D6	480		
PLM - Bulk (reporting lim	nit)	EPA Level	П		☐ Carpet	Sonication	դ (EPA 600/J-	93/167)	
☐PLM EPA 600/R-93/110	0/R-93/116 (<1%)			Soil/Rock/	ck/Vermiculite				
PLM EPA NOB (<1%)		TEM - Bulk			PLM EF	PA 600/R-	93/116 with n	nilling prep (<1%)	
Point Count	☐TEM EPA NOB ☐PL				EPA 600/R-93/116 with milling prep (<0.25%)				
400 (<0.25%) 1000					1 EPA 600/R-93/116 with milling prep (<0.1%)				
Point Count w/Gravimetric	<u>- </u>			TEM Qualitative via Filtration Prep					
400 (<0.25%) 1000					l Qualitative via Drop Mount Prep innati Method EPA 600/R-04/004 PLM/TEM				
				(BC only)					
I <u> </u>	IYS 198.6 NOB (non-friable-NY)			Other:					
NYS 198.8 SOF-V All Fiber Sizes Waste Drinkin			Drinking	ing PLM Carb 435 Level B Reporting Limit					
NIOSH 9002 (<1%)	NIOSH 9002 (<1%) All 1867 61265 Vesse Drinking (<0.1%) (See Order #041817020)						41817020)		
□Check For Positive Stop – Clearly Identify Homogenous Group Filter Pore Size (Air Samples): □0.8μm □0.45μm									
Samplers Name: CJE)			Samplers	Signature:	Ulm	Sun		
Sample #		6					e/Area (Air)	Date/Time	
	Sample Description					# (Bulk) '	Sampled		
Composite 1	Composite Drill Cuttings					1 g	alion	10130118	
	<u> </u>					<u> </u> 			
				·		İ			
	_					 - -			
Olicet Computer # (c)	1					- 	f Committee	<u> </u>	
Client Sample # (s):						Otal # 0	f Samples:		
Relinquished (Client):	7		Date:		1.0		Time	:	
Received (Lab):	<u> </u>	<u>~C)</u>	Date:	10-30	-16	-	Time	: 5:35 _f	
Comments/Special Instructions: Bill to, Andrew J Gutshall, Area Environmental Manager -ECPA/NJ Company, Lehigh Hanson, Inc. Address: 7660 Inperial Way Allentown, PA 18195 Office phone (610) 366-4819									
						•			

Page 1 of _____ pages





EMSL Order: 041832561 Customer ID: ERG51

Customer PO: Project ID:

Attention: Louis Vittorio

Project: 061003.051

Sample

Composite 1 041832561-0001

ERG (EARTHRES GROUP, INC.)

P.O. BOX 468

PIPERSVILLE, PA 18947

Phone: (215) 766-1211

Fax: (215) 766-1245

Received: 10/30/2018 3:35 PM

Analysis Date: 10/31/2018

Collected:

Test Report: Asbestos Analysis of Soils via EPA 600/R-93/116 Method using PLM and Milling Prep. Quantitation using 400 Point Count Procedure

Homogeneous

 Description
 Appearance
 % Fibrous
 % Non-Fibrous
 % Type

 Composite Drill Cuttings Non-Fibrous
 Gray Non-Fibrous
 100% Non-Fibrous (Other)
 None Detected None Detecte

Analyst(s)

Andrew Castellano (1)

Benjamin Ellis, Laboratory Manager or other approved signatory

Disclaimer:Some samples may contain asbestos fibers present in dimensions below PLM resolution limits. The limit of detection as stated in the method is 0.25%. EMSL Analytical Inc suggests that samples reported as <0.25% or none detected undergo additional analysis via TEM. The above test report relates only to the items tested. This report may not be reproduced, except in full, without written approval of EMSL Analytical Inc. This test report must not be used by the client to claim product endorsement by NVLAP or any agency of the United States Government. EMSL Analytical Inc., bears no responsibility for sample collection activities, analytical method limitations, or the accuracy of results when requested to separate layered samples. EMSL Analytical Inc., liability is limited to the cost of sample analysis. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AIHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036, PA ID# 68-00367

Initial report from: 10/31/2018 09:51:13