


Snyder T 3015 Soil Map



* 700.0 feet per inch



Soil Acreages By Field

Field	Label	Musym	Muname	Comp	%	Acres	Drainage Class	Farmland Class	Tfact	Kfact
F 1	F 1	AvC	Alvira silt loam, 8 to 15 percent slopes	Alvira	80	1.82	Somewhat poorly drained	Farmland of statewide importance	3	0.32
F 1	F 1	BeC	Berks channery silt loam, 8 to 15 percent slopes	Berks	100	2.24	Well drained	Farmland of statewide importance	3	0.32
F 1	F 1	BeD	Berks channery silt loam, 15 to 25 percent slopes	Berks	100	1.53	Well drained	Not prime farmland	3	0.32
F 1	F 1	HhC	Hartleton channery silt loam, 8 to 15 percent slopes	Hartleton	90	5.32	Well drained	Farmland of statewide importance	3	0.24
F 1	F 1	WbC	Watson silt loam, 8 to 15 percent slopes	Watson	90	0.24	Moderately well drained	Farmland of statewide importance	3	0.37
F 1	F 1	WeC	Weikert shaly silt loam, 8 to 15 percent slopes	Weikert	85	< 0.01	Somewhat excessively drained	Not prime farmland	2	0.32
F 1	F 1	WeD	Weikert shaly silt loam, 15 to 25 percent slopes	Weikert	85	3.85	Somewhat excessively drained	Not prime farmland	2	0.32
F 2	F 2	AvC	Alvira silt loam, 8 to 15 percent slopes	Alvira	80	2.59	Somewhat poorly drained	Farmland of statewide importance	3	0.32
F 2	F 2	HhC	Hartleton channery silt loam, 8 to 15 percent slopes	Hartleton	90	1.94	Well drained	Farmland of statewide importance	3	0.24
F 3	F 3	AvC	Alvira silt loam, 8 to 15 percent slopes	Alvira	80	0.31	Somewhat poorly drained	Farmland of statewide importance	3	0.32
F 3	F 3	WbC	Watson silt loam, 8 to 15 percent slopes	Watson	90	0.35	Moderately well drained	Farmland of statewide importance	3	0.37
F 4	F 4	AvC	Alvira silt loam, 8 to 15 percent slopes	Alvira	80	0.88	Somewhat poorly drained	Farmland of statewide importance	3	0.32

Field	Label	Musym	Muname	Comp	%	Acres	Drainage Class	Farmland Class	Tfact	Kfact
F 4	F 4	BeD	Berks channery silt loam, 15 to 25 percent slopes	Berks	100	4.34	Well drained	Not prime farmland	3	0.32
F 4	F 4	HhC	Hartleton channery silt loam, 8 to 15 percent slopes	Hartleton	90	6.34	Well drained	Farmland of statewide importance	3	0.24
F 4	F 4	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	Klinesville	35	0.03	Somewhat excessively drained	Not prime farmland	2	0.28
F 4	F 4	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	Weikert	55	0.04	Somewhat excessively drained	Not prime farmland	2	0.32

Soil Acreages For Farm

Musym	Muname	Comp	%	Acres	Drainage Class	Farmland Class	Tfact	Kfact
AvC	Alvira silt loam, 8 to 15 percent slopes	Alvira	80	5.6	Somewhat poorly drained	Farmland of statewide importance	3	0.32
BeC	Berks channery silt loam, 8 to 15 percent slopes	Berks	100	2.24	Well drained	Farmland of statewide importance	3	0.32
BeD	Berks channery silt loam, 15 to 25 percent slopes	Berks	100	5.87	Well drained	Not prime farmland	3	0.32
HhC	Hartleton channery silt loam, 8 to 15 percent slopes	Hartleton	90	13.6	Well drained	Farmland of statewide importance	3	0.24
WbC	Watson silt loam, 8 to 15 percent slopes	Watson	90	0.59	Moderately well drained	Farmland of statewide importance	3	0.37
WeC	Weikert shaly silt loam, 8 to 15 percent slopes	Weikert	85	0	Somewhat excessively drained	Not prime farmland	2	0.32
WeD	Weikert shaly silt loam, 15 to 25 percent slopes	Weikert	85	3.85	Somewhat excessively drained	Not prime farmland	2	0.32

Musym	Muname	Comp	%	Acres	Drainage Class	Farmland Class	Tfact	Kfact
WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	Klinesville	35	0.03	Somewhat excessively drained	Not prime farmland	2	0.28
WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	Weikert	55	0.04	Somewhat excessively drained	Not prime farmland	2	0.32