



SAFETY DATA SHEET

GENGARD* GN8209

1. Identification

Product identifier GENGARD GN8209
Other means of identification None.
Recommended use Corrosion inhibitor
Recommended restrictions None known.

Company/undertaking identification

SUEZ WTS USA, Inc.
4636 Somerton Road
Trevose, PA 19053
T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1
Health hazards Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

Precautionary statement

Prevention Keep only in original container. Do not breathe mist or vapor. Wash thoroughly after handling. Wear eye protection/face protection.

Response Immediately call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Store locked up. Store in corrosive resistant container with a resistant inner liner.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Components	CAS #	Percent
Chlorotolyltriazole sodium salt	202420-04-0	1 - 2.5
Sodium hydroxide	1310-73-2	1 - 2.5

Composition comments Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this SDS for our assessment of the potential hazards of this formulation.

4. First-aid measures

Inhalation Move to fresh air. Get medical attention immediately.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers / tanks with water spray. Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Environmental precautions Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Water contaminated with this product may be sent to a sanitary sewer treatment facility, or a permitted waste treatment facility, in accordance with any local agreements. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not mix with acidic material. Avoid prolonged exposure. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities

Store away from incompatible materials (see Section 10 of the SDS). Protect from freezing. If frozen, thaw completely and mix thoroughly prior to use. Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Store in accordance with local/regional/national/international regulation.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Suitable gloves can be recommended by the glove supplier. Glove selection must take into account any solvents and other hazards present.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Color

Amber to dark brown

Physical state

Liquid

Odor

Slight ammonia

Odor threshold

Not available.

pH (concentrated product)

13.4

pH in aqueous solution

12.3 (5% SOL.)

Melting point/freezing point

18 °F (-8 °C)

Initial boiling point and boiling range

220 °F (104 °C)

Flash point

> 212 °F (> 100 °C) P-M(CC)

Evaporation rate

< 1 (Ether = 1)

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	18 mm Hg
Vapor pressure temp.	70 °F (21 °C)
Vapor density	< 1 (Air = 1)
Relative density	1.2
Relative density temperature	70 °F (21 °C)

Solubility(ies)

Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	40 cps
Viscosity temperature	70 °F (21 °C)

Other information

Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Pour point	23 °F (-5 °C)
Specific gravity	1.199
VOC	0 % (Estimated)

10. Stability and reactivity

Reactivity	May be corrosive to metals.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. None under normal conditions.
Incompatible materials	Strong acids. Strong oxidizing agents. Metals.
Hazardous decomposition products	Hydrogen chloride, oxides of carbon and nitrogen evolved in fire.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
GENGARD GN8209 (CAS Mixture)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg, (Calculated according to GHS additivity formula)
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, (Calculated according to GHS additivity formula)

Components	Species	Test Results
Chlorotolyltriazole sodium salt (CAS 202420-04-0)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 5000 mg/kg
<i>Oral</i>		
LD50	Rat	3100 mg/kg
Sodium hydroxide (CAS 1310-73-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	1350 mg/kg
<i>Oral</i>		
LD50	Rabbit	> 500 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Based on available data, the classification criteria are not met. Aspiration of this product may cause the same corrosiveness/irritation impacts as if it were ingested.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

Product	Species	Test Results
GENGARD GN8209 (CAS Mixture)		
LC50	Fathead Minnow	228.7 mg/L, Static Renewal Bioassay, 96 hour, (pH adjusted)

Product		Species	Test Results
	NOEL	Fathead Minnow	125 mg/L, Static Renewal Bioassay, 96 hour, (pH adjusted)
Aquatic			
Crustacea	LC50	Daphnia magna	1088 mg/L, Static Renewal Bioassay, 48 hour, (pH adjusted)
	NOEL	Daphnia magna	625 mg/L, Static Renewal Bioassay, 48 hour, (pH adjusted)
Fish	LC50	Rainbow Trout	81.1 mg/L, Static Renewal Bioassay, 96 hour, (pH adjusted)
	NOEL	Rainbow Trout	62.5 mg/L, Static Renewal Bioassay, 96 hour, (pH adjusted)

Components		Species	Test Results
Chlorotolyltriazole sodium salt (CAS 202420-04-0)			
Aquatic			
Algae	EbC50	Algae	6.84 mg/l
	ErC50	Algae	18.6 mg/l

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects Not available.

Persistence and degradability
No data available

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]
The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN3266
UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, HALOGENATED AROMATIC HETEROCYCLE), RQ(Sodium hydroxide)
Transport hazard class(es)
Class 8
Subsidiary risk -
Packing group III
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
ERG number 154
Some containers may be exempt from Dangerous Goods/Hazmat Transport Regulations, please check BOL for exact container classification.

IATA

UN number UN3266
UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, HALOGENATED AROMATIC HETEROCYCLE)

Transport hazard class(es)

Class 8

Subsidiary risk -

Packing group III

Environmental hazards No.

ERG Code 154

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3266

UN proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, HALOGENATED AROMATIC HETEROCYCLE), RQ(Sodium hydroxide)

Transport hazard class(es)

Class 8

Subsidiary risk -

Packing group III

Environmental hazards

Marine pollutant No.

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium hydroxide (CAS 1310-73-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes**SARA 313 (TRI reporting)**

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NSF Registered and/or meets Registration No. – 147066
USDA (according to 1998 guidelines): Category Code(s):
 G5 Cooling and retort water treatment products
 G7 Boiler, steam line treatment products – nonfood contact

US state regulations**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

No ingredient listed.

US - Massachusetts RTK - Substance List

Sodium hydroxide (CAS 1310-73-2)

US - Pennsylvania RTK - Hazardous Substances

Sodium hydroxide (CAS 1310-73-2) Listed.

US - Rhode Island RTK

Sodium hydroxide (CAS 1310-73-2)

US. New Jersey Worker and Community Right-to-Know Act

Sodium hydroxide (CAS 1310-73-2) Listed.

US. California Proposition 65

Not Listed.

16. Other information, including date of preparation or last revision

Issue date Oct-10-2014
Revision date Dec-20-2017
Version # 5.2

List of abbreviations

CAS: Chemical Abstract Service Registration Number
TSRN indicates a Trade Secret Registry Number is used in place of the CAS number.
ACGIH: American Conference of Governmental Industrial Hygienists
NOEL: No Observed Effect Level
STEL: Short Term Exposure Limit
LC50: Lethal Concentration, 50%
LD50: Lethal Dose, 50%
TWA: Time Weighted Average
BOD: Biochemical Oxygen Demand
COD: Chemical Oxygen Demand
TOC: Total Organic Carbon
IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods Code

References:

No data available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Physical & Chemical Properties: Multiple Properties

Prepared by

This SDS has been prepared by SUEZ Regulatory Department (1-215-355-3300).

* Trademark of SUEZ. May be registered in one or more countries.