		Page: 1
SAFETY DATA SHEET		Revision Date: 03/28/2018
		Print Date: 6/3/2018
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858145		Version: 1.3

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Performax™ SR5600
Water Treatment Chemical
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Cooling water treatment

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion : Category 1

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements :

Prevention:
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

SAFETY DATA SHEET

Revision Date: 03/28/2018

Print Date: 6/3/2018

SDS Number: 000000255631

Version: 1.3

Performax™ SR5600 Water Treatment Chemical
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 858145

induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
 P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components


Chemical name	CAS-No.	Classification	Concentration (%)
ALKYL GLYCOL	Trade Secret	Not a hazardous substance or mixture.	>= 20 - < 30
ORGANIC SALT	Trade Secret	Eye Irrit. 2A; H319	>= 1.5 - < 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Consult a physician.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : Move to fresh air.
 If breathed in, move person into fresh air.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.
 Wash contaminated clothing before re-use.

		Page: 3
SAFETY DATA SHEET		Revision Date: 03/28/2018
		Print Date: 6/3/2018
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858145		Version: 1.3

- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
Causes serious eye damage.
Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO2)
organic compounds
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

SAFETY DATA SHEET

Revision Date: 03/28/2018

Print Date: 6/3/2018

SDS Number: 00000255631

Version: 1.3

Performax™ SR5600 Water Treatment Chemical
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 858145

Comply with all applicable federal, state, and local regulations.

Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform
 respective authorities.

Methods and materials for : Soak up with inert absorbent material (e.g. sand, silica gel,
 containment and cleaning up acid binder, universal binder, sawdust).
 Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : Normal measures for preventive fire protection.
 fire and explosion

Advice on safe handling : Do not breathe vapours/dust.
 Container hazardous when empty.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the
 application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national
 regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated
 place.
 Containers which are opened must be carefully resealed and
 kept upright to prevent leakage.
 Observe label precautions.
 Electrical installations / working materials must comply with
 the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION


Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALKYL GLYCOL	Trade Secret	TWA	10 mg/m3	US WEEL

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)
 ventilation to maintain exposure below exposure guidelines (if
 applicable) or below levels that cause known, suspected or
 apparent adverse effects.

Personal protective equipment

Hand protection

		Page: 5
SAFETY DATA SHEET		Revision Date: 03/28/2018
		Print Date: 6/3/2018
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858145		Version: 1.3

- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.
Maintain eye wash station in immediate work area.
- Skin and body protection : Wear as appropriate:
Impervious clothing
Chemical resistant apron
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Discard gloves that show tears, pinholes, or signs of wear.
Wear resistant gloves (consult your safety equipment supplier).
- Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat or drink.
Ensure that eyewash stations and safety showers are close to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : colourless
- Odour : No data available
- Odour Threshold : No data available
- pH : > 11.5
- Melting point/freezing point : No data available
- Boiling point/boiling range : ca. 100 °C
- Flash point : > 150 °C
Method: open cup
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Self-ignition : No data available
- Upper explosion limit : 12.6 %(V)
- Lower explosion limit : 2.6 %(V)

SAFETY DATA SHEET

Revision Date: 03/28/2018

Print Date: 6/3/2018

SDS Number: 000000255631

Version: 1.3

Performax™ SR5600 Water Treatment Chemical
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
858145

Vapour pressure : 17.50 mmHg

Relative vapour density : > 1
AIR=1

Relative density : No data available

Density : 1.010 g/cm3 (20 °C)

Solubility(ies)
Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : 450 cps (25 °C)

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.


Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous
reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat
Exposure to sunlight.
Exposure to moisture

Incompatible materials : isocyanates
Strong acids
strong bases
Strong oxidizing agents
UV light.

Hazardous decomposition
products : **Aldehydes**
Alcohols
Carbon monoxide
Carbon dioxide (CO2)
dioxolanes
ethers
Organic acids

	Page: 7
SAFETY DATA SHEET	Revision Date: 03/28/2018
	Print Date: 6/3/2018
	SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858145	Version: 1.3

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

ALKYL GLYCOL:

Acute oral toxicity : LD 50 (Rat): 21.0 - 33.7 g/kg

Acute dermal toxicity : LD 50 (Rabbit): 28 g/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Causes severe skin burns and eye damage.

Components:

ALKYL GLYCOL:

Result: Not irritating to skin

ORGANIC SALT:

Result: Mildly irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

ALKYL GLYCOL:

Result: Possibly irritating to eyes

ORGANIC SALT:

Result: Irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

SAFETY DATA SHEET

Revision Date: 03/28/2018

Print Date: 6/3/2018

SDS Number: 000000255631

Version: 1.3

Performax™ SR5600 Water Treatment Chemical
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 858145

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION


Ecotoxicity

Product:

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 412.0 mg/l
 Exposure time: 96 h
 Test Type: static test

LC 50 (Pimephales promelas (fathead minnow)): 65.9 mg/l
 Exposure time: 96 h
 Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 116.6 mg/l
 Exposure time: 48 h
 Test Type: static test

 SOLENIS Strong bonds. Trusted solutions.		Page: 9
SAFETY DATA SHEET		Revision Date: 03/28/2018
		Print Date: 6/3/2018
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858145		Version: 1.3

Ecotoxicology Assessment

- Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.
- Chronic aquatic toxicity : Not classified based on available information.

Components:

ALKYL GLYCOL:

- Toxicity to fish : LC 50 (Fathead minnow (*Pimephales promelas*)): 29,485 - 39,339 mg/l
Exposure time: 96 h
Test Type: semi-static test
- Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (*Daphnia magna*)): > 10,000 mg/l
Exposure time: 48 h
Test Type: static test

Persistence and degradability

Product:

- Biochemical Oxygen Demand (BOD) : Biochemical oxygen demand within 5 days
260,000 mg/l
Remarks: Based on a similar product formulation.
- Chemical Oxygen Demand (COD) : 610,800 mg/l
Method: Chemical oxygen demand
Remarks: Based on a similar product formulation.

Components:

ALKYL GLYCOL:

- Biodegradability : Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

ALKYL GLYCOL:

- Partition coefficient: n-octanol/water : log Pow: -0.92

Mobility in soil

No data available

Other adverse effects

Product:

- Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SAFETY DATA SHEET

Revision Date: 03/28/2018

Print Date: 6/3/2018

SDS Number: 000000255631

Version: 1.3

Performax™ SR5600 Water Treatment Chemical
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 858145

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

UN 3267	Corrosive liquid, basic, organic, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

U.S. DOT - RAIL

UN 3267	Corrosive liquid, basic, organic, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

U.S. DOT - INLAND WATERWAYS

UN 3267	Corrosive liquid, basic, organic, n.o.s. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

TRANSPORT CANADA - ROAD

UN 3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE)	8		III	
---------	---	---	--	-----	--

TRANSPORT CANADA - RAIL

SAFETY DATA SHEET

Revision Date: 03/28/2018

Print Date: 6/3/2018

SDS Number: 000000255631

Performax™ SR5600 Water Treatment Chemical
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 858145

Version: 1.3

UN	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE)	8	III
----	------	---	---	-----

INTERNATIONAL MARITIME DANGEROUS GOODS

UN	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE)	8	III
----	------	---	---	-----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN	3267	Corrosive liquid, basic, organic, n.o.s. (SODIUM HYDROXIDE)	8	III
----	------	--	---	-----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN	3267	Corrosive liquid, basic, organic, n.o.s. (SODIUM HYDROXIDE)	8	III
----	------	--	---	-----

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	3267	LIQUIDO CORROSIVO, BASICO, ORGANICO, N.E.P. (SODIUM HYDROXIDE)	8	III
----	------	--	---	-----

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity


Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	340483

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

		Page: 12
SAFETY DATA SHEET		Revision Date: 03/28/2018
		Print Date: 6/3/2018
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858145		Version: 1.3

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- TCSI : On the inventory, or in compliance with the inventory
- TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to a Significant New Use Rule.

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 03/28/2018

Full text of H-Statements


H319 : Causes serious eye irritation.

Full text of other abbreviations

Eye Irrit. : Eye irritation

Further information

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable

		Page: 13
SAFETY DATA SHEET		Revision Date: 03/28/2018
		Print Date: 6/3/2018
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858145		Version: 1.3

to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN