



SAFETY DATA SHEET

POLYFLOC* AE1123

1. Identification

Product identifier POLYFLOC AE1123
Other means of identification None.
Recommended use Flocculant
Recommended restrictions None known.

Company/undertaking identification

SUEZ WTS USA, Inc.
4636 Somerton Road
Trevose, PA 19053
T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification. The material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard's (29CFR 1910.1200) implementation of the Globally Harmonized System (GHS), i.e., material is not a dangerous substance or mixture requiring GHS classification.

Precautionary statement

Prevention Wear eye/face protection.
Response Wash hands after handling.
Storage Store away from incompatible materials.
Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

Composition comments Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this SDS for our assessment of the potential hazards of this formulation.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician immediately. Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Headache. Nausea, vomiting. Diarrhea. Causes serious eye damage. May irritate the respiratory tract, skin and eyes.
Indication of immediate medical attention and special treatment needed	Treat symptomatically. This product contains a hydrocarbon solvent. Aspiration into the lungs will result in chemical pneumonia and may be fatal.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers / tanks with water spray.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Spills are very slippery.
Methods and materials for containment and cleaning up	Ventilate the area. Use water spray to reduce vapors or divert vapor cloud drift. Flush with plenty of water. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Following product recovery, flush area with water. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Spread sand/grit. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Use care in handling/storage. Spills are very slippery.
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in original tightly closed container. Keep containers closed when not in use. Store away from incompatible materials (see Section 10 of the SDS). Store in accordance with local/regional/national/international regulation. Protect from freezing: product may not be recoverable. Avoid moisture contamination. Avoid atmospheric exposure. Avoid moisture contamination, atmospheric exposure, and long term storage.

8. Exposure controls/personal protection

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Splash proof chemical goggles.

Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Glove selection must take into account any solvents and other hazards present.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Color	White to off-white
Physical state	Liquid
Odor	Slight hydrocarbon
Odor threshold	Not available.
pH in aqueous solution	7 (0.5% SOL.)
Melting point/freezing point	< 23 °F (< -5 °C)
Initial boiling point and boiling range	Not available.
Flash point	> 200 °F (> 93 °C) P-M(CC)
Evaporation rate	< 1 (Ether = 1)
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	18 mm Hg
Vapor pressure temp.	70 °F (21 °C)
Vapor density	> 1 (Air = 1)
Relative density	Not available.
Relative density temperature	70 °F (21 °C)
Solubility(ies)	
Solubility (water)	1 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	804 cps
Viscosity temperature	70 °F (21 °C)
Other information	
Pour point	< 28 °F (< -2 °C)
VOC	25 % (SUPPLIER DATA)

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Oxides of carbon and nitrogen evolved in fire.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged or repeated contact may cause irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause slight gastrointestinal irritation with possible nausea, vomiting, abdominal discomfort and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics Headache. Nausea, vomiting. Diarrhea.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
POLYFLOC AE1123 (CAS Mixture)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg, (Calculated according to GHS additivity formula)
<i>Inhalation</i>		
LC50	Rat	> 19.7 mg/l, 4 Hours, (Calculated according to GHS additivity formula)
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, (Calculated according to GHS additivity formula)

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Based on available data, the classification criteria are not met. Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm²/sec measured at 40C.

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity

Product	Species	Test Results		
POLYFLOC AE1123 (CAS Mixture)	IC50	Scenedesmus (algae)	> 100 mg/L, Acute Toxicity, 72 hour, (Estimated)	
	LC50	Fathead Minnow	96.6 mg/L, Static Acute Bioassay, 96 hour	
	NOEL	Fathead Minnow	50 mg/L, Static Acute Bioassay, 96 hour	
	Aquatic Crustacea	LC50	Daphnia magna	0.96 mg/L, Static Acute Bioassay, 48 hour
		NOEL	Daphnia magna	0.5 mg/L, Static Acute Bioassay, 48 hour
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects	Not available.			
Persistence and degradability	No data is available on the degradability of this product.			

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Some containers may be exempt from Dangerous Goods/Hazmat Transport Regulations, please check BOL for exact container classification.

IATA

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (ACRYLAMIDE/METHACRYLATE COPOLYMER)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	171
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG


UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLAMIDE/METHACRYLATE COPOLYMER), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes

EmS

F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Food and drug administration 21 CFR 176.110 (acrylamide - acrylic acid resins)

US state regulations

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

No ingredient listed.

US - Massachusetts RTK - Substance List

Not regulated.

US - Pennsylvania RTK - Hazardous Substances

Not regulated.

US - Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

Issue date Jul-25-2014

Revision date Dec-20-2017

Version # 6.2

List of abbreviations

CAS: Chemical Abstract Service Registration Number
TSRN indicates a Trade Secret Registry Number is used in place of the CAS number.
ACGIH: American Conference of Governmental Industrial Hygienists
NOEL: No Observed Effect Level
STEL: Short Term Exposure Limit
LC50: Lethal Concentration, 50%
LD50: Lethal Dose, 50%
TWA: Time Weighted Average
BOD: Biochemical Oxygen Demand
COD: Chemical Oxygen Demand
TOC: Total Organic Carbon
IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods Code

References: No data available

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information Physical & Chemical Properties: Multiple Properties

Prepared by This SDS has been prepared by SUEZ Regulatory Department (1-215-355-3300).

* Trademark of SUEZ. May be registered in one or more countries.