		Page: 1
<b>SAFETY DATA SHEET</b>		Revision Date: 03/29/2019
		Print Date: 11/22/2019
		SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716		Version: 2.1

## SECTION 1. IDENTIFICATION

### Product identifier

Trade name : Hercobond™ 6950  
Paper Performance Additive  
™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries

### Recommended use of the chemical and restrictions on use

<b>Details of the supplier of the safety data sheet</b> Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA)  RegulatoryRequestsNA@solenis.com	<b>Emergency telephone number</b> 1-844-SOLENIS (844-765-3647)  <b>Product Information</b> Contact your local Solenis representative
---	--

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with 29 CFR 1910.1200

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

### GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture


### Hazardous components

No hazardous ingredients

## SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical

	Page: 2
<b>SAFETY DATA SHEET</b>	Revision Date: 03/29/2019
	Print Date: 11/22/2019
	SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716	Version: 2.1

- advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.


---

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO2)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide  
Carbon dioxide (CO2)  
Sodium oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

		Page: 3
<b>SAFETY DATA SHEET</b>		Revision Date: 03/29/2019
		Print Date: 11/22/2019
		SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716		Version: 2.1

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Container hazardous when empty. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.


- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Hand protection

- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.


	Page: 4
<b>SAFETY DATA SHEET</b>	Revision Date: 03/29/2019
	Print Date: 11/22/2019
	SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716	Version: 2.1

- Skin and body protection : Wear resistant gloves (consult your safety equipment supplier).  
Wear as appropriate:  
Impervious clothing  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : light yellow, amber
- Odour : none
- Odour Threshold : No data available
- pH : 7.0 - 9.0
- Melting point/freezing point : 0 °C
- Boiling point/boiling range : 98.9 - 115.6 °C
- Flash point : does not flash
- Evaporation rate : 0.02  
n-butyl acetate=1
- Flammability (solid, gas) : No data available
- Self-ignition : No data available
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : 30.66 hPa
- Relative vapour density : 0.63  
AIR=1
- Relative density : 1.1306 (23 °C)
- Density : 1.1306 g/cm<sup>3</sup> (23 °C)
- Solubility(ies)  
Water solubility : soluble

	Page: 5
<b>SAFETY DATA SHEET</b>	Revision Date: 03/29/2019
	Print Date: 11/22/2019
	SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716	Version: 2.1

Solubility in other solvents : insoluble  
Solvent: Acetone

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 650 mPa.s (23 °C)  
Method: Brookfield

Viscosity, kinematic : No data available

Oxidizing properties : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Incompatible materials : Strong acids

Hazardous decomposition products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Sodium oxides

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.


### Product:

Remarks: Unlikely to cause eye irritation or injury.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

	Page: 6
<b>SAFETY DATA SHEET</b>	Revision Date: 03/29/2019
	Print Date: 11/22/2019
	SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716	Version: 2.1

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks: No data available


**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.94 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 23.9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: no

 <b>SOLENIS</b> <small>Strong bonds. Trusted solutions.</small>		Page: 7
<b>SAFETY DATA SHEET</b>		Revision Date: 03/29/2019
		Print Date: 11/22/2019
		SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716		Version: 2.1

**Ecotoxicology Assessment**

Acute aquatic toxicity : Acute aquatic toxicity Category 1; Very toxic to aquatic life.  
Chronic aquatic toxicity : Not classified based on available information.

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**U.S. DOT - ROAD**

Not dangerous goods
---------------------

**SAFETY DATA SHEET**

Revision Date: 03/29/2019

Print Date: 11/22/2019

SDS Number: 000000205481

Version: 2.1

Hercobond™ 6950 Paper Performance Additive  
 ™ Trademark, Solenis or its subsidiaries or affiliates,  
 registered in various countries  
 812716

**U.S. DOT - RAIL**

Not dangerous goods
---------------------

**U.S. DOT - INLAND WATERWAYS**

UN	3082	Environmentally hazardous substance, liquid, n.o.s. (FORMAMIDE, ETHENYL-, HOMOPOLYMER, HYDROLYZED, DIMAPA-QUAT CONJUGATE, HYDROCHLORIDES)	9	III
----	------	---	---	-----

**TRANSPORT CANADA - ROAD**

Not dangerous goods
---------------------

**TRANSPORT CANADA - RAIL**

Not dangerous goods
---------------------

**INTERNATIONAL MARITIME DANGEROUS GOODS**

UN	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FORMAMIDE, ETHENYL-, HOMOPOLYMER, HYDROLYZED, DIMAPA-QUAT CONJUGATE, HYDROCHLORIDES)	9	III	MARINE POLLUTANT:( FORMAMIDE, ETHENYL-, HOMOPOLYMER, HYDROLYZED , DIMAPA-QUAT CONJUGATE, HYDROCHLORIDES)
----	------	---	---	-----	--

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

UN	3082	Environmentally hazardous substance, liquid, n.o.s. (FORMAMIDE, ETHENYL-, HOMOPOLYMER, HYDROLYZED, DIMAPA-QUAT CONJUGATE, HYDROCHLORIDES)	9	III
----	------	---	---	-----

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**



<b>SAFETY DATA SHEET</b>	Revision Date: 03/29/2019
	Print Date: 11/22/2019
	SDS Number: 000000205481
	Version: 2.1
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716	

UN	3082	Environmentally hazardous substance, liquid, n.o.s. (FORMAMIDE, ETHENYL-, HOMOPOLYMER, HYDROLYZED, DIMAPAQUAT CONJUGATE, HYDROCHLORIDES)	9	III
----	------	--	---	-----

**MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES**

UN	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FORMAMIDE, ETHENYL-, HOMOPOLYMER, HYDROLYZED, DIMAPAQUAT CONJUGATE, HYDROCHLORIDES)	9	III
----	------	--	---	-----

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	yes
------------------	-----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards


**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

		Page: 10
<b>SAFETY DATA SHEET</b>		Revision Date: 03/29/2019
		Print Date: 11/22/2019
		SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716		Version: 2.1

AICS : Not in compliance with the inventory

PICCS : Exempt

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION**

**Further information**

Revision Date: 03/29/2019

**Full text of other abbreviations**

**Further information**

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data


SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -

	Page: 11
<b>SAFETY DATA SHEET</b>	Revision Date: 03/29/2019
	Print Date: 11/22/2019
	SDS Number: 000000205481
Hercobond™ 6950 Paper Performance Additive ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 812716	Version: 2.1

Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN