		Page: 1
SAFETY DATA SHEET		Revision Date: 04/10/2019
		Print Date: 3/10/2021
		SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148		Version: 2.0

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Ameroyal™ C610
CLEANER
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--


SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion : Category 1

Serious eye damage : Category 1


GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

		Page: 2
SAFETY DATA SHEET		Revision Date: 04/10/2019
		Print Date: 3/10/2021
		SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148		Version: 2.0

all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.


SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
ORGANIC ACID	Trade Secret	Eye Irrit. 2A; H319	>= 50 - < 60
ORGANIC SALT	Trade Secret	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1.5 - < 3

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If breathed in, move person into fresh air.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.

	Page: 3
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0


- Protect unharmed eye.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Causes severe burns.
No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO2)
Hydrocarbons
Nitrogen oxides (NOx)
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.

	Page: 4
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
When diluting, always add the product to water. Never add
water to the product.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the
application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national
regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated
place.
Observe label precautions.
Electrical installations / working materials must comply with
the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.


Engineering measures : Provide sufficient mechanical (general and/or local exhaust)
ventilation to maintain exposure below exposure guidelines (if
applicable) or below levels that cause known, suspected or
apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed
with the producers of the protective gloves.


Eye protection : Wear chemical splash goggles and face shield when there is
potential for exposure of the eyes or face to liquid, vapor or
mist.
Maintain eye wash station in immediate work area.

	Page: 5
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

- Skin and body protection : Wear resistant gloves (consult your safety equipment supplier).
Wear as appropriate:
Impervious clothing
Chemical resistant apron
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Discard gloves that show tears, pinholes, or signs of wear.
- Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat or drink.
Ensure that eyewash stations and safety showers are close to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : light yellow
- Odour : mild
- Odour Threshold : No data available
- pH : 1.2
- Melting point/freezing point : 12 °F
- Boiling point/boiling range : 100 °C
(1,013.333333 hPa)
Calculated Phase Transition Liquid/Gas
- Flash point : Not applicable
- Evaporation rate : > 1
Ethyl Ether
- Flammability (solid, gas) : No data available
- Self-ignition : No data available
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : 23.3333333 hPa (20 °C)
Calculated Vapor Pressure
- Relative vapour density : No data available
- Relative density : No data available

	Page: 6
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

Density : 1.265 g/cm³ (77.00 °F)

Solubility(ies)
Water solubility : completely soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.


Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Exposure to air or moisture over prolonged periods.

Incompatible materials : Alkaline earth metals
aluminum
carbonates
Cyanides
metal nitrates
strong bases
Strong oxidizing agents
strong reducing agents
sulfides
sulphites

Hazardous decomposition products : Carbon monoxide
Carbon dioxide (CO₂)
Hydrocarbons
Nitrogen oxides (NO_x)

	Page: 7
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

ORGANIC ACID:

Acute oral toxicity : LD 50 (Mouse): 5,040 mg/kg

ORGANIC SALT:

Acute oral toxicity : LD 50 (Rat): 2,000 mg/kg

Acute inhalation toxicity : LC0 (Rat): 3.95 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : (Rabbit): Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Causes severe skin burns and eye damage.

Components:

ORGANIC ACID:

Result: Slightly irritating to skin

ORGANIC SALT:


Species: Rabbit
Result: Slightly irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

	Page: 8
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

Components:

ORGANIC ACID:

Result: Severely irritating to eyes

ORGANIC SALT:

Species: Bovine cornea

Result: Corrosive to eyes

Method: OECD Test Guideline 437

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

ORGANIC SALT:

Genotoxicity in vitro : Test Type: Ames test
Species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity


Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

	Page: 9
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 4,830 mg/l
Exposure time: 96 h
Test Type: static test
- LC 50 (Pimephales promelas (fathead minnow)): 3,540 mg/l
Exposure time: 96 h
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : LC 50 (Water flea (Ceriodaphnia dubia)): 915 mg/l
Exposure time: 48 h
Test Type: static test


Ecotoxicology Assessment

- Acute aquatic toxicity : Not classified based on available information.
- Chronic aquatic toxicity : Not classified based on available information.

Components:

ORGANIC SALT:

- Toxicity to fish : LC50 (Fish): > 738 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes
- LC50 (Pimephales promelas (fathead minnow)): 372 mg/l
Exposure time: 96 h
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 192 mg/l
Exposure time: 48 h
Test Type: static test
- Toxicity to algae : EC50 (Algae, algal mat (Algae)): 26 mg/l
Exposure time: 72 h
- Toxicity to microorganisms : EC20 (activated sludge): > 1,000 mg/l

	Page: 10
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

Exposure time: 30 min
Test Type: Static

Persistence and degradability

Product:

Biochemical Oxygen Demand (BOD) : Biochemical oxygen demand within 5 days
231,000 mg/l

Chemical Oxygen Demand (COD) : 518,170 mg/l
Method: Chemical oxygen demand

Components:

ORGANIC SALT:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

ORGANIC SALT:

Partition coefficient: n-octanol/water : log Pow: ca. -11.35

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

Revision Date: 04/10/2019

Print Date: 3/10/2021

SDS Number: R0392138

Version: 2.0

Ameroyal™ C610 CLEANER
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 801148

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

IATA-DGR

UN	3265	Corrosive liquid, acidic, organic, n.o.s. (CITRIC ACID)	8		III
----	------	---	---	--	-----

IMDG-Code

UN	3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CITRIC ACID)	8		III
----	------	---	---	--	-----

CFR

UN	3265	Corrosive liquid, acidic, organic, n.o.s. (CITRIC ACID)	8		III
----	------	---	---	--	-----

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation
 Serious eye damage or eye irritation


SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

		Page: 12
SAFETY DATA SHEET		Revision Date: 04/10/2019
		Print Date: 3/10/2021
		SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148		Version: 2.0

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 04/10/2019

Full text of H-Statements

H302 : Harmful if swallowed.

H318 : Causes serious eye damage.

H319 : Causes serious eye irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Further information

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.


Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

	Page: 13
SAFETY DATA SHEET	Revision Date: 04/10/2019
	Print Date: 3/10/2021
	SDS Number: R0392138
Ameroyal™ C610 CLEANER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 801148	Version: 2.0

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN