



# Material Safety Data Sheet

Issue Date: 15-MAY-2009  
Supersedes: 05-FEB-2009

DEPOSITROL PY5200

---

## 1 Identification

**Identification of substance or preparation**  
DEPOSITROL PY5200

**Product Application Area**  
Water-based deposit control agent.

**Company/Undertaking Identification**  
GE Betz, Inc.  
4636 Somerton Road  
Trevose, PA 19053  
T 215 355-3300, F 215 953 5524

**Emergency Telephone**  
(800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300    Prepared on: 15-MAY-2009

## 2 Hazard(s) identification

\*\*\*\*\*  
**EMERGENCY OVERVIEW**

**CAUTION**

May cause slight irritation to the skin. May cause slight irritation to the eyes. Mists/aerosols may cause irritation to upper respiratory tract.

DOT hazard is not applicable  
Odor: Slight; Appearance: Yellow, Liquid

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media: dry chemical, carbon dioxide, foam or water

\*\*\*\*\*

**POTENTIAL HEALTH EFFECTS**

**ACUTE SKIN EFFECTS:**

Primary route of exposure; May cause slight irritation to the skin.

**ACUTE EYE EFFECTS:**

May cause slight irritation to the eyes.

**ACUTE RESPIRATORY EFFECTS:**

Mists/aerosols may cause irritation to upper respiratory tract.

**INGESTION EFFECTS:**

May cause slight gastrointestinal irritation.

**TARGET ORGANS:**

No evidence of potential chronic effects.

**MEDICAL CONDITIONS AGGRAVATED:**

Not known.

**SYMPTOMS OF EXPOSURE:**

May cause redness or itching of skin.

### 3 Composition / information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation.

**HAZARDOUS INGREDIENTS:**

This product is not hazardous as defined by OSHA regulations.

No component is considered to be a carcinogen by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration at OSHA thresholds for carcinogens.

### 4 First-aid measures

**SKIN CONTACT:**

Wash thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

**EYE CONTACT:**

Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get medical attention if irritation persists after flushing.

**INHALATION:**

If nasal, throat or lung irritation develops - remove to fresh air and get medical attention.

**INGESTION:**

Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician. Dilute contents of stomach using 2-8 fluid ounces (60-240 mL) of milk or water.

**NOTES TO PHYSICIANS:**

No special instructions

### 5 Fire-fighting measures

**FIRE FIGHTING INSTRUCTIONS:**

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

**EXTINGUISHING MEDIA:**

dry chemical, carbon dioxide, foam or water

**HAZARDOUS DECOMPOSITION PRODUCTS:**

oxides of carbon and sulfur

**FLASH POINT:**

> 210F > 99C P-M(CC)

## 6 Accidental release measures

**PROTECTION AND SPILL CONTAINMENT:**

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit.

**DISPOSAL INSTRUCTIONS:**

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

## 7 Handling and storage

**HANDLING:**

Normal chemical handling.

**STORAGE:**

Keep containers closed when not in use. Protect from freezing. If frozen, thaw and mix completely prior to use. Shelf life 360 days.

## 8 Exposure controls / personal protection

**EXPOSURE LIMITS**

This product is not hazardous as defined by OSHA regulations.

**ENGINEERING CONTROLS:**

adequate ventilation

**PERSONAL PROTECTIVE EQUIPMENT:**

Use protective equipment in accordance with 29CFR 1910 Subpart I

**RESPIRATORY PROTECTION:**

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE. USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS. If air-purifying respirator use is appropriate, use any of the following particulate respirators: N95, N99, N100, R95, R99, R100, P95, P99 or P100.

**SKIN PROTECTION:**

rubber, butyl, viton or neoprene gloves -- Wash off after each use. Replace as necessary.

**EYE PROTECTION:**

splash proof chemical goggles

## 9 Physical and chemical properties

Specific Grav. (70F, 21C)	1.169	Vapor Pressure (mmHG)	~ 18.0
Freeze Point (F)	25	Vapor Density (air=1)	< 1.00
Freeze Point (C)	-4		
Viscosity (cps 70F, 21C)	42	% Solubility (water)	100.0

Odor		Slight	
Appearance		Yellow	
Physical State		Liquid	
Flash Point	P-M(CC)	> 210F	> 98C
pH As Is (approx.)		5.2	
Evaporation Rate (Ether=1)		< 1.00	
Percent VOC:		0.0	

NA = not applicable    ND = not determined

## 10 Stability and reactivity

### CHEMICAL STABILITY:

Stable under normal storage conditions.

### POSSIBILITY OF HAZARDOUS REACTIONS:

No known hazardous reactions.

### INCOMPATIBILITIES:

May react with strong oxidizers.

### DECOMPOSITION PRODUCTS:

oxides of carbon and sulfur

## 11 Toxicological information

Oral LD50 RAT:	>5,000 mg/kg
Dermal LD50 RABBIT:	>2,000 mg/kg
Inhalation LC50 RAT:	>5 mg/L/4hr
Skin Irritation Score RABBIT:	1
Eye Irritation Score RABBIT:	1.67

## 12 Ecological information

### AQUATIC TOXICOLOGY

Ceriodaphnia 48 Hour Static Renewal Bioassay
LC50= 1265 mg/L
Ceriodaphnia 7 Day Static Renewal Bioassay
IC25 = 538 mg/L
Daphnia magna 48 Hour Static Renewal Bioassay (pH adjusted)
LC50= 1767; No Effect Level= 1250 mg/L
Fathead Minnow 7 Day Static Renewal Bioassay
LC50 Greater Than= 2000; IC25 = 2000 mg/L
Fathead Minnow 96 Hour Static Renewal Bioassay (pH adjusted)
LC50= 1960; No Effect Level= 313 mg/L
Mysid Shrimp 48 Hour Static Renewal Bioassay (pH adjusted)
10% Mortality= 16000; 0% Mortality= 8000 mg/L
Sheepshead Minnow 96 Hour Static Renewal Bioassay (pH adjusted)
0% Mortality= 16000 mg/L

### BIODEGRADATION

BOD-28 (mg/g): 32  
BOD-5 (mg/g): 10  
COD (mg/g): 368  
TOC (mg/g): 144

## 13 Disposal considerations

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is :  
Not applicable.

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

## 14 Transport information

DOT HAZARD: Not Applicable  
PROPER SHIPPING NAME:

DOT EMERGENCY RESPONSE GUIDE #: Not applicable  
Note: Some containers may be DOT exempt, please check BOL for exact container classification

## 15 Regulatory information

### **TSCA:**

All components of this product are included on or are in compliance with the U.S. TSCA regulations.

### **CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):**

No regulated constituent present at OSHA thresholds

### **FOOD AND DRUG ADMINISTRATION:**

FDA APPROVED FOR MILL SUPPLY WATER

### **NSF Registered and/or meets USDA (according to 1998 Guidelines):**

Registration number: Not Registered

This product contains ingredients that have been determined as safe for use in boilers, steamlines and cooling systems where there is no food contact. (G7)

### **SARA SECTION 312 HAZARD CLASS:**

Product is non-hazardous under Section 311/312

### **SARA SECTION 302 CHEMICALS:**

No regulated constituent present at OSHA thresholds

### **SARA SECTION 313 CHEMICALS:**

No regulated constituent present at OSHA thresholds

### **CALIFORNIA REGULATORY INFORMATION**

#### **CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):**

No regulated constituents present

### **MICHIGAN REGULATORY INFORMATION**

No regulated constituent present at OSHA thresholds

## 16 Other information

**HMIS vII****CODE TRANSLATION**

Health	1	Slight Hazard
Fire	1	Slight Hazard
Reactivity	0	Minimal Hazard
Special	NONE	No special Hazard
(1) Protective Equipment	B	Goggles,Gloves

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

**CHANGE LOG**

	EFFECTIVE DATE	REVISIONS TO SECTION:	SUPERCEDES
	-----	-----	-----
MSDS status:	29-JAN-1997		** NEW **
	10-SEP-1997	3, 8, 10, 11, 16;EDIT:4	29-JAN-1997
	06-FEB-1998	12	10-SEP-1997
	18-JAN-2001	15	06-FEB-1998
	31-AUG-2001	15	18-JAN-2001
	30-OCT-2001	4	31-AUG-2001
	17-APR-2006	7, 8	30-OCT-2001
	02-OCT-2008	4, 5, 8, 10	17-APR-2006
	05-FEB-2009	12	02-OCT-2008
	15-MAY-2009	15	05-FEB-2009