



SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents
Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation of Sources
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Prohibition of Air Pollution
- #024 Reporting
- #025 Report Format

Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions



SECTION A. Table of Contents

- E-I: Restrictions
- E-II: Testing Requirements
- E-III: Monitoring Requirements
- E-IV: Recordkeeping Requirements
- E-V: Reporting Requirements
- E-VI: Work Practice Standards
- E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)




- F-I: Restrictions
- F-II: Testing Requirements
- F-III: Monitoring Requirements
- F-IV: Recordkeeping Requirements
- F-V: Reporting Requirements
- F-VI: Work Practice Standards
- F-VII: Additional Requirements

Section G. Emission Restriction Summary

Section H. Miscellaneous

**SECTION A. Site Inventory List**

Source ID	Source Name	Capacity/Throughput	Fuel/Material
201	COUNTER-FLOW DRUM MIX ASPHALT PLANT (400TPH)	400.000 Tons/HR	ASPHALT
205	STORAGE BINS, MATERIAL HANDLING, MATERIAL PILES & ROADWAYS	N/A	
207	LAC STORAGE TANKS (3)(30,000 GALLONS EACH)	N/A	Natural Gas
208	HMA STORAGE SILOS (4) (300 TONS EACH)	300.000 Tons/HR	
C201	ASPHALT PLANT BAGHOUSE (89,217 SCFM)		
S201	ASPHALT PLANT (DRYER) STACK		
Z205	FACILITY FUGITIVE EMISSIONS		
Z207	LAC STORAGE TANKS FUGITIVES		
Z208	HMA STORAGE SILOS FUGITIVE EMISSIONS		

PERMIT MAPS

**SECTION B. General State Only Requirements****#001 [25 Pa. Code § 121.1]****Definitions.**

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]**Operating Permit Duration.**

(a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.

(b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]**Permit Renewal.**

(a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.

(b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.

(c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.

(d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.

(e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).

(f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]**Operating Permit Fees under Subchapter I.**

(a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.

(1) For a synthetic minor facility, a fee equal to:

(i) Four thousand dollars (\$4,000) for calendar years 2021—2025.

(ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.

(iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.

(2) For a facility that is not a synthetic minor, a fee equal to:

**SECTION B. General State Only Requirements**

- (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
- (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
- (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.

(b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]**Transfer of Operating Permits.**

(a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.

(b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.

(c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]**Inspection and Entry.**

(a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:

(1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;

(2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;

(3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;

(4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.

(b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.

(c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]**Compliance Requirements.**

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:

- (1) Enforcement action

**SECTION B. General State Only Requirements**

(2) Permit termination, revocation and reissuance or modification

(3) Denial of a permit renewal application

(b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.

(c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]**Need to Halt or Reduce Activity Not a Defense.**

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]**Duty to Provide Information.**

(a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.

(b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]**Revising an Operating Permit for Cause.**

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

(1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.

(2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.

(3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.

(4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]**Operating Permit Modifications**

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:

(b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless

**SECTION B. General State Only Requirements**

precluded by the Clean Air Act or its regulations.

(c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.

(d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.

(e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#012 [25 Pa. Code § 127.441]**Severability Clause.**

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]**De Minimis Emission Increases.**

(a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:

(1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.

(2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.

(b) The Department may disapprove or condition de minimis emission increases at any time.

(c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:

(1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.

(2) One ton of NO_x from a single source during the term of the permit and 5 tons of NO_x at the facility during the term of the permit.

(3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.

(4) Six-tenths of a ton of PM₁₀ from a single source during the term of the permit and 3.0 tons of PM₁₀ at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:

(1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.

**SECTION B. General State Only Requirements**

(2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.

(3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.

(4) Space heaters which heat by direct heat transfer.

(5) Laboratory equipment used exclusively for chemical or physical analysis.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:

(1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.

(2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.

(3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.

(f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.

(g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.

(h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]**Operational Flexibility.**

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

(1) Section 127.14 (relating to exemptions)

(2) Section 127.447 (relating to alternative operating scenarios)

(3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)

(4) Section 127.449 (relating to de minimis emission increases)

(5) Section 127.450 (relating to administrative operating permit amendments)

(6) Section 127.462 (relating to minor operating permit modifications)

(7) Subchapter H (relating to general plan approvals and general operating permits)

**SECTION B. General State Only Requirements****#015 [25 Pa. Code § 127.11a]****Reactivation of Sources**

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#016 [25 Pa. Code § 127.36]**Health Risk-based Emission Standards and Operating Practice Requirements.**

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]**Circumvention.**

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]**Reporting Requirements.**

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:
- Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)
- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

**SECTION B. General State Only Requirements****#019 [25 Pa. Code §§ 127.441(c) & 135.5]****Sampling, Testing and Monitoring Procedures.**

(a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.

(b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]**Recordkeeping.**

(a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:

- (1) The date, place (as defined in the permit) and time of sampling or measurements.
- (2) The dates the analyses were performed.
- (3) The company or entity that performed the analyses.
- (4) The analytical techniques or methods used.
- (5) The results of the analyses.
- (6) The operating conditions as existing at the time of sampling or measurement.

(b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.

(c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]**Property Rights.**

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]**Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.

#023 [25 Pa. Code § 121.7]**Prohibition of Air Pollution**

No person may permit air pollution as that term is defined in the Air Pollution Control Act (35 P.S. §§ 4001-4015).

**SECTION B. General State Only Requirements****#024 [25 Pa. Code §135.3]****Reporting**

(a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.

(b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#025 [25 Pa. Code §135.4]**Report Format**

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.

**SECTION C. Site Level Requirements****I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §121.7]****Prohibition of air pollution.**

No person may permit air pollution as that term is defined in the act.

002 [25 Pa. Code §123.1]**Prohibition of certain fugitive emissions**

(a) No person may permit the emission into the outdoor atmosphere of fugitive air contaminant from a source other than the following:

(1) Construction or demolition of buildings or structures.

(2) Grading, paving and maintenance of roads and streets.

(3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.

(4) Clearing of land.

(5) Stockpiling of materials.

(6) Open burning operations.

(7) Not Applicable.

(8) Not Applicable

(9) Sources and classes of sources other than those identified in paragraphs (1)-(8), for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:

(i) the emissions are of minor significance with respect to causing air pollution; and

(ii) the emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

003 [25 Pa. Code §123.2]**Fugitive particulate matter**

A person may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in §123.1(a) (relating to prohibition of certain fugitive emissions) if such emissions are visible at the point the emissions pass outside the person's property.

004 [25 Pa. Code §123.31]**Limitations**

A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

[§ 123.31(b)]

005 [25 Pa. Code §123.41]**Limitations**

A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

(1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.

(2) Equal to or greater than 60% at any time.

**SECTION C. Site Level Requirements****# 006 [25 Pa. Code §123.42]****Exceptions**

The limitations of 123.41 (relating to limitations) shall not apply to a visible emission in any of the following instances:

- (1) When the presence of uncombined water is the only reason for failure of the emission to meet the limitations.
- (2) When the emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions.
- (3) When the emission results from sources specified in §123.1(a) relating to prohibition of certain fugitive emissions as defined in the Emission Restriction(s) section above for this site.
- (4) Not Applicable.

007 Elective Restriction

To maintain its Synthetic Minor status, the permittee is subject to the following facility-wide emission restrictions based on a 12-month rolling total.

- (a) 99 TPY CO (carbon monoxide)
- (b) 99 TPY NO_x (nitrous oxide)
- (c) 99 TPY PM₁₀ (particulate matter with aerodynamic diameter equal to or less than 10 μm)
- (d) 49 TPY VOC

[Authority for this condition also derived from GP13-10-230A (GP-13, rev. 12/2009), Condition #5.]

II. TESTING REQUIREMENTS.**# 008 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The Department reserves the right to require exhaust stack testing of any source(s) as necessary to verify emissions for purposes of determining malfunctions or compliance with any applicable requirements.

III. MONITORING REQUIREMENTS.**# 009 [25 Pa. Code §123.43]****Measuring techniques**

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and qualified, to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

010 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

The owner or operator shall perform monitoring of the facility at least once per operating day for the presence of visible emissions and malodors. The owner or operator shall take immediate corrective action to eliminate any emissions that are out of compliance with the plant's operating permit. A Method 9 reading is not required for the evaluation of visible emissions.

**SECTION C. Site Level Requirements**

[GP13-10-230A (GP-13, rev. 12/2009), Condition #16(c).]

IV. RECORDKEEPING REQUIREMENTS.**# 011 Elective Restriction**

To demonstrate compliance with the elective restrictions,

- (a) The permittee must maintain records of CO, NO_x, PM, & VOC emitted per month for each source.
- (b) For each pollutant:
 - (1) For each source, the present monthly emission shall be added to the monthly emission total from the previous eleven (11) months to get the 12-month rolling total.
 - (2) Add the 12-month rolling totals for all permitted sources to obtain the facility-wide 12-month rolling total.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.**# 012 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

A person responsible for any source specified in subsections (a)(1) -- (7) or (9) shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions shall include, but not be limited to, the following:

- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads, or the clearing of land.
- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
- (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

013 [25 Pa. Code §129.14]**Open burning operations**

- (a) Not Applicable.
- (b) No person may permit the open burning of material in an area outside of air basins in a manner that:
 - (1) The emissions are visible, at any time, at the point such emissions pass outside the property of the person on whose land the open burning is being conducted.
 - (2) Malodorous air contaminants from the open burning are detectable outside the property of the person on whose land the open burning is being conducted.
 - (3) The emissions interfere with the reasonable enjoyment of life or property.

**SECTION C. Site Level Requirements**

- (4) The emissions cause damage to vegetation or property.
- (5) The emissions are or may be deleterious to human or animal health.

(c) Exceptions: The requirements of subsections (a) and (b) do not apply where the open burning operations result from:

- (1) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.
- (2) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
- (3) A fire set for the prevention and control of disease or pests, when approved by the Department.
- (4) Not Applicable
- (5) Not Applicable
- (6) A fire set solely for recreational or ceremonial purposes.
- (7) A fire set solely for cooking food.

(d) Clearing and grubbing wastes. The following is applicable to clearing and grubbing wastes:

- (1) As used in this subsection the following terms shall have the following meanings:

Air curtain destructor -- A mechanical device which forcefully projects a curtain of air across a pit in which open burning is being conducted so that combustion efficiency is increased and smoke and other particulate matter are contained.

Clearing and grubbing wastes -- Trees, shrubs, and other native vegetation which are cleared from land during or prior to the process of construction. The term does not include demolition wastes and dirt laden roots.

- (2) Not Applicable.

(3) Subsection (b) notwithstanding clearing and grubbing wastes may be burned outside of an air basin, subject to the following limitations:

(i) Upon receipt of a complaint or determination by the Department that an air pollution problem exists, the Department may order that the open burning cease or comply with subsection (b) of this section.

(ii) Authorization for open burning under this paragraph does not apply to clearing and grubbing wastes transported from an air basin for disposal outside of an air basin.

(4) During an air pollution episode, open burning is limited by Chapter 137 (relating to air pollution episodes) and shall cease as specified in such chapter.

[This permit does not constitute authorization to burn solid waste pursuant to Section 610(3) of Solid Waste Management Act, 35 P.S. Section 6018.610(3), or any other provision of Solid Waste Management Act.]

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).



SECTION C. Site Level Requirements

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.

**SECTION D. Source Level Requirements**

Source ID: 201

Source Name: COUNTER-FLOW DRUM MIX ASPHALT PLANT (400TPH)

Source Capacity/Throughput: 400.000 Tons/HR ASPHALT

Conditions for this source occur in the following groups: GP-13 TESTING REQUIREMENTS

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The owner or operator of any HMA plant constructed after December 31, 2009 shall comply with the following best available technology requirements, which are hereby established pursuant to 25 Pa. Code §§ 127.1 and 127.12(a)(5):

(a) The filterable particulate matter emissions in the exhaust of the fabric collector (baghouse) shall not exceed 0.009 grains per dry standard cubic foot of effluent gas volume.

(b) The total PM-10 (filterable plus condensable) in the exhaust of the baghouse shall not exceed 0.021 grains per dry standard cubic foot of effluent gas volume.

[Compliance with this total PM10 limit assures compliance with §60.92(a)(1).]

(c) There shall be no visible air contaminant emissions from the exhaust of the baghouse.

[Compliance with this condition assures compliance with §60.92(a)(2).]

(d) Pursuant to BAT requirements, the following emission limits pertain to NO_x, CO and VOC (as propane):

(1) NO_x: 60 ppmvd @15% O₂

(2) CO: 200 ppmvd @15% O₂

(3) VOC (as propane): 30 ppmvd @15% O₂

[GP13-10-230A (GP-13, rev. 12/2009), Condition #14(c).]

Fuel Restriction(s).**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The owner or operator is approved to burn the following fuels according to the conditions of this Operating Permit:

(1) Propane

(2) Natural gas

(3) No.2 fuel oil

(4) No.4 fuel oil

(5) [Not applicable]

(6) Biodiesel that is a fuel comprised of mono-alkyl esters of long chain fatty acids derived from vegetable oils or animal

**SECTION D. Source Level Requirements**

fats and conform to ASTM D6751 specifications.

(7) Any alternative fuels that, unless specified, meet the same specification as other fuels permitted under this Operating Permit, such as:

- (A) Liquid biofuels derived from recycled vegetable oils or animal fats from restaurants or food processing industries after processed through filtration, deodorization, water washing or other polishing and refining steps.
- (B) Biofuels from bio-processing of cellulosic bio-mass.
- (C) Bio-oils produced by pyrolysis of bio-mass materials.

(b) Fuel sulfur limits

(1) The owner or operator may not use a fuel to fire a burner at the plant that exceeds the sulfur limits stated below:

- (A) For No.2 fuel oil, biodiesel and alternative fuels, $\leq 0.3\%$, by weight.
- (B) For No.4 fuel oil and [Not applicable], $\leq 0.5\%$, by weight.

(2) Fuel analysis records shall be used to demonstrate compliance with the above sulfur limitations. For each shipment of any liquid fuel, fuel sulfur content shall also be demonstrated by providing the supplier's fuel certification for the type of fuel received.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #14, subparagraphs (a)(xiv), (a)(xv), & (a)(xvi).]

Throughput Restriction(s).**# 003 Elective Restriction**

The hot mix asphalt (HMA) throughput of this source shall not exceed 1,500,000 tons on a 12-month rolling basis to assure compliance with the elective emission restrictions for the facility in section C of this Operating Permit.

II. TESTING REQUIREMENTS.**# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) Emissions testing using EPA reference methods shall be conducted one time while the source is burning the worst case fuel to verify compliance with filterable particulate, NO_x, CO and VOCs. HMA Plants constructed after December 31, 2009 shall be tested for total PM₁₀ and PM_{2.5}.

[The performance test on September 14, 2016 was conducted with the facility firing natural gas, which is not the worst case fuel. Therefore, an additional testing condition has been incorporated with regards to the use of other permitted fuels. In the event there is a need to conduct performance stack test, see Source Group GP-13 TESTING REQUIREMENTS in Section E of this permit for source test submittals & testing provisions.]

(b) If at any time the Department has reason to believe that the air contaminant emissions from the exhaust of a fabric collector (baghouse) associated with an HMA plant operating under this Operating Permit are, or may be, in excess of any applicable air contaminant emission limitation, the owner or operator shall conduct such stack tests or source tests requested by the Department to determine the actual air contaminant emission rate. The owner or operator shall perform any such testing in accordance with the applicable provisions of 25 Pa. Code, Chapter 139 (relating to sampling and testing) as well as in accordance with any additional requirements or conditions established by the Department at the time the owner or operator is notified, in writing, of the need to conduct testing.

[Paragraphs (a) & (b) of this condition are GP13-10-230A (GP-13, rev. 12/2009), Condition #15(a) & (d), respectively.]

005 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

**SECTION D. Source Level Requirements**

For permitted fuels for which the performance of this source has not been tested, the permittee shall conduct stack test to demonstrate compliance with all applicable emission limitations prior to use in normal production.

III. MONITORING REQUIREMENTS.**# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The baghouse shall be equipped with instrumentation to monitor the differential pressure across the unit on a continuous basis. The gauge should be positioned so that it is easily accessed and read.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #16(d).]

IV. RECORDKEEPING REQUIREMENTS.**# 007 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The owner or operator shall maintain records including the following:

- (1) Monthly and 12-month rolling total for asphalt production;
- (2) Daily records shall be made available to the Department upon request;
- (3) 12-month rolling total for gallons of No. 2 fuel oil, No. 4 fuel oil, [Not applicable], biodiesel, alternative fuels used;
- (4) Hours operated while firing each liquid fuel;
- (5) 12-month rolling total for each pollutant listed;
- (6) Daily baghouse pressure drop reading;
- (7) Daily stack, fugitive and malodor surveys;
- (8) Any corrective actions taken to bring facility back into compliance with stack, fugitive, and malodor requirements of this permit; and
- (9) Records of tune-up and annual portable monitor testing shall be kept in accordance with the conditions pertaining to burner tuning in the Work Practice Requirements for this source.

(b) All logs and required records shall be maintained on site for a minimum of five (5) years and shall be made available to the Department upon request.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #16, paragraphs (a) & (b).]

V. REPORTING REQUIREMENTS.**# 008 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The owner or operator shall notify the Department by telephone within twenty-four (24) hours of the discovery of any malfunction of any HMA plant operating pursuant to this Operating Permit, or any malfunction of an associated fabric collector (baghouse), which results in, or may possibly be resulting in, the emission of air contaminants in excess of any applicable limitation specified herein or in excess of the limitations specified in any applicable rule or regulation contained in 25 Pa. Code, Chapters 121 through 145, or which otherwise results in, or may possibly be resulting in, noncompliance with the requirements specified in any applicable condition of this Operating Permit. If the owner or operator is unable to provide notification to the appropriate Regional Office within twenty-four (24) hours of discovery of a malfunction due to a weekend or holiday, the notification shall be made to the Department by no later than 4 p.m. on the first business day for the

**SECTION D. Source Level Requirements**

Department following the weekend or holiday. In addition, the owner or operator shall provide subsequent written reports regarding any reported malfunction, as requested by the Department.

[GP13-10-230A (GP-13, 12/2009), Condition #7.]

009 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

The owner or operator shall, upon request of the Department, provide fuel analyses, or samples of any fuel permitted by the Department for use in any unit authorized to operate under this Operating Permit.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #15(c).]

VI. WORK PRACTICE REQUIREMENTS.**# 010 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

This source shall be operated and maintained in a manner consistent with good operating and maintenance practices, and in accordance with practices based on the manufacturer's specifications.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #5(b) & (c).]

011 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) No fugitive air contaminant emissions shall be generated as a result of removing collected dust from the baghouse or as a result of subsequently handling the collected dust on-site following its removal from the collector.

(b) The owner or operator shall keep sufficient quantity of spare baghouse bags, at a minimum of 10% of the total number of bags, on hand for immediate replacement.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #14, subparagraphs (a)(xii) & (a)(xiii).]

012 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

Except for the first year, the owner or operator shall conduct a burner tuning procedure in accordance with the manufacturer's specifications to minimize NO_x and CO emissions each year thereafter. The owner or operator shall conduct each annual tune-up not later than June 15 of each year or within four (4) weeks after each start-up of the HMA plant. The owner or operator shall comply with the following requirements:

(a) The burner shall be tuned so that the emissions do not exceed the NO_x, CO, and VOC limits stated in the Emission Restrictions listed above for this source.

(b) The air-to-fuel ratio controls shall be inspected and adjusted to ensure proper operation in accordance with the manufacturer's specifications.

(c) Monitoring records stating the following information shall be kept on site for a minimum of five years and shall be made available to the Department upon request.

- (1) The date of the tuning procedure;
- (2) The name of the servicing company and technician;
- (3) The production rate (tons/hr) or load before and after tuning;
- (4) The CO and NO_x concentrations (ppmvd) before and after tuning; and
- (5) The percent O₂ before and after tuning.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #15(b).]

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**SECTION D. Source Level Requirements**


Source ID: 205

Source Name: STORAGE BINS, MATERIAL HANDLING, MATERIAL PILES & ROADWAYS

Source Capacity/Throughput:

N/A

N/A

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The owner or operator shall notify the Department by telephone within twenty-four (24) hours of the discovery of any malfunction of any HMA plant operating pursuant to this Operating Permit, or any malfunction of an associated fabric collector (baghouse), which results in, or may possibly be resulting in, the emission of air contaminants in excess of any applicable limitation specified herein or in excess of the limitations specified in any applicable rule or regulation contained in 25 Pa. Code, Chapters 121 through 145, or which otherwise results in, or may possibly be resulting in, noncompliance with the requirements specified in any applicable condition of this Operating Permit. If the owner or operator is unable to provide notification to the appropriate Regional Office within twenty-four (24) hours of discovery of a malfunction due to a weekend or holiday, the notification shall be made to the Department by no later than 4 p.m. on the first business day for the Department following the weekend or holiday. In addition, the owner or operator shall provide subsequent written reports regarding any reported malfunction, as requested by the Department.

[GP13-10-230A (GP-13, 12/2009), Condition #7.]

VI. WORK PRACTICE REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

This source shall be operated and maintained in a manner consistent with good operating and maintenance practices, and in accordance with practices based on the manufacturer's specifications.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #5(b) & (c).]

**SECTION D. Source Level Requirements****# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.****(a) For Piles:**

(1) The drop heights from front-end loaders being used to stockpile, transfer, and load aggregate shall be kept as short as possible to minimize dust emissions.

(2) Stockpiles shall be kept as compact as possible to limit exposure to the wind. Material shall be stockpiled in such a manner that it may be adequately wetted as necessary to control fugitive emissions.

(b) For Roadways:

(1) All in-plant roads shall be maintained to prevent particulate matter from becoming airborne in accordance with 25 Pa. Code §§ 123.1 and 123.2.

(2) All unpaved in-plant roads shall be watered once per day during warm weather, at the start of each shift, if no precipitation has fallen within the previous twenty four (24) hours, and as needed thereafter on a preventative basis such that visible fugitive emissions are controlled in accordance with 25 Pa. Code §§ 123.1 and 123.2. Other methods of dust control may be used when weather conditions make the watering of unpaved roads hazardous.

(3) In accordance with 25 Pa. Code § 123.1(c), the owner or operator shall promptly remove earth or other material from paved roads onto which earth or other material has been transported by trucking or earth moving equipment, or other means.

(4) A set vehicle pattern shall be established and maintained for vehicles entering and exiting the plant.

(5) The owner or operator shall post a sign limiting speeds to less than 15 mph on all in-plant roads.

(6) The owner or operator shall post and enforce a requirement stating "All vehicles entering or exiting the plant property shall be properly tarpaulin covered." Vehicles with a gross vehicle weight rating of less than 10,000 pounds shall be exempt from this condition.

(7) Speed limit signs shall be posted consistent with the requirements of the Pennsylvania Department of Transportation (overall dimension 20 inches x 24 inches, "SPEED LIMIT" in 4-inch letters and 10-inch numerals).

(c) For all fugitive sources:

(1) The Department reserves the right to require additional controls (water sprays, paving, conveyor covers, etc.) based on evaluation of the operation after inspection and determination that existing controls are not adequate for controlling fugitive emissions.

[GP13-10-230A (GP-13, 12/2009), Condition #14, subparagraphs (a)(i) to (a)(x).]

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements**


Source ID: 207

Source Name: LAC STORAGE TANKS (3)(30,000 GALLONS EACH)

Source Capacity/Throughput:

N/A

Natural Gas

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

To clearly demonstrate exemption from plan approval under §127.14(a)(8) as a source of uncontrolled VOC emissions from a project that are less than 2.7 tons on a 12-month rolling basis

(a) The permittee must maintain records of VOC emissions from this source per month.

(b) On a monthly basis, compute the 12-month rolling VOC emission total by adding the present monthly VOC emission to the monthly VOC emission total from the previous eleven (11) months.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall maintain and operate this source in accordance with the manufacturer's specifications and good air pollution control practices.

[As per letter dated July 16, 2014]

VII. ADDITIONAL REQUIREMENTS.


No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements**

Source ID: 208

Source Name: HMA STORAGE SILOS (4) (300 TONS EACH)

Source Capacity/Throughput: 300.000 Tons/HR

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The owner or operator shall notify the Department by telephone within twenty-four (24) hours of the discovery of any malfunction of any HMA plant operating pursuant to this Operating Permit, or any malfunction of an associated fabric collector (baghouse), which results in, or may possibly be resulting in, the emission of air contaminants in excess of any applicable limitation specified herein or in excess of the limitations specified in any applicable rule or regulation contained in 25 Pa. Code, Chapters 121 through 145, or which otherwise results in, or may possibly be resulting in, noncompliance with the requirements specified in any applicable condition of this Operating Permit. If the owner or operator is unable to provide notification to the appropriate Regional Office within twenty-four (24) hours of discovery of a malfunction due to a weekend or holiday, the notification shall be made to the Department by no later than 4 p.m. on the first business day for the Department following the weekend or holiday. In addition, the owner or operator shall provide subsequent written reports regarding any reported malfunction, as requested by the Department.

[GP13-10-230A (GP-13, 12/2009), Condition #7.]

VI. WORK PRACTICE REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

This source shall be operated and maintained in a manner consistent with good operating and maintenance practices, and in accordance with practices based on the manufacturer's specifications.

[GP13-10-230A (GP-13, rev. 12/2009), Condition #5(b) & (c).]

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION E. Source Group Restrictions.**

Group Name: GP-13 TESTING REQUIREMENTS

Group Description: GP-13 (rev. 12/2009), Condition #15(a) for Performance Testing

Sources included in this group

ID	Name
201	COUNTER-FLOW DRUM MIX ASPHALT PLANT (400TPH)

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) Source test submittals shall be as follows:

(1) [25 Pa. Code § 139.53(a)(3)] At least 90 calendar days prior to commencing an emissions testing program, a test protocol shall be submitted to the Department for review and approval in accordance with paragraph (8)(b). The test protocol shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(2) [25 Pa. Code § 139.53(a)(3)] At least 15 calendar days prior to commencing an emission testing program, notification as to the date and time of testing shall be given to the Department in accordance with paragraph (8)(b). Notification shall not be made without prior receipt of a protocol acceptance letter from the Department (Source Testing Section).

(3) [25 Pa. Code § 139.53(a)(3)] Within 15 calendar days after completion of the on-site testing portion of an emission test program, if a complete test report has not yet been submitted, an electronic mail notification indicating the completion date of the on-site testing shall be sent to the Department in accordance with paragraph (8)(b).

(4) [40 CFR Part 60.8(a), 40 CFR Part 61.13(f) and 40 CFR Part 63.7(g)] A complete test report shall be submitted to the Department no later than 60 calendar days after completion of the on-site testing portion of an emission test program. For those tests being conducted pursuant to 40 CFR Part 61, a complete test report shall be submitted within 31 days after completion of the test.

(5) [25 Pa. Code Section 139.53(b)] A complete test report shall include a summary of the emission results on the first page of the report indicating if each pollutant measured is within permitted limits and a statement of compliance or noncompliance with all applicable permit conditions. The summary results will include, at a minimum, the following information:

(A) A statement that the owner or operator has reviewed the report from the emissions testing body and agrees with the findings.

(B) Permit number(s) and condition(s) which are the basis for the evaluation.

(C) Summary of results with respect to each applicable permit condition.

(D) Statement of compliance or non-compliance with each applicable permit condition.

(6) [25 Pa. Code § 139.3] All submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(7) All testing shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection.

(8) The Department requires one electronic copy of all source test submissions (protocols and reports) to be sent to both the appropriate Regional Office and the PSIMS Administrator in Central Office (email addresses are provided below). Do not

**SECTION E. Source Group Restrictions.**

send submissions to anyone else, except the U.S. EPA, unless specifically directed to do so. To minimize the potential for rescheduling of the test, all protocols must be received at least 90 days prior to testing. Test reports must be received no later than 60 days after the completion of testing, unless a more stringent regulatory requirement applies. Any questions or concerns about source testing submissions can be sent to RA-EPstacktesting@pa.gov and the PSIMS Administrator will address them.

Electronic copies of Protocols and Reports shall be emailed to the following:

Central Office:

RA-EPstacktesting@pa.gov

Northwest Region:

RA-EPNWstacktesting@pa.gov

Notifications and Supplemental Information shall be submitted to the following:

OnBase Submittal

<http://www.dep.pa.gov/DataandTools/Pages/Application-Form-Upload.aspx>

(b) The owner or operator shall comply with all applicable federal reporting requirements, including timelines more stringent than those contained in this Operating Permit. In the event of an inconsistency or any conflicting requirements between federal and state laws and regulation, the permittee shall comply with the most stringent provision, term, condition, method or rule.

(c) All testing shall be conducted in accordance with any applicable federal regulations (such as New Source Performance Standards, Subpart I); 25 Pa. Code, Chapter 139 (relating to sampling and testing); and the current revision of the Department's Source Testing Manual. The following federal reference methods shall be used to demonstrate compliance.

(1) 40 CFR 60, Appendix A, Methods 1-4 shall be used to determine the volumetric flow rate of the effluent exiting the fabric collector (baghouse).

(2) 40 CFR 60, Appendix A, Method 5 shall be used to determine the filterable particulate emission concentration (grains/dscf) and emission rate (lbs/hour) in the effluent exiting the fabric collector (baghouse).

(3) 40 CFR 60, Appendix A, Method 7E shall be used to determine the nitrogen oxides (NOx) concentration (ppmvd) and emission rate (lbs/hour) in the effluent exiting the fabric collector (baghouse).

(4) 40 CFR 60, Appendix A, Method 10 shall be used to determine the carbon monoxide (CO) concentration (ppmvd) and emission rate (lbs/hour) in the effluent exiting the fabric collector (baghouse).

(5) 40 CFR 60, Appendix A, Method 18 or an alternate method approved by the Department, shall be used to determine the methane/ethane concentration (ppmvd) and emission rate (lbs/hour) in the effluent exiting the fabric collector (baghouse).

(6) 40 CFR 60, Appendix A, Method 25A shall be used to determine the total hydrocarbon (THC) concentration (ppmvd as propane) and emission rate (lbs/hour) in the effluent exiting the fabric collector (baghouse). The VOC concentration and emission rate shall be determined by subtracting the Method 18 (methane/ethane) results from the Method 25A results.

(7) 40 CFR 60, Appendix A, Method 202 shall be used to determine the condensable particulate matter (CPM) concentration (grains/dscf) and emission rate (lbs/hour) in the effluent exiting the fabric collector (baghouse). The Method 5 and Method 202 results shall be summed to calculate the total PM-10 concentration and emission rate.

[On September 6, 2016 (e-mail correspondence between the permittee & the Department), the condensable testing pursuant to Method 22 was approved as a surrogate for actual PM2.5 testing.]

(d) The testing shall be performed while the source is operating at a maximum routine operating conditions rate and while producing a typical mix formulation. The following process data shall be recorded at 15-minute intervals (if possible) during each test run to document the operation of the plant and the baghouse:

**SECTION E. Source Group Restrictions.**

- (1) Type of Fuel (propane, natural gas, No.2 & No. 4 oil, [Not applicable], biodiesel, alternative fuels);
- (2) Fuel Usage (gpm for liquids; cfm for gases);
- (3) Asphalt Production Rate (tons/hr);
- (4) Aggregate Usage (tons/hr);
- (5) Asphaltic Oil (%);
- (6) Fines in mix (% <600 mesh); and
- (7) Mix Temperature (°F).

[Paragraph (a)(8) is based on Source Testing Section's latest instructions (2025). Paragraphs (b), (c), (d) are GP13-10-230A (GP-13, rev. 12/2009), Condition #15, subparagraphs (a)(ix), (a)(x), & (a)(xi).]

002 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.93]**Subpart I - Standards of Performance for Hot Mix Asphalt Facilities****Test methods and procedures.**

- (a) In conducting the performance tests required in § 60.8, the owner or operator shall use as reference methods and procedures the test methods in appendix A of this part or other methods and procedures as specified in this section, except as provided in § 60.8(b).
- (b) The owner or operator shall determine compliance with the particulate matter standards in § 60.92 as follows:
 - (1) Method 5 shall be used to determine the particulate matter concentration. The sampling time and sample volume for each run shall be at least 60 minutes and 0.90 dscm (31.8 dscf).
 - (2) [Not Applicable]

[54 FR 6667, Feb. 14, 1989]

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.



SECTION G. Emission Restriction Summary.

No emission restrictions listed in this section of the permit.

**SECTION H. Miscellaneous.**

(a) The Capacity/Hour numbers listed in Section A. Site Inventory List and provided in Section D of this permit for individual sources are for informational purposes only and are not to be considered enforceable limits. Enforceable emission limits are listed in the Restrictions sections in Section D for each source and Section E for each source group. They are also summarized for informational purposes only in Section G of this permit.

(b) Source information

Units & operations (i.e., indicated by numbers) below are based on Inspection Report dated June 26, 2019, eFACTS Inspection ID#: 2899118. Corresponding source ID (i.e., indicated by capital letters) are as determined during the technical review for the 2019/2020 permit renewal.

(A) Source 201 (Counter-Flow Drum Mix Asphalt Plant (400TPH))

- (1) Dryer
- (2) Baghouse with exhaust fan to stack, dust blower to dust silo, & dust silo to baghouse
- (3) Heater, 2MMBtu/hr, is a §127.14(a)(#2) exempt source

(B) Source 205 (Storage Bins, Material Handling, Material Piles, & Roadways)

- (1) RAP crusher (electric) - RAP standards for recycled/reclaimed asphalt pavement/product
- (2) Drag slat conveyor
- (3) (2) RAP feed bins
- (4) RAP conveyor
- (5) RAP screen
- (6) RAP conveyor to dryer
- (7) Knock-out box for dryer emissions
- (8) Ductwork
 - (8.1) from dryer to knock-out box
 - (8.2) from knock-out box to baghouse
- (9) WM001 Warm mix system
- (10) Seven (7) aggregate feed bins
- (11) Material piles
- (12) Roadways

(C) Source 207 (Asphalt Storage Tanks) - i.e., contains asphalt cement, which is a raw material

- (1) Three (3) asphalt tanks (30,000 gal each)


(D) Source 208 (Asphalt Product Storage Silos) - i.e., contains the hot mix asphalt

- (1) Four (4) silos & dispenser

(c) Permit History

- (c.1) This permit was amended on October 13, 2006 to incorporate the conditions of plan approval # 10230C.
- (c.2) This permit was reissued on April 28, 2010.
- (c.3) This permit was administratively amended on July 5, 2012 to reflect the change in ownership. The facility name and tax ID changed from IA Construction to Lindy Paving. Paul Reiner Jr. is the Responsible official and permit contact for this facility.
- (c.4) This permit was renewed on February 24, 2015.
- (c.5) This permit is renewed on January 2, 2020. Permitted sources from previous permits were removed & replaced by the sources authorized through GP13-10-230A issued on July 16, 2014.

(d) This permit was renewed on February 10, 2026. It is effective February 10, 2026 and expires January 31, 2031.



***** End of Report *****
