

HARLEY DAVIDSON MOTOR CO/YORK VEHICLE OPR





COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

STATE ONLY SYNTHETIC MINOR OPERATING PERMIT

Issue Date: August 15, 2023 Effective Date: April 30, 2025 **Revision Date:** April 30, 2025 Expiration Date: August 31, 2028

Revision Type: Amendment

> In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

> The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

State Only Permit No: 67-05118

Synthetic Minor

Federal Tax Id - Plant Code: 39-1972792-1

Owner Information

Name: HARLEY DAVIDSON MOTOR CO OPR INC

Mailing Address: 1425 EDEN RD

YORK, PA 17402-1907

Plant Information

Plant: HARLEY DAVIDSON MOTOR CO/YORK VEHICLE OPR

Location: 67 York County 67957 Springettsbury Township

SIC Code: 3751 Manufacturing - Motorcycles, Bicycles, And Parts

Responsible Official

Name: CHRIS YURISTA Title: GM MFG YORK Phone: (717) 505 - 7075

Email: chris.yurista@harley-davidson.com

Permit Contact Person

Name: LISA SMITH

Title: SR. EHS GENERALIST

Phone: (717) 852 - 6544 Email: Lisa.smith@harley-davidson.com

Signaturel			

WILLIAM R. WEAVER, SOUTHCENTRAL REGION AIR PROGRAMMANAGER



SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 **Operating Permit Modifications**
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation of Sources
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- Sampling, Testing and Monitoring Procedures. #019
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level State Only Requirements

- Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

E-I: Restrictions



SECTION A. Table of Contents

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

Section G. Emission Restriction Summary


Section H. Miscellaneous






SECTION A. Site Inventory List

Source II	Source Name	Capacity/	Throughput	Fuel/Material
245	PAINT SYSTEM	250.000	Lbs/HR	VOC
301	DIESEL FIRE PUMP ENGINE	15.000	Gal/HR	Diesel Fuel
DGO2	DIESEL EMERGENCY GENERATOR	50.000	Gal/HR	DIESEL FUEL
MTBS	MOTORCYCLE TEST BOOTHS	10.000	Gal/HR	Gasoline
PR02	PROCESS OVENS	44.180	MMBTU/HR	
		44.180	MCF/HR	Natural Gas
PTAS	PACKED TOWER AERATOR SYSTEM			
SGSTK	GASOLINE TANK	200.000	Gal/HR	GASOLINE
C05	CARBON ADSORPTION (GWTS)			
C245A	PAINT SCRUBBERS			
C245B	DRY PANEL FILTERS			
C245C	PAINT RTO			
C245D	CARBON ADSORPTION UNIT (PAINT)			
C245E	PRECISION CELL FILTER BANK			
FM25	NATURAL GAS SUPPLY			
FM27	DIESEL FUEL			
FML01	GASOLINE AS A FUEL MATERIAL LOCATION			
S05	PTAS CARBON ADSORPTION EXHAUST			
S245C	RTO STACK			
S245E	PRECISION CELL STACK			
S301	SOURCE 301 STACK			
SDGO2	DGO2 GENERATOR EMISSIONS			
STPR2	PROCESS OVENS STACKS			
Z245	PAINT FUGITIVE EMISSIONS			
Z245D	CARBON ADSORPTION UNIT FUGITIVE EMISSIONS			
ZGSTK	GASOLINE TANK EMISSIONS			
ZMTBS	MOTORCYCLE TESTING EMISSIONS			











#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

Operating Permit Duration.

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]

Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
 - (1) For a synthetic minor facility, a fee equal to:
 - (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
 - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
 - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.





- (2) For a facility that is not a synthetic minor, a fee equal to:
 - (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
 - (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
 - (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.
- (b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

Transfer of Operating Permits.

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

Inspection and Entry.

- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
 - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]

Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:





- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

Duty to Provide Information.

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]

Operating Permit Modifications

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:



- (b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.
- (e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
 - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:



- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
 - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
 - (4) Space heaters which heat by direct heat transfer.
 - (5) Laboratory equipment used exclusively for chemical or physical analysis.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]

Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)





- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

#015 [25 Pa. Code § 127.11a]

Reactivation of Sources

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]

Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]

Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such

67-05118



SECTION B. General State Only Requirements

records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#019 [25 Pa. Code §§ 127.441(c) & 135.5]

Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]

Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
 - (1) The date, place (as defined in the permit) and time of sampling or measurements.
 - (2) The dates the analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of the analyses.
 - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]

Property Rights.

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]

Alternative Operating Scenarios.

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.





#023 [25 Pa. Code §135.3]

Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]

Report Format

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.





SECTION C. Site Level Requirements

I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

The permittee shall not allow the emission into the outdoor atmosphere of a fugitive air contaminant from a source other than the following:

- (a) Construction or demolition of buildings or structures.
- (b) Grading, paving, and maintenance of roads and streets.
- (c) Use of roads and streets. Emissions from material in or on trucks, railroad cars, and other vehicular equipment are not considered as emissions from use of roads and streets.
- (d) Clearing of land.
- (e) Stockpiling of materials.
- (f) Sources and classes of sources other than those identified in (a)-(e), above, for which the permittee has obtained a determination from the Department, in accordance with 25 Pa. Code §123.1(b), that fugitive emissions from the source, after appropriate control, meet the following requirements:
- (1) The emissions are of minor significance with respect to causing air pollution; and
- (2) The emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

002 [25 Pa. Code §123.2]

Fugitive particulate matter

The permittee shall not allow the emission of fugitive particulate matter into the outdoor atmosphere from a source specified in Section C, Condition #001(a)-(f), if the emissions are visible at the point the emissions pass outside the permittee's property.

003 [25 Pa. Code §123.31]

Limitations

The permittee shall not allow the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the permittee's property.

004 [25 Pa. Code §123.41]

Limitations

The permittee shall not allow the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (a) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any one hour.
- (b) Equal to or greater than 60% at any time.

005 [25 Pa. Code §123.42]

Exceptions

The emission limitations of Section C, Condition #004, shall not apply when:

- (a) The presence of uncombined water is the only reason for failure of the emission to meet the limitations.
- (b) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions.
- (c) The emission results from sources specified in Section C, Condition #001(a)-(f).



SECTION C. Site Level Requirements

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall limit the facility's annual emissions to less than the following thresholds during any consecutive 12-month period:

- (a) 100 tons per year (TPY) of nitrogen oxides (NOx).
- (b) 100 TPY of carbon monoxide (CO).
- (c) 50 TPY of volatile organic compounds (VOC).
- (d) 100 TPY of sulfur oxides (SOx).
- (e) 100 TPY of PM-10 (particulate matter having an effective aerodynamic diameter less than or equal to a nominal 10 micron body).
- (f) 100 TPY of PM-2.5 (particulate matter having an effective aerodynamic diameter less than or equal to a nominal 2.5 micron body)
- (g) 10 TPY of any individual hazardous air pollutant (HAP).
- (h) 25 TPY of aggregate HAPs.

007 [25 Pa. Code §129.14]

Open burning operations

The permittee shall not allow the open burning of material on the permittee's property except when the open burning operations result from:

- (a) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.
- (b) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
- (c) A fire set for the prevention and control of disease or pests, when approved by the Department.
- (d) A fire set solely for recreational or ceremonial purposes.
- (e) A fire set solely for cooking food.

II. TESTING REQUIREMENTS.

008 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Department reserves the right to require exhaust stack testing of the sources referenced in this operating permit to measure emissions for purposes including verification of operating permit condition compliance and estimation of annual air emissions.

009 [25 Pa. Code §139.1]

Sampling facilities.

Upon the request of the Department, the permittee shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on such source. In the request, the Department will set forth the time period in which the facilities shall be provided as well as the specifications for such facilities.

010 [25 Pa. Code §139.11]

General requirements.

- (a) As specified in 25 Pa. Code §139.11(1), performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.
- (b) As specified in 25 Pa. Code §139.11(2), the Department will consider test results for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, at a minimum, all of the following:





SECTION C. **Site Level Requirements**

- (1) A thorough source description, including a description of any air cleaning devices and the flue.
- (2) Process conditions, for example, fuel type, fuel firing rate, stack temperature, and other conditions which may affect emissions from the process.
- (3) The location of the sampling ports.
- (4) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage CO, CO2, O2, and N2), static and barometric pressures.
- (5) Sample collection techniques employed, including procedures used, equipment descriptions, and data to verify that isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met.
- (6) Laboratory procedures and results.
- (7) Calculated results.

III. MONITORING REQUIREMENTS.

011 [25 Pa. Code §123.43]

Measuring techniques

Visible emissions (referenced in Section C, Conditions #004, #005, and #013) may be measured using either of the following:

- (a) A device approved by the Department and maintained to provide accurate opacity measurements (e.g., Continuous Opacity Monitor).
- (b) Observers trained and certified in EPA Reference Method 9 to measure plume opacity with the naked eye; or with the aid of any device(s) approved by the Department.

012 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from Plan Approval No. 67-05032C]

The permittee shall monitor and record the pressure differential across each fabric collector or other particulate matter control device. At a minimum, these readings shall be taken once per week while the sources and control devices are in operation. These recordings shall be maintained on-site for the most recent five-year period.

013 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall conduct a weekly inspection around the plant periphery during daylight hours when the plant is in production to detect visible emissions, fugitive particulate matter emissions, and malodorous air contaminants. Weekly inspections are necessary to determine:

- (a) The presence of visible emissions as stated in Section C, Condition #004. Visible emissions may be measured according to the methods specified in Section C, Condition #011. Alternately, plant personnel who observe visible emissions may report the incidence of visible emissions to the Department within two (2) hours of the incident and make arrangements for a certified observer to measure the visible emissions.
- (b) The presence of fugitive particulate matter emissions beyond the plant property boundaries, as stated in Section C, Condition #002.
- (c) The presence of malodorous air contaminants beyond the plant property boundaries, as stated in Section C, Condition #003.





SECTION C. **Site Level Requirements**

RECORDKEEPING REQUIREMENTS.

014 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Safety Data Sheets and/or manufacturer's data for each surface coating, solvent and degreaser used at the facility shall be maintained at the facility for the most recent five-year period and shall be made available to Department representatives upon request.

015 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall maintain detailed records of all maintenance performed on each air emissions control system for the most recent five-year period.

#016 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall calculate the monthly air emissions from the facility using AP-42 emission factors, manufacturersupplied emission factors, mass material balance, performance (stack) test data, or other method(s) acceptable to the Department. The permittee shall maintain records of the facility's monthly air emissions and calculations, and include that information in the annual air emissions report referenced in Section C, Condition #019(a).
- (b) The permittee shall calculate the cumulative facility air emissions for each consecutive 12-month period. The permittee shall maintain records of the cumulative facility air emissions for each consecutive 12-month period in order to demonstrate compliance with Section C, Condition #006.
- (c) The permittee shall retain these records for a minimum of five (5) years. The records shall be made available to the Department upon its request.

017 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall maintain records of the weekly inspections referenced in Section C, Condition #013. The records shall include, at a minimum, the following information:
- (1) The name of the company representative monitoring each inspection.
- (2) The date and time of each inspection.
- (3) The wind direction during each inspection.
- (4) A description of the visible emissions, fugitive particulate matter emissions (beyond the plant property boundaries), and malodorous air contaminants (beyond the plant property boundaries) observed, if any, and actions taken to mitigate them. If no visible emissions or fugitive particulate matter emissions or malodors are observed, then document that none were observed.
- (b) The permittee shall retain these records for a minimum of five (5) years. The records shall be made available to the Department upon its request.

V. REPORTING REQUIREMENTS.

018 [25 Pa. Code §127.442]

Reporting requirements.

The permittee shall report malfunctions to the Department. As defined in 40 CFR Section 60.2 and incorporated by reference in 25 Pa. Code Chapter 122, a malfunction is a sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. Failures that are caused in part by poor maintenance or careless operation are not malfunctions. Malfunctions shall be reported as follows:

(a) Malfunctions which pose an imminent danger to public health, safety, welfare and the environment, shall be immediately reported to the Department by telephone. The telephone report of such malfunctions shall occur no later than two hours after discovery of the incident. Telephone reports can be made to the Air Quality Program at 717-705-4702 during normal business hours, or to the Department's Emergency Hotline at any time. The Emergency Hotline phone number is





SECTION C. Site Level Requirements

changed/updated periodically. The current Emergency Hotline phone number can be found at https://www.dep.pa.gov/About/Regional/SouthcentralRegion/Pages/default.aspx.

- (1) The notice shall describe the following:
 - (i) name and location of the facility;
- (ii) nature and cause of the malfunction;
- (iii) time when the malfunction was first observed;
- (iv) expected duration of excess emissions; and
- (v) estimated rate of emissions.
- (2) The permittee shall notify the Department immediately when corrective measures have been accomplished.
- (b) Unless otherwise required by this permit, any other malfunction that is not subject to the reporting requirement of subsection (a) above, shall be reported to the Department, in writing, within five (5) days of malfunction discovery.
- (c) Malfunctions shall be reported through the Department's Greenport PUP system available through: https://greenport.pa.gov/ePermitPublicAccess/PublicSubmission/Home.

019 [25 Pa. Code §135.3]

Reporting

- (a) The annual emission report required by Section B shall be submitted via AES*Online, unless otherwise specified.
- (b) The annual usage of each fuel combusted at the entire facility shall be included in the annual air emissions report.
- (c) The monthly air emissions and calculations referenced in Section C, Condition #017(a), shall be included in the annual air emissions report.

VI. WORK PRACTICE REQUIREMENTS.

020 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

The permittee shall take all reasonable actions to prevent particulate matter from becoming airborne from any source specified in Section C, Condition #001(a)-(f). These actions shall include, but not be limited to, the following:

- (a) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads, or the clearing of land.
- (b) Application of asphalt, oil, water, or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
- (c) Paving and maintenance of roadways.
- (d) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

021 [25 Pa. Code §127.444]

Compliance requirements.

The permittee shall operate and maintain all sources and any air cleaning devices identified in this operating permit in accordance with the manufacturer's recommendations/specifications, as well as in a manner consistent with good operating and air pollution control practices that minimize air emissions.

VII. ADDITIONAL REQUIREMENTS.

022 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Operation of any air emissions source is contingent upon proper operation of its associated emissions control system(s), unless otherwise approved in writing by the Department.







SECTION C. Site Level Requirements

VIII. COMPLIANCE CERTIFICATION.

67-05118

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.






Source ID: 245 Source Name: PAINT SYSTEM

Source Capacity/Throughput: 250.000 Lbs/HR VOC

Conditions for this source occur in the following groups: 004



I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.13]

Processes

The permittee shall not allow the emission into the outdoor atmosphere of particulate matter (PM) from Source ID 245's RTO (Source ID C245C) in a manner that the concentration of PM in the effluent gas exceeds 0.04 grain per dry standard cubic foot.

002 [25 Pa. Code §123.21]

General

The concentration of sulfur oxides, expressed as sulfur dioxide (SO2), in each Source ID 245 fuel combustion source's effluent gas shall not exceed 500 parts per million, by volume (dry basis).

Fuel Restriction(s).

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall operate each Source ID 245 fuel combustion source (e.g., Source ID C245C) using natural gas fuel only.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from Plan Approval No. 67-05032C]

The VOC destruction temperature shall be continuously monitored and recorded for Source ID 245's RTO (Source ID C245C). These records shall be maintained on-site for the most recent five-year period and made available to Department representatives upon request.



IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.

005 [25 Pa. Code §135.3]

Reporting

[Additional authority for part (c) of this permit condition is also derived from Plan Approval No. 67-05032C]

- (a) The permittee shall submit an annual report that includes the following information for each coating, thinner, and other component(s) applied at Source ID 245:
- (1) Name and identification number
- (2) The VOC content of the coating, thinner and other component(s) as supplied (pounds VOC per gallon of coating solids, minus water and exempt VOCs)
- (3) The VOC content of the as applied surface coating (pounds VOC per gallon of coating solids, minus water and exempt VOCs)
- (4) Coating density (pounds per gallon, at 25°C)
- (5) Percent total volatiles (by weight)
- (6) Percent water (by weight)
- (7) Percent solids (by volume and weight)
- (8) Percent exempt VOC(s) (by weight)
- (9) Percent VOCs (by weight)
- (10) Mix ratio for the as applied surface coating
- (11) Percent hazardous air pollutant(s) (HAP(s)) (by weight and by type)
- (12) Gallons per month used
- (13) Pounds per month of VOC emissions
- (14) Pounds per month of HAP(s) emissions (by type)
- (15) Tons per calendar year of VOC emissions $\,$
- (16) Tons per calendar year of HAP(s) emissions (by type)

The permittee shall also include the type and amount (gallons per month) of VOC/HAP-containing cleanup solvent(s) collectively used in conjunction with the operation of Source ID 245 (i.e., cleaning activities and wash-off operations), as well as the resultant monthly VOC and HAP(s) emissions.

This information shall be reported using VOC Worksheets supplied by the Department, or an equivalent format acceptable to the Department.

- (b) The total days and approximate hours of operation for Source ID 245 shall also be included in the annual report.
- (c) The permittee shall provide the following information for waste coatings, solvents, or mixtures sent off-site for recycling or disposal in order to obtain credit for VOC and HAP(s) emissions reporting for (a)(13)&(15) and (a)(14)&(16), respectively, above:
- (1) Pounds or gallons per month of waste coatings, solvents, or mixtures shipped from the facility
- (2) Waste profile or sampling data for a representative shipment (conducted a minimum of once each calendar year)
- (3) Identification of the waste disposal company for each shipment

The permittee may use other method(s) acceptable to the Department to satisfy the requirements of this part.

- (d) The permittee shall include each new surface coating in the annual report and indicate that it is a new surface coating used during the reporting year.
- (e) The annual report must submitted pursuant to Section B.





VI. WORK PRACTICE REQUIREMENTS.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from Plan Approval No. 67-05032C]

Source ID 245's RTO (Source ID C245C) shall be operated and maintained to provide a minimum VOC destruction chamber temperature of 1,400°F.

007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this condition is derived from Plan Approval No. 67-05118A]

The permittee shall operate and maintain each Source ID 245 component, including associated add-on air pollution control devices, in accordance with the following:

- (a) Operated in such a manner as to not cause air pollution as that term is defined in the Air Pollution Control Act (35 P.S. §§4001 - 4005) and 25 Pa. Code §121.1;
- (b) Operated and maintained in a manner consistent with good operating and maintenance practices; and
- (c) Operated and maintained in accordance with the manufacturer's specifications.

VII. ADDITIONAL REQUIREMENTS.

008 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from RFD*Online RFD #6084 (exemption approved online 5/30/17 & via letter dated 5/31/17); RFD = Request for Determination of Changes of Minor Significance and Exemption from Plan Approval Requirements]

- (a) Post-Assembly spray paint can touch-up area annual surface coating VOC emissions (including any associated cleanup solvent usage) shall not equal or exceed 2.7 tons during any consecutive 12-month period.
- (b) Consumption of spray paint and associated cleanup solvents, as well as the resultant VOC emissions, shall be maintained on a monthly basis in order to demonstrate compliance with part (a), above.
- (c) These records shall be maintained for a minimum of five (5) years and shall be made available to the Department upon its request.

009 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Bypass or downtime events for Source ID 245 and its associated RTO (Source ID C245C) shall be addressed as follows:

- 1. VOC emissions from surface coating during RTO bypass or downtime events shall not exceed one ton per event or two tons total per calendar year above the levels that would have occurred with the RTO in operation.
- 2. The permittee shall notify the Department via e-mail within 24 hours of each RTO bypass or downtime event that exceeds 8 hours.
- 3. The permittee shall develop and maintain an internal accounting system for RTO bypass or downtime events. At a minimum, the system shall record the following:
- a. time, date and duration of each event;
- b. coatings/solvents used during each event;
- c. company personnel notified and involved; and
- d. HAP and VOC emissions for each event.



4. HAP and VOC emissions from RTO bypass or downtime events are subject to the annual facility caps on those emissions.








Source ID: 301 Source Name: DIESEL FIRE PUMP ENGINE

> Source Capacity/Throughput: 15.000 Gal/HR Diesel Fuel

Conditions for this source occur in the following groups: 002

003



RESTRICTIONS. L

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

ADDITIONAL REQUIREMENTS. VII.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).








Source ID: DGO2 Source Name: DIESEL EMERGENCY GENERATOR

> Source Capacity/Throughput: 50.000 Gal/HR **DIESEL FUEL**

Conditions for this source occur in the following groups: 001

003



RESTRICTIONS. L

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

ADDITIONAL REQUIREMENTS. VII.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).








Source ID: MTBS Source Name: MOTORCYCLE TEST BOOTHS

> Source Capacity/Throughput: 10.000 Gal/HR Gasoline



RESTRICTIONS.

Fuel Restriction(s).

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall operate Source ID MTBS using gasoline fuel only.

TESTING REQUIREMENTS. Ш

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

RECORDKEEPING REQUIREMENTS. IV.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall calculate the monthly air emissions from Source ID MTBS using AP-42 emission factors, manufacturer-supplied emission factors, mass material balance, performance (stack) test data, or other method(s) acceptable to the Department.
- (b) The permittee shall retain these records for a minimum of five (5) years and shall make them available to the Department upon its request.

REPORTING REQUIREMENTS.

003 [25 Pa. Code §135.3]

Reporting

The permittee shall include the following information for Source ID MTBS in the annual air emissions report referenced in Section C, Condition #019(a):

- (a) Monthly and annual air emissions.
- (b) Air emission calculations (including emission factors used) referenced in Condition #002(a), above.

WORK PRACTICE REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this condition is derived from Plan Approval No. 67-05118A]





The permittee shall operate and maintain Source ID MTBS in accordance with the following:

- a) Operated in such a manner as to not cause air pollution as that term is defined in the Air Pollution Control Act (35 P.S.§§4001 - 4015) and 25 Pa. Code §121.1;
- (b) Operated and maintained in a manner consistent with good operating and maintenance practices; and
- (c) Operated and maintained in accordance with the manufacturer's specifications.

ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



67-05118




SECTION D. Source Level Requirements

Source ID: PR02 Source Name: PROCESS OVENS

Source Capacity/Throughput: 44.180 MMBTU/HR

44.180 MCF/HR Natural Gas



I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.13]

Processes

Particulate matter emissions from each Source ID PR02 component's exhaust shall not exceed 0.04 grain per dry standard cubic foot.

002 [25 Pa. Code §123.21]

General

The concentration of sulfur oxides (SOx), expressed as sulfur dioxide (SO2), in each Source ID PR02 component's effluent gas shall not exceed 500 parts per million, by volume (dry basis).

Fuel Restriction(s).

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall operate each Source ID PR02 component using natural gas fuel only.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall maintain records of the monthly fuel consumption for each Source ID PR02 component.
- (b) The permittee shall retain these records for a minimum of five (5) years. The records shall be made available to the Department upon its request.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) The permittee shall calculate the monthly air emissions from Source ID PR02 using AP-42 emission factors, manufacturer-supplied emission factors, mass material balance, performance (stack) test data, or other method(s) acceptable to the Department.



(b) The permittee shall retain these records for a minimum of five (5) years and shall make them available to the Department upon its request.

V. REPORTING REQUIREMENTS.

006 [25 Pa. Code §135.3]

Reporting

The permittee shall include the following information for Source ID PR02 in the annual air emissions report referenced in Section C, Condition #019(a):

- (a) Monthly and annual air emissions.
- (b) Air emission calculations (including emission factors used) referenced in Condition #005(a), above.

VI. WORK PRACTICE REQUIREMENTS.

007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Each of the Source ID PR02 components shall be operated in accordance with the manufacturer's specifications.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





Source ID: PTAS Source Name: PACKED TOWER AERATOR SYSTEM

Source Capacity/Throughput:



I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.13]

Processes

Particulate matter emissions from Source ID PTAS's exhaust shall not exceed 0.04 grain per dry standard cubic foot.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall operate the carbon adsorption unit (Source ID C05) at all times that Source ID PTAS is operating.

VII. ADDITIONAL REQUIREMENTS.


No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





Source ID: SGSTK Source Name: GASOLINE TANK

> Source Capacity/Throughput: 200.000 Gal/HR **GASOLINE**



RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

WORK PRACTICE REQUIREMENTS. VI.

001 [25 Pa. Code §129.61]

Small gasoline storage tank control (Stage 1 control)

25 Pa. Code §129.61: Small gasoline storage tank control (Stage I control)

- (a) 25 Pa. Code §129.61 applies Statewide to stationary gasoline storage tanks with a capacity of greater than 2,000 gallons.
- (b) A person may not transfer gasoline from a delivery vessel into a stationary gasoline storage tank unless the displaced vapors from the storage tank are transferred to the dispensing delivery tank through a vapor tight return line and unless the receiving tank is equipped with a submerged fill pipe which extends from the filling orifice to within 6 inches of the bottom of the tank. The vapors collected in the dispensing tank shall be disposed of in accordance with 25 Pa. Code §129.59 or 25 Pa. Code §129.60(c) (relating to bulk gasoline terminals; and bulk gasoline plants).
- (c) The dispensing delivery tank shall remain vapor tight at all times. The delivery tank may be opened after the vapors are disposed of in accordance with 25 Pa. Code §129.59 or 25 Pa. Code §129.60(c).

002 [25 Pa. Code §129.62]

General standards for bulk gasoline terminals/plants, and small gasoline storage tanks

25 Pa. Code §129.62: General standards for bulk gasoline terminals, bulk gasoline plants and small gasoline storage tanks



- (a) Gasoline may not be spilled or discarded in sewers or stored in open containers or handled in a manner that would result in uncontrolled evaporation to the atmosphere.
- (b) An owner or operator of a bulk gasoline plant, bulk gasoline terminal, tank truck or trailer or stationary storage tank to which 25 Pa. Code §129.59, 25 Pa. Code §129.60(b) or (c) or 25 Pa. Code §129.61 (relating to bulk gasoline terminals; bulk gasoline plants; and small gasoline storage tank control (Stage I control)) apply may not permit the transfer of gasoline between the tank truck or trailer and a stationary storage tank unless the following conditions are met:
- (1) The vapor balance system is in good working order and is designed and operated in a manner that prevents:
- (i) Gauge pressure from exceeding 18 inches of H2O (4500 pascals) and vacuum from exceeding 6 inches of water (1500 pascals) in the gasoline tank truck.
- (ii) A reading equal to or greater than 100% of the lower explosive limit LEL, measured as propane at 1 inch from points on the perimeter of a potential leak source when measured by the method referenced in 25 Pa. Code §139.14 (relating to emissions of VOCs) during loading or unloading operations at small gasoline storage tanks, bulk plants and bulk terminals.
- (iii) Avoidable liquid leaks during loading or unloading operations at small gasoline storage tanks, bulk plants and bulk terminals.
- (2) A truck, vapor balance system or vapor disposal system, if applicable, that exceeds the limits in paragraph (b)(1), above, is repaired and retested within 15 days.
- (3) There are no visually- or audibly-detectable leaks in the tank truck's or trailer's pressure/vacuum relief valves and hatch covers, the truck tanks or storage tanks, or associated vapor and liquid lines during loading or unloading.
- (4) The pressure and vacuum relief valves on storage vessels and tank trucks or trailers are set to release at no less than 0.7 psig (4.8 kilopascals) of pressure or 0.3 psig (2.1 kilopascals) of vacuum or the highest allowable pressure and vacuum as specified in State or local fire codes, the National Fire Prevention Association guidelines or other National consensus standards acceptable to the Department. Upon demonstration by the owner or operator of an underground small gasoline storage tank that the vapor balance system specified in paragraph (1), above, will achieve a 90% vapor recovery efficiency without a pressure and vacuum relief valve and that an interlock system, sufficient to ensure connection of the vapor recovery line prior to delivery of the gasoline, will be used no pressure and vacuum relief valve is required. The vacuum setting on the pressure and vacuum relief valve on an underground storage tank may be set at the lowest vacuum setting which is sufficient to keep the vent closed at zero pressure and vacuum.
- (c) [N/A THE PERMITTEE IS NOT A GASOLINE TANK TRUCK OWNER OR OPERATOR]
- (d) [N/A THE PERMITTEE IS NOT A GASOLINE TANK TRUCK OWNER OR OPERATOR; ALSO, SUBSECTION (c), ABOVE, IS NOT APPLICABLE]
- (e) [N/A THE PERMITTEE IS NOT A GASOLINE TANK TRUCK OWNER OR OPERATOR; ALSO, SUBSECTIONS (c) & (d), ABOVE, ARE NOT APPLICABLE]

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



67-05118



SECTION E. Source Group Restrictions.

Group Name: 001

Group Description: SOURCE SUBJECT TO MACT SUBPART ZZZZ

Sources included in this group

ID Name

DGO2 DIESEL EMERGENCY GENERATOR

I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Regulatory Changes:

Individual sources within this source group that are subject to 40 CFR Part 63 Subpart ZZZZ -National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines shall comply with all applicable requirements of the Subpart. 40 CFR 63.13(a) requires submission of copies of all requests, reports and other communications to both the Department and the EPA. The EPA copies shall be forwarded to:

United States Environmental Protection Agency Region III, Air and Radiation Division Permits Branch (3AD10) Four Penn Center 1600 John F. Kennedy Boulevard Philadelphia, PA 19103-2852

The Department copies shall be forwarded to:

Regional Air Program Manager PA Department of Environmental Protection 909 Elmerton Avenue





SECTION E. Source Group Restrictions.

Harrisburg, PA 17110-8200

In the event that the Federal Subpart that is the subject of this Source Group is revised, the permittee shall comply with the revised version of the subpart, and shall not be required to comply with any provisions in this permit designated as having the subpart as their authority, to the extent that such permit provisions would be inconsistent with the applicable provisions of the revised subpart.

002 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6585]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

Am I subject to this subpart?

§ 63.6585 Am I subject to this subpart?

You are subject to this subpart if you own or operate a stationary RICE at a major or area source of HAP emissions, except if the stationary RICE is being tested at a stationary RICE test cell/stand.

- (a) A stationary RICE is any internal combustion engine which uses reciprocating motion to convert heat energy into mechanical work and which is not mobile. Stationary RICE differ from mobile RICE in that a stationary RICE is not a non-road engine as defined at 40 CFR 1068.30, and is not used to propel a motor vehicle or a vehicle used solely for competition.
- (b) A major source of HAP emissions is a plant site that emits or has the potential to emit any single HAP at a rate of 10 tons (9.07 megagrams) or more per year or any combination of HAP at a rate of 25 tons (22.68 megagrams) or more per year, except that for oil and gas production facilities, a major source of HAP emissions is determined for each surface site.
- (c) An area source of HAP emissions is a source that is not a major source.
- (d) If you are an owner or operator of an area source subject to this subpart, your status as an entity subject to a standard or other requirements under this subpart does not subject you to the obligation to obtain a permit under 40 CFR part 70 or 71, provided you are not required to obtain a permit under 40 CFR 70.3(a) or 40 CFR 71.3(a) for a reason other than your status as an area source under this subpart. Notwithstanding the previous sentence, you must continue to comply with the provisions of this subpart as applicable.
- (e) [NA NOT USED FOR NATIONAL SECURITY PURPOSES]
- (f) [NA RICE NOT RESIDENTIAL, COMMERCIAL OR INSTITUTIONAL]

 $[69\ FR\ 33506, June\ 15, 2004, as\ amended\ at\ 73\ FR\ 3603, Jan.\ 18, 2008; 78\ FR\ 6700, Jan.\ 30, 2013; 87\ FR\ 48607, Aug.\ 10, 2022]$

§ 63.6590 What parts of my plant does this subpart cover?

This subpart applies to each affected source.

- (a) Affected source. An affected source is any existing, new, or reconstructed stationary RICE located at a major or area source of HAP emissions, excluding stationary RICE being tested at a stationary RICE test cell/stand.
- (1) Existing stationary RICE.
- (i) [NA NOT A MAJOR HAP SOURCE]
- (ii) [NA NOT A MAJOR HAP SOURCE]
- (iii) For stationary RICE located at an area source of HAP emissions, a stationary RICE is existing if you commenced construction or reconstruction of the stationary RICE before June 12, 2006.
- (iv) A change in ownership of an existing stationary RICE does not make that stationary RICE a new or reconstructed





SECTION E. Source Group Restrictions.

stationary RICE.

- (2) New stationary RICE.
- (i) [NA NOT A MAJOR HAP SOURCE]
- (ii) [NA NOT A MAJOR HAP SOURCE]
- (iii) [NA NOT A NEW SOURCE]
- (3) [NA NOT A RECONSTRUCTED SOURCE]
- (b) Stationary RICE subject to limited requirements. (1) An affected source which meets either of the criteria in paragraphs (b)(1)(i) through (ii) of this section does not have to meet the requirements of this subpart and of subpart A of this part except for the initial notification requirements of § 63.6645(f).
- (i) [NA NOT A MAJOR HAP SOURCE]
- (ii) [NA NOT A MAJOR HAP SOURCE]
- (2) [NA NOT A MAJOR HAP SOURCE AND DOES NOT COMBUST LFG]
- (3) The following stationary RICE do not have to meet the requirements of this subpart and of subpart A of this part, including initial notification requirements:
- (i) [NA NOT A MAJOR HAP SOURCE]
- (ii) [NA NOT A MAJOR HAP SOURCE]
- (iii) [NA NOT A MAJOR HAP SOURCE]
- (iv) [NA NOT A MAJOR HAP SOURCE]
- (v) [NA NOT A MAJOR HAP SOURCE AND DOES NOT COMBUST LFG]
- (c) [NA NOT SUBJECT TO SUBPARTS IIII OR JJJJ]
- [69 FR 33506, June 15, 2004, as amended at 73 FR 3604, Jan. 18, 2008; 75 FR 9674, Mar. 3, 2010; 75 FR 37733, June 30, 2010; 75 FR 51588, Aug. 20, 2010; 78 FR 6700, Jan. 30, 2013; 87 FR 48607, Aug. 10, 2022]
- § 63.6595 When do I have to comply with this subpart?
- (a) Affected sources. (1) If you have an existing stationary RICE, excluding existing non-emergency CI stationary RICE, with a site rating of more than 500 brake HP located at a major source of HAP emissions, you must comply with the applicable emission limitations, operating limitations and other requirements no later than June 15, 2007. IF YOU HAVE an existing non-emergency CI stationary RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions, an existing stationary CI RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions, or AN EXISTING STATIONARY CI RICE LOCATED AT AN AREA SOURCE OF HAP EMISSIONS, YOU MUST COMPLY WITH THE APPLICABLE EMISSION LIMITATIONS, OPERATING LIMITATIONS, AND OTHER REQUIREMENTS NO LATER THAN MAY 3, 2013. If you have an existing stationary SI RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions, or an existing stationary SI RICE located at an area source of HAP emissions, you must comply with the applicable emission limitations, operating limitations, and other requirements no later than October 19, 2013.
- (2) [NA NOT A MAJOR HAP SOURCE]
- (3) [NA NOT A MAJOR HAP SOURCE]





SECTION E. **Source Group Restrictions.**

- (4) [NA NOT A MAJOR HAP SOURCE]
- (5) [NA NOT A MAJOR HAP SOURCE]
- (6) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]
- (7) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]
- (b) Area sources that become major sources. If you have an area source that increases its emissions or its potential to emit such that it becomes a major source of HAP, the compliance dates in paragraphs (b)(1) and (2) of this section apply to you.
- (1) Any stationary RICE for which construction or reconstruction is commenced after the date when your area source becomes a major source of HAP must be in compliance with this subpart upon startup of your affected source.
- (2) Any stationary RICE for which construction or reconstruction is commenced before your area source becomes a major source of HAP must be in compliance with the provisions of this subpart that are applicable to RICE located at major sources within 3 years after your area source becomes a major source of HAP.
- (c) If you own or operate an affected source, you must meet the applicable notification requirements in § 63.6645 and in 40 CFR part 63, subpart A.

[69 FR 33506, June 15, 2004, as amended at 73 FR 3604, Jan. 18, 2008; 75 FR 9675, Mar. 3, 2010; 75 FR 51589, Aug. 20, 2010; 78 FR 6701, Jan. 30, 2013]

Emission and Operating Limitations

§ 63.6600 What emission limitations and operating limitations must I meet if I own or operate a stationary RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions?

[NA - NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]

§ 63.6601 What emission limitations must I meet if I own or operate a new or reconstructed 4SLB stationary RICE with a site rating of greater than or equal to 250 brake HP and less than or equal to 500 brake HP located at a major source of HAP emissions?

[NA - NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]

§ 63.6602 What emission limitations and other requirements must I meet if I own or operate an existing stationary RICE with a site rating of equal to or less than 500 brake HP located at a major source of HAP emissions?

[NA - NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]

§ 63.6603 What emission limitations, operating limitations, and other requirements must I meet if I own or operate an existing stationary RICE located at an area source of HAP emissions?

Compliance with the numerical emission limitations established in this subpart is based on the results of testing the average of three 1-hour runs using the testing requirements and procedures in § 63.6620 and Table 4 to this subpart.

(a) If you own or operate an existing stationary RICE located at an area source of HAP emissions, YOU MUST COMPLY WITH THE REQUIREMENTS IN TABLE 2d to this subpart and the operating limitations in Table 2b to this subpart that apply to you.

TABLE 2d REQUIREMENTS:

4. For each EMERGENCY STATIONARY CI RICE and black start stationary CI RICE**, you must meet the following requirement, except during periods of startup:



- a. Change oil and filter every 500 hours of operation or annually, whichever comes first*;
- b. Inspect air cleaner every 1,000 hours of operation or annually, whichever comes first, and replace as necessary; and
- c. Inspect all hoses and belts every 500 hours of operation or annually, whichever comes first, and replace as necessary.
- *Sources have the option to utilize an oil analysis program as described in § 63.6625(i) or (j) in order to extend the specified oil change requirement in Table 2d of this subpart.
- **If an emergency engine is operating during an emergency and it is not possible to shut down the engine in order to perform the management practice requirements on the schedule required in Table 2d of this subpart, or if performing the management practice on the required schedule would otherwise pose an unacceptable risk under federal, state, or local law, the management practice can be delayed until the emergency is over or the unacceptable risk under federal, state, or local law has abated. The management practice should be performed as soon as practicable after the emergency has ended or the unacceptable risk under federal, state, or local law has abated. Sources must report any failure to perform the management practice on the schedule required and the federal, state or local law under which the risk was deemed unacceptable.

[END OF TABLE 2d REQUIREMENTS]

- (b) [NA EMERGENCY ENGINE(S)]
- (c) [NA EMERGENCY ENGINE(S)]
- (d) [NA EMERGENCY ENGINE(S)]
- (e) [NA EMERGENCY ENGINE(S)]
- (f) [NA EMERGENCY ENGINE(S)]
- $[75\ FR\ 9675, Mar.\ 3, 2010, as\ amended\ at\ 75\ FR\ 51589, Aug.\ 20, 2010; 76\ FR\ 12866, Mar.\ 9, 2011; 78\ FR\ 6701, Jan.\ 30, 2013]$
- § 63.6604 What fuel requirements must I meet if I own or operate a stationary CI RICE?
- (a) [NA EMERGENCY ENGINE(S)]
- (b) Beginning January 1, 2015, if you own or operate an existing emergency CI stationary RICE with a site rating of more than 100 brake HP and a displacement of less than 30 liters per cylinder that uses diesel fuel and operates for the purpose specified in § 63.6640(f)(4)(ii), you must use diesel fuel that meets the requirements in 40 CFR 1090.305 for nonroad diesel fuel, except that any existing diesel fuel purchased (or otherwise obtained) prior to January 1, 2015, may be used until depleted.
- (c) (Reserved)
- (d) [NA NOT IN SPECIFIED GEOGRAPHIC LOCATIONS]

[78 FR 6702, Jan. 30, 2013, as amended at 85 FR 78463, Dec. 4, 2020; 87 FR 48607, Aug. 10, 2022]

General Compliance Requirements

- § 63.6605 What are my general requirements for complying with this subpart?
- (a) You must be in compliance with the emission limitations, operating limitations, and other requirements in this subpart that apply to you at all times.
- (b) At all times you must operate and maintain any affected source, including associated air pollution control equipment and



monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions. The general duty to minimize emissions does not require you to make any further efforts to reduce emissions if levels required by this standard have been achieved. Determination of whether such operation and maintenance procedures are being used will be based on information available to the Administrator which may include, but is not limited to, monitoring results, review of operation and maintenance procedures, review of operation and maintenance records, and inspection of the source.

[75 FR 9675, Mar. 3, 2010, as amended at 78 FR 6702, Jan. 30, 2013]

Testing and Initial Compliance Requirements

§ 63.6610 By what date must I conduct the initial performance tests or other initial compliance demonstrations if I own or operate a stationary RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions?

[NA - NOT A MAJOR HAP SOURCE]

§ 63.6611 By what date must I conduct the initial performance tests or other initial compliance demonstrations if I own or operate a new or reconstructed 4SLB SI stationary RICE with a site rating of greater than or equal to 250 and less than or equal to 500 brake HP located at a major source of HAP emissions?

[NA - NOT A MAJOR HAP SOURCE]

§ 63.6612 By what date must I conduct the initial performance tests or other initial compliance demonstrations if I own or operate an existing stationary RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions or an existing stationary RICE located at an area source of HAP emissions?

[NA – NO PERFORMANCE TESTING REQUIRED]

§ 63.6615 When must I conduct subsequent performance tests?

[NA - NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]

 \S 63.6620 What performance tests and other procedures must I use?

[NA - NO PERFORMANCE TESTING REQUIRED]

§ 63.6625 What are my monitoring, installation, collection, operation, and maintenance requirements?

- (a) [NA CEMS NOT REQUIRED]
- (b) [NA CPMS NOT REQUIRED]
- (c) [NA LFG NOT USED]
- (d) [NA NOT A MAJOR HAP SOURCE]
- (e) If you own or operate any of the following stationary RICE, you must operate and maintain the stationary RICE and after-treatment control device (if any) according to the manufacturer's emission-related written instructions or develop your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions:
- (1) [NA NOT A MAJOR HAP SOURCE]
- (2) [NA NOT A MAJOR HAP SOURCE]
- (3) An existing emergency or black start stationary RICE located at an area source of HAP emissions;




(4) [NA – EMERGENCY ENGINE(S)]

67-05118

- (5) [NA EMERGENCY ENGINE(S)]
- (6) [NA EMERGENCY ENGINE(S)]
- (7) [NA EMERGENCY ENGINE(S)]
- (8) [NA EMERGENCY ENGINE(S)]
- (9) [NA EMERGENCY ENGINE(S)]
- (10) [NA EMERGENCY ENGINE(S)]
- (f) If you own or operate an existing emergency stationary RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions or an existing emergency stationary RICE located at an area source of HAP emissions, you must install a non-resettable hour meter if one is not already installed.
- (g) [NA EMERGENCY ENGINE(S)]
- (h) If you operate a new, reconstructed, or existing stationary engine, you must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes, after which time the emission standards applicable to all times other than startup in Tables 1a, 2a, 2c, and 2d to this subpart apply.
- (i) If you own or operate a stationary CI engine that is subject to the work, operation or management practices in items 1 or 2 of Table 2c to this subpart or in items 1 or 4 of Table 2d to this subpart, you have the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine.
- (j) If you own or operate a stationary SI engine that is subject to the work, operation or management practices in items 6, 7, or 8 of Table 2c to this subpart or in items 5, 6, 7, 9, or 11 of Table 2d to this subpart, you have the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Acid Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Acid Number increases by more than 3.0 milligrams of potassium hydroxide (KOH) per gram from Total Acid Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the engine.

[69 FR 33506, June 15, 2004, as amended at 73 FR 3606, Jan. 18, 2008; 75 FR 9676, Mar. 3, 2010; 75 FR 51589, Aug. 20, 2010; 76 FR 12866, Mar. 9, 2011; 78 FR 6703, Jan. 30, 2013]





§ 63.6630 How do I demonstrate initial compliance with the emission limitations, operating limitations, and other requirements?

- (a) You must demonstrate initial compliance with each emission limitation, operating limitation, and other requirement that applies to you according to Table 5 of this subpart. [NA - NONE OF THE CATEGORIES IN TABLE 5 APPLY TO EMERGENCY **ENGINES**]
- (b) [NA PERFORMANCE TESTING NOT REQUIRED]
- (c) [NA NOCS NOT REQUIRED FOR EXISTING EMERGENCY RICE]
- (d) [NA EMERGENCY ENGINE(S)]
- (e) [NA EMERGENCY ENGINE(S)]

[69 FR 33506, June 15, 2004, as amended at 78 FR 6704, Jan. 30, 2013]

Continuous Compliance Requirements

§ 63.6635 How do I monitor and collect data to demonstrate continuous compliance?

[NA - NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]

- § 63.6640 How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?
- (a) You must demonstrate continuous compliance with each emission limitation, operating limitation, and other requirements in Tables 1a and 1b, Tables 2a and 2b, Table 2c, and Table 2d to this subpart that apply to you according to methods specified in Table 6 to this subpart.

TABLE 6 REQUIREMENTS

- 9. FOR EACH existing emergency and black start stationary RICE <=500 HP located at a major source of HAP, existing nonemergency stationary RICE <100 HP located at a major source of HAP, EXISTING EMERGENCY and black start STATIONARY RICE LOCATED AT AN AREA SOURCE OF HAP, existing non-emergency stationary CI RICE =300 HP located at an area source of HAP, existing non-emergency 2SLB stationary RICE located at an area source of HAP, existing nonemergency stationary SI RICE located at an area source of HAP which combusts landfill or digester gas equivalent to 10 percent or more of the gross heat input on an annual basis, existing non-emergency 4SLB and 4SRB stationary RICE <=500 HP located at an area source of HAP, existing non-emergency 4SLB and 4SRB stationary RICE >500 HP located at an area source of HAP that operate 24 hours or less per calendar year, and existing non-emergency 4SLB and 4SRB stationary RICE >500 HP located at an area source of HAP that are remote stationary RICE, complying with the requirement to "Work or Management practices", you must demonstrate continuous compliance by:
- i. Operating and maintaining the stationary RICE according to the manufacturer's emission-related operation and maintenance instructions; or
- ii. Develop and follow your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions.

[END OF TABLE 6 REQUIREMENTS]

- (b) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]
- (c) [NA ANNUAL COMPLIANCE DEMONSTRATION NOT REQUIRED]
- (d) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]





- (e) You must also report each instance in which you did not meet the requirements in Table 8 to this subpart that apply to you. If you own or operate a new or reconstructed stationary RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions (except new or reconstructed 4SLB engines greater than or equal to 250 and less than or equal to 500 brake HP), a new or reconstructed stationary RICE located at an area source of HAP emissions, or any of the following RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions, you do not need to comply with the requirements in Table 8 to this subpart: An existing 2SLB stationary RICE, an existing 4SLB stationary RICE, an existing emergency stationary RICE, an existing limited use stationary RICE, or an existing stationary RICE which fires landfill gas or digester gas equivalent to 10 percent or more of the gross heat input on an annual basis. If you own or operate any of the following RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions, you do not need to comply with the requirements in Table 8 to this subpart, except for the initial notification requirements: a new or reconstructed stationary RICE that combusts landfill gas or digester gas equivalent to 10 percent or more of the gross heat input on an annual basis, a new or reconstructed emergency stationary RICE, or a new or reconstructed limited use stationary RICE. [EXISTING EMERGENCY RICE AT AREA HAP SOURCES ARE NOT AMONG THOSE EXEMPTED FROM THIS SECTION]
- (f) If you own or operate an emergency stationary RICE, you must operate the emergency stationary RICE according to the requirements in paragraphs (f)(1) through (4) of this section. In order for the engine to be considered an emergency stationary RICE under this subpart, any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (f)(1) through (4), is prohibited. If you do not operate the engine according to the requirements in paragraphs (f)(1) through (4), the engine will not be considered an emergency engine under this subpart and must meet all requirements for non-emergency engines.
- (1) There is no time limit on the use of emergency stationary RICE in emergency situations. [N/A THIS REQUIREMENT IS SUPERSEDED DUE TO THE FOLLOWING: EACH RICE SHALL NOT OPERATE MORE THAN 500 HOURS DURING ANY CONSECUTIVE 12-MONTH PERIOD PURSUANT TO SECTION E (GROUP 003), CONDITION #004]
- (2) You may operate your emergency stationary RICE for the purpose specified in paragraph (f)(2)(i) of this section for a maximum of 100 hours per calendar year. Any operation for non-emergency situations as allowed by paragraphs (f)(3) and (4) of this section counts as part of the 100 hours per calendar year allowed by this paragraph (f)(2).
- (i) Emergency stationary RICE may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that federal, state, or local standards require maintenance and testing of emergency RICE beyond 100 hours per calendar year.
- (ii)-(iii) [Reserved]
- (3) [NA NOT A MAJOR HAP SOURCE]
- (4) Emergency stationary RICE located at area sources of HAP may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing provided in paragraph (f)(2) of this section. Except as provided in paragraphs (f)(4)(i) and (ii) of this section, the 50 hours per year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to an electric grid or otherwise supply power as part of a financial arrangement with another entity.
- (i) Prior to May 3, 2014, the 50 hours per year for non-emergency situations can be used for peak shaving or non-emergency demand response to generate income for a facility, or to otherwise supply power as part of a financial arrangement with another entity if the engine is operated as part of a peak shaving (load management program) with the local distribution system operator and the power is provided only to the facility itself or to support the local distribution system.
- (ii) The 50 hours per year for non-emergency situations can be used to supply power as part of a financial arrangement with another entity if all of the following conditions are met:
- (A) The engine is dispatched by the local balancing authority or local transmission and distribution system operator.



- (B) The dispatch is intended to mitigate local transmission and/or distribution limitations so as to avert potential voltage collapse or line overloads that could lead to the interruption of power supply in a local area or region.
- (C) The dispatch follows reliability, emergency operation or similar protocols that follow specific NERC, regional, state, public utility commission or local standards or guidelines.
- (D) The power is provided only to the facility itself or to support the local transmission and distribution system.
- (E) The owner or operator identifies and records the entity that dispatches the engine and the specific NERC, regional, state, public utility commission or local standards or guidelines that are being followed for dispatching the engine. The local balancing authority or local transmission and distribution system operator may keep these records on behalf of the engine owner or operator.

[69 FR 33506, June 15, 2004, as amended at 71 FR 20467, Apr. 20, 2006; 73 FR 3606, Jan. 18, 2008; 75 FR 9676, Mar. 3, 2010; 75 FR 51591, Aug. 20, 2010; 78 FR 6704, Jan. 30, 2013; 87 FR 48607, Aug. 10, 2022]

Notifications, Reports, and Records

- § 63.6645 What notifications must I submit and when?
- (a) You must submit all of the notifications in §§ 63.7(b) and (c), 63.8(e), (f)(4) and (f)(6), 63.9(b) through (e), and (g) and (h) that apply to you by the dates specified if you own or operate any of the following;
- (1) [NA NOT A MAJOR HAP SOURCE]
- (2) [NA PER (5) BELOW]
- (3) [NA NOT A MAJOR HAP SOURCE]
- (4) [NA NOT A MAJOR HAP SOURCE]
- (5) THIS REQUIREMENT DOES NOT APPLY IF YOU OWN OR OPERATE an existing stationary RICE less than 100 HP, AN EXISTING STATIONARY EMERGENCY RICE, OR AN EXISTING STATIONARY RICE THAT IS NOT SUBJECT TO ANY NUMERICAL EMISSION STANDARDS.
- (b) [NA NOT A MAJOR HAP SOURCE]
- (c) [NA NOT A MAJOR HAP SOURCE]
- (d) [NA NOT A MAJOR HAP SOURCE]
- (e) [NA NOT A MAJOR HAP SOURCE]
- (f) [NA 63.6590(b) DOES NOT APPLY]
- (g) [NA PERFORMANCE TEST NOT REQUIRED]
- (h) [NA PERFORMANCE TEST NOT REQUIRED]
- (i) [NA EMERGENCY ENGINE(S)]

[73 FR 3606, Jan. 18, 2008, as amended at 75 FR 9677, Mar. 3, 2010; 75 FR 51591, Aug. 20, 2010; 78 FR 6705, Jan. 30, 2013; 85 FR 73912, Nov. 19, 2020]

- § 63.6650 What reports must I submit and when?
- (a) You must submit each report in Table 7 of this subpart that applies to you.



TABLE 7 REQUIREMENTS

4. For each emergency stationary RICE that operate for the purposes specified in § 63.6640(f)(4)(ii), you must submit a Report. The report must contain the information in § 63.6650(h)(1). You must submit the report annually according to the requirements in § 63.6650(h)(2)-(3).

END OF TABLE 7 REQUIREMENTS

- (b) Unless the Administrator has approved a different schedule for submission of reports under § 63.10(a), you must submit each report by the date in Table 7 of this subpart and according to the requirements in paragraphs (b)(1) through (b)(9) of this section.
- (1) [NA ANNUAL REPORT REQUIRED, ONLY UNDER CERTAIN CONDITIONS]
- (2) [NA ANNUAL REPORT REQUIRED, ONLY UNDER CERTAIN CONDITIONS]
- (3) [NA ANNUAL REPORT REQUIRED, ONLY UNDER CERTAIN CONDITIONS]
- (4) [NA ANNUAL REPORT REQUIRED, ONLY UNDER CERTAIN CONDITIONS]
- (5) [NA ANNUAL REPORT REQUIRED, ONLY UNDER CERTAIN CONDITIONS]
- (6) For annual Compliance reports, the first Compliance report must cover the period beginning on the compliance date that is specified for your affected source in § 63.6595 and ending on December 31.
- (7) For annual Compliance reports, the first Compliance report must be postmarked or delivered no later than January 31 following the end of the first calendar year after the compliance date that is specified for your affected source in § 63.6595.
- (8) For annual Compliance reports, each subsequent Compliance report must cover the annual reporting period from January 1 through December 31.
- (9) For annual Compliance reports, each subsequent Compliance report must be postmarked or delivered no later than January 31.
- (c) [NA "COMPLIANCE REPORT" NOT REQUIRED]
- (d) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]
- (e) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]
- (f) [NA NOT SUBJECT TO TITLE V PERMITTING]
- (g) [NA LFG NOT USED]
- (h) If you own or operate an emergency stationary RICE with a site rating of more than 100 brake HP that operates for the purpose specified in § 63.6640(f)(4)(ii), you must submit an annual report according to the requirements in paragraphs (h)(1) through (3) of this section.
- (1) The report must contain the following information:
- (i) Company name and address where the engine is located.
- (ii) Date of the report and beginning and ending dates of the reporting period.
- (iii) Engine site rating and model year.
- (iv) Latitude and longitude of the engine in decimal degrees reported to the fifth decimal place.



(v)-(vi) {Reserved]

67-05118

- (vii) Hours spent for operation for the purpose specified in \S 63.6640(f)(4)(ii), including the date, start time, and end time for engine operation for the purposes specified in \S 63.6640(f)(4)(ii). The report must also identify the entity that dispatched the engine and the situation that necessitated the dispatch of the engine.
- (viii) If there were no deviations from the fuel requirements in § 63.6604 that apply to the engine (if any), a statement that there were no deviations from the fuel requirements during the reporting period.
- (ix) If there were deviations from the fuel requirements in § 63.6604 that apply to the engine (if any), information on the number, duration, and cause of deviations, and the corrective action taken.
- (2) The first annual report must cover the calendar year 2015 and must be submitted no later than March 31, 2016. Subsequent annual reports for each calendar year must be submitted no later than March 31 of the following calendar year.
- (3) The annual report must be submitted electronically using the subpart specific reporting form in the Compliance and Emissions Data Reporting Interface (CEDRI) that is accessed through EPA's Central Data Exchange (CDX) (www.epa.gov/cdx). However, if the reporting form specific to this subpart is not available in CEDRI at the time that the report is due, the written report must be submitted to the Administrator at the appropriate address listed in § 63.13.
- [69 FR 33506, June 15, 2004, as amended at 75 FR 9677, Mar. 3, 2010; 78 FR 6705, Jan. 30, 2013; 87 FR 48607, Aug. 10, 2022]
- § 63.6655 What records must I keep?
- (a) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]
- (b) [NA NO CEMS OR CPMS]
- (c) [NA LFG NOT USED]
- (d) [NA NOT SUBJECT TO EMISSION OR OPERATING LIMITATIONS]
- (e) You must keep records of the maintenance conducted on the stationary RICE in order to demonstrate that you operated and maintained the stationary RICE and after-treatment control device (if any) according to your own maintenance plan if you own or operate any of the following stationary RICE;
- (1) [NA NOT A MAJOR HAP SOURCE]
- (2) An existing stationary emergency RICE.
- (3) An existing stationary RICE located at an area source of HAP emissions subject to management practices as shown in Table 2d to this subpart.
- (f) If you own or operate any of the stationary RICE in paragraphs (f)(1) through (2) of this section, you must keep records of the hours of operation of the engine that is recorded through the non-resettable hour meter. The owner or operator must document how many hours are spent for emergency operation, including what classified the operation as emergency and how many hours are spent for non-emergency operation. If the engine is used for the purpose specified in § 63.6640(f)(4)(ii), the owner or operator must keep records of the notification of the emergency situation, and the date, start time, and end time of engine operation for these purposes.
- (1) [NA NOT A MAJOR HAP SOURCE]
- (2) An existing emergency stationary RICE located at an area source of HAP emissions that does not meet the standards applicable to non-emergency engines.
- [69 FR 33506, June 15, 2004, as amended at 75 FR 9678, Mar. 3, 2010; 75 FR 51592, Aug. 20, 2010; 78 FR 6706, Jan. 30,





2013; 87 FR 48607, Aug. 10, 2022]

§ 63.6660 In what form and how long must I keep my records?

- (a) Your records must be in a form suitable and readily available for expeditious review according to § 63.10(b)(1).
- (b) As specified in § 63.10(b)(1), you must keep each record for 5 years following the date of each occurrence, measurement, maintenance, corrective action, report, or record.
- (c) You must keep each record readily accessible in hard copy or electronic form for at least 5 years after the date of each occurrence, measurement, maintenance, corrective action, report, or record, according to § 63.10(b)(1).

[69 FR 33506, June 15, 2004, as amended at 75 FR 9678, Mar. 3, 2010]

Other Requirements and Information

§ 63.6665 What parts of the General Provisions apply to me?

Table 8 to this subpart shows which parts of the General Provisions in §§ 63.1 through 63.15 apply to you. If you own or operate a new or reconstructed stationary RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions (except new or reconstructed 4SLB engines greater than or equal to 250 and less than or equal to 500 brake HP), a new or reconstructed stationary RICE located at an area source of HAP emissions, or any of the following RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions, you do not need to comply with any of the requirements of the General Provisions specified in Table 8: An existing 2SLB stationary RICE, an existing 4SLB stationary RICE, an existing stationary RICE that combusts landfill or digester gas equivalent to 10 percent or more of the gross heat input on an annual basis, an existing emergency stationary RICE, or an existing limited use stationary RICE. If you own or operate any of the following RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions, you do not need to comply with the requirements in the General Provisions specified in Table 8 except for the initial notification requirements: A new stationary RICE that combusts landfill gas or digester gas equivalent to 10 percent or more of the gross heat input on an annual basis, a new emergency stationary RICE, or a new limited use stationary RICE. [EXISTING EMERGENCY RICE AT AREA HAP SOURCES ARE NOT AMONG THOSE EXEMPTED FROM THIS SECTION]

[75 FR 9678, Mar. 3, 2010]

§ 63.6675 What definitions apply to this subpart? [INCORPORATED BY REFERENCE]

DEP Auth ID: 1523247







Group Name: 002

Group Description: SOURCE SUBJECT TO NSPS SUBPART IIII

Sources included in this group

Name 301 DIESEL FIRE PUMP ENGINE

RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Regulatory Changes

Individual sources within this source group that are subject to 40 CFR Part 60 Subpart IIII shall comply with all applicable requirements of the Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports and other communications to both the Department and the EPA. The EPA copies shall be forwarded to:

United States Environmental Protection Agency Region III, Air and Radiation Division Permits Branch (3AD10) Four Penn Center 1600 John F. Kennedy Boulevard Philadelphia, PA 19103-2852

The Department copies shall be forwarded to:

Regional Air Program Manager PA Department of Environmental Protection 909 Elmerton Avenue Harrisburg, PA 17110-8200





In the event that the Federal Subpart that is the subject of this Source Group is revised, the permittee shall comply with the revised version of the subpart, and shall not be required to comply with any provisions in this permit designated as having the subpart as their authority, to the extent that such permit provisions would be inconsistent with the applicable provisions of the revised subpart.

002 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4200] Subpart IIII - Standards of Performance for Stationary Compression Ignition Internal Combustion Engines Am I subject to this subpart?

§ 60.4200 Am I subject to this subpart?

- (a) The provisions of this subpart are applicable to manufacturers, owners, and operators of stationary compression ignition (CI) internal combustion engines (ICE) and other persons as specified in paragraphs (a)(1) through (4) of this section. For the purposes of this subpart, the date that construction commences is the date the engine is ordered by the owner or operator.
 - (1) [NA NOT AN ENGINE MANUFACTURER]
- (2) Owners and operators of stationary CI ICE that commence construction after July 11, 2005, where the stationary CI ICE are:
 - (i) [NA UNIT(S) ARE FIRE PUMP ENGINES]
 - (ii) The model year listed in Table 3 to this subpart or later model year, for fire pump engines.
 - (3) [NA NOT MODIFIED OR RECONSTRUCTED]
- (4) The provisions of § 60.4208 of this subpart are applicable to all owners and operators of stationary CI ICE that commence construction after July 11, 2005.
- (b) [NA TEST CELL NOT INVOLVED]
- (c) If you are an owner or operator of an area source subject to this subpart, you are exempt from the obligation to obtain a permit under 40 CFR part 70 or 40 CFR part 71, provided you are not required to obtain a permit under 40 CFR 70.3(a) or 40 CFR 71.3(a) for a reason other than your status as an area source under this subpart. Notwithstanding the previous sentence, you must continue to comply with the provisions of this subpart applicable to area sources.
- (d) Stationary CI ICE may be eligible for exemption from the requirements of this subpart as described in 40 CFR part 1068, subpart C, except that owners and operators, as well as manufacturers, may be eligible to request an exemption for national security.
- (e) [NA NOT TEMPORARY REPLACEMENT UNIT(S)]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37967, June 28, 2011; 86 FR 34357, June 29, 2021]

Emission Standards for Owners and Operators

§ 60.4204 What emission standards must I meet for non-emergency engines if I am an owner or operator of a stationary CI internal combustion engine?

[NA - UNIT(S) ARE EMERGENCY]

- \S 60.4205 What emission standards must I meet for emergency engines if I am an owner or operator of a stationary CI internal combustion engine?
- (a) [NA ENGINE(S) 2007 MODEL YEAR OR LATER]





- (b) [NA UNIT(S) ARE FIRE PUMP ENGINES]
- (c) Owners and operators of fire pump engines with a displacement of less than 30 liters per cylinder must comply with the emission standards in table 4 to this subpart, for all pollutants. [NOTE: PURSUANT TO TABLE 4 TO NSPS SUBPART IIII THE APPLICABLE EMISSION STANDARDS IN UNITS OF g/KW-hr (g/HP-hr) ARE THE FOLLOWING: NMHC + NOx not to exceed 4.0 (3.0) and PM not to exceed 0.20 (0.15)]
- (d) [NA UNITS(S) < 30 L/CYL]
- (e) Owners and operators of emergency stationary CI ICE with a displacement of less than 30 liters per cylinder who conduct performance tests in-use must meet the NTE standards as indicated in 40 CFR §60.4212. [NOTE: PURSUANT TO 40 CFR §60.4211(c), THE GROUP 002 ENGINE IS CERTIFIED TO THE EMISSION STANDARDS OF PART (c) {i.e., 40 CFR §60.4205(c)}, ABOVE]
- (f) [NA NOT MODIFIED/RECONSRUCTED]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37969, June 28, 2011; 86 FR 34357, June 29, 2021]

§ 60.4206 How long must I meet the emission standards if I am an owner or operator of a stationary CI internal combustion engine?

Owners and operators of stationary CI ICE must operate and maintain stationary CI ICE that achieve the emission standards as required in §§ 60.4204 and 60.4205 over the entire life of the engine.

[76 FR 37969, June 28, 2011]

Fuel Requirements for Owners and Operators

- § 60.4207 What fuel requirements must I meet if I am an owner or operator of a stationary CI internal combustion engine subject to this subpart?
- (a) [Reserved]
- (b) Beginning October 1, 2010, owners and operators of stationary CI ICE subject to this subpart with a displacement of less than 30 liters per cylinder that use diesel fuel must use diesel fuel that meets the requirements of 40 CFR 1090.305 for nonroad diesel fuel, except that any existing diesel fuel purchased (or otherwise obtained) prior to October 1, 2010, may be used until depleted.
- (c) [Reserved]
- (d) [NA UNITS(S) < 30 L/CYL]
- (e) [NA NO NATIONAL SECURITY EXEMPTION]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37969, June 28, 2011; 78 FR 6695, Jan. 30, 2013; 85 FR 78463, Dec. 4, 2020]

Other Requirements for Owners and Operators

- § 60.4208 What is the deadline for importing or installing stationary CI ICE produced in previous model years?
- (a) After December 31, 2008, owners and operators may not install stationary CI ICE (excluding fire pump engines) that do not meet the applicable requirements for 2007 model year engines.
- (b) After December 31, 2009, owners and operators may not install stationary CI ICE with a maximum engine power of less than 19 KW (25 HP) (excluding fire pump engines) that do not meet the applicable requirements for 2008 model year engines.





- (c) (g) [NA UNIT(S) ARE EMERGENCY]
- (h) [NA IMPORTATION NOT RELEVANT IN THIS CASE]
- (i) [NA NO MODIFIED, RECONSTRUCTED, OR RELOCATED UNITS]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37969, June 28, 2011]

§ 60.4209 What are the monitoring requirements if I am an owner or operator of a stationary CI internal combustion engine?

If you are an owner or operator, you must meet the monitoring requirements of this section. In addition, you must also meet the monitoring requirements specified in § 60.4211.

- (a) If you are an owner or operator of an emergency stationary CI internal combustion engine that does not meet the standards applicable to non-emergency engines, you must install a non-resettable hour meter prior to startup of the engine.
- (b) [NA THE STATIONARY CI ICE IS NOT EQUIPPED WITH A DIESEL PARTICULATE FILTER]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37969, June 28, 2011]

Compliance Requirements

- § 60.4211 What are my compliance requirements if I am an owner or operator of a stationary CI internal combustion engine?
- (a) If you are an owner or operator and must comply with the emission standards specified in this subpart, you must do all of the following, except as permitted under paragraph (g) of this section:
- (1) Operate and maintain the stationary CI internal combustion engine and control device according to the manufacturer's emission-related written instructions;
 - (2) Change only those emission-related settings that are permitted by the manufacturer; and
 - (3) Meet the requirements of 40 CFR part 1068, as they apply to you.
- (b) [NA POST-2006 MODEL]
- (c) If you are an owner or operator of a 2007 model year and later stationary CI internal combustion engine and must comply with the emission standards specified in § 60.4204(b) or § 60.4205(b), or if you are an owner or operator of a CI fire pump engine that is manufactured during or after the model year that applies to your fire pump engine power rating in table 3 to this subpart and must comply with the emission standards specified in § 60.4205(c), you must comply by purchasing an engine certified to the emission standards in § 60.4204(b), or § 60.4205(b) or (c), as applicable, for the same model year and maximum (or in the case of fire pumps, NFPA nameplate) engine power. The engine must be installed and configured according to the manufacturer's emission-related specifications, except as permitted in paragraph (g) of this section. [NOTE: 40 CFR §60.4205(c) REFERENCES TABLE 4 TO NSPS SUBPART IIII,

WHICH LISTS THE FOLLOWING APPLICABLE EMISSION STANDARDS IN UNITS OF g/kW-hr (g/bhp-hr): NMHC + NOx not to exceed 4.0 (3.0) and PM not to exceed 0.20 (0.15); THE GROUP 002 ENGINE IS CERTIFIED TO THE EMISSION STANDARDS OF 40 CFR §60.4205(c)]

- (d) [NA UNITS NOT SUBJECT TO § 60.4204(c) or § 60.4205(d)]
- (e) [NA NOT MODIFIED/RECONSRUCTED]
- (f) If you own or operate an emergency stationary ICE, you must operate the emergency stationary ICE according to the requirements in paragraphs (f)(1) through (3) of this section. In order for the engine to be considered an emergency stationary ICE under this subpart, any operation other than emergency operation, maintenance and testing, emergency





demand response, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (f)(1) through (3) of this section, is prohibited. If you do not operate the engine according to the requirements in paragraphs (f)(1) through (3) of this section, the engine will not be considered an emergency engine under this subpart and must meet all requirements for non-emergency engines.

- (1) There is no time limit on the use of emergency stationary ICE in emergency situations. [N/A THIS REQUIREMENT IS SUPERSEDED DUE TO THE FOLLOWING: EACH RICE SHALL NOT OPERATE MORE THAN 500 HOURS DURING ANY CONSECUTIVE 12-MONTH PERIOD PURSUANT TO SECTION E (GROUP 003), CONDITION #004]
- (2) You may operate your emergency stationary ICE for any combination of the purposes specified in paragraphs (f)(2)(i) through (iii) of this section for a maximum of 100 hours per calendar year. Any operation for non-emergency situations as allowed by paragraph (f)(3) of this section counts as part of the 100 hours per calendar year allowed by this paragraph (f)(2).
- (i) Emergency stationary ICE may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that federal, state, or local standards require maintenance and testing of emergency ICE beyond 100 hours per calendar year.
 - (ii) (iii) [Reserved]
- (3) Emergency stationary ICE may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing and emergency demand response provided in paragraph (f)(2) of this section. Except as provided in paragraph (f)(3)(i) of this section, the 50 hours per calendar year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to an electric grid or otherwise supply power as part of a financial arrangement with another entity.
- (i) [NA THE PERMITTEE HAS ELECTED TO NOT OPERATE THE ENGINE FOR THE PURPOSES OF SUPPLYING POWER AS PART OF A FINANCIAL ARRANGEMENT WITH ANOTHER ENTITY]
 - (ii) [Reserved]
- (g) If you do not install, configure, operate, and maintain your engine and control device according to the manufacturer's emission-related written instructions, or you change emission-related settings in a way that is not permitted by the manufacturer, you must demonstrate compliance as follows:
 - (1) [NA UNIT(S) > 100 HP]
- (2) If you are an owner or operator of a stationary CI internal combustion engine greater than or equal to 100 HP and less than or equal to 500 HP, you must keep a maintenance plan and records of conducted maintenance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions. In addition, you must conduct an initial performance test to demonstrate compliance with the applicable emission standards within 1 year of startup, or within 1 year after an engine and control device is no longer installed, configured, operated, and maintained in accordance with the manufacturer's emission-related written instructions, or within 1 year after you change emission-related settings in a way that is not permitted by the manufacturer.
 - (3) [NA UNIT(S) < 500 HP]
- (h) [NA UNIT(S) NOT EQUIPPED WITH EMISSION CONTROL DEVICES]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37970, June 28, 2011; 78 FR 6695, Jan. 30, 2013; 81 FR 44219, July 7, 2016; 86 FR 34359 June 29, 2021]

Testing Requirements for Owners and Operators



§ 60.4212 What test methods and other procedures must I use if I am an owner or operator of a stationary CI internal combustion engine with a displacement of less than 30 liters per cylinder?

[NA - TESTING NOT REQUIRED FOR CERTIFIED UNITS WHICH ARE NOT ALTERED PER 60.4211(g)]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37971, June 28, 2011]

§ 60.4213 What test methods and other procedures must I use if I am an owner or operator of a stationary CI internal combustion engine with a displacement of greater than or equal to 30 liters per cylinder?

[NA - DISPLACEMENT < 30 L/CYL]

[71 FR 39172, July 11, 2006, as amended at 76 FR 37971, June 28, 2011]

Notification, Reports, and Records for Owners and Operators

§ 60.4214 What are my notification, reporting, and recordkeeping requirements if I am an owner or operator of a stationary CI internal combustion engine?

- (a) [NA UNIT(S) ARE EMERGENCY]
- (b) If the stationary CI internal combustion engine is an emergency stationary internal combustion engine, the owner or operator is not required to submit an initial notification. Starting with the model years in table 5 to this subpart, if the emergency engine does not meet the standards applicable to non-emergency engines in the applicable model year, the owner or operator must keep records of the operation of the engine in emergency and non-emergency service that are recorded through the non-resettable hour meter. The owner must record the time of operation of the engine and the reason the engine was in operation during that time. [NOTE: THE GROUP 002 ENGINE IS A MODEL YEAR 2013 UNIT; TABLE 5 TO NSPS SUBPART IIII STARTS WITH MODEL YEAR 2011 FOR THE RESPECTIVE ENGINE POWER; THEREFORE, THE OWNER OR OPERATOR IS REQUIRED TO KEEP RECORDS OF THE OPERATION OF THE GROUP 002 ENGINE IN EMERGENCY AND NON-EMERGENCY SERVICE THAT ARE RECORDED THROUGH THE NONRESETTABLE HOUR METER]
- (c) [NA UNIT(S) NOT EQUIPPED WITH A DIESEL PARTICULATE FILTER]
- (d) [NA THE PERMITTEE HAS ELECTED TO NOT OPERATE THE ENGINE FOR THE PURPOSES SPECIFIED IN 40 CFR §60.4211(f)(3)(i); 40 CFR §60.4211(f)(2)(ii) and (iii) WERE VACATED AS OF May 2, 2016 PER COURT ORDER]
- (e) [NA UNIT(S) NOT EQUIPPED WITH EMISSION CONTROL DEVICES]

[71 FR 39172, July 11, 2006, as amended at 78 FR 6696, Jan. 30, 2013; 81 FR 44219, July 7, 2016]

General Provisions

§ 60.4218 What parts of the General Provisions apply to me?

Table 8 to this subpart shows which parts of the General Provisions in §§ 60.1 through 60.19 apply to you.

Definitions

§ 60.4219 What definitions apply to this subpart? [INCORPORATED BY REFERENCE]







Group Name: 003

Group Description: INTERNAL COMBUSTION ENGINES

Sources included in this group

67-05118

ID	Name	
301	DIESEL FIRE PUMP ENGINE	
DGO2 DIESEL EMERGENCY GENERATOR		

RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.13]

Processes

The permittee shall not allow the emission into the outdoor atmosphere of particulate matter (PM) from either Group 003 engine in a manner that the concentration of PM in the effluent gas exceeds 0.04 grain per dry standard cubic foot.

002 [25 Pa. Code §123.21]

General

The permittee shall not allow the emission into the outdoor atmosphere of sulfur oxides from either Group 003 engine in a manner that the concentration of the sulfur oxides (expressed as SO2) in the effluent gas exceeds 500 parts per million, by volume, dry basis.

Fuel Restriction(s).

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall operate each Group 003 engine using diesel or No. 2 fuel oil only.

Operation Hours Restriction(s).

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall limit the annual operation of each Group 003 engine to 500 hours during any consecutive 12-month period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall maintain records of each Group 003 engine's monthly hours of operation.
- (b) The permittee shall maintain records of each Group 003 engine's cumulative hours of operation for each consecutive 12-month period. This is necessary to demonstrate compliance with Condition #004, above.
- (c) The permittee shall retain these records for a minimum of five (5) years. The records shall be made available to the Department upon its request.



V. REPORTING REQUIREMENTS.

67-05118

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

006 [25 Pa. Code §127.444]

Compliance requirements.

Each Group 003 engine shall be:

- (a) Operated in such a manner as not to cause air pollution.
- (b) Operated and maintained in a manner consistent with good operating and maintenance practices.
- (c) Operated and maintained in accordance with the manufacturer's specifications.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





HARLEY DAVIDSON MOTOR CO/YORK VEHICLE OPR

SECTION E. **Source Group Restrictions.**

Group Name: 004

Group Description: SOURCE SUBJECT TO 25 Pa. CODE §129.52d

Sources included in this group

67-05118

Name 245 PAINT SYSTEM

RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

To comply with the VOC emission limits in 25 Pa. Code Section 129.52d, the permittee may use the following emissions calculation to demonstrate equivalency pursuant to Sections 129.52d(d)(3) and 129.51(a):

- (1) Total actual VOC emissions from averaging together usage of all coatings subject to VOC emissions limits under 25 Pa. Code Section 129.52d shall not result in an increase in emissions when compared to the total VOC emissions using a compliant coatings approach as specified in Table VI of 25 Pa. Code Section 129.52d. This equivalency shall be calculated on a monthly basis as follows:
- (2) Allowable emissions (AE) shall be calculated as follows on a monthly basis:
 - (i) determine the gallons of solids each coating used
- (ii) determine Ib allowable VOC emissions for each coating used by multiplying the gallons of solids by the relevant emission limit in Table VI of 25 Pa. Code Section 129.52d.
 - (iii) add the allowable VOC emissions for each affected coating to get a monthly total (AE) for all affected coatings
- (3) Total actual emissions (TE) shall be calculated as follows on a monthly basis:
 - (i) determine the lb VOC per gallon of each coating used (LB/GAL)
 - (ii) determine the number of gallons of each coating used (#GAL)
- (iii) for each coating used at a process that IS NOT vented to the control device C245C PAINT RTO, determine the actual emissions by multiplying LB/GAL by #GAL
- (iv) for each coating used at a process that IS vented to the control device C245C PAINT RTO, determine the actual emissions using the following equation: [(LB/GAL * #GAL) * 0.02] + [LB/GAL * #GAL * 0.98 * (1-.973)]
- (v) in (iv) above, 0.98 and 0.973 represent, respectively the demonstrated capture and destruction efficiencies of C245C PAINT RTO. These factors may be changed upon prior written approval by DEP, in the event that future information regarding operation of the RTO indicates that different factors are more appropriate.
- (vi) add the actual VOC emissions for each controlled and uncontrolled affected coating to get a monthly total (TE) for all affected coatings
- (5) TE shall be less than or equal to AE.
- (6) The permittee shall keep the following records:
 - (i) Monthly records of the following data:
 - (A) name of material;
 - (B) product number;
 - (C) material density;
 - (D) volume of each material used
 - (E) VOC content in pounds per gallon of solids for each material;
 - (F) VOC content in percent by weight for each material;
 - (G) the solids content in percent by volume for each material; and,
 - (H) the regulatory VOC content limit in pounds of VOC per pound of solids for each material.
- (ii) Monthly calculations of AE (Allowable Emissions) and TE (Total Actual Emissions) used to verify that TE is less than or equal to AE. These records shall be retained for a minimum of 5 years and shall be made available to DEP upon request.





(7) The permittee shall submit annual reports of the calculations of AE and TE verifying that TE is less than or equal to AE. The annual reports shall be submitted to DEP no later than March 1 for the previous calendar year.

002 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface

- 25 Pa. Code §129.52d Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.
- (a) Applicability.
- (1) This section (i.e., 25 Pa. Code §129.52d) applies to the owner and operator of a miscellaneous metal part surface coating process or miscellaneous plastic part surface coating process, or both, if the total actual VOC emissions from all miscellaneous metal part coating units and miscellaneous plastic part coating units, including related cleaning activities, at the facility are equal to or greater than 2.7 tons per 12-month rolling period, before consideration of controls.
- (2) [N/A THE TOTAL ACTUAL VOC EMISSIONS FROM ALL MISCELLANEOUS METAL PART COATING UNITS AND MISCELLANEOUS PLASTIC PART COATING UNITS, INCLUDING RELATED CLEANING ACTIVITIES, AT THE FACILITY ARE EQUAL TO OR GREATER THAN 2.7 TONS PER 12-MONTH ROLLING PERIOD, BEFORE CONSIDERATION OF CONTROLS]
- (3) Compliance with the VOC emission limits and other requirements of this section (i.e., 25 Pa. Code §129.52d) assures compliance with the VOC emission limits and other requirements of 25 Pa. Code §129.52 (relating to surface coating processes) for the miscellaneous metal parts and products surface coating processes as specified in 25 Pa. Code §129.52, Table I, Category 10.
- (4) If an owner or operator elects to comply with 25 Pa. Code §129.52e (relating to control of VOC emissions from automobile and light-duty truck assembly surface coating operations and heavier vehicle coating operations) under 25 Pa. Code §129.52e(a)(2) or (3), then 25 Pa. Code §129.52e instead of this section (i.e., 25 Pa. Code §129.52d) applies to the separate coating line at the facility, or to the coating of a body or body part for a new heavier vehicle at the facility, or both, for which the election is made.
- (5) This section (i.e., 25 Pa. Code §129.52d) does not apply to an owner or operator in the use or application of the following:
- (i) Aerosol coatings that meet the requirements of 40 CFR Part 59, Subpart E (relating to National Volatile Organic Compound Emission Standards for Aerosol Coatings).
 - (ii) Aerospace coatings.
 - (iii) Architectural coatings.
 - (iv) Automobile refinishing coatings.
 - (v) Auto and light-duty truck assembly coatings.
 - (vi) Can, coil or magnet wire coatings.
- (vii) Coating applied to a test panel or coupon, or both, in research and development, quality control or performance testing activities, if records are maintained as required under 25 Pa. Code §129.52d(e) and 25 Pa. Code §129.52d(f), below.
 - (viii) Fiberglass boat manufacturing materials.
 - (ix) Flat wood paneling coatings.



- (x) Large appliance coatings.
- (xi) Metal furniture coatings.
- (xii) Miscellaneous industrial adhesives.
- (xiii) Paper, film and foil coatings.
- (xiv) Shipbuilding and repair coatings.
- (xv) Wood furniture coatings.
- (b) Definitions. [NOTE: See 25 Pa. Code §129.52d(b)]
- (c) Existing RACT permit. The requirements of this section (i.e., 25 Pa. Code §129.52d) supersede the requirements of a RACT permit issued under 25 Pa. Code §§129.91 129.95 (relating to stationary sources of NOx and VOCs) to the owner or operator of a source subject to 25 Pa. Code §129.52d(a), above, prior to January 1, 2017, to control, reduce or minimize VOCs from a miscellaneous metal part or miscellaneous plastic part surface coating process, except to the extent the RACT permit contains more stringent requirements.
- (d) Emission limitations. Beginning January 1, 2017, a person subject to 25 Pa. Code §129.52d(a)(1), above, may not cause or permit the emission into the outdoor atmosphere of VOCs from a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, unless emissions of VOCs are controlled in accordance with 25 Pa. Code §129.52d(d)(1), (2) or (3), below.
- (1) Compliant materials option. The VOC content of each miscellaneous metal part coating or each miscellaneous plastic part coating, as applied, excluding water and exempt compounds, is equal to or less than the VOC content limit for the applicable coating category specified in the applicable table of VOC content limits in Tables I through V. [NOTE: UNDER THIS OPTION, THE GROUP 004 SOURCE IS SUBJECT TO TABLES I & V ONLY; TABLES I & V ARE DISPLAYED AT THE END OF THIS OPERATING PERMIT CONDITION.]
- (2) Combination of compliant materials, VOC emissions capture system and add-on air pollution control device option. The combination of one or more VOC-containing coatings, as applied, that meet the emission rate limits for the applicable coating category specified in the applicable table of emission rate limits in Tables VI through IX, and one or more VOC emissions capture systems and one or more add-on air pollution control devices that meet the requirements of 25 Pa. Code §129.52d(e)(2), below. [SEE CONDITION #001 FOR IMPLEMENTATION OF THIS OPTION VIA EQUIVALENCY]
- (3) VOC emissions capture system and add-on air pollution control device option. The overall weight of VOCs emitted to the atmosphere is reduced through the use of vapor recovery, oxidation, incineration, or another method that is acceptable under 25 Pa. Code §129.51(a) (relating to general) and meets the requirements of 25 Pa. Code §129.52d(e)(2), below. The overall control efficiency of a control system, as determined by the test methods and procedures specified in Chapter 139 (relating to sampling and testing), may be no less than 90%.
- (4) Least restrictive VOC limit. If more than one VOC content limit or VOC emission rate limit applies to a specific coating, then the least restrictive VOC content limit or VOC emission rate limit applies.
- (5) Coatings not listed in Table I, II, VI or VII. For a miscellaneous metal part or miscellaneous plastic part coating that does not meet the coating categories listed in Table I, II, VI or VII, the VOC content limit or VOC emission rate limit shall be determined by classifying the coating as a "general one-component" coating or "general multi-component" coating. The corresponding "general one-component" coating or "general multi-component" coating limit applies.
- (6) [N/A THE SURFACE COATINGS USED AT THE THE GROUP 004 SOURCE ARE NOT "PLEASURE CRAFT" SURFACE COATINGS; THEREFORE, TABLES IV AND IX ARE NOT APPLICABLE]
- (e) Compliance and monitoring requirements.
- (1) All owners and operators. Regardless of the facility's VOC emissions, the owner or operator of a miscellaneous metal





part surface coating process or miscellaneous plastic part surface coating process, or both, subject to 25 Pa. Code §129.52d(a)(1) or (a)(2), above, shall comply with this section (i.e., 25 Pa. Code §129.52d) as specified throughout this section (i.e., 25 Pa. Code §129.52d(a)(2), above, the compliance requirements are the recordkeeping requirements in 25 Pa. Code §129.52d(f)(2), below.

- (2) VOC emissions capture system and add-on air pollution control device. The owner or operator of a facility subject to 25 Pa. Code §129.52d(a)(1), above, that elects to comply with the emission limitations of 25 Pa. Code §129.52d(d), above, through installation of a VOC emissions capture system and add-on air pollution control device under 25 Pa. Code §129.52d(d)(2) or (3), above, shall submit an application for a plan approval to the appropriate regional office. The plan approval must be approved, in writing, by the Department prior to installation and operation of the emissions capture system and add-on air pollution control device. The plan approval must include the following information:
- (i) A description, including location, of each affected source or operation to be controlled with the emissions capture system and add-on air pollution control device.
 - (ii) A description of the proposed emissions capture system and add-on air pollution control device to be installed.
 - (iii) A description of the proposed compliance monitoring equipment to be installed.
 - (iv) A description of the parameters to be monitored to demonstrate continuing compliance.
 - (v) A description of the records to be kept that will document the continuing compliance.
- (vi) A schedule containing proposed interim dates for completing each phase of the required work to install and test the emissions capture system and add-on air pollution control device described in 25 Pa. Code §129.52d(e)(2)(ii), above, and the compliance monitoring equipment described in 25 Pa. Code §129.52d(e)(2)(iii), above.
- (vii) A proposed interim emission limitation that will be imposed on the affected source or operation until compliance is achieved with the applicable emission limitation.
- (viii) A proposed final compliance date that is as soon as possible but not later than 1 year after the start of installation of the approved emissions capture system and add-on air pollution control device and the compliance monitoring equipment.

[NOTE: 25 Pa. Code §129.52d(e)(2), ABOVE, IS NOT APPLICABLE TO SOURCE IDs C245C AND C245D SINCE THEY WERE INSTALLED AT THE FACILITY PRIOR TO 25 Pa. Code §129.52d REGULATORY IMPLEMENTATION.]

- (f) Recordkeeping and reporting requirements.
- (1) The owner or operator of a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, subject to 25 Pa. Code §129.52d(a)(1), above, shall maintain monthly records sufficient to demonstrate compliance with this section (i.e., 25 Pa. Code §129.52d). The records must include the following information:
 - (i) The following parameters for each coating, thinner, component and cleaning solvent as supplied:
 - (A) Name and identification number of the coating, thinner, other component or cleaning solvent.
 - (B) Volume used.
 - (C) Mix ratio.
 - (D) Density or specific gravity.
 - (E) Weight percent of total volatiles, water, solids and exempt solvents.
 - (F) Volume percent of total volatiles, water and exempt solvents for the applicable table of limits in Tables I through V.
 - (G) Volume percent of solids for the applicable table of limits in Tables VI IX.

67-05118



SECTION E. Source Group Restrictions.

- (ii) The VOC content of each coating, thinner, other component and cleaning solvent as supplied.
- (iii) The VOC content of each as applied coating or cleaning solvent.
- (iv) The calculations performed for each applicable requirement under 25 Pa. Code §129.52d(d) and (e), above.
- (v) The information required in a plan approval issued under 25 Pa. Code §129.52d(e)(2), above.
- (2) An owner or operator subject to 25 Pa. Code §129.52d(a)(2), above, or otherwise claiming an exemption or exception in this section (i.e., 25 Pa. Code §129.52d), shall maintain records sufficient to verify the applicability of 25 Pa. Code §129.52d(a)(2), above, or the exemption or exception. Records maintained for compliance demonstrations may include purchase, use, production and other records.
- (3) The records shall be maintained on-site for 2 years, unless a longer period is required by an order, plan approval or operating permit issued under Chapter 127 (relating to construction, modification, reactivation and operation of sources).
- (4) The records shall be submitted to the Department in an acceptable format upon receipt of a written request from the Department.
- (g) Coating application methods. A person subject to 25 Pa. Code §129.52d(a)(1), above, may not cause or permit the emission into the outdoor atmosphere of VOCs from a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, unless the coatings are applied using one or more of the following coating application methods:
- (1) Electrostatic coating.
- (2) Flow coating.
- (3) Dip coating, including electrodeposition.
- (4) Roll coating.
- (5) High volume-low pressure (HVLP) spray coating.
- (6) Airless spray coating.
- (7) Air-assisted airless spray coating.
- (8) Other coating application method if approved in writing by the Department prior to use.
- (i) The coating application method must be capable of achieving a transfer efficiency equivalent to or better than that achieved by HVLP spray coating.
 - (ii) The owner or operator shall submit the request for approval to the Department in writing.
- (h) Exempt coatings and exempt coating unit operations.
- (1) The requirements of 25 Pa. Code §129.52d(d) and (g), above, do not apply to the application of the following coatings to a metal part:
 - (i) Stencil coating.
 - (ii) Safety-indicating coating.
 - (iii) Solid-film lubricant.
 - (iv) Electric-insulating and thermal-conducting coating.



- (v) Magnetic data storage disk coating.
- (vi) Plastic extruded onto metal parts to form a coating.
- (vii) Powder coating.
- (2) [N/A THE SURFACE COATINGS USED AT THE THE GROUP 004 SOURCE ARE NOT "PLASTIC PART" SURFACE COATINGS]
- (3) [N/A THE SURFACE COATINGS USED AT THE THE GROUP 004 SOURCE ARE NOT "AUTOMOTIVE-TRANSPORTATION" OR "BUSINESS MACHINE PART" SURFACE COATINGS]
- (4) The requirements of 25 Pa. Code §129.52d(g), above, do not apply to the following activities:
- (i) Application of a touch-up coating, repair coating or textured finish to a metal part.
- (ii) [N/A THE GROUP 004 SOURCE DOES NOT APPLY POWDER COATINGS; ALSO, THE SUBSTRATES USED BY THE GROUP 004 SOURCE DOES NOT INCLUDE THE FOLLOWING: "PLASTIC PART"; "AUTOMOTIVE-TRANSPORTATION PLASTIC PART"; OR BUSINESS MACHINE PLASTIC PART"]
 - (iii) Airbrush application of coating to a metal part or plastic part using no more than 5 gallons of coating per year.
 - (iv) Use of an add-on air pollution control device to comply with 25 Pa. Code §129.52d(d), above.
- (v) [N/A THE SURFACE COATINGS USED AT THE THE GROUP 004 SOURCE ARE NOT "PLEASURE CRAFT" SURFACE COATINGS]
- (i) Work practice requirements for coating-related activities. The owner or operator of a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, subject to 25 Pa. Code §129.52d(a)(1), above, shall comply with the following work practices for coating-related activities:
 - (1) Store all VOC-containing coatings, thinners or coating-related waste materials in closed containers.
- (2) Ensure that mixing and storage containers used for VOC-containing coatings, thinners or coating-related waste materials are kept closed at all times, except when depositing or removing these coatings, thinners or waste materials.
- (3) Minimize spills of VOC-containing coatings, thinners or coating-related waste materials and clean up spills immediately.
- (4) Convey VOC-containing coatings, thinners or coating-related waste materials from one location to another in closed containers or pipes.
- (j) Work practice requirements for cleaning materials. The owner or operator of a miscellaneous metal part coating unit or miscellaneous plastic part coating unit subject to 25 Pa. Code §129.52d(a)(1), above, shall comply with the following work practices for cleaning materials:
- (1) Store all VOC-containing cleaning materials and used shop towels in closed containers.
- (2) Ensure that mixing vessels and storage containers used for VOC-containing cleaning materials are kept closed at all times except when depositing or removing these materials.
- (3) Minimize spills of VOC-containing cleaning materials and clean up spills immediately.
- (4) Convey VOC-containing cleaning materials from one location to another in closed containers or pipes.
- (5) Minimize VOC emissions from cleaning of application, storage, mixing or conveying equipment by ensuring that equipment cleaning is performed without atomizing the cleaning solvent and all spent solvent is captured in closed



containers.

- (k) Measurements and calculations. To determine the properties of a coating or component used in a miscellaneous metal parts surface coating process or miscellaneous plastic parts surface coating process, measurements and calculations shall be performed according to one or more of the following:
- (1) EPA Reference Method 24, Determination of Volatile Matter Content, Water Content, Density, Volume Solids, and Weight Solids of Surface Coatings, found at 40 CFR Part 60, Subpart D, Appendix A, including updates and revisions.
- (2) Manufacturer's formulation data.
- (3) Sampling and testing done in accordance with the procedures and test methods specified in Chapter 139.
- (4) Other test method(s) demonstrated to provide results that are acceptable for purposes of determining compliance with this section (25 Pa. Code §129.52d) if prior approval is obtained in writing from the Department.
- (5) Add-on air pollution control devices shall be equipped with the applicable monitoring equipment according to manufacturers' specifications. The monitoring equipment shall be installed, calibrated, operated and maintained according to manufacturers' specifications at all times the add-on air pollution control device is in use.
- (6) EPA calculations information in the following:
- (i) A Guideline for Surface Coating Calculations, EPA-340/1-86-016, including updates and revisions.
- (ii) Procedures for Certifying Quantity of Volatile Organic Compounds Emitted by Paint, Ink, and Other Coatings, EPA-450/3-84-019, including updates and revisions.

Table I - VOC Content Limits for Metal Parts and Products Surface Coatings (Weight of VOC per Volume of Coating, Less

Table I - VOC Content Limits for Metal Parts and Products Surface Coatings (Weight of VOC per Volume of Coating, Less Water and Exempt Compounds, as Applied)*

	Air-Dried	Air Dried	вакеа	вакеа
Coating Category	(Kg VOC/L coating) (lb	VOC/gal coating) (Kg	y VOC/L coating) (I	b VOC/gal coating)
General One-component	0.34	2.8	0.28	2.3
Touch-up and Repair	0.42	3.5	0.36	3.0

Ata Data a

Table V - VOC Content Limits for Motor Vehicle Materials Surface Coatings (Weight of VOC per Volume of Coating, Less Water and Exempt Compounds, as Applied)*

Coating Category	(Kg VOC/L coating) (lb	VOC/gal coating)
Motor Vehicle Cavity Wax	0.65	5.4
Motor Vehicle Sealer	0.65	5.4
Motor Vehicle Deadener	0.65	5.4
Motor Vehicle Gasket/Gasket Sealing Mater	rial 0.20	1.7
Motor Vehicle Underbody Coating	0.65	5.4
Motor Vehicle Trunk Interior Coating	0.65	5.4
Motor Vehicle Bedliner	0.20	1.7
Motor Vehicle Lubricating Wax/Compound	0.70	5.8

Table VI - VOC Emission Rate Limits for Metal Parts and Products Surface Coatings (Weight of VOC per Volume of Coating Solids, as Applied)





Air-Dried Air Dried Baked Baked **Coating Category** (Kg VOC/L solids) (lb VOC/gal solids) (Kg VOC/L solids) (lb VOC/gal solids) General One-component 0.54 4.52 0.40 3.35

* The VOC content of the as applied coatings, expressed in units of pounds VOC per gallon of coating, shall be calculated as follows:

VOC = (Wo)(Dc)

where:

VOC = VOC content expressed in units of pounds VOC per gallon coating

Wo = weight percent of VOC (Wv - Ww - Wex)

Wv = weight percent of total volatiles (100% - Wn)

Ww = weight percent of water

Wex = weight percent of exempt VOCs

Dc = density of coating (pounds per gallon), at 25°C

Wn = weight percent of solids of the as applied coating

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.



SECTION G. Emission Restriction Summary.

No emission restrictions listed in this section of the permit.



SECTION H. Miscellaneous.

67-05118

NOTE: The capacities/throughputs listed in Section A are for informational use only and should not be used as enforceable limitations.

The following sources of minor significance have been exempted from testing, monitoring, recordkeeping, and reporting requirements:

- 1. Air conditioning systems;
- 2. Office equipment (copiers, printers, FAX machines, etc.);
- 3. Janitorial activities;
- 4. Plant maintenance (painting, welding, paving, cleaning, etc.);
- 5. Operation, service and maintenance of mobile sources (trucks, forklifts, snowblowers, etc.);
- 6. Boiler water, hot water generator water and wastewater treatment;
- 7. Motor oil, brake fluid, transmission fluid and mineral spirits storage tanks;
- 8. Electrically heated equipment which does not produce air emissions;
- 9. Detergent parts washers which do not produce air contaminants;
- 10. Machine shop equipment which do not produce air contaminnts;
- 11. Laundry operations;
- 12. Fire protection equipment and training;
- 13. Mechanics motorcycle repair stands/activities;
- 14. Campus-wide activities:

lathe operation;

steel die repair;

welding, brazing and grinding;

rust inhibitior usage;

glueing operations;

general fabrication;

machining operations;

parts dryers;

powder coating operations;

equipment washing operations; and

bike audits;

- 15. Paper trimming;
- 16. Cafeteria equipment;
- 17. Clearing of land;
- 18. Building construction and demolition;
- 19. Garbage compactors/mechanical automatic compactors; and
- 20. Sources of inert gases, ethane and methane.

Source ID 245 was previously the subject of Plan Approval No. 67-05032C.and consists of the following components:

E-coat Dip Tank & associated Oven*

Cosmetic Line 1 - Main Robot Spray Paint Booth*

Cosmetic Line 1 - Secondary Robot Spray Paint Booth*

Cosmetic Line 1 - IR Flash Zone*

Cosmetic Line 1 - Oven Exhaust*

Cosmetic Line 2 - Main Robot Spray Paint Booth*

Cosmetic Line 2 - Secondary Robot Spray Paint Booth*

Cosmetic Line 2 - IR Flash Zone*

Cosmetic Line 2 - Oven Exhaust*

Repair - End of Line Touch-up**

Paint Mix Room

Paint Satellite Mix Room

Precision Paint Cell (subject of Plan Approval No. 67-05118B) consisting of the following components:

- One (1) robotic spray booth (with permanent total enclosure).
- Two (2) infrared (IR) ovens (electrically heated).





SECTION H. Miscellaneous.

- Two (3) loading/unloading zones.
- One (1) particulate filter bank at the robot.
- One (1) natural gas-fired steam humidifier rated at 0.488 MMBtu/hr.
- Use of spray paint cans to apply touch-up paint to motorcycle frames in the Post-Assembly touch-up area (addressed by RFD*Online RFD #6084; exemption approved online 5/30/17 & via letter dated 5/31/17).
- Use of air brush for touch-up operations inside the paint shop had fallen out of use but were since re-instated. This practice was re-approved under e-RFD #8270.
- * VOC emissions are controlled by the RTO (Source ID C245C)
- ** VOC emissions are controlled by the carbon adsorption unit (Source ID C245D)

Source ID PR02 consists of the following components:

Phosphate E-coat Make-up Air (rated capacity = 3.0 mmBTU/hr)

Frame Dryoff Oven (rated capacity = 3.0 mmBTU/hr)

Frame Cure Oven - Zone 1 (rated capacity = 2.0 mmBTU/hr)

Frame Cure Oven - Zone 2 (rated capacity = 3.0 mmBTU/hr) E-coat Oven - Zone 1 (rated capacity = 2.0 mmBTU/hr)

E-coat Oven - Zone 2 (rated capacity = 3.0 mmBTU/hr)

Cosmetic Line 1 Oven (rated capacity = 3.0 mmBTU/hr)

Cosmetic Line 1 Air Supply House (rated capacity = 3.84 mmBTU/hr)

Cosmetic Line 2 Oven (rated capacity = 3.0 mmBTU/hr)

Cosmetic Line 2 Air Supply House (rated capacity = 3.84 mmBTU/hr)

Color Frame Oven (rated capacity = 2.5 mmBTU/hr)

RTO (Source ID C245C) (rated capacity = 12.0 mmBTU/hr)

.....

Source ID 301

Manufacturer: Cummins Fire Power

Model Number: CFP9E-F20

What the Engine Drives: Fire pump Ignition Type: Compression ignition Fuel Type: Diesel fuel oil (or No. 2 fuel oil) Rated Engine Power Output Capacity: 268 HP Rated Generator Power Output Capacity: 200 kW

Engine Displacement: (8.9 L) / (6 cylinders) = 1.5 L / cylinder

Model Year: 2013

Construction Date: 4/06/13

Applicable Federal Subpart: NSPS Subpart IIII (MACT Subpart ZZZZ is also applicable; however, compliance with NSPS Subpart IIII

demonstrates compliance with MACT Subpart ZZZZ)

Source ID DGO2 Manufacturer: Kohler Model Number: 500REOZV

What the Engine Drives: Emergency generator

Ignition Type: Compression ignition
Fuel Type: Diesel fuel oil (or No. 2 fuel oil)
Rated Engine Power Output Capacity: 565 HP
Rated Generator Power Output Capacity: 515 kW

Engine Displacement: (16.1 L) / (6 cylinders) = 2.7 L / cylinder

Model Year: 2003



67-05118

Construction Date: 11/01/03

HARLEY DAVIDSON MOTOR CO/YORK VEHICLE OPR



SECTION H. Miscellaneous.

Applicable Federal Subpart: MACT Subpart ZZZZ
All of the sources that were the subject of RACT Operating Permit No. 67-2032 that was issued by the Department on 4/09/97 no longer exist. RACT Operating Permit No. 67-2032 was submitted by the Department as part of a State Implementation Plan (SIP revision and was subsequently approved by U.S. EPA on 3/31/05 (70 FR 16416) pursuant to 40 CFR §52.2020(d)(1)(g).

This operating permit incorporates the requirements of Plan Approval No. 67-05118A and supercedes that permit.





***** End of Report *****